REVIVE 2024 Report Resilience and ADORB Summary

Pizza Hut

Introduction 1

Some regular text and some italic text. Also some crazy characters: $\&\#\{\}$

Math that is incorrect 1.1

2 * 3 = 9

$\mathbf{2}$ Thermal Resilience

Some regular text and some

Single Point Metrics 2.1

Metric	Result	Unit
Heating SET Hours	56.4	°F hr
Hours Below 2°C	2	hr
Caution (> 26.7, 32.2° C)	4	hr
Extreme Caution ($> 32.2, 39.4$ °C)	89	hr
Danger (> 39.4 , 51.7° C)	453	hr
Extreme Danger (> 51.7 °C)	858383	hr
Heating Battery Size	5	kWh
Cooling Battery Size	6	kWh

Graph Results 2.2

3 Annual and ADORB


Some regular text and some

Single Point Metrics 3.1

Metric	Result	Unit
Energy Use Intensity	34.5	kBtu/ sf yr
Peak Electrical Load	543	W
First Year Electric Cost	1505.02	\$
First Cost	543254	\$
Total ADORB Cost	572343	\$

Graph Results 3.2

Montreal_Package_0_BASE House_Elec_Heating Outage Resilience



Montreal_Package_0_BASE House_Elec_Heating Outage Resilience

