# REVIVE 2024 Report Resilience and ADORB Summary

### Pizza Hut

#### Introduction 1

Some regular text and some italic text. Also some crazy characters:  $\$\&\#\{\}$ 

#### Math that is incorrect 1.1

2 \* 3 = 9

#### $\mathbf{2}$ Thermal Resilience

Some regular text and some

#### Resilience Single Point Metrics 2.1

Metric	Result	Unit
Heating SET Hours	56.4	°F hr
Hours Below 2°C	2	hr
Caution (> 26.7, < $32.2^{\circ}$ C)	4	hr
Extreme Caution (> $32.2$ , < $39.4$ °C)	89	hr
Danger (> $39.4$ , < $51.7$ °C)	453	hr
Extreme Danger ( $> 51.7$ °C)	858383	hr
Heating Battery Size	5	kWh
Cooling Battery Size	6	kWh

#### Resilience Graph Results 2.2

#### 3 Annual and ADORB


Some regular text and some

#### **Adorb Single Point Metrics** 3.1

Metric	Result	Unit
Energy Use Intensity	34.5	kBtu/ sf yr
Peak Electrical Load	543	W
First Year Electric Cost	1505.02	\$
First Cost	543254	\$
Total ADORB Cost	572343	\$

#### 3.2 **Adorb Graph Results**

# Montreal\_Package\_0\_BASE House\_Elec\_Heating Outage Resilience



## Montreal\_Package\_0\_BASE House\_Elec\_Heating Outage Resilience

