

Part 1:

Q1. How many hackers are trying to get access to our servers? And how many attempts are there? Explain/define how you count distinct hackers.

Answer: 185 hackers with attempt total 33253 times, with command

```
source="tutorialdata.zip:*secure.log" "Failed password" | rex field=_raw "from\s+(?P<attacker_ip>\d+\.\d+\.\d+\.\d+)" | stats dc(attacker_ip) AS "Total_Unique_Attackers", count AS total_attempts|
```

Q2: What time do hackers appear to try to hack our servers?

Answer: first time was 2026-08-16 20:29:35 and last time was 2026-08-23 20:29:38, with following command

```
source="tutorialdata.zip:*secure.log" "Failed password"
| rex field=_raw "from\s+(?P<attacker_ip>\d+\.\d+\.\d+\.\d+)"
| stats earliest(_time) AS First_Attempt, latest(_time) AS Last_Attempt, count AS
  Total_Attempts BY attacker_ip
| where Total_Attempts >= 3
| eval First_Attempt=strftime(First_Attempt, "%Y-%m-%d %H:%M:%S")
| eval Last_Attempt=strftime>Last_Attempt, "%Y-%m-%d %H:%M:%S")
```

Q3: Which server (mailsv, www1, www2, www3) had the most attempts?

Answer: www1 with 8798 times, with command

```
source="tutorialdata.zip:*secure.log" "Failed password"
| rex field=_raw "from\s+(?P<attacker_ip>\d+\.\d+\.\d+\.\d+)"
| rex field=_raw "(?P<target_server>\S+)\s+sshd\[\""
| top limit=10 target_server
```

Q4: What is the most popular account that hackers use to try to break in?

Answer: root with 1493 times, with command

```
source="tutorialdata.zip:*secure.log" "Failed password"
| rex field=_raw "Failed password for (?::invalid user )?(?P<target_account>\S+) from"
| top limit=50 target_account
```

Part2

Q5: Can you find attempts to get access to sensitive information from our web servers?
How many attempts were there?

Answer: get all files to identify the file which be sensitive file, with following command

```
source="tutorialdata.zip:*access.log"
| stats count, values(status) as status_codes by uri_path
| sort - count
```

/hidden/anna_nicole.html	73	404
/rush/rush.html	72	404
/rush/signals.zip	71	404
/search.do	70	404
/passwords.pdf	68	404

จะเห็นว่า file /passwords.pdf, /rush/signals.zip, /hidden/anna_nicole.html ถือเป็น sensitive information โดยรวมจำนวนครั้งเป็น $68 + 71 + 73 = 212$ ครั้ง

Q6: What resource/file are hackers looking for?

Answer: /passwords.pdf, /rush/signals.zip, /hidden/anna_nicole.html, with command

```
source="tutorialdata.zip:*access.log" uri_path IN ("/passwords.pdf", "/rush/signals.zip", "/hidden/anna_nicole.html")
| stats count by uri_path
| sort - count
| sort - count
```

uri_path ↕
/hidden/anna_nicole.html
/rush/signals.zip
/passwords.pdf

Part 3

Q7: Can you find any bots crawling our websites?

Answer: with following bot:

1. Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)
2. Mozilla/5.0 (compatible; NetcraftSurveyAgent/1.0/cc-prepass-https; +info@netcraft.com)
3. Googlebot/2.1 (http://www.googlebot.com/bot.html)
4. Googlebot/2.1 (http://www.googlebot.com/bot.html)
5. Mozilla/5.0 (compatible; YandexBot/3.0; +http://yandex.com/bots)

The screenshot shows a log analysis interface with a search bar at the top containing the query: `source="tutorialdata.zip:*access.log"`, `| search useragent="*bot*" OR useragent="*crawler*" OR useragent="*spider*" OR useragent="*agent*"`, `| stats count BY useragent`, and `| sort - count`. Below the search bar, it indicates **2,346 events** (before 25/08/2026 13:59:52.000) and a **No Event Sampling** dropdown. The interface has tabs for **Events**, **Patterns**, **Statistics (5)**, and **Visualization**. Under the **Statistics** tab, there are controls for **Show: 100 Per Page**, **Format**, and a **Preview: On** toggle. The main content area displays a list of user agents under the heading **useragent**. The listed user agents are: `Mozilla/5.0 (compatible; Googlebot/2.1; +http://www.google.com/bot.html)`, `Mozilla/5.0 (compatible; NetcraftSurveyAgent/1.0/cc-prepass-https; +info@netcraft.com)`, `Googlebot/2.1 ( http://www.googlebot.com/bot.html)`, `Googlebot/2.1 (http://www.googlebot.com/bot.html)`, and `Mozilla/5.0 (compatible; YandexBot/3.0; +http://yandex.com/bots)`.

Q8: What are they doing on the site? (Hint: Look for User-Agent in the web access.logs.)

Answer: มีทั้งการ ลองพยายามใส่สินค้าลงตะกร้า ด้วย uri= card.do หรือ cart/success.do เพื่ออีกทั้งยังมีการ พยายาม ยิง request ใน endpoint เก่าๆเช่น oldlink หรือ endpoint แปลกๆเช่น /category.screen อีกทั้งยังมีการพยายามในการ เข้าถึงไฟล์ที่ไม่มีอยู่จริงเช่น anna_nicole.html และ rush/signals.zip โดยรวม bot และ crawling พยายามจะหาช่องโหว่ในระบบต่างๆ

The screenshot shows a log analysis interface with a search bar containing the query: `source="tutorialdata.zip:*access.log" (useragent="*bot*" OR useragent="*agent*")`, `| stats count AS total_visits BY useragent, method, uri_path, status`, and `| sort useragent, -total_visits`.

```
source="tutorialdata.zip:access.log" (useragent!="bot" OR useragent!="agent")
| stats count AS total_visits BY useragent, method, url_path, status
| sort useragent, -total_visits
```

Time range: All time

2,346 events (before 25/08/2025 14:07:44.000) No Event Sampling

Job

Smart Mode

Events Patterns Statistics (212) Visualization

Show: 100 Per PageFormatPreview: On

123Next

useragent	method	url_path	status	total_visits
Googlebot/2.1 (http://www.googlebot.com/bot.html)	POST	/cart.do	200	99
Googlebot/2.1 (http://www.googlebot.com/bot.html)	GET	/product.screen	200	79
Googlebot/2.1 (http://www.googlebot.com/bot.html)	GET	/cart.do	200	61
Googlebot/2.1 (http://www.googlebot.com/bot.html)	GET	/category.screen	200	55
Googlebot/2.1 (http://www.googlebot.com/bot.html)	GET	/oldlink	200	54
Googlebot/2.1 (http://www.googlebot.com/bot.html)	POST	/cart/success.do	200	29
Googlebot/2.1 (http://www.googlebot.com/bot.html)	POST	/product.screen	200	27
Googlebot/2.1 (http://www.googlebot.com/bot.html)	POST	/category.screen	200	18
Googlebot/2.1 (http://www.googlebot.com/bot.html)	POST	/cart/error.do	200	16
Googlebot/2.1 (http://www.googlebot.com/bot.html)	POST	/oldlink	200	8
Googlebot/2.1 (http://www.googlebot.com/bot.html)	GET	/product.screen	400	5
Googlebot/2.1 (http://www.googlebot.com/bot.html)	GET	/cart.do	503	4
Googlebot/2.1 (http://www.googlebot.com/bot.html)	GET	/cart.do	400	3
Googlebot/2.1 (http://www.googlebot.com/bot.html)	GET	/product.screen	500	3
Googlebot/2.1 (http://www.googlebot.com/bot.html)	GET	/product.screen	503	3
Googlebot/2.1 (http://www.googlebot.com/bot.html)	GET	/cart.do	500	2