Spiff v2 — repo drop

Everything in this folder is new. Copy it into your agentic-reporting clone and commit; nothing here overwrites spiff-mockup.html, docs/Spiff-Project-Brief.md or docs/Spiff-Custom-Instructions.md.

spiff-mockup-v2.html the built mockup — one self-contained file, open it in a browser
build.mjs rebuilds spiff-mockup-v2.html from src/ + vendor/
src/ the modular source (edit here, not in the built file)
vendor/ ECharts and the South Africa GeoJSON, inlined
docs/Spiff-v2-Research.md the research: ThoughtSpot in depth, plus catalogues, rules, access governance, portal chat, MCP, and code-as-meaning
docs/Spiff-v2-Design-Notes.md what v2 does, screen by screen, and why
docs/Spiff-v2-Build-Contract.md the contract the parallel build ran against
docs/research/ the eight raw deep-dives the consolidated doc was written from

Rebuilding

node build.mjs # concatenates src/ + vendor/ into spiff-mockup-v2.html

There is no toolchain and no dependency to install. build.mjs is plain Node and does nothing but read files in order and write one file out.

How the source is laid out

The build concatenates, in this order:

Part	What it is
src/00-head.html	title, fonts
src/10-css-v1.css	the v1 stylesheet, unchanged
src/11-css-v2.css	the v2 design-system layer on top
src/20-shell.html	app shell — rail, topbar, view containers, chat drawer
vendor/	ECharts 6.1.0 and the ZA GeoJSON, inlined (a published Artifact blocks external scripts)
src/40-app-v1.js	the v1 engine, near-verbatim — ask, answer, charts, workspace, teams, library, automations, dashboards, admin
src/data/.js	the made-up data: org and datasets, rules, access, connectors, audit, chat, sources
src/core/45-ui2.js	the shared UI kit and the router extension
src/views/.js	one file per v2 screen
src/90-boot-v2.js	counts, scope chips, landing view

Each src//.js file is a standalone <script> block. Every top-level name is globally unique, because they all end up in one scope. src/core/45-ui2.js wraps the v1 go() so new routes render through V2ROUTES and everything v1 did still works.

Adding a screen: add <section class="view wide" id="view-x"></section> to the shell, a nav entry, a CRUMB2 label, and a src/views/NN-x.js that sets V2ROUTES.x.

Verifying

verify.mjs drives the built file in headless Chromium: it walks every route and deep link, watches for console and page errors, exercises the viewer simulator, screenshots light and dark, and checks nothing overflows horizontally at 1480 and 1100. scan-svg.mjs catches inline icons that render at the SVG default size. Both need Playwright.

The one console error you will see locally is the Google Fonts stylesheet failing where there is no network. It loads fine in a browser and in the published artifact.

v1 is untouched

spiff-mockup.html and its artifact link still work. v2 is a fork, not a replacement — every v1 screen is still in it, reachable from the same rail.