
Operating Manual

This operating manual treats the body and nervous system as a test bench: for neuro-acoustic entrainment (*Frequency Following Response*) to work without analytical drop-off or unintended sleep, each mechanical, physiological and acoustic variable has to be locked in a precise order.


Precautions for use

- **Experimental tool:** This manual describes the aims and hypotheses behind each setting so that you can understand their intent. They are not established facts: no result is promised, and effects depend on each person's sensitivity.
- **Epilepsy:** Not recommended for people prone to photosensitive or auditory epilepsy. If in doubt, ask for medical advice before any use.
- **Driving:** Never use while driving. Wait until you are fully alert again before driving after a session: frontal heaviness or spatial disorientation can last for up to an hour (see section 6).


The Interface at a Glance



The top of the console: session length, settling-in time, the timer and the playback controls stay grouped together, followed by the Horizons. All the other settings are on the same page, just below (see section 8).



On a phone, before the session.



During the settling-in time, “Preparation” appears in front of the time.

1. Equipment & Body Posture

The mechanical aim of the posture is to remove ascending proprioceptive signals (the information muscles and skin send to the brain to remind it where the body is), while avoiding the deep-sleep reflex linked to your usual sleeping position.

Audio Setup (Strict Stereo Chain)

- You must use **circumaural headphones** (which surround the ear without crushing it) or direct in-ear monitors.

- **Turn off all DSP processing** on your sound card or operating system (Dolby Atmos, Windows Sonic, equalizers, reverb or bass enhancement). These algorithms mix the left and right channels (*crosstalk*), which destroys the phase angle and cancels the creation of the binaural beat in the superior olive of the brainstem.
- **Listening volume:** The signal should be **just above the comfortable hearing threshold** (around 50 to 60 dB SPL). Too high a volume triggers a stapedius reflex in the middle ear and keeps the cortex in Beta alertness (the opposite of the desired effect).

The 30° to 45° Incline (The critical angle)

- If you lie flat (0°) in your usual bed, your brain associates the onset of Theta waves (4 Hz) with night-time sleep by Pavlovian reflex: you will slip into unconscious sleep in under 12 minutes.
- Prefer a reclining chair, a deckchair or a bed with your upper body raised to **30° or 45°** on firm cushions. Your neck should be fully supported in line with your spine, so that no trapezius or sternocleidomastoid muscle has to stay tense.

Sensory & Thermal Isolation

- **Full blackout mask (or complete darkness):** The slightest variation of photons through the eyelids restarts activity in the occipital visual cortex and blocks inner imagery (Horizon 2).
- **Proprioceptive disconnection:** Rest your arms along your body, palms facing up or lying flat, without your fingers touching each other or your thighs (fingertip touch sensors occupy a huge area of the somatosensory cortex). Do not cross your legs.
- **Light blanket:** When you shift into Theta/Delta waves, basal metabolism falls and body temperature drops by about 0.5 °C. A single shiver is enough to break the trance.

2. Settling-In Time & Preparation Phase

The acoustic start is automatic: once “Enter Phase” is clicked, you can close your eyes without touching anything. Never start a deep protocol cold: each Horizon begins with its **Dynamic Ramp**, preceded if you wish by a **Settling-in time** (OFF, 2 min or 5 min), which is added to the session length.

When	What the console does	What you do
Before starting	Loads the settings of the chosen Horizon	Choose the Horizon, any ascent, the length and the settling-in time, then click “Enter Phase”
Settling-in	Only the Pink Noise plays. The word “Preparation” appears in front of the time, in amber	Get settled, then do the mental vault and release your jaw
Last 30 seconds of settling-in	Carrier, pad, Gamma and Rotation gradually rise to your settings	Let the carrier emerge from the hiss and start tuning
Ramp (5 or 10 min)	The beat glides from 12 Hz to its target, with no click	Finish tuning and the body scan, then form your intention

Without settling-in time, the frequencies start right away: go through these same steps during the ramp.

1. The Analytical Discharge · During settling-in

- The main saboteur of phase entry is the left prefrontal cortex, which keeps processing current matters (projects, calculations, tomorrow's tasks).
- Picture a massive armored vault (the mental vault). Mentally and physically place each concern, technical project or tension of the day inside it, close the heavy lid and lock it, then turn your back on the vault. This is an operating command given to your left hemisphere: *"Put background processes on standby for 30 minutes"*.

2. Vocal Tuning & Vagal Release · As soon as the carrier emerges

- **4-2-6 rhythm:** Count mentally, with your eyes closed. The console's breathing guide is for learning this rhythm before the session.
- **Inhale (4s):** Breathe in slowly through your nose, picturing that you are drawing up a dense flow of kinetic energy from your feet to the top of your skull.
- **Hold (2s):** Hold without tightening your glottis; let the wave spread through your skull.
- **Exhale (6s):** Breathe out while **softly singing the carrier note** heard in the headphones (a low hum, *"Ommmm"*, *"Ahhhh"* or *"Vuuuu"*), until you feel the sphenoid bone (behind the nose) and rib cage resonate. If the note is too high, sing it an octave lower. Five to eight cycles are enough to stimulate the vagus nerve and lower your heart rate, so tuning continues during the start of the ramp.
- **Fine adjustment (optional):** To adjust the carrier to the nearest half-Hertz for your voice, do it outside the session, then save a profile.

3. The Somatic Disconnection Scan · During settling-in, then the ramp

- First bring all your attention to the **temporomandibular joint (TMJ)**: unclench your teeth (leave 2 mm of space between your molars), let your tongue rest on the floor of your mouth and relax the muscles that move your eyes (as if your eyes were sinking to the back of their sockets). Once your jaw and eyes are fully inert, the rest of the body follows by neurological reflex.
- Then scan from the top of your skull down to your toes, telling each muscle segment to become "heavy as lead".

4. The Operating Intention · During the ramp

- Silently form a clear, concise instruction (with no vocal effort) that defines the aim of the session: *out-of-body exploration*, *receiving information about a target (remote perception)*, or simply *stabilizing in Horizon 1*, then let go. Without a vector of intention, awareness drifts into ordinary associative dreams.

How the settling-in time behaves

- **Pink Noise:** If it is set to 0%, the settling-in time is silent.
- **During settling-in:** The sliders and Horizons can still be changed and apply at the end of the settling-in time, except the Pink Noise, which changes immediately. A pause keeps the settling-in time remaining. A change to the settling-in length applies only to the next session.

3. Stage Matrix (Automatic Settings)

Choosing a Horizon automatically loads the settings below. The sliders stay active if you want to turn off or intensify a module by hand.

Operational Goal	Horizon	Modules Loaded	Mix & Role of the Layers
1. Learning "Body Asleep / Mind Awake" *Beginning practice*	**Horizon 1** (100 Hz / Δ 4.0 Hz)	**Ramp:** ON (10 min) **40 Hz Gamma:** OFF **Sound rotation:** OFF **Isochronic:** OFF	Carrier: 70% / Pad: 30% / Pink Noise: 40%. Lets you get used to physical numbness without vertigo.
2. Out-of-Body Exit *OBE / Direct Phase Entry*	**Horizon 4** (200 Hz / Δ 3.8 Hz), preferably in **Gradual ascent** (see section 4)	**Ramp:** ON (10 min) **40 Hz Gamma:** ON (25%) **Sound rotation: ON (0.15 Hz)** **Isochronic: ON (45%)**	Carrier: 65% / Pad: 45% / Pink Noise: 35%. **Sound rotation** disengages the inner ear (floating effect), while the **Isochronic Wave** catalyzes the pre-separation vibrational state.
3. Remote Viewing *Remote perception / Non-local intuition*	**Horizon 2** (136.1 Hz / Δ 5.5 Hz)	**Ramp:** ON (5 min) **40 Hz Gamma: ON (35% - Crucial)** **Sound rotation:** OFF **Isochronic:** OFF	Carrier: 60% / Pad: 25% / Pink Noise: 45%. **Theta (5.5 Hz) + Gamma (40 Hz)** coupling keeps analytical awareness sharp enough to note or draw perceptions.
4. Exploring the "Void" & Deep Nervous Regeneration	**Horizon 3** (100 Hz / Δ 1.5 Hz), preferably in **Gradual ascent**	**Ramp:** ON (10 min) **40 Hz Gamma:** ON (20% anti-sleep) **Sound rotation:** ON (very slow: 0.06 Hz) **Isochronic:** OFF	Carrier: 70% / **Pad: 10% / Pink Noise: 15%.** Relative silence combined with deep Delta removes the perception of time passing.


4. Gradual Ascent & Session Length

Gradual ascent (optional)

Off by default, it is turned on below the Horizon cards and recommended for deep states (Horizons 3 or 4). Choose your target Horizon: the console runs through the stages by itself from Horizon 1 and displays the route. The ramps are fixed. The remaining time is shared between the stages, and the target Horizon receives a double share. Example for Horizon 4 in 60 minutes, not counting settling-in time:

Stage	Start	Ramp	Stabilization
Horizon 1	0 min	10 min	5 min
Horizon 2	15 min	5 min	5 min
Horizon 3	25 min	10 min	5 min
Horizon 4	40 min	10 min	10 min

- **Moving between stages:** The carrier glides over 60 seconds (for example from 100 to 136.1 Hz), and volumes and modules change gradually over about a minute. The change remains noticeable, but without a break.
- **Settings:** Each stage loads its own settings, so a manual adjustment is replaced at the next stage.
- **Turning the option off:** During a session, you stay on the stage reached.



Ascent to Horizon 4 in 60 minutes, with 2 minutes of settling-in time: the timeline shows the calculated route.

Session length

The length can be set freely from 10 to 180 minutes, not counting settling-in time. A request below the minimum for the chosen Horizon is raised to that minimum, with a message. A running session too short for a new Horizon is extended in the same way. These lengths are design guidelines, to be adjusted to your practice.

Horizon	Direct minimum	Ascent minimum	Recommended (direct / ascent)
Horizon 1	20 min	20 min	30 / 30 min
Horizon 2	20 min	25 min	30 / 35 min
Horizon 3	30 min	40 min	45 / 50 min
Horizon 4	40 min	50 min	60 / 60 min

5. Shift Techniques (What to do once in phase?)

Once the ramp has finished (after 5 or 10 minutes depending on the stage), you will feel the typical markers of phase entry: losing the sense of where your hands are, the impression that your body has changed in volume, phosphenes (geometric glows behind your eyelids) or brief hypnagogic sounds.

> At that precise moment, **do not analyze the phenomenon** (analysis restarts Beta waves at 18 Hz and brings you straight back into your body). Apply one of the following two procedures:

Option A: Separation Protocol (Out-of-Body, Horizon 4)

1. **Amplifying the Inner Resonance:** The **Isochronic** module adds a gentle pulse, locked to the beat. Synchronize your perception with it and imagine a static wave sweeping your body from head to feet and then from feet to head, like a pendulum speeding up.
2. **Vestibular Disengagement:** Bring all your attention to the movement of the **Sound rotation** in the headphones. In this version, it moves the pad and Pink Noise slowly back and forth from left to right. Instead of listening to this movement, **imagine that the sound is fixed and that you are the one slowly turning on the spot** (around your long axis, like a log in water).
3. **The Release (*Roll-out* or Rope):** As soon as the sense of rotation or floating becomes tangible (an impression of lightness or of being offset from the mattress), give a clear impulse without tensing any physical muscle: roll sideways over the edge of the chair or bed, or imagine hoisting yourself by your arms along an invisible rope hanging from the ceiling.

Option B: Remote Perception Protocol (Horizon 2)

1. Stabilize in **Horizon 2**: the **40 Hz Theta-Gamma Bridge** is turned on automatically.
2. Direct your inner gaze about 50 cm in front of your forehead, into the infinite dark space created by the **Pink Noise** (Ganzfeld effect).
3. Silently state the coordinates of your target or your question, then **let go immediately**. Observe the very first shape, texture, temperature, movement or geometry that arises spontaneously within 2 to 3 seconds, before your rational imagination (**mental interpretation**) tries to guess or interpret the image.

6. Return & Grounding Procedure

The console runs an automatic 15-second fade at the end of the session to avoid any acoustic shock to the trigeminal nerve and nervous system. Even so, coming suddenly out of a deep Delta/Theta state (Horizons 3 or 4) often leaves a feeling of frontal heaviness or spatial disorientation for up to an hour.

1. **Gradual reintegration:** Before opening your eyes or removing the headphones, count down mentally from 10 to 1 while affirming your return to normal alertness.
2. **Distal reactivation:** Begin by moving only your fingertips and toes (areas with strong cortical representation), then stretch your wrists and ankles.
3. **Immediate logbook:** Memory of Theta/Delta states is encoded in the same way as that of dreams: 80% of it fades within 3 minutes of Beta waves restarting. Keep a notebook or sheet of paper within reach to note down your perceptions and sketches right away, along with the exact parameters (Carrier Frequency + Binaural Δ + active Modules) that gave the best results.

7. Using a Smartphone (Screen Off & Log)

> **Test status**
>
> On a Xiaomi Redmi Note 13 Pro+ with a Bluetooth headset, the previous version held with the screen off, with clean sound and the console displayed on the lock screen. V2.9.1 uses the same audio engine, but this test has yet to be repeated with it. iPhone, other devices and browsers other than Chrome have not been tried: run a screen-off test before relying on it.

How it works

- **Scheduling in advance:** Session time is read from the audio engine's clock, and the whole session (ramps, glides, stages, final fade) is scheduled in advance in this engine. The sound therefore follows its course even if the system slows down the rest of the application. The display catches up as soon as you return to the screen.
- **Keep-alive player:** The sound is output directly. Alongside it, a player loops a near-silent file generated by the page, so that the phone treats the console as a media player. If the player is refused, a message says so.
- **Light mode:** It turns off the oscilloscope and animations to keep the phone's resources for the sound. It is set below the Horizon cards and is on by default on touch screens.
- **Lock screen:** It can then show the current stage, the session length and the play and pause controls. The icon is built into the page.

Limits

- **Depending on the phone:** The display and keeping the sound going with the screen locked depend on the device and its battery-saving settings.
- **Audio engine suspension:** The system may suspend it, particularly on iPhone with the screen locked. Sound and time then stop together and resume at the same point: the session does not fall out of sync, but it is interrupted. The “Audio suspended by the system” indication shows this.
- **Unintended pause:** A headset button, or unplugging a headset depending on the model, can pause the session. It resumes at the same point, but the sudden silence may take you out of the state you were seeking. This button remains useful for stopping quickly if you feel unwell.
- **Offline:** Sound worked in airplane mode on the device tried. The console installs as an application. Open it a first time with a network connection, directly in your browser and not from WhatsApp or another app. Then tap “Install the app” at the top of the page, or look for this option or “Add to Home screen” in the browser menu. It then works without a network. The name of the option and its availability vary by browser.


Checks

- **Stereo:** On your phone, start Horizon 1 and lower the Pad and Pink Noise to 0%, then listen with one earbud only. A steady sound means stereo is preserved. A sound that pulses regularly means the system has mixed the two channels, which cancels the binaural beat.
- **Interruption log:** At the bottom of the console, this log records plays, pauses, the screen going off and whatever the system cuts. If the browser allows it, it also counts audio output dropouts. It is kept in the browser and can be copied with one button: if there is a cutoff, it helps identify what blocked the audio.

8. Console Reference

Console layout

Everything is on a single page, with no menu to open: the Horizons and ascent, light mode, profiles, the four modules, the oscilloscope, the breathing guide, the carrier, the beat, the mix and the log. The buttons at the top of the page install the application, open this manual and switch to French. Profiles are shared between the two languages.




The full page on a computer.

Session controls

- **Enter Phase:** Starts a new session. The Horizon cards are for choosing: they do not start the sound. During a session, a card changes the Horizon live.
- **Pause and Resume:** The session resumes at the same point.
- **Stop:** Ends the session and resets everything: the next start is a new session, with its settling-in time.
- **During a pause:** Choosing a Horizon card or changing the length abandons the current session, and a message says so. A new settling-in time applies after Stop.

Settings profiles

- **Save:** Enter a name, then save. The profile keeps the carrier, beat, modules, mix, session length, settling-in time and breathing guide. Reusing an existing name asks for confirmation before replacing it.
- **Load:** Choose the profile from the list, then click “Load”. Loading happens outside playback, to avoid an abrupt change. The console never loads a profile by itself on opening: it starts on Horizon 1 with its ramp.
- **Profile in ascent:** It keeps the target Horizon and the length. The settings come from each stage.
- **Export and import:** Profiles stay in the browser used and disappear if its data is cleared. Export them to a file to keep a copy or move them to another device. Importing does not replace any existing profile.



A personal profile loaded, here with an example: a message below the list confirms it.

> A fundamental distinction in neuro-acoustics:
>
> - **The Carrier** (e.g. 146 Hz) gives the sound its “color” and physical resonance in the headphones.
> - **The Binaural Beat / Brainwave** (e.g. 4.0 Hz for Horizon 1) represents the targeted state of mental entrainment.

Carrier frequencies

The carrier (*Carrier Frequency*) serves as a vehicle for tissue and bone resonance (for example 146 Hz for the periodontal ligament or 136.1 Hz for grounding). It is kept stable within a stage so as not to disturb sensory immersion. It changes in three ways: by hand (buttons and slider), by choosing another Horizon during a session (60-second glide) or through Gradual ascent.

Setting the “Target Frequency” with the Ramp

The Dynamic Ramp does not target the Carrier Frequency, but the Binaural Beat (the brainwaves).

- **Starting point and descent:** At the start of a session, the ramp begins at your neurological starting point (generally 12 Hz in Alpha, the state of calm wakefulness) and descends linearly and automatically to the selected beat frequency (for example 2.5 Hz for Delta or 4.0 Hz for Horizon 1). During a session, a change of Horizon starts from the current beat.
- **Length:** The length of this descent (*glissando*) is set to 5 or 10 minutes depending on the module's settings.
- **Locking:** Once the target stage is reached (e.g. 4.0 Hz), the ramp stops gently and the system locks steadily onto the chosen Horizon.