CompoundIQ POC Demo — Detailed Walkthrough

Version: 2.2 | **Date:** April 22, 2026 **Application:** https://functional-medicine-infrastructure.vercel.app **Duration:** 30–45 minutes (with discussion)

> ***What's new in v2.2 (2026-04-22):*** *Demo-readiness campaign complete. Six PRs address the five findings from the fresh-agent cowork review (A1/A2/B1/B2/B4) so the demo tour no longer requires a terminal: clinic-side* ***Copy Payment Link*** *button replaces the checkout-URL script (PR #1); the demo provider's EPCS TOTP is* ***pre-enrolled*** *via cron so controlled-substance signings never hit first-time setup (PR #2); Adapter Health cards have an* ***Idle*** *state instead of falsely flashing Critical on a fresh environment (PR #3);* ***Refresh Demo Data*** *button + daily cron seed the Fax Triage queue and Adapter Health grid with realistic data inside the 15-minute green-freshness window (PR #5);* ***Demo Tools*** *nav tab is hidden by default so the investor Ops tour never sees a "Demo Tools" link (PR #4). See* `STATUS.md` *for the full PR ledger.*

Pre-Demo Setup (5 minutes before)

> *Zero-terminal flow — every step below is a browser click or a phone tap. No scripts, no shells.*

1. **Sync credentials + demo data (in-app):** Log in as ops (`ops@compoundiq-poc.com` / `POCAdmin2026!`), visit `/ops/demo-tools` , and click **both** buttons in order:
   - **Reset Demo Credentials** — forces all four POC passwords back to the canonical values in the table below
   - **Refresh Demo Data** — reseeds the Fax Triage queue (4 rows) and Adapter Health grid (5 pharmacies, 200 submissions) with timestamps inside the 15-minute "green" freshness window. **Click this within ~10 minutes of the demo start** — adapter cards classify green only when the most recent success was under 15 minutes ago, so stale data reads degraded.
2. **Verify health:** Open `https://functional-medicine-infrastructure.vercel.app/api/health` — should return `{"status":"ok"}`
3. **Authenticator app on your phone:** Dr. Chen's EPCS TOTP secret is pre-enrolled in the database (PR #2). To enter rolling 6-digit codes during the controlled-substance signing, add the same secret to your authenticator app **once** before the demo (any TOTP app: Google Authenticator, 1Password, Authy, Bitwarden). **Enrollment details are in the "Authenticator Setup" subsection below.**
4. **Open browser tabs:** Prepare 3 tabs — one for clinic app, one for ops dashboard, one for patient checkout
5. **Stripe test card ready:** `4242 4242 4242 4242` | Exp: `12/28` | CVC: `123` | ZIP: `78701`
6. **Mobile device (optional):** Have a phone ready to show the checkout page on a real mobile browser

Authenticator Setup (one-time, before demo day)

Dr. Sarah Chen's EPCS TOTP secret is pre-enrolled server-side so the signing flow skips first-time QR enrollment. To enter the rolling 6-digit code during the demo, load the same secret into a TOTP app on your phone once:

Field	Value
Account label	`CompoundIQ Demo – Sarah Chen`
Issuer	`CompoundIQ POC`
Secret (Base32)	`KBWXKJSXT4XFKUGUZKI2OYCNNYPUCVBH`

Algorithm	`SHA-1` (default)
Digits	`6` (default)
Period	`30 seconds` (default)
`otpauth://` URI	`otpauth://totp/CompoundIQ%20Demo%20-%20Sarah%20Chen?secret=KBWXKJSXT4XFKUGUZKI2OYCNNYPUCVBH&issuer=CompoundIQ%20POC`

Most authenticator apps accept either a QR scan of the `otpauth://` URI (generate one from a QR generator of your choice) or manual entry of the Base32 secret. Two devices recommended — a primary phone + a desktop TOTP client (e.g. 1Password, Bitwarden) — so a phone battery surprise doesn't block the demo. Verify by comparing codes across apps before the demo starts.

> ***Clock drift note:*** *TOTP codes are clock-sensitive. If your phone's clock drifts more than ~30 seconds from the server, codes will be rejected. Make sure the phone's clock is set to automatic network time.*

POC Test Accounts

Role	Email	Password	Redirects To
Ops Admin	`ops@compoundiq-poc.com`	`POCAdmin2026!`	`/ops/pipeline`
Clinic Admin	`admin@sunrise-clinic.com`	`POCClinic2026!`	`/dashboard`
Provider	`dr.chen@sunrise-clinic.com`	`POCProvider2026!`	`/dashboard`
Medical Assistant	`ma@sunrise-clinic.com`	`POCMA2026!`	`/dashboard`

> ***If a password above doesn't work*** *(credential drift after a Supabase rotation, manual reset, etc.):*
>
> 1. ***In-app fix:*** *log in as ops, go to* `/ops/demo-tools`*, click* ***Reset Demo Credentials****. All four accounts are forced back to the canonical passwords above.*
> 2. ***Locked out of ops too:*** *open the Vercel dashboard → Crons tab →* `/api/cron/poc-credential-sync` *→* ***Run Now****. Same effect, no terminal required.*
> 3. *The cron also runs automatically every day at 5 AM UTC, so drift never persists more than 24 hours unattended.*

POC Seed Data

Entity	Details
Clinic	Sunrise Functional Medicine
Provider	Sarah Chen, NPI 1234567890, TX license
Patient	Alex Demo, DOB 1985-06-15, TX, SMS opt-in
Pharmacy	Strive Pharmacy, Tier 4 (Fax), TX licensed
Medications	Semaglutide, Tirzepatide, Testosterone, Sermorelin, Naltrexone

---

Part 1: The Problem (2 minutes — no demo, just talking)

> *"Independent functional medicine clinics prescribe compounding medications at scale but lack the infrastructure to do so profitably. They face three compounding problems:"*

1. Sourcing is manual

> *"Finding which pharmacy is licensed in the patient's state, has the right formulation, at the best wholesale price — that's done with phone calls, spreadsheets, and tribal knowledge. There's no searchable marketplace for compounding pharmacy services."*

2. Margin math is error-prone

> *"Clinics mark up compounded medications but calculate margins manually. No real-time pricing tools, no price locking, no platform fee transparency."*

3. Fulfillment is fax-dependent

> *"The prescription gets faxed. Then you wait. No real-time tracking, no automated escalation when orders stall. Every order requires human intervention at multiple stages."*

> *"CompoundIQ replaces this with an AI-native system that handles the full lifecycle: search, price, pay, route, track, and deliver. Let me show you."*

Part 2: Login & Authentication (3 minutes)

Show the Login Page

1. Navigate to `https://functional-medicine-infrastructure.vercel.app/login`
2. **Point out:**
   - Dark gradient background with CompoundIQ branding
   - Clean, modern design (Geist font, Tailwind CSS design system)
   - HIPAA badge indicating healthcare-grade security
   - Feature bullet points with checkmarks

> *"This is the unified login for all three applications. The system uses role-based access control — where you go after login depends on who you are."*

Demonstrate Role-Based Routing

3. Log in as **Clinic Admin**: `admin@sunrise-clinic.com` / `POCClinic2026!`
4. **Point out:** Redirected to `/dashboard` — the Clinic App

> *"Clinic users — admins, providers, medical assistants — all land on the clinic dashboard. They can only see their own clinic's data. Row-Level Security is enforced at the PostgreSQL level, not just application code."*

5. Sign out
6. Log in as **Ops Admin**: `ops@compoundiq-poc.com` / `POCAdmin2026!`
7. **Point out:** Redirected to `/ops/pipeline` — the Ops Dashboard (dark mode)

> *"Ops admins see a completely different application — the dark-mode operations dashboard. They have cross-clinic visibility for monitoring the entire order pipeline."*

8. **RBAC Demo:** While logged in as ops, navigate to `/dashboard`
9. **Point out:** "Access Denied" page — ops cannot see the clinic app

> *"The access control works in both directions. Ops can't access clinic data through the clinic app, and clinic users can't access the ops dashboard. This is enforced at every level — middleware, RLS policies, and JWT claims."*

10. Sign out

Part 3: The Clinic Workflow (15–20 minutes)

3A — Dashboard Overview

1. Log in as **Clinic Admin**: `admin@sunrise-clinic.com` / `POCClinic2026!`
2. **Point out the dashboard:**
   - KPI cards at top (Total Orders, Revenue, Pending Payment, Completed)
   - Order table with status badges (colored pills showing order state)
   - Table/Kanban toggle in the top right
3. Click the **Kanban toggle** to show the board view

> "*The medical assistant starts their day here. They can see all orders at a glance, filter by status, and switch between table and kanban views.*"

4. **Point out the sidebar:**
   - Navigation links with icons
   - Active page highlighted
   - User info and role badge at the bottom
5. Click the **collapse button** (chevron) on the sidebar — show it collapses to icon-only mode, click again to re-expand

> "*The sidebar collapses for more screen real estate. The main content area adjusts automatically.*"

3B — Patient & Provider Selection (New in Phase 15)

6. Click **"+ New Prescription"** button
7. **Point out the patient/provider selector page:**
   - Patient search with name filter
   - Provider auto-selected (only one provider in this clinic)
   - "Continue to Pharmacy Search" button (disabled until both selected)

> "*The first thing the MA does is select the patient. The patient's shipping state auto-populates for all pharmacy searches — no manual entry. The provider is also selected upfront. Both stay pinned at the top of every screen throughout the flow.*"

8. Search for **"Alex"** — select **Alex Demo** (TX state badge visible)
9. Note the provider **Sarah Chen** is auto-selected
10. Click **"Continue to Pharmacy Search"**

3C — Quick Actions: Favorites + Protocols (New in Phase 18)

11. **Point out the session banner** at the top — Alex Demo + Sarah Chen pinned
12. **Point out the Quick Actions Panel** with two tabs: **Favorites** and **Protocols**
13. **Favorites tab** — show the 4+ saved favorites (Semaglutide 0.5mg weekly, Standard TRT, LDN Starter, BPC-157). Note the titration/cycling badges on relevant favorites.

> "*Provider favorites let you reorder common prescriptions in one click. No searching, no configuring — just click and go straight to pricing.*"

14. Click **Protocols tab** — show the protocol templates (Weight Loss Protocol, Mold/MCAS Support)
15. Click **Weight Loss Protocol** to expand — show the 3 medications with phase labels and sig text

16. **Point out** the "Load 3 Medications into Session" button

> "*Protocol templates are a market-first feature. One click adds an entire multi-medication protocol to the session. The provider reviews and adjusts per patient before signing.*"

3D — Cascading Prescription Builder (New in Phase 17)

17. Go back to Configure Prescription. Type **"Sema"** in the medication search — select **Semaglutide**
18. **Point out** the cascading dropdown flow: ingredient → salt form (auto-skips if only one) → formulation card (Semaglutide 5mg/mL Injectable)
19. Select the formulation → **Point out the Structured Sig Builder**:
    - Dose amount + unit + frequency dropdowns
    - Timing dropdown (In the morning, At bedtime, etc.)
    - Duration dropdown (For 30 days, Ongoing, etc.)
    - Mode toggles: **Standard** / **Titration** / **Cycling**
20. Set dose: **10 units**, frequency: **Once weekly**, timing: **In the morning**
21. **Point out** the auto-generated sig: "Inject 10 units (0.10mL / 0.50mg) subcutaneous once weekly in the morning"

> "*The sig generates automatically with full unit conversion — mg, mL, and syringe units for injectables. No manual math. NCPDP-compliant with a 1,000-character limit counter.*"

22. **Show Titration mode** — click "Titration" toggle. Point out the amber panel with Start at / Increase by / Every / Up to fields

> "*For titration protocols like LDN, the provider sets start dose, increment, interval, and target. The sig generates: 'Take 0.1mL by mouth at bedtime. Titrate up by 0.1mL every 3-4 days as tolerated up to 0.5mL.' No competitor has this.*"

23. Click back to **Standard** mode. Select **Strive Pharmacy** in the Pharmacy & Pricing section
24. Select quantity, refills. **Point out the star button** next to "Continue — Set Retail Price"

> "*The star saves this configuration as a provider favorite for one-click reorder next time.*"

25. Click **"Continue — Set Retail Price"**

3E — Dynamic Margin Builder + Multi-Prescription

26. **Point out the Margin Builder** — Wholesale: $150 (locked), retail price **pre-populated at $210** (1.4× wholesale, from the clinic's 40% default markup), multiplier buttons, Sig field pre-filled
27. Click **2x multiplier** — retail updates to $300, margin 50%, platform fee $22.50, est. clinic margin $127.50

> "*Full transparency. The retail price is pre-filled from the clinic's default markup setting (currently 40%), so the MA never types a number unless they want to override. Clicking 2x bumps it to a higher margin. The clinic sees exactly what they earn before committing. The sig is already pre-filled from the builder.*"

28. **Point out the three action buttons:**
    - **"Add & Search Another"** — add this prescription and search for another medication
    - **"Review & Send"** — go to batch review with all prescriptions
    - **"Save as Draft — Provider Signs Later"** — save without signing (WO-77)

> "*The MA has three choices. They can add more prescriptions for the same patient, go straight to review, or save it as a draft for the provider to sign later.*"

29. Click **"Add & Search Another"**

30. **Point out** — back on configure page, session banner shows **"1 prescription in this session"**

31. Search for **"Test"** → select **Testosterone** → **Point out DEA Schedule 3 warning banner**

32. Select **Cypionate** salt form → select formulation → set dose + frequency

33. Select Strive Pharmacy, set retail price, click **"Review & Send (2)"**

3F — Batch Review, Interaction Alerts & EPCS 2FA (New in Phase 19)

34. **Point out the batch review page:**
    - DEA schedule badges on controlled substance prescription cards (Testosterone shows Schedule 3)
    - **Drug Interaction Alerts section** — the alerts are dynamic based on the medications in the current session. With Semaglutide + Testosterone (this walkthrough), an INFO-severity alert appears with clinical guidance. With Ketotifen + Ketamine (a different combination), an amber WARNING alert appears. The exact alert text depends on which pairs are seeded in the `drug_interactions` table.
    - Session banner with "2 prescriptions in this session"
    - Two prescription cards with medication, pharmacy, pricing, and sig for each
    - Combined totals (total retail, platform fee, total clinic payout)
    - "Remove" link on each card
    - "+ Add Another Prescription" button
    - Single provider signature pad

> *"The system automatically detects drug interactions and surfaces them with clinical guidance — severity-colored: red for critical, amber for warning, blue for informational. DEA-scheduled compounds are flagged on the prescription card with schedule badges."*

35. **Sign** on the signature pad
36. Click **"Sign & Send All 2 Prescriptions"** → Click **"Confirm & Send"** — watch the progress messages
37. Verify redirect to dashboard — both orders visible as "Awaiting Payment"

> ***EPCS 2FA Demo Tip:*** *The EPCS 2FA modal (6-digit TOTP input, DEA 21 CFR 1311 citation) triggers on the single-prescription Favorites flow when a controlled substance is selected. The demo provider (Dr. Chen) is* ***pre-enrolled*** *— the TOTP secret is already seeded + verified in the database via the daily* `poc-credential-sync` *cron (PR #2), so the modal skips first-time QR enrollment and goes straight to the rolling 6-digit code prompt. To demo it: start a new session, use a Favorites card for a controlled substance (e.g. Testosterone), go through the margin builder, and click "Review & Send" → "Sign & Send" → "Confirm & Send". The modal appears with the red "EPCS Two-Factor Authentication Required" header, Schedule badge, and the "Verify & Sign" / "Cancel" buttons. Read the current 6-digit code from your authenticator app (see* ***Authenticator Setup*** *in Pre-Demo Setup) and enter it, or Cancel to exit without submitting.*

> *"Two orders created, two payment links generated, three SLA timers each — all from one signature. The MA's workflow for a multi-medication visit: 45 seconds."*

3F — Provider Signature Queue (Draft Flow)

> *"Now let me show you the draft flow — where the MA saves a prescription for the provider to sign later."*

38. Click **"+ New Prescription"** again
39. Select **Alex Demo** + provider auto-selects → Continue
40. Search **"Sema"** → select **Semaglutide** → select **Strive Pharmacy**
41. Click **2x multiplier**, enter Sig: **"Draft flow demo"**
42. Click **"Save as Draft — Provider Signs Later"**
43. Verify redirect to dashboard — order appears with **"Draft"** status

> *"The MA saved this without the provider being present. No signature yet."*

44. **Sign out** of clinic admin
45. **Log in as provider:** `dr.chen@sunrise-clinic.com` / `POCProvider2026!`
46. Click the **"Drafts"** tab on the dashboard

> *"The Drafts tab lives on the shared dashboard and is visible to both clinic_admin and provider roles — anyone in the clinic can see what's pending signature, not just providers. The provider just happens to be the one who can act on it." 47. Click on the draft order — **point out the amber "Awaiting Provider Signature" banner** 48. Click **"Review & Sign This Prescription"***

> *"The provider sees a dedicated sign page with all the details the MA entered — medication, pharmacy, pricing, directions. They just review and sign."*

49. **Point out** the sign page: patient info, provider info, prescription details, financial summary, signature pad
50. **Sign** on the pad → Click **"Sign & Send Payment Link"** → Confirm
51. Verify redirect to dashboard — order now shows **"Awaiting Payment"**

> *"The MA prepared it, the provider signed it later. Different sessions, different logins, same result. This is how a real clinic works."*

52. **Sign out**

3G — Get the Checkout URL (in-app, no terminal)

53. **Copy the patient checkout URL** — still logged in as the provider (or switch back to the clinic admin), on the clinic dashboard: a. Click any order showing **"Awaiting Payment"** to open the order drawer b. Click the emerald **"Copy Payment Link"** button c. Success toast confirms: **"Payment link copied · valid for 72 hours"**

> *"In production, the patient gets this link in a text message when the order is signed. They tap it on their phone and land directly on checkout. In a live clinic we'd never copy-paste the link — we're doing that here only because this is a demo. If the link ever expires, the same button changes to **Regenerate Payment Link** and mints a fresh 72-hour URL in one click."*

Part 4: Patient Checkout (5–7 minutes)

4A — Checkout Page

1. Paste the **checkout URL** copied in Step 53 into a new tab (or into a mobile browser for extra impact)
2. **Point out:**
   - Clinic branding: "Sunrise Functional Medicine" displayed prominently
   - Generic line item: "Prescription Service" — NOT the medication name
   - Total: $300.00
   - Stripe Elements payment form (card, Apple Pay, Google Pay options)
   - Email field (required for receipt)
   - Trust signals: "256-bit TLS Encryption", "Powered by Stripe"
   - Footer: "Your payment info is encrypted and never stored by CompoundIQ"

> *"This is what the patient sees. No login, no app download, no account creation. They tapped a link in a text message and landed here. Notice — no medication name anywhere. HIPAA compliance means zero Protected Health Information touches Stripe or appears on any patient-facing surface."*

3. **Point out the white-labeling:**

> *"The patient sees their clinic's name and branding. They don't know CompoundIQ exists. This is a branded checkout experience for the clinic."*

4B — Complete Payment

4. Enter email: `test@example.com`
5. Enter Stripe test card: `4242 4242 4242 4242` | Exp: `12/28` | CVC: `123` | ZIP: `78701`
6. Click **"Pay $300.00"**
7. Wait for the success page

4C — Success Page

8. **Point out:**
   - Animated green checkmark (CSS-only draw animation)
   - "Payment Received" heading
   - Amount in green
   - Order reference: `#213881c7` (first 8 chars of UUID, monospace font)
   - "What Happens Next" card with 3-step progress:
     - Payment confirmed (check)
     - Prescription sent to pharmacy (pending)
     - Pharmacy will contact you — "Within 3–7 business days" (Tier 4 fax timing)

> *"The patient gets immediate confirmation with clear next-step expectations. The messaging adapts to the pharmacy's integration tier — API-connected pharmacies show '24–48 hours' because they have real-time status. Fax pharmacies show the longer timeline. No false promises."*

9. **Point out:** No medication name on the success page either

> *"Still zero PHI. The patient knows their payment went through and roughly when to expect their medication. That's all they need."*

4D — Expired Link Page (Optional)

10. Navigate to `https://functional-medicine-infrastructure.vercel.app/checkout/expired`
11. **Point out:**
    - Clock icon, friendly message
    - "Payment links expire after 72 hours for security"
    - Instructions to contact clinic
    - No order details revealed

> *"If a patient waits too long, they see this. No PHI exposed. The clinic can reissue a new order — the expired one stays as a permanent record."*

Part 5: Ops Dashboard (7–10 minutes)

5A — Pipeline View

1. Open a new tab, navigate to `https://functional-medicine-infrastructure.vercel.app/login`
2. Log in as **Ops Admin**: `ops@compoundiq-poc.com` / `POCAdmin2026!`
3. **Point out the dark-mode dashboard:**
   - Pipeline stage groups in the left sidebar (Payment, Submission, Pharmacy, Shipping, Errors / Terminal)
   - Each stage has a count badge

- Order table with columns: Order, Status, Clinic, Pharmacy / Tier, SLA, Assigned, Actions

> "*This is the operations nerve center. Every order across every clinic is visible here. The dark theme is intentional — ops teams monitor this all day, and dark mode reduces eye strain.*"

4. **Point out an order row:**
   - Status badge (colored)
   - SLA countdown or overdue indicator
   - Tier icon (Fax)
   - Claim button

> "*Each order shows its SLA status. If an order is overdue, it shows in red with the exact hours overdue. Ops can claim orders to prevent duplicate work.*"

5. **Show the filter bar:**
   - Filter by Clinic, Pharmacy, Tier, Date range
   - Filters reset by selecting "All" in each dropdown

> "*Multi-dimensional filtering lets ops isolate specific issues — show me all Tier 4 fax orders from this week, or all orders from a specific clinic.*"

6. **Click an order** to open the detail drawer
7. **Point out the tabs:** Detail, History, Submissions, Sla

> "*Full drill-down into any order. The History tab shows every state transition with timestamps and who triggered it. The Submissions tab shows every adapter attempt. The SLA tab shows all deadline tracking.*"

5B — SLA Heatmap

8. Click **"SLA"** in the sidebar
9. **Point out:**
   - Filter pills (All Active, Breached, etc.)
   - SLA breach cards with countdown timers
   - Escalation tier indicators
   - Acknowledge button

> "*The SLA engine runs every 5 minutes. When a deadline is breached, it appears here with a countdown to the next escalation. Three tiers: Slack alert, DM to ops lead, PagerDuty page. Acknowledging stops the escalation — it tells the system 'I'm on it.'*"

5C — Adapter Health Monitor

10. Click **"Adapters"** in the sidebar

11. **Expected state after Refresh Demo Data** — 5 pharmacy cards spanning all 4 tiers, 4 green + 1 yellow:

Card	Tier	Status	What to point at
Strive Pharmacy	Tier 4 Fax	Green	The universal fallback — fax to any pharmacy
Quick Rx Pharmacy	Tier 1 API	Green	Healthy direct-API integration

Express Digital Rx	Tier 1 API	**Yellow**	Degraded — success rate ~85%, most-recent success in the 15-60 min band
Portal Plus Pharmacy	Tier 2 Portal	Green	Healthy portal-automation integration
Hybrid Labs Pharmacy	Tier 3 Hybrid	Green	Healthy standardized-spec integration

12. **Point out on each card:**
    - Traffic-light health indicator
    - Circuit breaker state (CLOSED / HALF_OPEN / OPEN)
    - 24-hour submission success-rate chart
    - Quick-action buttons (Disable Adapter, etc.)

> *"Every pharmacy integration is monitored in real time. The yellow card — Express Digital — is our intervention demo prop. Its success rate is in the 80-95% yellow band and the most recent success was in the 15-60 minute danger zone. In a live ops center this is where the team would investigate before it flips red. If a pharmacy's API fails outright, the circuit breaker opens after the configured threshold and auto-cascades to the next tier. A fresh pharmacy with zero traffic shows **Idle** — neutral slate — instead of falsely flashing Critical."*

5D — Fax Triage Queue

13. Click **"Fax"** in the sidebar

14. **Expected state after Refresh Demo Data** — 4 rows spread across the active fax lifecycle:

Row	Status	Age	What to point at
1	**Received**	~3 min ago	Fresh inbound — just landed, not yet auto-matched
2	**Matched**	~18 min ago	System auto-matched this fax to an order + pharmacy
3	**Unmatched**	~42 min ago	Couldn't match automatically — this is the "needs human triage" card
4	**Processing**	~75 min ago	Ops has acknowledged and is actively working it

15. **Point out:**
    - Status filter pills (All, Received, Matched, Unmatched, Processed, Archived)
    - Queue metrics in the header (`X new` , `Y unmatched`)
    - Click the Unmatched row to show the triage detail panel on the right

> *"Tier 4 pharmacies respond via fax. Inbound faxes land here with OCR text preview. The system auto-matches against open orders — but when it can't, the fax sits in Unmatched until a human decides what to do with it. Ops picks a disposition — Acknowledge, Reject, Query, or Manual Match — and the fax moves forward. Tier 1 and 2 pharmacies skip this entirely because their responses come via API."*

> ***Timestamps going stale?*** *Row timestamps are rendered relative ("3 min ago"). If they read "3 days ago" instead, the Refresh Demo Data button on /ops/demo-tools wasn't clicked within ~24 hours of demo start — re-click it to reset the clock. See Pre-Demo Setup, Step 1.*

5E — Catalog Manager

16. Click **"Catalog"** in the sidebar
17. **Point out:**
    - Medication table with columns (Medication, Form, Dose, Wholesale, Retail, Status, Pharmacy, PA)
    - CSV upload drag-and-drop area
    - Manual entry form
    - Tabs: Catalog, Versions, Normalized, API Sync

> *"The medication catalog is the pricing foundation. Catalogs come in via CSV upload, API sync, or manual entry. Every change is versioned. Price changes over 10% get flagged for review. And the normalized view lets you compare the same medication across pharmacies."*

5F — Demo Tools (operator-only, hidden from the investor tour)

> *This section is **only visible to the presenter** when rehearsing. During a live investor demo the Demo Tools nav tab is hidden (env flag `NEXT_PUBLIC_SHOW_DEMO_TOOLS` left unset — PR #4), so the investor audience never sees a "Demo Tools" link that would telegraph POC. The page itself stays reachable by direct URL (`/ops/demo-tools`) for credential-reset workflows. To show the tab during internal QA or a scripted rehearsal, set `NEXT_PUBLIC_SHOW_DEMO_TOOLS=true` in Vercel env.*

The page exposes two operator-only buttons. Both are ops_admin session-gated and both are idempotent (safe to click repeatedly):

Button	What it does	When to use
Reset Demo Credentials	Forces all four POC Supabase Auth accounts back to the canonical passwords shown in the Pre-Demo Setup credential table.	Any time a password is out of sync — usually after a Supabase project rotation or a manual reset.
Refresh Demo Data	Re-inserts 4 fresh Fax Triage rows + 200 fresh Adapter submissions (across all 5 pharmacies) with `created_at` timestamps anchored inside the 15-minute "green" adapter-health freshness window. Idempotent via `poc-seed-*` ID prefix + pharmacy-UUID allowlist; safe to click any time.	Right before every demo (≤10 min ahead). Also runs automatically at 5 AM UTC daily as a safety net.

> ***Recovery path — no terminal required:*** *If the ops_admin account itself is locked out (chicken-and-egg: can't log in to click Reset Demo Credentials), open the Vercel dashboard → Crons tab → `/api/cron/poc-credential-sync` → **Run Now**. That endpoint is CRON_SECRET-gated rather than session-gated, so it works even when every POC account is locked out. The same cron also invokes Refresh Demo Data, so a "Run Now" click handles both jobs in one step.*

Part 6: Architecture Highlights (3–5 minutes, no demo)

The 4-Tier Pharmacy Adapter

> "*The key innovation is the Pharmacy Adapter Layer. Instead of forcing every pharmacy onto one integration method, we meet them where they are:*"

Tier	Method	Speed	Coverage
Tier 1	Direct REST API	Instant	~25% of pharmacies
Tier 2	Portal Automation (Playwright)	~5 min	~20%
Tier 3	Standardized API Spec	Instant	Future 30%+
Tier 4	Fax Fallback	~30 min	Universal

> "*The routing is deterministic — always use the highest available tier. If it fails, cascade down. Fax is always the fallback. A single LifeFile API integration unlocks Empower, Belmar, UCP, and Strive — the largest pharmacy network in the country.*"

Security & Compliance

> "*HIPAA compliance is enforced at the infrastructure level, not just application code:*"

- Row-Level Security on all 33 tables
- Zero PHI in Stripe (metadata contains order_id only)
- Supabase Vault for all pharmacy credentials
- 30-minute session timeout with warning modal
- Supabase Realtime DISABLED (hard HIPAA requirement)
- All data at rest encrypted AES-256

Technology Stack

> "*Built on Next.js 16, Supabase (PostgreSQL 15+), Stripe Connect Express, Twilio, and Documo mFax. Deployed on Vercel serverless. 10 cron jobs handle SLA enforcement, payment expiry, adapter health, and daily ops digest. Everything is atomic — Compare-And-Swap patterns on every state transition prevent race conditions.*"

Part 7: Q&A / Wrap-Up

Key Metrics to Mention

Metric	Value
Order states	23-state machine with 47 valid transitions
SLA types	10 enforcement types with 3-tier escalation
Database tables	33 (PostgreSQL with full RLS) + 1 view
Cron jobs	10 Vercel cron jobs
Build phases completed	19 phases, 87 work orders (all merged; WO-87 formulation support in prod)
Hard constraints	16 non-negotiable rules
Test coverage	65 Playwright E2E tests (all browsers) + 6 jest unit tests. CI gates every merge. Cowork validated the manual QA walkthrough across 6 rounds with zero remaining findings.

Common Questions

Q: How do you handle controlled substances?

> *"DEA-scheduled compounds are explicitly excluded from the adapter layer. They're flagged at search time and forced to Tier 4 (manual fax) only."*

Q: What about patient data privacy?

> *"Zero PHI touches Stripe. The checkout page shows 'Prescription Service' — never the medication name. SMS messages contain only the patient's first name and a URL. Row-Level Security ensures clinics can never see each other's data."*

Q: What's the revenue model?

> *"Per-transaction platform fee. The spread between wholesale and retail is split: clinic keeps their margin, platform captures 15% of the spread. Stripe processing fees come out of the platform's portion."*

Q: How long to integrate a new pharmacy?

> *"Tier 4 (fax) works immediately — just add the fax number. Tier 1 (API) requires their REST endpoint and credentials. Tier 2 (portal) requires Playwright selectors for their web portal. Tier 3 is our published spec that pharmacies can adopt."*

Post-Demo Checklist

- [ ] Answer all questions
- [ ] Share POC URL if appropriate
- [ ] Note any feedback or feature requests
- [ ] Schedule follow-up if interest