

# Jenkins\_TestSuit

## Execution Environment

Host name	sokphak.phol - 21639-SOKPHAK.PRASAC.COM.KH
Local OS	Windows 11 64bit
Katalon version	9.6.0.217
Browser	Chrome 128.0.0.0
Device name	

## Summary

ID	Test Suites/Jenkins_TestSuit		
Description			
Total	2		
Passed	1	Failed	1
Error	0	Incomplete	0
Skipped	0		
Start	16-09-2024 15:33:44	End	16-09-2024 15:34:19
Elapsed	34.317s		

#	ID	Description	Status
1	Test Cases/Jenkins_Test_Case1		FAILED
2	Test Cases/Jenkins_Test_Case2		PASSED

# Jenkins\_Test\_Case1

---

## Information

ID	Test Cases/Jenkins_Test_Case1		
Description			
Tag			
Start	16-09-2024 15:34:14	End	16-09-2024 15:34:16
Elapsed	2.166s		
Status	FAILED		

## Details

#	Description	Elapsed	Status
---	-------------	---------	--------

# Jenkins\_Test\_Case1

#	Description	Elapsed	Status
1	<p>openBrowser("")</p> <p>Unable to open browser with url: " (Root cause: com.kms.katalon.core.exception. StepFailedException: Unable to open browser with url: "     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed (WebUIKeywordMain.groovy:64)     at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:26)     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81)     at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67)     at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74)     at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64)     at Jenkins_Test_Case1.run(Jenkins_Test_Case1:20)     at com.kms.katalon.core.main.ScriptEngine.run(ScriptEngine.java:194)     at com.kms.katalon.core.main.ScriptEngine.runScriptAsRawText(ScriptEngine. java:119)     at com.kms.katalon.core.main.TestCaseExecutor.runScript(TestCaseExecutor. java:448)     at com.kms.katalon.core.main.TestCaseExecutor.doExecute(TestCaseExecutor. java:439)     at com.kms.katalon.core.main.TestCaseExecutor.processExecutionPhase (TestCaseExecutor.java:418)     at com.kms.katalon.core.main.TestCaseExecutor.accessMainPhase (TestCaseExecutor.java:410)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:285)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)     at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. java:369)     at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase (CommonExecutor.java:65)     at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase (TestSuiteExecutor.java:150)     at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: 106)     at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: 180)     at TempTestSuite1726475617667.run(TempTestSuite1726475617667.groovy:35)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)     at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke (DelegatingMethodAccessorImpl.java:43) Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id Build info: version: '3.141.59', revision: 'unknown', time: 'unknown' System info: host: '21639-SOKPHAK', ip: '10.10.20.90', os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.7' Driver info: com.kms.katalon.core.webui.driver.ExistingRemoteWebDriver Capabilities {javascriptEnabled: true, platform: ANY, platformName: ANY} Session ID: 274c4b99eee7cebe35028144d4d98f14</p>	0.115s	FAILED

# Jenkins\_Test\_Case1

#	Description	Elapsed	Status
	<pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0 (Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance (NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance (DelegatingConstructorAccessorImpl.java:45) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException (W3CHttpResponseCodec.java:187) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:122) at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode (W3CHttpResponseCodec.java:49) at org.openqa.selenium.remote.HttpCommandExecutor.execute (HttpCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver. java:552) at com.kms.katalon.core.webui.driver.ExistingRemoteWebDriver.execute (ExistingRemoteWebDriver.java:108) at org.openqa.selenium.remote. RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait (RemoteWebDriver.java:780) at com.kms.katalon.core.webui.driver.DriverFactory.setTimeout(DriverFactory. java:1026) at com.kms.katalon.core.webui.driver.DriverFactory.changeWebDriverWithoutLog (DriverFactory.java:315) at com.kms.katalon.core.webui.driver.DriverFactory.changeWebDriver (DriverFactory.java:307) at com.kms.katalon.core.webui.driver.DriverFactory.openWebDriver (DriverFactory.java:275) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.doCall(OpenBrowserKeyword.groovy:74) at com.kms.katalon.core.webui.keyword.builtin. OpenBrowserKeyword\$_openBrowser_closure1.call(OpenBrowserKeyword.groovy) at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword (WebUIKeywordMain.groovy:20) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword. openBrowser(OpenBrowserKeyword.groovy:81) at com.kms.katalon.core.webui.keyword.builtin.OpenBrowserKeyword.execute (OpenBrowserKeyword.groovy:67) at com.kms.katalon.core.keyword.internal.KeywordExecutor. executeKeywordForPlatform(KeywordExecutor.groovy:74) at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.openBrowser (WebUiBuiltInKeywords.groovy:64) at Script1726193809965.run(Script1726193809965.groovy:20) ... 18 more )</pre>		
2	<p>Video</p> <p>Video recording for test case 'Test Cases/Jenkins_Test_Case1' .</p>	0.000s	PASSED

# Jenkins\_Test\_Case2

## Information

ID	Test Cases/Jenkins_Test_Case2		
Description			
Tag			
Start	16-09-2024 15:34:16	End	16-09-2024 15:34:19
Elapsed	2.026s		
Status	PASSED		

## Details

#	Description	Elapsed	Status
1	return null	0.000s	PASSED