Tables (5)

Name	Type	Schema
prisoners		CREATE TABLE "prisoners" ("prisoner_id" INTEGER NOT NULL, "sex" TEXT NOT NULL, "f_name" TEXT NOT NULL, "l_name" TEXT NOT NULL, "lawsuit" TEXT NOT NULL, "level" TEXT NOT NULL, "dan" NUMERIC NOT NULL, "relative_id_1" INTEGER, "relative_id_2" INTEGER, "relative_id_3" INTEGER, "relative_id_4" INTEGER, "relative_id_5" INTEGER, "relative_id_6" INTEGER, "relative_id_7" INTEGER, "relative_id_8" INTEGER, "relative_id_9" INTEGER, "relative_id_10" INTEGER, PRIMARY KEY("prisoner_id"), FOREIGN KEY("relative_id_1") REFERENCES "relatives"("relative_id"), FOREIGN KEY("relative_id_10") REFERENCES "relatives"("relative_id"), FOREIGN KEY("relative_id_2") REFERENCES "relatives"("relative_id"), FOREIGN KEY("relative_id_3") REFERENCES "relatives"("relative_id"), FOREIGN KEY("relative_id_4") REFERENCES "relatives"("relative_id"), FOREIGN KEY("relative_id_5") REFERENCES "relatives"("relative_id"), FOREIGN KEY("relative_id_6") REFERENCES "relatives"("relative_id"), FOREIGN KEY("relative_id_7") REFERENCES "relatives"("relative_id"), FOREIGN KEY("relative_id_8") REFERENCES "relatives"("relative_id"), FOREIGN KEY("relative_id_9") REFERENCES "relatives"("relative_id"))
prisoner_id	INTEGER	"prisoner_id" INTEGER NOT NULL
sex	TEXT	"sex" TEXT NOT NULL
f_name	TEXT	"f_name" TEXT NOT NULL
l_name	TEXT	"l_name" TEXT NOT NULL
lawsuit	TEXT	"lawsuit" TEXT NOT NULL
level	TEXT	"level" TEXT NOT NULL
dan	NUMERIC	"dan" NUMERIC NOT NULL
relative_id_1	INTEGER	"relative_id_1" INTEGER
relative_id_2	INTEGER	"relative_id_2" INTEGER
relative_id_3	INTEGER	"relative_id_3" INTEGER
relative_id_4	INTEGER	"relative_id_4" INTEGER
relative_id_5	INTEGER	"relative_id_5" INTEGER
relative_id_6	INTEGER	"relative_id_6" INTEGER
relative_id_7	INTEGER	"relative_id_7" INTEGER
relative_id_8	INTEGER	"relative_id_8" INTEGER
relative_id_9	INTEGER	"relative_id_9" INTEGER
relative_id_10	INTEGER	"relative_id_10" INTEGER
relations		CREATE TABLE "relations" ("id" INTEGER NOT NULL UNIQUE, "prisoner_id" INTEGER NOT NULL, "relative_id" INTEGER NOT NULL, "relation" TEXT NOT NULL, PRIMARY KEY("id" AUTOINCREMENT), FOREIGN KEY("prisoner_id") REFERENCES "prisoners"("prisoner_id"), FOREIGN KEY("relative_id") REFERENCES "relatives"("relative_id"))
id	INTEGER	"id" INTEGER NOT NULL UNIQUE
prisoner_id	INTEGER	"prisoner_id" INTEGER NOT NULL
relative_id	INTEGER	"relative_id" INTEGER NOT NULL
relation	TEXT	"relation" TEXT NOT NULL
relatives		CREATE TABLE "relatives" ("relative_id" INTEGER NOT NULL UNIQUE, "title" TEXT NOT NULL, "f_name" TEXT NOT NULL, "l_name"

Name	Type	Schema
		TEXT NOT NULL, "address" TEXT NOT NULL, "tel" INTEGER, "fingerprint" BLOB, "prisoner_id_1" INTEGER, "prisoner_id_2" INTEGER, "prisoner_id_3" INTEGER, "prisoner_id_4" INTEGER, "prisoner_id_5" INTEGER, "prisoner_id_6" INTEGER, "prisoner_id_7" INTEGER, "prisoner_id_8" INTEGER, "prisoner_id_9" INTEGER, "prisoner_id_10" INTEGER, PRIMARY KEY("relative_id"), FOREIGN KEY("prisoner_id_1") REFERENCES "prisoners"("prisoner_id"), FOREIGN KEY("prisoner_id_10") REFERENCES "prisoners"("prisoner_id"), FOREIGN KEY("prisoner_id_2") REFERENCES "prisoners"("prisoner_id"), FOREIGN KEY("prisoner_id_3") REFERENCES "prisoners"("prisoner_id"), FOREIGN KEY("prisoner_id_4") REFERENCES "prisoners"("prisoner_id"), FOREIGN KEY("prisoner_id_5") REFERENCES "prisoners"("prisoner_id"), FOREIGN KEY("prisoner_id_6") REFERENCES "prisoners"("prisoner_id"), FOREIGN KEY("prisoner_id_7") REFERENCES "prisoners"("prisoner_id"), FOREIGN KEY("prisoner_id_8") REFERENCES "prisoners"("prisoner_id"), FOREIGN KEY("prisoner_id_9") REFERENCES "prisoners"("prisoner_id"))
relative_id	INTEGER	"relative_id" INTEGER NOT NULL UNIQUE
title	TEXT	"title" TEXT NOT NULL
f_name	TEXT	"f_name" TEXT NOT NULL
l_name	TEXT	"l_name" TEXT NOT NULL
address	TEXT	"address" TEXT NOT NULL
tel	INTEGER	"tel" INTEGER
fingerprint	BLOB	"fingerprint" BLOB
prisoner_id_1	INTEGER	"prisoner_id_1" INTEGER
prisoner_id_2	INTEGER	"prisoner_id_2" INTEGER
prisoner_id_3	INTEGER	"prisoner_id_3" INTEGER
prisoner_id_4	INTEGER	"prisoner_id_4" INTEGER
prisoner_id_5	INTEGER	"prisoner_id_5" INTEGER
prisoner_id_6	INTEGER	"prisoner_id_6" INTEGER
prisoner_id_7	INTEGER	"prisoner_id_7" INTEGER
prisoner_id_8	INTEGER	"prisoner_id_8" INTEGER
prisoner_id_9	INTEGER	"prisoner_id_9" INTEGER
prisoner_id_10	INTEGER	"prisoner_id_10" INTEGER
sqlite_sequence		CREATE TABLE sqlite_sequence(name,seq)
name		"name"
seq		"seq"
visits		CREATE TABLE "visits" ("visit_id" INTEGER NOT NULL, "prisoner_id" INTEGER NOT NULL, "relative_id" INTEGER NOT NULL, "date" TEXT NOT NULL, "time" TEXT NOT NULL, PRIMARY KEY("visit_id"), FOREIGN KEY("prisoner_id") REFERENCES "prisoners"("prisoner_id"))
visit_id	INTEGER	"visit_id" INTEGER NOT NULL
prisoner_id	INTEGER	"prisoner_id" INTEGER NOT NULL
relative_id	INTEGER	"relative_id" INTEGER NOT NULL
date	TEXT	"date" TEXT NOT NULL
time	TEXT	"time" TEXT NOT NULL

Indices (0)

Name	Type	Schema

Views (0)

Name	Type	Schema

Triggers (0)

Name	Type	Schema