

Maxwell Theory Under a Global Coherence Constraint

Peter Baldwin

May 17, 2026

Abstract

This note presents a conservative reformulation of Maxwell theory within a Global Constraint Framework (GCF). Rather than attempting to derive the full electromagnetic structure from an unspecified global functional alone, the electromagnetic potential A_μ is taken as the fundamental variable and the standard Maxwell action is retained. A global coherence constraint is then imposed on the admissible field configurations through a Lagrange multiplier. In this formulation, the local Maxwell equations are recovered in the usual way, while the global constraint acts as an additional spacetime-wide admissibility condition. The result is not a replacement of Maxwell theory, but a reinterpretation in which local gauge dynamics and global coherence are treated within a single variational framework.

1. Motivation

The purpose of this note is to place standard electromagnetism inside a broader Global Constraint Framework (GCF). The central idea is modest: Maxwell's equations are not discarded or replaced, but supplemented by a spacetime-wide coherence condition that selects admissible field histories.

This note therefore does *not* claim to derive all of electromagnetism from a single unspecified global principle. Instead, it shows how the usual Maxwell structure can be embedded in a constrained variational setting in which local dynamics and global admissibility coexist.

2. Electromagnetic Field from the Potential

Take the electromagnetic four-potential A_μ as the fundamental field. The field strength tensor is defined in the standard way by

$$F_{\mu\nu} = \partial_\mu A_\nu - \partial_\nu A_\mu. \tag{1}$$

Two important consequences follow immediately.

First, the homogeneous Maxwell equations are automatic:

$$\partial_{[\alpha} F_{\beta\gamma]} = 0. \tag{2}$$

This is the usual Bianchi identity, arising from the definition of $F_{\mu\nu}$ in terms of A_μ .

Second, the theory is invariant under the gauge transformation

$$A_\mu \mapsto A_\mu + \partial_\mu \chi, \quad (3)$$

with arbitrary scalar function χ . Thus gauge invariance is built into the potential formulation from the outset.

3. Standard Maxwell Action

The standard vacuum Maxwell action is

$$S_{\text{Maxwell}}[A] = \int_{\mathcal{M}} \mathcal{L}_{\text{Maxwell}} d^4x, \quad \mathcal{L}_{\text{Maxwell}} = -\frac{1}{4} F_{\mu\nu} F^{\mu\nu}. \quad (4)$$

Varying with respect to A_μ gives

$$\delta S_{\text{Maxwell}} = 0 \quad \Rightarrow \quad \partial_\mu F^{\mu\nu} = 0, \quad (5)$$

which are the source-free inhomogeneous Maxwell equations.

Thus, in the ordinary local formulation, Maxwell theory is already complete:

$$\partial_\mu F^{\mu\nu} = 0, \quad (6)$$

$$\partial_{[\alpha} F_{\beta\gamma]} = 0. \quad (7)$$

4. Global Coherence Constraint

We now add a global admissibility condition. Let

$$\mathcal{C}[A] = \int_{\mathcal{M}} \mathcal{L}_{\text{global}}(A, \partial A, F) d^4x \quad (8)$$

be a spacetime-wide coherence functional. Its detailed form may depend on the application and is not fixed uniquely in this general note. The only assumption is that it encodes a nonlocal or global consistency condition on the electromagnetic configuration.

We impose

$$\mathcal{C}[A] = \text{constant}, \quad (9)$$

and incorporate this by a Lagrange multiplier λ . The constrained action is

$$S_{\text{eff}}[A, \lambda] = S_{\text{Maxwell}}[A] - \lambda (\mathcal{C}[A] - C_0), \quad (10)$$

where C_0 is the prescribed global value.

The variational principle is then

$$\delta S_{\text{eff}} = 0. \quad (11)$$

5. Constrained Field Equations

Varying with respect to λ enforces the global condition:

$$\mathcal{C}[A] = C_0. \quad (12)$$

Varying with respect to A_ν gives the constrained Euler–Lagrange equation

$$\partial_\mu F^{\mu\nu} = \lambda \mathcal{J}_{\text{global}}^\nu, \quad (13)$$

where $\mathcal{J}_{\text{global}}^\nu$ is the effective contribution generated by the variation of the global functional:

$$\mathcal{J}_{\text{global}}^\nu = \frac{\delta \mathcal{C}}{\delta A_\nu}. \quad (14)$$

Equation (13) is the key result of the framework. It shows that local Maxwell dynamics remain intact in form, while the global coherence condition contributes an additional admissibility term.

In the special vacuum case where the chosen global functional is stationary on the admissible sector,

$$\frac{\delta \mathcal{C}}{\delta A_\nu} = 0, \quad (15)$$

the standard source-free Maxwell equations are recovered exactly:

$$\partial_\mu F^{\mu\nu} = 0. \quad (16)$$

Thus the usual vacuum equations appear as the locally unconstrained sector of a broader globally constrained theory.

6. Interpretation

The role of the Global Constraint Framework can now be stated precisely.

- The local electromagnetic dynamics are still governed by the Maxwell action.
- Gauge invariance and the homogeneous equation arise from the potential formulation $F = dA$, not from an unspecified global constraint alone.
- The global functional $\mathcal{C}[A]$ does not replace Maxwell theory; it restricts which solutions are globally admissible.
- In the simplest vacuum sector, the constraint may be inactive at the local level, in which case ordinary Maxwell theory is recovered exactly.
- In more general settings, the global constraint can act as an additional nonlocal selection principle on field configurations.

So the conceptual shift is this: Maxwell’s equations remain the local field equations, but they may be viewed as embedded within a wider coherence framework rather than as completely isolated postulates.

7. What Has and Has Not Been Shown

It is important to be explicit about the scope of the result.

What *has* been shown:

- standard Maxwell theory can be placed consistently inside a constrained variational framework,
- a global coherence functional can be imposed without discarding the usual gauge field structure,
- the source-free Maxwell equations are recovered when the global functional is locally stationary on the admissible sector.

What has *not* been shown:

- a derivation of gauge invariance from a purely global constraint,
- a derivation of the Bianchi identity without introducing the potential A_μ ,
- a unique physical specification of the global coherence functional $\mathcal{C}[A]$,
- a replacement of Maxwell theory by a purely nonlocal principle.

This note should therefore be read as a conservative embedding of Maxwell theory into GCF, not as a full derivation of electromagnetism from first principles.

8. Conclusion

A consistent conservative route from Global Constraint Framework ideas to Maxwell theory is to retain the electromagnetic potential A_μ as the fundamental variable, derive the usual local equations from the Maxwell action, and then impose a spacetime-wide coherence condition through a constrained variational principle.

In this formulation, the homogeneous Maxwell equations and gauge symmetry arise in the standard way from the potential structure, while the global functional acts as an additional admissibility condition on the space of solutions. Maxwell theory is therefore not replaced, but re-situated inside a wider variational picture in which local dynamics and global coherence are treated together.

This makes the proposal more modest than a full first-principles derivation, but also more robust: it preserves the correct field-theoretic structure while opening the door to a broader global interpretation of admissible electromagnetic configurations.