

제목 : FW:Re:Wafer Map Draw Code

2026-07-06 16:26:29

보낸사람 : 김동록 <donglok.kim@innometry.com>

받는사람 : '시뫓' <syphucpham@innometry.com>

보내는사람 : 남용호 <yongho.nam@innometry.com>

받는사람 : 나상지 <chaoswl@naver.com>, '김상희 픽셀사 sw팀장' <sanghee.kim@pixel-global.com>

참조 : 권혁철 <hyukchul.kwon@innometry.com>, 김준업 수석 <junup.kim@innometry.com>, 황우선 <woosun.hwang@innometry.com>, 이병윤 <saturday13@naver.com>, 허종욱 <jonguk031@naver.com>, '김동록 고문' <donglok.kim@innometry.com>, '신진우 전무이사' <jhinwoo.shin@innometry.com>, '이동현 상무이사' <dheon.lee@innometry.com>

보낸 날짜 : 2026-07-06 09:32:27

제목 : Re:Wafer Map Draw Code

안녕하세요. 이노메트리 남용호수석입니다.

Wafer 이미지와 Cluster 정보를 포함하여 송부합니다.
검사결과 Display에 참고하시기 바랍니다.

```
constintMAP_SIZE=25;
```

```
byte[,] waferMap=newbyte[MAP_SIZE, MAP_SIZE];
```

```
//0 0 8 8 8 0
```

```
//0 8 8 1 8 0
```

```
//8 8 8 8 8 8
```

```
//0 8 8 1 8 0
```

```
//0 0 8 8 8 0
```

```
for(inty=0;y<25;y++)
```

```
{
```

```
    for(intx=0;x<25;x++)
```

```
    {
```

```
        if(waferMap[y,x]==0) continue;
```

```
        ChipInspectionchip=chipResult[y,x];
```

```
        for(intp=0;p<9;p++)
```

```
        {
```

```
            boolok=InspectPoint();
```

```
            chip.PointResult[p]=(byte)(ok?8:1);
```

```
        }
```

```
        chip.BadCount=chip.PointResult.Count(v=>v==1);
```

```
        chip.GoodCount=chip.PointResult.Count(v=>v==8);
```


```
        chip.ChipNG=chip.BadCount>0;
```

```
        waferMap[y,x]=(byte)(chip.ChipNG?1:8);
```

```
    }
```

```
}
```

Chip	P1	P2	P3	P4	P5	P6	P7	P8	P9	Judge
(10,12)	8	8	8	8	1	8	8	8	8	NG
(11,12)	8	8	8	8	8	8	8	8	8	OK



25 x 25 Wafer Map (9 Point Inspection Result)

Cluster Centroid Assigned to Selected Chip

Wafer Information

Lot ID

: LOT240701

Wafer ID

: WAFER05

Recipe ID

: HBM_CT_001

Wafer Size

: 300 mm

Die Size

: 775 μm

Map Size

: 25 x 25

Inspection

: 9 Point

Date / Time

: 2024-07-01 14:35:22

Legend

0

 Outside Wafer

8

 Good (Final OK)

1

 Bad (Final NG)

Cluster Boundary

Cluster Centroid
(Assigned Chip)

Cluster Centroid Setting


Selected Cluster ID

: 2

Centroid Chip (X, Y)

: (17, 16)

Cluster centroid is set
to the selected chip.



Statistics

Total Die

: 625

Inside Wafer

: 561

Good Die

: 525 (93.58%)

Bad Die

: 36 (6.42%)

Outside Die

: 64

Cluster Count

: 5

 Cluster Boundary Cluster Centroid
(Assigned Chip)

Cluster Summary

ID	Size (Die)	Centroid Chip (X, Y)	Max Radius (Die)
1	9	(6, 8)	1.63
2	11	(17, 16)	2.01
3	6	(18, 5)	1.41
4	4	(10, 19)	1.12
5	6	(4, 22)	1.41

Selected Chip Detail

Chip Position (X, Y)

: (17, 16)

Final Result

: NG (1)

Good Count

: 5

Bad Count

: 4

Bad Ratio

: 44.44%

Full 25 x 25 Wafer Map (Numeric)

	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25
01	0	0	0	0	0	0	0	8	8	8	8	8	8	8	8	8	8	8	8	8	8	0	0	0	0
02	0	0	0	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	8	0	0	0	0
03	0	0	0	8	8	8	8	8	8	8	1	8	8	8	8	8	8	8	8	8	8	0	0	0	0
:	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...

25	0	0	0	0	0	0	0	0	0	8	8	8	8	8	8	8	8	8	8	8	8	0	0	0	0	0
Bin Code : 0 = Outside, 1 = Bad, 8 = Good										0	Outside	1	Bad (NG)	8	Good (OK)	Final Yield 93.58%										

감사합니다.

Yong Ho, Nam
010-8813-0117

남 용 호
yongho.nam@innometry.com

innometry

남 용 호

(주)이노메트리 | 신사업본부 시스템설계팀장

010.8813.0117 yongho.nam@innometry.com

innometry

Yongho Nam

System Design Team

+82.10.8813.0117 yongho.nam@innometry.com

EV BATTERY INSPECTION

T. 070.8856.8015 F. 031.376.2865
HQ. 18514 경기도 화성시 정남면 정남산단 1길 40
Lab/IR. 13494 경기도 성남시 분당구 대왕전교로 660 유스퀘어S동 B101~102 (L1층 105호, 120호)

KOSDAQ
코스닥상장법인

EV BATTERY INSPECTION

T. +82.70.8856.8015 F. +82.31.376.2865
HQ. 40, Jeongnamsandan 1-gil, Jeongnam-myeon, Hwasong-si, Gyeonggi-do
Lab/IR. B101~102, Building A, V-Space, 680 Daejeong-ro, Bundang-gu, Seongnam-si, Gyeonggi-do (Rooms 102 and 103, L1 floor)

KOSDAQ
LISTED COMPANY

보내는사람 : 나상지 <chaoswl@naver.com>

받는사람 : 남용호 <yongho.nam@innometry.com>

참조 : 권혁철 <hyukchul.kwon@innometry.com>, 김준업 수석 <junup.kim@innometry.com>, 황우선
<woosun.hwang@innometry.com>, 이병윤 <saturday13@naver.com>, 허종욱 <jonguk031@naver.com>

보낸 날짜 : 2026-07-03 11:12:52

제목 : Wafer Map Draw Code

수신인 제위
요청하신 Wafer Map Draw 관련 Class 송부합니다.

설정을 이미지대로 하면 하기와 같은 그림이 그려집니다.

1. Product Type

Wafer

2. Product Position [mm]

Start Position [mm] :

X

50.000

Y

450.000

R

0.000

SET

MOVE

Product Size [mm] :

X

300.000

Y

300.000

T

H

0.700

MOVE

3. Group Information

Left Top Offset [mm] :

X

0.000

Y

0.000

SET

MOVE

Array Num [ea] :

X

1

Y

1

Pitch [mm] :

X

0.000

Y

0.000

4. Device Information

Total Count [ea] :

X

25

Y

25

Even Count [ea] :

X

25

Y

25

Size [mm] :

X

12.000

Y

12.000

Even Pitch [mm] :

X

14.000

Y

14.000

Odd Offset [mm] :

X

0.000

Y

0.000

