

mdl40_erd Database

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
mnet_sso_access_control	Table	accessctrl	VARCHAR	20			allow	Whether or not this user/hos
enrol_lti_app_registration	Table	accesstokenurl	LONGTEXT	2147483647	√		null	
payment_gateways	Table	accountid	BIGINT	19			null	
payments	Table	accountid	BIGINT	19			null	
log_display	Table	action	VARCHAR	40				
grade_outcomes_history	Table	action	BIGINT	19			0	created/modified/deleted co
grade_categories_history	Table	action	BIGINT	19			0	created/modified/deleted co
block_recent_activity	Table	action	BIT	1			null	0 created, 1 updated, 2 delet
logstore_standard_log	Table	action	VARCHAR	100				
scorm_seq_ruleconds	Table	action	VARCHAR	25				
grade_grades_history	Table	action	BIGINT	19			0	created/modified/deleted co
enrol_flatfile	Table	action	VARCHAR	30				
grade_items_history	Table	action	BIGINT	19			0	created/modified/deleted co
competency_evidence	Table	action	TINYINT	3			null	
mnet_log	Table	action	VARCHAR	40				
log	Table	action	VARCHAR	40				
analytics_used_analysables	Table	action	VARCHAR	50				
scale_history	Table	action	BIGINT	19			0	created/modified/deleted co
scorm_seq_rolluprule	Table	action	VARCHAR	15				
message_user_actions	Table	action	BIGINT	19			null	
message_conversation_actions	Table	action	BIGINT	19			null	
analytics_used_files	Table	action	VARCHAR	50				
analytics_prediction_actions	Table	actionname	VARCHAR	255				
competency_evidence	Table	actionuserid	BIGINT	19	√		null	
quizaccess_seb_quizsettings	Table	activateurlfiltering	BIT	1	√		null	Bool whether URLs will be fil
filter_active	Table	active	SMALLINT	5			null	Whether this filter is active in context. +1 = On, -1 = Off, no this contextid = inherit. As a case, when contextid points system context, -9999 mean is completely disabled.

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
grading_areas	Table	activemethod	VARCHAR	100	✓		null	The default grading method that should be used for this area
tool_brickfield_summary	Table	activities	BIGINT	19	✓		null	
tool_brickfield_summary	Table	activitiesfailed	BIGINT	19	✓		null	
tool_brickfield_summary	Table	activitiespassed	BIGINT	19	✓		null	
assign	Table	activity	LONGTEXT	2147483647	✓		null	
assign	Table	activityformat	SMALLINT	5			0	
lesson	Table	activitylink	BIGINT	19			0	
course_modules	Table	added	BIGINT	19			0	
h5pactivity_attempts_results	Table	additional	LONGTEXT	2147483647	✓		null	Extra subcontent information in format
user	Table	address	VARCHAR	255				
messageinbound_messagelist	Table	address	LONGTEXT	2147483647			null	The Inbound Message address the message was originally sent to
data	Table	addtemplate	LONGTEXT	2147483647	✓		null	
h5p_libraries	Table	addto	LONGTEXT	2147483647	✓		null	Plugin configuration data
adminpresets_app_plug	Table	adminpresetapplyid	BIGINT	19			null	
adminpresets_app_it_a	Table	adminpresetapplyid	BIGINT	19			null	
adminpresets_app_it	Table	adminpresetapplyid	BIGINT	19			null	
adminpresets_it	Table	adminpresetid	BIGINT	19			null	
adminpresets_plug	Table	adminpresetid	BIGINT	19			null	
adminpresets_app	Table	adminpresetid	BIGINT	19			null	
grade_categories_history	Table	aggregateonlygraded	BIT	1			0	aggregate only graded items
grade_categories	Table	aggregateonlygraded	BIT	1			0	aggregate only graded activities
grade_categories_history	Table	aggregateoutcomes	BIT	1			0	Aggregate outcomes
grade_categories	Table	aggregateoutcomes	BIT	1			0	Aggregate outcomes
grade_categories_history	Table	aggregatesubcats	BIT	1			0	This setting was removed from grade_categories. It is kept here to preserve history.
reportbuilder_column	Table	aggregation	VARCHAR	32	✓		null	
grade_categories	Table	aggregation	BIGINT	19			0	A constant pointing to one of the predefined aggregation strategies (none, mean, median, sum, etc)

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
grade_categories_history	Table	aggregation	BIGINT	19			0	A constant pointing to one of the predefined aggregation strategies (none, mean, median, sum, etc)
grade_items	Table	aggregationcoef	DECIMAL	10			0.00000	Aggregation coefficient used for category weights or other aggregation types
grade_items_history	Table	aggregationcoef	DECIMAL	10			0.00000	Aggregation coefficient used for category weights or other aggregation types
grade_items	Table	aggregationcoef2	DECIMAL	10			0.00000	Aggregation coefficient used for category weights in aggregation types extra credit and weight
grade_items_history	Table	aggregationcoef2	DECIMAL	10			0.00000	Aggregation coefficient used for category weights or other aggregation types
grade_grades	Table	aggregationstatus	VARCHAR	10			unknown	One of several values describing how this grade_grade was used when calculating the aggregation. Possible values are "unknown", "dropped", "novalue", "used"
grade_grades	Table	aggregationweight	DECIMAL	10	√		null	If the aggregationstatus == 'used' then this is the percent this item contributed to the aggregation
tool_policy_versions	Table	agreementstyle	SMALLINT	5			0	How this agreement should be shown on the consent page, 1 - on a separate page before reaching the consent page
question_response_analysis	Table	aid	VARCHAR	100	√		null	
glossary_alias	Table	alias	VARCHAR	255				
quiz_statistics	Table	allattemptsavg	DECIMAL	15	√		null	
quiz_statistics	Table	allattemptscount	BIGINT	19			null	
assign_user_flags	Table	allocatedmarker	BIGINT	19			0	The allocated marker to this user
role_allow_assign	Table	allowassign	BIGINT	19			0	
glossary	Table	allowcomments	TINYINT	3			0	
glossary	Table	allowduplicatedentries	TINYINT	3			0	
quizaccess_seb_quizsettings	Table	allowedbrowserexamkeys	LONGTEXT	2147483647	√		null	List of allowed browser exam keys
oauth2_issuer	Table	alloweddomains	LONGTEXT	2147483647			null	Allowed domains for this issuer

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
choice	Table	allowmultiple	TINYINT	3			0	
quiz	Table	allowofflineattempts	BIT	1	✓		0	Whether to allow the quiz to attempted offline in the mob
lesson	Table	allowofflineattempts	BIT	1	✓		0	Whether to allow the lesson attempted offline in the mob
role_allow_override	Table	allowoverride	BIGINT	19			0	
glossary	Table	allowprintview	TINYINT	3			1	
quizaccess_seb_quizsettings	Table	allowreloadinexam	BIT	1	✓		null	Bool whether user can reload
quizaccess_seb_quizsettings	Table	allowspellchecking	BIT	1	✓		null	Bool whether spell checking in SEB.
assign_overrides	Table	allowsubmissionsfromdate	BIGINT	19	✓		null	Time at which students may attempting this assign. Can l which case the assign default
assign	Table	allowsubmissionsfromdate	BIGINT	19			0	If set, submissions will only l after this date.
role_allow_switch	Table	allowswitch	BIGINT	19			null	The id of a role that the user to switch to as a result of ha role.
choice	Table	allowupdate	TINYINT	3			0	
quizaccess_seb_quizsettings	Table	allowuserquitseb	BIT	1	✓		null	Bool to show quit button.
role_allow_view	Table	allowview	BIGINT	19			null	The id of a role that the user to view to as a result of havin
resource_old	Table	alltext	LONGTEXT	2147483647			null	
user	Table	alternatename	VARCHAR	255	✓		null	Alternate name - Useful for t countries.
assign	Table	alwaysshowdescription	TINYINT	3			0	If false the assignment intro displayed after the allowsubmissionsfrom date. will always be displayed.
payments	Table	amount	VARCHAR	20				
analytics_train_samples	Table	analysableid	BIGINT	19			null	
analytics_used_analysables	Table	analysableid	BIGINT	19			null	
analytics_predict_samples	Table	analysableid	BIGINT	19			null	
question_response_count	Table	analysisid	BIGINT	19			null	
feedback	Table	anonymous	BIT	1			1	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
logstore_standard_log	Table	anonymous	BIT	1		0		Was this event anonymous a of triggering?
feedback_completed	Table	anonymous_response	BIT	1		0		
feedback_completedtmp	Table	anonymous_response	BIT	1		0		
lesson_answers	Table	answer	LONGTEXT	2147483647	✓	null		
question_answers	Table	answer	LONGTEXT	2147483647		null		
question_numerical	Table	answer	BIGINT	19		0		Foreign key references question_answers.id.
question_calculated	Table	answer	BIGINT	19		0		
survey_answers	Table	answer1	LONGTEXT	2147483647		null		
survey_answers	Table	answer2	LONGTEXT	2147483647		null		
question_answers	Table	answerformat	TINYINT	3		0		
lesson_answers	Table	answerformat	TINYINT	3		0		
lesson_attempts	Table	answerid	BIGINT	19		0		
qtype_multichoice_options	Table	answernumbering	VARCHAR	10		abc		Indicates how and whether t should be numbered.
question_calculated_options	Table	answernumbering	VARCHAR	10		abc		Indicates how and whether t should be numbered.
qtype_match_subquestions	Table	answertext	VARCHAR	255				
badge_external_backpack	Table	apiversion	VARCHAR	12		1.0		
mnet_service	Table	apiversion	VARCHAR	10				
user_devices	Table	appid	VARCHAR	128				the app id, usually something com.moodle.moodlemobile
mnet_host	Table	applicationid	BIGINT	19		1		
data	Table	approval	SMALLINT	5		0		
glossary	Table	approvaldisplayformat	VARCHAR	50		default		Display Format when approv
glossary_entries	Table	approved	TINYINT	3		1		
data_records	Table	approved	SMALLINT	5		0		
role	Table	archetype	VARCHAR	30				Role archetype is used during role reset, marks admin role in site settings
tool_policy_versions	Table	archived	SMALLINT	5		0		Should the version be consid archived. All non-archived, no

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								versions are considered to be
payment_accounts	Table	archived	BIT	1			0	
customfield_category	Table	area	VARCHAR	100				
reportbuilder_report	Table	area	VARCHAR	100				
tool_brickfield_content	Table	areaid	BIGINT	19			null	
search_simpledb_index	Table	areaid	VARCHAR	255				
grading_definitions	Table	areaid	BIGINT	19			null	
grading_areas	Table	areaname	VARCHAR	100				The name of gradable area
data	Table	asearchtemplate	LONGTEXT	2147483647	✓		null	
badge_external	Table	assertion	LONGTEXT	2147483647	✓		null	Assertion of external badge
glossary	Table	assessed	BIGINT	19			0	
forum	Table	assessed	BIGINT	19			0	
forum_discussions	Table	assessed	BIT	1			1	
data	Table	assessed	BIGINT	19			0	
workshop	Table	assessmentend	BIGINT	19	✓		0	0 = will be closed manually, g 0 the timestamp of the end o assessment phase
workshop_grades	Table	assessmentid	BIGINT	19			null	Part of which assessment th of
workshop	Table	assessmentstart	BIGINT	19	✓		0	0 = will be started manually, 0 the timestamp of the start assessment phase
glossary	Table	assesstimefinish	BIGINT	19			0	
data	Table	assesstimefinish	BIGINT	19			0	
forum	Table	assesstimefinish	BIGINT	19			0	
data	Table	assesstimestart	BIGINT	19			0	
glossary	Table	assesstimestart	BIGINT	19			0	
forum	Table	assesstimestart	BIGINT	19			0	
assign_overrides	Table	assignid	BIGINT	19			0	Foreign key references assign
assignsubmission_onlinetext	Table	assignment	BIGINT	19			0	
assign_submission	Table	assignment	BIGINT	19			0	
assignfeedback_comments	Table	assignment	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
assignfeedback_file	Table	assignment	BIGINT	19		0		
assign_user_mapping	Table	assignment	BIGINT	19		0		
assignsubmission_file	Table	assignment	BIGINT	19		0		
assignment_submissions	Table	assignment	BIGINT	19		0		
assign_grades	Table	assignment	BIGINT	19		0		
assign_user_flags	Table	assignment	BIGINT	19		0		The assignment these flags
assign_plugin_config	Table	assignment	BIGINT	19		0		
assignment	Table	assignmenttype	VARCHAR	50				
post	Table	attachment	VARCHAR	100	✓	null		attachment
workshop_submissions	Table	attachment	TINYINT	3	✓	0		Used by File API file_postupdate_standard_file
forum_posts	Table	attachment	VARCHAR	100				
badge	Table	attachment	BIT	1		1		Attach baked badge for downl
glossary_entries	Table	attachment	VARCHAR	100				
qtype_essay_options	Table	attachments	SMALLINT	5		0		Whether, and how many, attache student is allowed to include response. -1 means unlimited
qtype_essay_options	Table	attachmentsrequired	SMALLINT	5		0		The number of attachments be required
h5pactivity_attempts	Table	attempt	MEDIUMINT	7		1		Attempt number
quiz_attempts	Table	attempt	MEDIUMINT	7		0		Sequentially numbers this st attempts at this quiz.
scorm_aicc_session	Table	attempt	BIGINT	19	✓	null		
scorm_scoes_track	Table	attempt	BIGINT	19		1		
assignfeedback_editpdf_queue	Table	attemptedconversions	BIGINT	19		0		
h5pactivity_attempts_results	Table	attemptid	BIGINT	19		null		h5pactivity_attempts ID
assign_grades	Table	attemptnumber	BIGINT	19		0		The attempt number that this relates to
assign_submission	Table	attemptnumber	BIGINT	19		0		Used to track attempts for an assignment
quiz	Table	attemptonlast	SMALLINT	5		0		Whether subsequent attempt from teh answer to the previous (1) or start blank (0).

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
assign	Table	attemptreopenmethod	VARCHAR	10			none	How to determine when student is allowed to open a new submission. Valid options are none, manual, untilpass
quiz_overrides	Table	attempts	MEDIUMINT	7	✓		null	
quiz	Table	attempts	MEDIUMINT	7			0	The maximum number of attempts a student is allowed.
question_attempt_step_data	Table	attemptstepid	BIGINT	19			null	Foreign key, references question_attempt_steps.id
tool_policy_versions	Table	audience	SMALLINT	5			0	Who is this policy targeted at? 0 - all users, 1 - logged in users only
reportbuilder_schedule	Table	audiences	LONGTEXT	2147483647			null	
user	Table	auth	VARCHAR	20			manual	
enrol_lti_app_registration	Table	authenticationrequesturl	LONGTEXT	2147483647	✓		null	The authorisation endpoint of the LTI platform
adminpresets	Table	author	VARCHAR	255	✓		null	
files	Table	author	VARCHAR	255	✓		null	The original author of the file
workshop_submissions	Table	authorid	BIGINT	19			null	The author of the submission
scorm	Table	auto	BIT	1			0	
enrol_lti_lti2_share_key	Table	autoapprove	BIT	1			null	
scorm	Table	autocommit	BIT	1			0	
feedback	Table	autonumbering	BIT	1			1	
user	Table	autosubscribe	BIT	1			1	
badge_backpack	Table	autosync	BIT	1			0	
course_sections	Table	availability	LONGTEXT	2147483647	✓		null	Availability restrictions for this section, in JSON format. Null means no restrictions.
course_modules	Table	availability	LONGTEXT	2147483647	✓		null	Availability restrictions for this activity, in JSON format. Null means no restrictions.
lesson_overrides	Table	available	BIGINT	19	✓		null	Time at which students may attempt this lesson. Can be null in which case the lesson defaults to 0
lesson	Table	available	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
badge_external_backpack	Table	backpackapiurl	VARCHAR	255				
badge_external	Table	backpackid	BIGINT	19			null	ID of a backpack
badge_backpack	Table	backpackuid	BIGINT	19			null	
badge_external_backpack	Table	backpackweburl	VARCHAR	255				
upgrade_log	Table	backtrace	LONGTEXT	2147483647	✓		null	
log_queries	Table	backtrace	LONGTEXT	2147483647	✓		null	php execution trace
backup_controllers	Table	backupid	VARCHAR	32				unique id of the backup
backup_logs	Table	backupid	VARCHAR	32				backupid the log record belongs to
badge_criteria	Table	badgeid	BIGINT	19			0	
badge_issued	Table	badgeid	BIGINT	19			0	
badge_alignment	Table	badgeid	BIGINT	19			0	
badge_manual_award	Table	badgeid	BIGINT	19			null	
badge_related	Table	badgeid	BIGINT	19			0	
badge_endorsement	Table	badgeid	BIGINT	19			0	
lti_types	Table	baseurl	LONGTEXT	2147483647			null	
oauth2_issuer	Table	baseurl	LONGTEXT	2147483647			null	The base url to the issuer
ltiservice_gradebookservices	Table	baseurl	LONGTEXT	2147483647	✓		null	Lineitem URL that will be returned by the Tool provider
oauth2_issuer	Table	basicauth	TINYINT	3			0	Use HTTP Basic authentication when sending client ID and password
question_attempts	Table	behaviour	VARCHAR	32				The name of the question behaviour that is managing this question
lesson	Table	bgcolor	VARCHAR	7			#FFFFFF	
bigbluebuttonbn_logs	Table	bigbluebuttonbnid	BIGINT	19			null	
bigbluebuttonbn_recordings	Table	bigbluebuttonbnid	BIGINT	19			null	
assign	Table	blindmarking	TINYINT	3			0	Hide student/grader identities when reveal identities action is performed
forum	Table	blockafter	BIGINT	19			0	
message_users_blocked	Table	blockeduserid	BIGINT	19			null	
task_scheduled	Table	blocking	TINYINT	3			0	Block the entire cron when this task is running.
task_adhoc	Table	blocking	TINYINT	3			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
block_positions	Table	blockinstanceid	BIGINT	19			null	The block_instance this position refers to.
block_instances	Table	blockname	VARCHAR	40				The type of block this is. For example, 'forum' references block.name.
forum	Table	blockperiod	BIGINT	19			0	
blog_association	Table	blogid	BIGINT	19			null	
book_chapters	Table	bookid	BIGINT	19			0	
quiz	Table	browsersecurity	VARCHAR	32				Restriction on the browser that must use. E.g. 'securewindow'
enrol_paypal	Table	business	VARCHAR	255				
wiki_pages	Table	cachedcontent	LONGTEXT	2147483647			null	Cache wiki content
course	Table	cacherev	BIGINT	19			0	Incrementing revision for valid course content cache
grade_items_history	Table	calculation	LONGTEXT	2147483647	✓		null	Formula describing how to determine grade from other items, refer to them using giXXX where XXX is the item id ... eg something like: =sin(square(#gi20#)) + #gi30#
grade_items	Table	calculation	LONGTEXT	2147483647	✓		null	Formula describing how to determine grade from other items, refer to them using giXXX where XXX is the item id ... eg something like: =sin(square(#gi20#)) + #gi30#
analytics_predictions	Table	calculations	LONGTEXT	2147483647			null	
user	Table	calendartype	VARCHAR	30			gregorian	
course	Table	calendartype	VARCHAR	30				
tag_area	Table	callback	VARCHAR	100	✓		null	
tag_area	Table	callbackfile	VARCHAR	100	✓		null	
portfolio_log	Table	caller_class	VARCHAR	150				the name of the class used to transfer
portfolio_log	Table	caller_component	VARCHAR	255	✓		null	the component name responsible for exporting
portfolio_log	Table	caller_file	VARCHAR	255				path to file to include where the definition lives. (relative to directory)
portfolio_log	Table	caller_sha1	VARCHAR	255				sha1 of exported content as a string

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								caller is concerned (before the plugin gets a hold of it)
quiz	Table	canredoquestions	SMALLINT	5			0	Allows students to redo any question within a quiz attempt
external_functions	Table	capabilities	VARCHAR	255	√		null	all capabilities that are required to run by the function (separated by comma)
role_capabilities	Table	capability	VARCHAR	255				
quiz_reports	Table	capability	VARCHAR	255	√		null	Capability required to see this report. May be blank which means use the default of mod/quiz:viewreports. Used when deciding which tabs to render.
message_providers	Table	capability	VARCHAR	255	√		null	Optional: permission that is required for the user's setting screen to see a message provider.
lti_tool_proxies	Table	capabilityoffered	LONGTEXT	2147483647			null	List of capabilities offered, one per line
capabilities	Table	captype	VARCHAR	50				
glossary_entries	Table	casesensitive	TINYINT	3			0	
question_dataset_definitions	Table	category	BIGINT	19			0	
course_request	Table	category	BIGINT	19			0	
course	Table	category	BIGINT	19			0	
grade_items_history	Table	categoryid	BIGINT	19	√		null	(optional) the category group the item belongs to
tool_brickfield_areas	Table	categoryid	BIGINT	19	√		null	
glossary_entries_categories	Table	categoryid	BIGINT	19			0	
grade_items	Table	categoryid	BIGINT	19	√		null	(optional) the category group the item belongs to
tool_dataprivacy_ctxlevel	Table	categoryid	BIGINT	19	√		null	
mnetSERVICE_enrol_courses	Table	categoryid	BIGINT	19			null	The id of the category on the server
event_subscriptions	Table	categoryid	BIGINT	19			0	
tool_dataprivacy_ctxinstance	Table	categoryid	BIGINT	19	√		null	
event	Table	categoryid	BIGINT	19			0	
tool_recyclebin_category	Table	categoryid	BIGINT	19			null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
customfield_field	Table	categoryid	BIGINT	19	✓		null	
user_info_field	Table	categoryid	BIGINT	19			0	id from category table
mnetservice_enrol_courses	Table	categoryname	VARCHAR	255				
forum_posts	Table	charcount	BIGINT	19	✓		null	
customfield_data	Table	charvalue	VARCHAR	1333	✓		null	
chat_messages_current	Table	chatid	BIGINT	19			0	
chat_messages	Table	chatid	BIGINT	19			0	
chat_users	Table	chatid	BIGINT	19			0	
chat	Table	chattime	BIGINT	19			0	
tool_brickfield_cache_check	Table	checkcount	BIGINT	19	✓		null	
tool_brickfield_checks	Table	checkgroup	BIGINT	19	✓		0	The group category identifier
tool_brickfield_results	Table	checkid	BIGINT	19			null	
tool_brickfield_cache_check	Table	checkid	BIGINT	19	✓		null	
backup_controllers	Table	checksum	VARCHAR	32				checksum of the backup_controller object
tool_brickfield_checks	Table	checktype	VARCHAR	64	✓		null	
scorm_seq_rolluprule	Table	childactivityset	VARCHAR	15				
qtype_ddmarker_drops	Table	choice	BIGINT	19			0	
qtype_ddimageortext_drops	Table	choice	BIGINT	19			0	
choice_answers	Table	choiceid	BIGINT	19			0	
choice_options	Table	choiceid	BIGINT	19			0	
qtype_randomsamatch_options	Table	choose	BIGINT	19			4	Number of subquestions to n generate.
quiz_statistics	Table	cic	DECIMAL	15	✓		null	
user	Table	city	VARCHAR	120				
enrol_lti_tools	Table	city	VARCHAR	120				
badge_endorsement	Table	claimcomment	LONGTEXT	2147483647	✓		null	
badge_endorsement	Table	claimid	VARCHAR	255	✓		null	
external_functions	Table	classname	VARCHAR	100				
reportbuilder_audience	Table	classname	VARCHAR	255				
messageinbound_handlers	Table	classname	VARCHAR	255				The class defining the Inbound Message handler to be called

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
task_scheduled	Table	classname	VARCHAR	255				The class extending scheduled task to be called when running this task.
task_log	Table	classname	VARCHAR	255				The class of the task being run.
task_adhoc	Table	classname	VARCHAR	255				The name of the class extending task_adhoc_task to run when this task is executed.
mnet_rpc	Table	classname	VARCHAR	150	✓		null	
external_functions	Table	classpath	VARCHAR	255	✓		null	
question_hints	Table	clearwrong	BIT	1	✓		null	Whether any wrong choices should be cleared before the next try. Whether this hint is applicable, and what it means, depends on the question type and the shownumright option.
oauth2_issuer	Table	clientid	LONGTEXT	2147483647			null	The client id used to connect to the oauth2 service.
enrol_lti_app_registration	Table	clientid	VARCHAR	1333	✓		null	The clientid string, generated by the platform when setting up the app.
lti_types	Table	clientid	VARCHAR	255	✓		null	
oauth2_issuer	Table	clientsecret	LONGTEXT	2147483647			null	The secret used to connect to the oauth2 service.
bigbluebuttonbn	Table	clienttype	BIT	1			0	
bigbluebuttonbn	Table	closingtime	BIGINT	19			0	
block_recent_activity	Table	cmid	BIGINT	19			null	Course module id
competency_modulecomp	Table	cmid	BIGINT	19			null	ID of the record in the competency table.
tool_monitor_subscriptions	Table	cmid	BIGINT	19			null	Course module id
log	Table	cmid	BIGINT	19			0	
quizaccess_seb_quizsettings	Table	cmid	BIGINT	19			null	Foreign key to course module id
resource_old	Table	cmid	BIGINT	19	✓		null	
block_recentlyaccesseditems	Table	cmid	BIGINT	19			null	Item course module id
tool_brickfield_areas	Table	cmid	BIGINT	19	✓		null	
mnet_log	Table	cmid	BIGINT	19			0	
tool_cohortroles	Table	cohortid	BIGINT	19			null	The cohort to sync
cohort_members	Table	cohortid	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
competency_templatecohort	Table	cohortid	BIGINT	19			null	
badge_external	Table	collectionid	BIGINT	19			null	Badge collection id in the badge collection
assignfeedback_editpdf_cmnt	Table	colour	VARCHAR	10	✓		black	Can be red, yellow, green, blue or black
assignfeedback_editpdf_annot	Table	colour	VARCHAR	10	✓		black	Can be red, yellow, green, blue or black
assignfeedback_editpdf_quick	Table	colour	VARCHAR	10	✓		yellow	
reportbuilder_column	Table	columnorder	BIGINT	19			null	
comments	Table	commentarea	VARCHAR	255				
assignfeedback_comments	Table	commentformat	SMALLINT	5			0	The feedback text format
data	Table	comments	SMALLINT	5			0	
adminpresets	Table	comments	LONGTEXT	2147483647	✓		null	
tool_dataprivacy_request	Table	comments	LONGTEXT	2147483647	✓		null	More details about the request
tool_dataprivacy_request	Table	commentsformat	TINYINT	3			0	
assignfeedback_comments	Table	commenttext	LONGTEXT	2147483647	✓		null	The feedback text
workshopeval_best_settings	Table	comparison	SMALLINT	5	✓		5	Here we store the recently selected comparison of assessment items in the workshop. Reasonable values are 1 to 10 or so. Default to 5.
competency	Table	competencyframeworkid	BIGINT	19			null	The framework this competency is linked to.
competency_relatedcomp	Table	competencyid	BIGINT	19			null	
competency_usercompplan	Table	competencyid	BIGINT	19			null	Competency associated to the plan
competency_templatecomp	Table	competencyid	BIGINT	19			null	The competency that is linked to the course.
competency_modulecomp	Table	competencyid	BIGINT	19			null	The course competency this module is linked to.
competency_userevidencecomp	Table	competencyid	BIGINT	19			null	
competency_coursecomp	Table	competencyid	BIGINT	19			null	The competency that is linked to the course.
competency_usercomp	Table	competencyid	BIGINT	19			null	Competency associated to the user
competency_plancomp	Table	competencyid	BIGINT	19			null	
competency_usercompcourse	Table	competencyid	BIGINT	19			null	Competency associated to the course

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
feedback_valuetmp	Table	completed	BIGINT	19			0	
lesson_timer	Table	completed	BIT	1	√		0	
lesson_grades	Table	completed	BIGINT	19			0	
feedback_value	Table	completed	BIGINT	19			0	
course_modules	Table	completion	BIT	1			0	Whether the completion-tracking facilities are enabled for this course. 0 = not enabled (database default) 1 = manual tracking, user can toggle activity off (UI default for most types) 2 = automatic tracking. 3 = user should mark completion according to rules specified in course_moduleS_completion_tracking
h5pactivity_attempts	Table	completion	BIT	1	√		null	Store the xAPI tracking completion result.
course_completion_defaults	Table	completion	BIT	1			0	
h5pactivity_attempts_results	Table	completion	BIT	1	√		null	Store the xAPI tracking completion result.
quiz	Table	completionattemptsexhausted	BIT	1	√		0	
bigbluebuttonbn	Table	completionattendance	INT	10			0	Nonzero if a certain number of activities in the meeting are required to mark an activity completed for a user.
forum	Table	completiondiscussions	INT	10			0	Nonzero if a certain number of activities are required to mark this forum activity completed for a user.
lesson	Table	completionendreached	BIT	1	√		0	
bigbluebuttonbn	Table	completionengagementchats	INT	10			0	Nonzero if chat during the meeting is required to mark an activity completed for a user.
bigbluebuttonbn	Table	completionengagementemojis	INT	10			0	Nonzero if the use of emojis during the meeting is required to mark an activity completed for a user.
bigbluebuttonbn	Table	completionengagementpollvotes	INT	10			0	Nonzero if poll voting during the meeting is required to mark an activity completed for a user.
bigbluebuttonbn	Table	completionengagementraisehand	INT	10			0	Nonzero if raising hand during the meeting is required to mark an activity completed for a user.

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								completed for a user.
bigbluebuttonbn	Table	completionengagementtalks	INT	10			0	Nonzero if talking during the activity. Required to mark an activity complete for a user.
data	Table	completionentries	BIGINT	19	√		0	Number of entries required for completion
glossary	Table	completionentries	INT	10			0	Non zero if a certain number of entries are required to mark this glossary complete for a user.
course_completion_defaults	Table	completionexpected	BIGINT	19			0	
course_modules	Table	completionexpected	BIGINT	19			0	Date at which students are expected to complete this activity. This field is used when displaying student progress.
course_modules	Table	completiongradeitemnumber	BIGINT	19	√		null	Grade-item number used to track automatic completion, if applicable.
quiz	Table	completionminattempts	BIGINT	19			0	
course	Table	completionnotify	BIT	1			0	Notify users when they complete a course
course_completion_defaults	Table	completionpassgrade	BIT	1			0	
course_modules	Table	completionpassgrade	BIT	1			0	Enable completion check on grade.
forum	Table	completionposts	INT	10			0	Nonzero if a certain number of posts (total) are required to mark this forum complete for a user.
forum	Table	completionreplies	INT	10			0	Nonzero if a certain number of replies are required to mark this forum complete for a user.
scorm	Table	completionscorerequired	BIGINT	19	√		null	
course_modules_completion	Table	completionstate	BIT	1			null	Whether or not the user has completed the activity. Available states: 0 = not completed if there's no row in the table that also counts as 0 1 = completed, show passed 3 = not completed, show failed
scorm	Table	completionstatusallscos	BIT	1	√		null	
scorm	Table	completionstatusrequired	BIT	1	√		null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
choice	Table	completionsubmit	BIT	1			0	If this field is set to 1, then the choice will be automatically marked 'complete' once the user submits the choice.
survey	Table	completionsubmit	BIT	1			0	If this field is set to 1, then the survey will be automatically marked 'complete' once the user submits the survey.
feedback	Table	completionsubmit	BIT	1			0	If this field is set to 1, then the feedback will be automatically marked 'complete' once the user submits the choice.
assign	Table	completionsubmit	TINYINT	3			0	If this field is set to 1, then the assignment will be automatically marked 'complete' once the user submits the assignment.
lesson	Table	completiontimespent	BIGINT	19	√		0	
course_completion_defaults	Table	completionusegrade	BIT	1			0	
course_modules	Table	completionview	BIT	1			0	Controls whether a page view is required for the automatic completion rule for this activity. 0 = view not required
course_completion_defaults	Table	completionview	BIT	1			0	
messageinbound_handlers	Table	component	VARCHAR	100				The component this handler belongs to
question_usages	Table	component	VARCHAR	255				The plugin this attempt belongs to. Can be 'mod_quiz', 'block_question' or 'filter_embedquestion'.
message_conversations	Table	component	VARCHAR	100	√		null	Defines the Moodle component the area was added to
task_scheduled	Table	component	VARCHAR	255				The component this scheduled task belongs to.
favourite	Table	component	VARCHAR	100				Defines the Moodle component the favourite was created.
role_assignments	Table	component	VARCHAR	100				The plugin responsible for the assignment, empty when manually assigned
message	Table	component	VARCHAR	100	√		null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
event	Table	component	VARCHAR	100	✓		null	Component that created this specified, only component its and delete it
customfield_category	Table	component	VARCHAR	100				
task_adhoc	Table	component	VARCHAR	255				The component that triggered adhoc task.
message_providers	Table	component	VARCHAR	200				The name of the component produces these messages
tag_coll	Table	component	VARCHAR	100	✓		null	
task_log	Table	component	VARCHAR	255				The component that the task
external_functions	Table	component	VARCHAR	100				
tool_brickfield_areas	Table	component	VARCHAR	100	✓		null	
files	Table	component	VARCHAR	100				Full name of the component area
question_references	Table	component	VARCHAR	100	✓		null	Component (e.g. mod_quiz core_question)
external_services	Table	component	VARCHAR	100	✓		null	
question_set_references	Table	component	VARCHAR	100	✓		null	Component (e.g. mod_quiz)
tag_area	Table	component	VARCHAR	100				
notifications	Table	component	VARCHAR	100	✓		null	
log_display	Table	component	VARCHAR	100				owner of the log action
rating	Table	component	VARCHAR	100				
groups_members	Table	component	VARCHAR	100				Defines the Moodle component added this group membership 'auth_myplugin'), or blank if it added manually. (Entries which created by a Moodle component be removed in the normal user interface.)
reportbuilder_report	Table	component	VARCHAR	100				
events_handlers	Table	component	VARCHAR	166				e.g. moodle, mod_forum, block_rss_client
cohort	Table	component	VARCHAR	100				Component (plugintype_plugin) that manages the cohort, modifications are allowed on

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								to NULL
payments	Table	component	VARCHAR	100				The plugin this payment belongs to
tag_instance	Table	component	VARCHAR	100				Defines the Moodle component the tag was added to
tool_brickfield_cache_acts	Table	component	VARCHAR	64	✓		null	
comments	Table	component	VARCHAR	255	✓		null	The plugin this comment belongs to
message_read	Table	component	VARCHAR	100	✓		null	
capabilities	Table	component	VARCHAR	100				
grading_areas	Table	component	VARCHAR	100				Frankenstyle name of the component holding this area
logstore_standard_log	Table	component	VARCHAR	100				
tool_customlang	Table	componentid	BIGINT	19			null	The id of the component
glossary_entries	Table	concept	VARCHAR	255				
workshop	Table	conclusion	LONGTEXT	2147483647	✓		null	A text to be displayed at the workshop.
workshop	Table	conclusionformat	SMALLINT	5			1	The format of the conclusion content.
scorm_seq_rolluprulecond	Table	cond	VARCHAR	25				
scorm_seq_rulecond	Table	cond	VARCHAR	30			always	
scorm_seq_rolluprule	Table	conditioncombination	VARCHAR	3			all	
scorm_seq_ruleconds	Table	conditioncombination	VARCHAR	3			all	
reportbuilder_report	Table	conditiondata	LONGTEXT	2147483647	✓		null	
lesson	Table	conditions	LONGTEXT	2147483647			null	
data	Table	config	LONGTEXT	2147483647	✓		null	
payment_gateways	Table	config	LONGTEXT	2147483647	✓		null	
block_instances	Table	configdata	LONGTEXT	2147483647	✓		null	A serialized blob of configuration for this block instance.
reportbuilder_audience	Table	configdata	LONGTEXT	2147483647			null	
contentbank_content	Table	configdata	LONGTEXT	2147483647	✓		null	
groupings	Table	configdata	LONGTEXT	2147483647	✓		null	extra configuration data - may be by group IU tools
tool_usertours_steps	Table	configdata	LONGTEXT	2147483647			null	
customfield_field	Table	configdata	LONGTEXT	2147483647	✓		null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
tool_usertours_tours	Table	configdata	LONGTEXT	2147483647			null	
adminpresets_app_it_a	Table	configlogid	BIGINT	19			null	
adminpresets_app_it	Table	configlogid	BIGINT	19			null	
mnet_session	Table	confirm_timeout	BIGINT	19			0	UNIX timestamp for expiry o
user	Table	confirmed	BIT	1			0	
registration_hubs	Table	confirmed	BIT	1			0	
auth_oauth2_linked_login	Table	confirmtoken	VARCHAR	64				If this is not empty - the user confirmed their email to crea
auth_oauth2_linked_login	Table	confirmtokenexpires	BIGINT	19	✓		null	
enrol_lti_lti2_consumer	Table	consumerguid	VARCHAR	1024	✓		null	
enrol_lti_lti2_context	Table	consumerid	BIGINT	19			null	
enrol_lti_lti2_resource_link	Table	consumerid	BIGINT	19	✓		null	
enrol_lti_tool_consumer_map	Table	consumerid	BIGINT	19			null	The consumer ID.
enrol_lti_lti2_nonce	Table	consumerid	BIGINT	19			null	
enrol_lti_lti2_tool_proxy	Table	consumerid	BIGINT	19			null	
enrol_lti_users	Table	consumerkey	LONGTEXT	2147483647	✓		null	
enrol_lti_lti2_consumer	Table	consumerkey	LONGTEXT	2147483647	✓		null	
enrol_lti_lti2_consumer	Table	consumerkey256	VARCHAR	255				
enrol_lti_lti2_consumer	Table	consumername	VARCHAR	255	✓		null	
enrol_lti_users	Table	consumersecret	LONGTEXT	2147483647	✓		null	
enrol_lti_lti2_consumer	Table	consumerversion	VARCHAR	255	✓		null	
message_contacts	Table	contactid	BIGINT	19			null	
search_simpledb_index	Table	content	LONGTEXT	2147483647	✓		null	
wiki_versions	Table	content	LONGTEXT	2147483647			null	Not parsed wiki content
comments	Table	content	LONGTEXT	2147483647			null	
data_content	Table	content	LONGTEXT	2147483647	✓		null	
tool_usertours_steps	Table	content	LONGTEXT	2147483647	✓		null	Content of the user tour - allo multilang tags
workshop_submissions	Table	content	LONGTEXT	2147483647	✓		null	Submission text
book_chapters	Table	content	LONGTEXT	2147483647			null	
quizaccess_seb_template	Table	content	LONGTEXT	2147483647			null	Content of the template
tool_policy_versions	Table	content	LONGTEXT	2147483647			null	Full policy text

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
page	Table	content	LONGTEXT	2147483647	✓		null	
post	Table	content	LONGTEXT	2147483647	✓		null	
data_content	Table	content1	LONGTEXT	2147483647	✓		null	
data_content	Table	content2	LONGTEXT	2147483647	✓		null	
data_content	Table	content3	LONGTEXT	2147483647	✓		null	
data_content	Table	content4	LONGTEXT	2147483647	✓		null	
workshop_submissions	Table	contentformat	SMALLINT	5			0	The format of submission text
tool_policy_versions	Table	contentformat	SMALLINT	5			null	Format of the content field
page	Table	contentformat	SMALLINT	5			0	
wiki_versions	Table	contentformat	VARCHAR	20			creole	Markup used to write content
book_chapters	Table	contentformat	SMALLINT	5			0	
tool_usertours_steps	Table	contentformat	SMALLINT	5			0	
files	Table	contenthash	VARCHAR	40				sha1 hash of file content
h5p	Table	contenthash	VARCHAR	40				Defines the hash for the file content
tool_brickfield_content	Table	contenthash	VARCHAR	40				
tool_brickfield_results	Table	contentid	BIGINT	19	✓		null	
lesson_pages	Table	contents	LONGTEXT	2147483647			null	
lesson_pages	Table	contentsformat	TINYINT	3			0	
workshop_submissions	Table	contenttrust	SMALLINT	5			0	The trust mode of the data
contentbank_content	Table	contenttype	VARCHAR	100				
role_names	Table	contextid	BIGINT	19			0	
editor_atto_autosave	Table	contextid	BIGINT	19			null	The contextid that the form was created with.
role_assignments	Table	contextid	BIGINT	19			0	
tool_monitor_events	Table	contextid	BIGINT	19			null	Context id
tool_brickfield_schedule	Table	contextid	BIGINT	19	✓		null	Id of the specific context record
grading_areas	Table	contextid	BIGINT	19			null	The context of the gradable area or module instance context.
reportbuilder_report	Table	contextid	BIGINT	19			null	
competency_framework	Table	contextid	BIGINT	19			null	
tool_brickfield_areas	Table	contextid	BIGINT	19	✓		null	
tool_brickfield_process	Table	contextid	BIGINT	19	✓		null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
search_index_requests	Table	contextid	BIGINT	19			null	Context ID that has been req reindexing.
repository_instances	Table	contextid	BIGINT	19			null	
comments	Table	contextid	BIGINT	19			null	
enrol_lti_context	Table	contextid	VARCHAR	255				The id of the context on the p
analytics_indicator_calc	Table	contextid	BIGINT	19			null	
search_simplifiedb_index	Table	contextid	BIGINT	19			null	
files	Table	contextid	BIGINT	19			null	The context id defined in con identifies the instance of plu the file
tag_instance	Table	contextid	BIGINT	19	√		null	The context id of the item tha tagged
block_positions	Table	contextid	BIGINT	19			null	With pagetype and subpage, page we are setting the posi
blog_association	Table	contextid	BIGINT	19			null	
role_capabilities	Table	contextid	BIGINT	19			0	
rating	Table	contextid	BIGINT	19			null	
payment_accounts	Table	contextid	BIGINT	19			null	
cohort	Table	contextid	BIGINT	19			null	Context is usually ignored in operations so that the cohort moved freely around in the c without any side affects.
analytics_predictions	Table	contextid	BIGINT	19			null	
external_tokens	Table	contextid	BIGINT	19			null	context id where in token val
tool_dataprivacy_ctxinstance	Table	contextid	BIGINT	19			null	
enrol_lti_lti2_resource_link	Table	contextid	BIGINT	19	√		null	
logstore_standard_log	Table	contextid	BIGINT	19			null	
message_conversations	Table	contextid	BIGINT	19	√		null	The context id of the itemid o the itemtype was added
filter_active	Table	contextid	BIGINT	19			null	References context.id.
filter_config	Table	contextid	BIGINT	19			null	References context.id.
competency_template	Table	contextid	BIGINT	19			null	
competency_evidence	Table	contextid	BIGINT	19			null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
customfield_category	Table	contextid	BIGINT	19	✓		null	
question_categories	Table	contextid	BIGINT	19			0	context that this category is
tool_dataprivacy_ctxexpired	Table	contextid	BIGINT	19			null	
customfield_data	Table	contextid	BIGINT	19	✓		null	
contentbank_content	Table	contextid	BIGINT	19			null	References context.id.
favourite	Table	contextid	BIGINT	19			null	The context id of the item be favourited
enrol_lti_tools	Table	contextid	BIGINT	19			null	
question_usages	Table	contextid	BIGINT	19			null	Every question usage must b associated with some contex
grade_letters	Table	contextid	BIGINT	19			null	What contextid does this lett (for now these will always be but later...)
analytics_models	Table	contextids	LONGTEXT	2147483647	✓		null	The model will be restricted contexts
tool_monitor_events	Table	contextinstanceid	BIGINT	19			null	Context instance id
logstore_standard_log	Table	contextinstanceid	BIGINT	19			null	
tool_brickfield_schedule	Table	contextlevel	BIGINT	19			50	The context level for this iter to CONTEXT_COURSE.
logstore_standard_log	Table	contextlevel	BIGINT	19			null	
capabilities	Table	contextlevel	BIGINT	19			0	
tool_monitor_events	Table	contextlevel	BIGINT	19			null	Context level
context	Table	contextlevel	BIGINT	19			0	
role_context_levels	Table	contextlevel	BIGINT	19			null	
tool_dataprivacy_ctxlevel	Table	contextlevel	SMALLINT	5			null	
enrol_lti_resource_link	Table	contextmembershipsurl	VARCHAR	1333	✓		null	The NRPS membership URL
notifications	Table	contexturl	LONGTEXT	2147483647	✓		null	
message	Table	contexturl	LONGTEXT	2147483647	✓		null	If this message is a notificati event contexturl should cont view this event. For example notification of a forum post c should contain a link to the f
message_read	Table	contexturl	LONGTEXT	2147483647	✓		null	If this message is a notificati event contexturl should cont

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								view this event. For example notification of a forum post should contain a link to the forum post
message_read	Table	contexturlname	LONGTEXT	2147483647	✓		null	Display text for the contexturlname
message	Table	contexturlname	LONGTEXT	2147483647	✓		null	Display text for the contexturlname
notifications	Table	contexturlname	LONGTEXT	2147483647	✓		null	
portfolio_log	Table	continueurl	VARCHAR	255				the url the external system has to use to view the transfer
backup_controllers	Table	controller	LONGTEXT	2147483647			null	serialised backup_controller
message_conversation_members	Table	conversationid	BIGINT	19			null	
message_conversation_actions	Table	conversationid	BIGINT	19			null	
messages	Table	conversationid	BIGINT	19			null	
message_email_messages	Table	conversationid	BIGINT	19			null	
file_conversion	Table	converter	VARCHAR	255	✓		null	
message_conversations	Table	convhash	VARCHAR	40	✓		null	
qtype_ddmarker_drops	Table	coords	LONGTEXT	2147483647			null	
grading_definitions	Table	copiedfromid	BIGINT	19	✓		null	The id of the original definition was initially copied from or null if created from scratch
h5p_libraries	Table	coremajor	SMALLINT	5	✓		null	H5P core API major version number
h5p_libraries	Table	coreminor	SMALLINT	5	✓		null	H5P core API minor version number
lesson_attempts	Table	correct	BIGINT	19			0	
question_calculated	Table	correctanswerformat	BIGINT	19			2	
question_calculated	Table	correctanswerlength	BIGINT	19			2	
qtype_match_options	Table	correctfeedback	LONGTEXT	2147483647			null	Feedback shown for any correct response.
question_gapselect	Table	correctfeedback	LONGTEXT	2147483647			null	Feedback shown for any correct response.
qtype_ddmarker	Table	correctfeedback	LONGTEXT	2147483647			null	Feedback shown for any correct response.
question_calculated_options	Table	correctfeedback	LONGTEXT	2147483647	✓		null	Feedback shown for any correct response.
question_ddwtos	Table	correctfeedback	LONGTEXT	2147483647			null	Feedback shown for any correct response.

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
qtype_ddimageortext	Table	correctfeedback	LONGTEXT	2147483647			null	Feedback shown for any correct response.
qtype_multichoice_options	Table	correctfeedback	LONGTEXT	2147483647			null	Feedback shown for any correct response.
qtype_randomsamatch_options	Table	correctfeedback	LONGTEXT	2147483647			null	Feedback shown for any correct response.
question_gapselect	Table	correctfeedbackformat	TINYINT	3			0	
qtype_randomsamatch_options	Table	correctfeedbackformat	TINYINT	3			0	
question_ddwtos	Table	correctfeedbackformat	TINYINT	3			0	
qtype_match_options	Table	correctfeedbackformat	TINYINT	3			0	
question_calculated_options	Table	correctfeedbackformat	TINYINT	3			0	
qtype_multichoice_options	Table	correctfeedbackformat	TINYINT	3			0	
qtype_ddmarker	Table	correctfeedbackformat	TINYINT	3			0	
qtype_ddimageortext	Table	correctfeedbackformat	TINYINT	3			0	
h5pactivity_attempts_results	Table	correctpattern	LONGTEXT	2147483647	√		null	Correct Pattern in xAPI format
tag_correlation	Table	correlatedtags	LONGTEXT	2147483647			null	
enrol	Table	cost	VARCHAR	20	√		null	Custom - enrolment cost
user	Table	country	VARCHAR	2				
enrol_lti_tools	Table	country	VARCHAR	2				
book	Table	course	BIGINT	19			0	
chat	Table	course	BIGINT	19			0	
lti_types	Table	course	BIGINT	19			null	
workshop	Table	course	BIGINT	19			null	ID of the parent course
forum_discussions	Table	course	BIGINT	19			0	
wiki	Table	course	BIGINT	19			0	Course wiki activity belongs
chat_users	Table	course	BIGINT	19			0	
folder	Table	course	BIGINT	19			0	
course_completion_defaults	Table	course	BIGINT	19			null	
mnet_log	Table	course	BIGINT	19			0	
assignment	Table	course	BIGINT	19			0	
course_completion_criteria	Table	course	BIGINT	19			0	
lti	Table	course	BIGINT	19			0	Course basiclti activity belongs

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
h5pactivity	Table	course	BIGINT	19			null	ID of the course this activity
glossary	Table	course	BIGINT	19			0	
feedback_template	Table	course	BIGINT	19			0	
survey	Table	course	BIGINT	19			0	
label	Table	course	BIGINT	19			0	
lti_tool_settings	Table	course	BIGINT	19	√		null	Primary key of course (null for wide settings)
imscp	Table	course	BIGINT	19			0	
choice	Table	course	BIGINT	19			0	
resource_old	Table	course	BIGINT	19			0	
forum	Table	course	BIGINT	19			0	
assign	Table	course	BIGINT	19			0	
data	Table	course	BIGINT	19			0	
bigbluebuttonbn	Table	course	BIGINT	19			0	
scorm	Table	course	BIGINT	19			0	
feedback	Table	course	BIGINT	19			0	
course_sections	Table	course	BIGINT	19			0	
course_completion_aggr_methd	Table	course	BIGINT	19			0	
course_completions	Table	course	BIGINT	19			0	
lesson	Table	course	BIGINT	19			0	
log	Table	course	BIGINT	19			0	
page	Table	course	BIGINT	19			0	
course_modules	Table	course	BIGINT	19			0	
course_completion_crit_compl	Table	course	BIGINT	19			0	
url	Table	course	BIGINT	19			0	
resource	Table	course	BIGINT	19			0	
quiz	Table	course	BIGINT	19			0	Foreign key reference to the quiz is part of.
feedback_value	Table	course_id	BIGINT	19			0	
feedback_valuetmp	Table	course_id	BIGINT	19			0	
course_categories	Table	coursecount	BIGINT	19			0	
search_simplified_index	Table	courseid	BIGINT	19			null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
groups	Table	courseid	BIGINT	19			null	
enrol	Table	courseid	BIGINT	19			null	
grade_categories_history	Table	courseid	BIGINT	19			null	The course this grade category belongs to
bigbluebuttonbn_logs	Table	courseid	BIGINT	19			null	
tool_recyclebin_course	Table	courseid	BIGINT	19			null	
grade_items_history	Table	courseid	BIGINT	19	√		null	The course this item is part of
grade_categories	Table	courseid	BIGINT	19			null	The course this grade category belongs to
tool_brickfield_areas	Table	courseid	BIGINT	19	√		null	
grade_outcomes_courses	Table	courseid	BIGINT	19			null	id of the course
feedback_completedtmp	Table	courseid	BIGINT	19			0	
competency_usercompcourse	Table	courseid	BIGINT	19			null	The course this competency belongs to
stats_user_daily	Table	courseid	BIGINT	19			0	
tool_monitor_events	Table	courseid	BIGINT	19			null	course id
bigbluebuttonbn_recordings	Table	courseid	BIGINT	19			null	
feedback_completed	Table	courseid	BIGINT	19			0	
tool_brickfield_process	Table	courseid	BIGINT	19			null	
stats_user_monthly	Table	courseid	BIGINT	19			0	
enrol_flatfile	Table	courseid	BIGINT	19			null	
post	Table	courseid	BIGINT	19			0	
scale_history	Table	courseid	BIGINT	19			0	
scale	Table	courseid	BIGINT	19			0	
course_format_options	Table	courseid	BIGINT	19			null	Id of the course
competency_coursecomp	Table	courseid	BIGINT	19			null	The course this competency belongs to
enrol_paypal	Table	courseid	BIGINT	19			0	
grade_items	Table	courseid	BIGINT	19	√		null	The course this item is part of
course_published	Table	courseid	BIGINT	19			null	the id of the published course
block_recent_activity	Table	courseid	BIGINT	19			null	Course id
tool_brickfield_cache_check	Table	courseid	BIGINT	19			null	
stats_monthly	Table	courseid	BIGINT	19			0	
stats_daily	Table	courseid	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
badge	Table	courseid	BIGINT	19	✓		null	
backup_courses	Table	courseid	BIGINT	19			0	
tool_monitor_rules	Table	courseid	BIGINT	19			null	Id of course to which this rule
stats_user_weekly	Table	courseid	BIGINT	19			0	
grade_outcomes	Table	courseid	BIGINT	19	✓		null	Mostly these are defined site NULL
user_lastaccess	Table	courseid	BIGINT	19			0	
logstore_standard_log	Table	courseid	BIGINT	19	✓		null	
ltiservice_gradebookservices	Table	courseid	BIGINT	19			null	ID of the course related.
stats_weekly	Table	courseid	BIGINT	19			0	
tool_brickfield_summary	Table	courseid	BIGINT	19			null	
event_subscriptions	Table	courseid	BIGINT	19			0	
tool_monitor_subscriptions	Table	courseid	BIGINT	19			null	Course id of the subscription
grade_outcomes_history	Table	courseid	BIGINT	19	✓		null	Mostly these are defined site NULL
grade_settings	Table	courseid	BIGINT	19			null	
tool_brickfield_cache_acts	Table	courseid	BIGINT	19			null	
feedback_sitecourse_map	Table	courseid	BIGINT	19			0	
competency_coursecompsetting	Table	courseid	BIGINT	19			null	The course this setting is link
groupings	Table	courseid	BIGINT	19			0	
block_recentlyaccesseditems	Table	courseid	BIGINT	19			null	Course id the item belongs to
event	Table	courseid	BIGINT	19			0	
course_completion_criteria	Table	courseinstance	BIGINT	19	✓		null	Course instance id (if using c criteria type)
lti_tool_settings	Table	coursemoduleid	BIGINT	19	✓		null	Primary key of course modul added to course (null for sys and context-wide settings)
course_modules_completion	Table	coursemoduleid	BIGINT	19			null	Activity that has been compl not).
post	Table	coursemoduleid	BIGINT	19			0	
mnet_log	Table	coursename	VARCHAR	40				
lti_types	Table	coursevisible	BIT	1			0	
enrol_lti_lti2_consumer	Table	created	BIGINT	19			null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
enrol_lti_lti2_resource_link	Table	created	BIGINT	19			null	
forum_posts	Table	created	BIGINT	19			0	
enrol_lti_lti2_tool_proxy	Table	created	BIGINT	19			null	
enrol_lti_lti2_user_result	Table	created	BIGINT	19			null	
enrol_lti_lti2_context	Table	created	BIGINT	19			null	
post	Table	created	BIGINT	19			0	
lti_tool_proxies	Table	createdby	BIGINT	19			null	ID of user which initiated the registration process
question	Table	createdby	BIGINT	19	√		null	userid of person who created question
lti_types	Table	createdby	BIGINT	19			null	
tool_dataprivacy_request	Table	creationmethod	BIGINT	19			0	The type of the creation method for data request
external_tokens	Table	creatorid	BIGINT	19			1	user id of the token creator (know when the administrator created the token and so display the token specific administrator)
question_response_analysis	Table	credit	DECIMAL	15			null	
course_completion_crit_compl	Table	criteriaid	BIGINT	19			0	Completion criteria this refers to
course_completion_criteria	Table	criteriatype	BIGINT	19			0	Type of criteria
badge_criteria	Table	criteriatype	BIGINT	19	√		null	The criteria type we are aggregating
course_completion_aggr_methd	Table	criteriatype	BIGINT	19	√		null	The criteria type we are aggregating NULL if complete course aggregation
gradingform_rubric_levels	Table	criterionid	BIGINT	19			null	The rubric criterion we are looking at
gradingform_guide_fillings	Table	criterionid	BIGINT	19			null	The ID of the criterion (row) in the rubric
gradingform_rubric_fillings	Table	criterionid	BIGINT	19			null	The ID of the criterion (row) in the rubric
badge_criteria_param	Table	critid	BIGINT	19			null	
badge_criteria_met	Table	critid	BIGINT	19			null	
block	Table	cron	BIGINT	19			0	
modules	Table	cron	BIGINT	19			0	
logstore_standard_log	Table	crud	VARCHAR	1				
data	Table	csstemplate	LONGTEXT	2147483647	√		null	
payments	Table	currency	VARCHAR	3				

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
enrol	Table	currency	VARCHAR	3	✓		null	Custom - cost currency
user	Table	currentlogin	BIGINT	19			0	
quiz_attempts	Table	currentpage	BIGINT	19			0	
tool_policy	Table	currentversionid	BIGINT	19	✓		null	ID of the current policy version that applies on the site, NULL if the policy does not apply
lesson	Table	custom	SMALLINT	5			0	
license	Table	custom	BIT	1			0	If this flag is set, license is custom and can be updated or deleted, otherwise license is a core license and cannot be edited.
enrol	Table	customchar1	VARCHAR	255	✓		null	Custom - general short name
enrol	Table	customchar2	VARCHAR	255	✓		null	Custom - general short name
enrol	Table	customchar3	VARCHAR	1333	✓		null	Custom - general short name
notifications	Table	customdata	LONGTEXT	2147483647	✓		null	Custom data to be passed to the message processor. Must be serialisable using json_encode()
message	Table	customdata	LONGTEXT	2147483647	✓		null	Custom data to be passed to the message processor. Must be serialisable using json_encode()
messages	Table	customdata	LONGTEXT	2147483647	✓		null	Custom data to be passed to the message processor. Must be serialisable using json_encode()
task_adhoc	Table	customdata	LONGTEXT	2147483647	✓		null	Custom data to be passed to the task. Must be serialisable using json_encode()
enrol	Table	customdec1	DECIMAL	12	✓		null	Custom - general decimal
enrol	Table	customdec2	DECIMAL	12	✓		null	Custom - general decimal
enrol	Table	customint1	BIGINT	19	✓		null	Custom - general int
enrol	Table	customint2	BIGINT	19	✓		null	Custom - general int
enrol	Table	customint3	BIGINT	19	✓		null	Custom - general int
enrol	Table	customint4	BIGINT	19	✓		null	Custom - general int
enrol	Table	customint5	BIGINT	19	✓		null	Custom - general int
enrol	Table	customint6	BIGINT	19	✓		null	Custom - general int
enrol	Table	customint7	BIGINT	19	✓		null	Custom - general int

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
enrol	Table	customint8	BIGINT	19	✓		null	Custom - general int
task_scheduled	Table	customised	TINYINT	3			0	Used on upgrades to prevent custom schedules.
course_completion_defaults	Table	customrules	LONGTEXT	2147483647	✓		null	
enrol	Table	customtext1	LONGTEXT	2147483647	✓		null	Custom - general text
enrol	Table	customtext2	LONGTEXT	2147483647	✓		null	Custom - general text
enrol	Table	customtext3	LONGTEXT	2147483647	✓		null	Custom - general text
enrol	Table	customtext4	LONGTEXT	2147483647	✓		null	Custom - general text
book	Table	customtitles	TINYINT	3			0	
tag_coll	Table	customurl	VARCHAR	255	✓		null	Custom URL for the tag page of /tag/index.php
assign	Table	cutoffdate	BIGINT	19			0	The final date after which submissions will no longer be accepted for assignment without an extension
assign_overrides	Table	cutoffdate	BIGINT	19	✓		null	Time by which students must complete their attempt. Can be overridden in which case the assign default applies
forum	Table	cutoffdate	BIGINT	19			0	The final date after which forum posts will no longer be accepted for forum.
portfolio_tempdata	Table	data	LONGTEXT	2147483647	✓		null	dumping ground for portfolio data to store their data in.
profiling	Table	data	LONGTEXT	2147483647			null	the raw data gathered by xhprof
file_conversion	Table	data	LONGTEXT	2147483647	✓		null	
user_info_data	Table	data	LONGTEXT	2147483647			null	Field data
assignment_submissions	Table	data1	LONGTEXT	2147483647	✓		null	
assignment_submissions	Table	data2	LONGTEXT	2147483647	✓		null	
user_info_data	Table	dataformat	TINYINT	3			0	
data_fields	Table	dataid	BIGINT	19			0	
data_records	Table	dataid	BIGINT	19			0	
messageinbound_datakeys	Table	datakey	VARCHAR	64	✓		null	The secret key for this data item
question_datasets	Table	datasetdefinition	BIGINT	19			0	
user_info_field	Table	datatype	VARCHAR	255				Type of data held in this field

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
messageinbound_datakeys	Table	datavalue	BIGINT	19			null	The integer value of the data this key belongs to.
badge_issued	Table	dateexpire	BIGINT	19	✓		null	
badge_endorsement	Table	dateissued	BIGINT	19			0	
badge_issued	Table	dateissued	BIGINT	19			0	
badge_manual_award	Table	datemet	BIGINT	19			null	
badge_criteria_met	Table	datemet	BIGINT	19			null	
lti_submission	Table	datesubmitted	BIGINT	19			null	
lti_submission	Table	dateupdated	BIGINT	19			null	
task_scheduled	Table	day	VARCHAR	90				
task_scheduled	Table	dayofweek	VARCHAR	25				
survey	Table	days	MEDIUMINT	7			0	
task_log	Table	dbreads	BIGINT	19			null	The number of DB reads performed during the task.
task_log	Table	dbwrites	BIGINT	19			null	The number of DB writes performed during the task.
lesson_overrides	Table	deadline	BIGINT	19	✓		null	Time by which students must complete their attempt. Can be null in which case the lesson default is used.
lesson	Table	deadline	BIGINT	19			0	
lti	Table	debuglaunch	BIT	1			0	Enable the debug-style launch pauses before auto-submit
quiz	Table	decimalpoints	SMALLINT	5			2	Number of decimal points to display grades.
grade_items_history	Table	decimals	BIT	1	✓		null	
grade_items	Table	decimals	BIT	1	✓		null	Also known as precision, the digits after the decimal point
customfield_data	Table	decvalue	DECIMAL	10	✓		null	
glossary	Table	defaultapproval	TINYINT	3			1	
user_info_field	Table	defaultdata	LONGTEXT	2147483647	✓		null	Default value for this field
user_info_field	Table	defaultdataformat	TINYINT	3			0	
messageinbound_handlers	Table	defaultexpiration	BIGINT	19			86400	The default expiration period when creating a new key

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
tool_dataprivacy_ctxexpired	Table	defaultexpired	BIT	1			null	The default retention period
wiki	Table	defaultformat	VARCHAR	20			creole	Wiki's default editor
course	Table	defaultgroupingid	BIGINT	19			0	default grouping used in course modules, does not have key intentionally
glossary_formats	Table	defaulthook	VARCHAR	50				
question	Table	defaultmark	DECIMAL	12			1.0000000	
glossary_formats	Table	defaultmode	VARCHAR	50				
block_instances	Table	defaultregion	VARCHAR	16				Which block region this block appear in on each page, in the case of a specific position in the block_positions table.
data	Table	defaultsort	BIGINT	19			0	
data	Table	defaultsortdir	SMALLINT	5			0	
block_instances	Table	defaultweight	BIGINT	19			null	Used to order the blocks within a region. Again, may be overridden in the block_positions table for a specific region where this block appears.
glossary_entries	Table	definition	LONGTEXT	2147483647			null	
question_dataset_items	Table	definition	BIGINT	19			0	
workshopform_rubric_levels	Table	definition	LONGTEXT	2147483647	✓		null	The definition of this level
gradingform_rubric_levels	Table	definition	LONGTEXT	2147483647	✓		null	The optional text describing the level
gradingform_rubric_levels	Table	definitionformat	BIGINT	19	✓		null	The format of the definition for the level
glossary_entries	Table	definitionformat	TINYINT	3			0	
workshopform_rubric_levels	Table	definitionformat	SMALLINT	5	✓		0	The format of the definition for the level
gradingform_rubric_criteria	Table	definitionid	BIGINT	19			null	The ID of the form definition criterion is part of
gradingform_guide_criteria	Table	definitionid	BIGINT	19			null	The ID of the form definition criterion is part of
gradingform_guide_comments	Table	definitionid	BIGINT	19			null	The ID of the form definition criterion is part of
grading_instances	Table	definitionid	BIGINT	19			null	The ID of the form definition criterion is part of
glossary_entries	Table	definitiontrust	TINYINT	3			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
assignfeedback_editpdf_rot	Table	degree	BIGINT	19		0		Rotation degree
quiz	Table	delay1	BIGINT	19		0		Delay that must be left between first and second attempt, in seconds.
quiz	Table	delay2	BIGINT	19		0		Delay that must be left between second and subsequent attempts, in seconds.
mnet_host	Table	deleted	BIT	1		0		
user	Table	deleted	BIT	1		0		
forum_posts	Table	deleted	BIT	1		0		
course_modules	Table	deletioninprogress	BIT	1		0		
user	Table	department	VARCHAR	255				
lesson	Table	dependency	BIGINT	19		0		
h5p_library_dependencies	Table	dependencytype	VARCHAR	255				preloaded, dynamic, or editor
h5p_contents_libraries	Table	dependencytype	VARCHAR	10				dynamic, preloaded or editor
feedback_item	Table	dependitem	BIGINT	19		0		
feedback_item	Table	dependvalue	VARCHAR	255				
enrol_lti_deployment	Table	deploymentid	VARCHAR	255				The id of the deployment, as defined in the platform
grade_categories_history	Table	depth	BIGINT	19		0		How many parents does this category have?
context_temp	Table	depth	TINYINT	3		null		
grade_categories	Table	depth	BIGINT	19		0		How many parents does this category have?
context	Table	depth	TINYINT	3		0		
course_categories	Table	depth	BIGINT	19		0		
competency_evidence	Table	desca	LONGTEXT	2147483647	✓	null		
competency_evidence	Table	desccomponent	VARCHAR	255				
competency_evidence	Table	descidentifier	VARCHAR	255				
groups	Table	description	LONGTEXT	2147483647	✓	null		
block_rss_client	Table	description	LONGTEXT	2147483647		null		
customfield_category	Table	description	LONGTEXT	2147483647	✓	null		
gradingform_guide_comments	Table	description	LONGTEXT	2147483647	✓	null		The comment description
user	Table	description	LONGTEXT	2147483647	✓	null		

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
role	Table	description	LONGTEXT	2147483647			null	Empty descriptions may be automatically localised
lti_types	Table	description	LONGTEXT	2147483647	✓		null	A description of what this LT
quizaccess_seb_template	Table	description	LONGTEXT	2147483647			null	
grade_outcomes_history	Table	description	LONGTEXT	2147483647	✓		null	Outcome description
h5pactivity_attempts_results	Table	description	LONGTEXT	2147483647	✓		null	
groupings	Table	description	LONGTEXT	2147483647	✓		null	
tool_dataprivacy_category	Table	description	LONGTEXT	2147483647	✓		null	
blog_external	Table	description	LONGTEXT	2147483647	✓		null	
competency_template	Table	description	LONGTEXT	2147483647	✓		null	Description of this learning p template
data_fields	Table	description	LONGTEXT	2147483647			null	
customfield_field	Table	description	LONGTEXT	2147483647	✓		null	
competency	Table	description	LONGTEXT	2147483647	✓		null	Description of a single comp
competency_framework	Table	description	LONGTEXT	2147483647	✓		null	Description of this competen framework
scale_history	Table	description	LONGTEXT	2147483647			null	
competency_userevidence	Table	description	LONGTEXT	2147483647			null	
competency_plan	Table	description	LONGTEXT	2147483647	✓		null	
mnet_service	Table	description	VARCHAR	40				
badge	Table	description	LONGTEXT	2147483647	✓		null	
tool_usertours_tours	Table	description	LONGTEXT	2147483647	✓		null	
workshopform_comments	Table	description	LONGTEXT	2147483647	✓		null	The description of the dimen
grading_definitions	Table	description	LONGTEXT	2147483647	✓		null	More detailed description of
scale	Table	description	LONGTEXT	2147483647			null	
cohort	Table	description	LONGTEXT	2147483647	✓		null	Standard description text bo
course_categories	Table	description	LONGTEXT	2147483647	✓		null	
tag	Table	description	LONGTEXT	2147483647	✓		null	
user_info_field	Table	description	LONGTEXT	2147483647	✓		null	Description of field
gradingform_guide_criteria	Table	description	LONGTEXT	2147483647	✓		null	The criterion description for
grade_outcomes	Table	description	LONGTEXT	2147483647	✓		null	outcome description
event	Table	description	LONGTEXT	2147483647			null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
workshopform_numerrors	Table	description	LONGTEXT	2147483647	✓		null	The description of the dimension
workshopform_rubric	Table	description	LONGTEXT	2147483647	✓		null	The description of the dimension
tool_dataprivacy_purpose	Table	description	LONGTEXT	2147483647	✓		null	
badge_criteria	Table	description	LONGTEXT	2147483647	✓		null	
gradingform_rubric_criteria	Table	description	LONGTEXT	2147483647	✓		null	The criterion description
tool_monitor_rules	Table	description	LONGTEXT	2147483647	✓		null	Description of the rule
workshopform_accumulative	Table	description	LONGTEXT	2147483647	✓		null	The description of the dimension
search_simpledb_index	Table	description1	LONGTEXT	2147483647	✓		null	
search_simpledb_index	Table	description2	LONGTEXT	2147483647	✓		null	
competency_template	Table	descriptionformat	SMALLINT	5			0	The format of the description
tool_dataprivacy_purpose	Table	descriptionformat	BIT	1	✓		null	
workshopform_numerrors	Table	descriptionformat	SMALLINT	5	✓		0	The format of the description
badge_criteria	Table	descriptionformat	TINYINT	3			0	
customfield_field	Table	descriptionformat	BIGINT	19	✓		null	
tool_dataprivacy_category	Table	descriptionformat	BIT	1	✓		null	
groupings	Table	descriptionformat	TINYINT	3			0	
grade_outcomes	Table	descriptionformat	TINYINT	3			0	
grade_outcomes_history	Table	descriptionformat	TINYINT	3			0	
grading_definitions	Table	descriptionformat	TINYINT	3	✓		null	Format of the description field
scale	Table	descriptionformat	TINYINT	3			0	
gradingform_guide_criteria	Table	descriptionformat	TINYINT	3	✓		null	The format of the description
user	Table	descriptionformat	TINYINT	3			1	
cohort	Table	descriptionformat	TINYINT	3			null	
gradingform_guide_comments	Table	descriptionformat	TINYINT	3	✓		null	The format of the description
course_categories	Table	descriptionformat	TINYINT	3			0	
customfield_category	Table	descriptionformat	BIGINT	19	✓		null	
gradingform_rubric_criteria	Table	descriptionformat	TINYINT	3	✓		null	The format of the description
competency	Table	descriptionformat	SMALLINT	5			0	The format of the description
workshopform_comments	Table	descriptionformat	SMALLINT	5	✓		0	The format of the description
groups	Table	descriptionformat	TINYINT	3			0	
tag	Table	descriptionformat	TINYINT	3			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
workshopform_rubric	Table	descriptionformat	SMALLINT	5	✓	0		The format of the description
competency_userevidence	Table	descriptionformat	BIT	1			null	
competency_plan	Table	descriptionformat	SMALLINT	5		0		
tool_monitor_rules	Table	descriptionformat	BIT	1			null	Description format
user_info_field	Table	descriptionformat	TINYINT	3		0		
competency_framework	Table	descriptionformat	SMALLINT	5		0		The format of the description
workshopform_accumulative	Table	descriptionformat	SMALLINT	5	✓	0		The format of the description
gradingform_guide_criteria	Table	descriptionmarkers	LONGTEXT	2147483647	✓		null	Description for Markers
gradingform_guide_criteria	Table	descriptionmarkersformat	TINYINT	3	✓		null	
workshopform_numerrors	Table	descriptiontrust	BIGINT	19	✓		null	
file_conversion	Table	destfileid	BIGINT	19	✓		null	
upgrade_log	Table	details	LONGTEXT	2147483647	✓		null	
workshop_grades	Table	dimensionid	BIGINT	19			null	Foreign key. References dimensionid one of the grading strategy tables
workshopform_rubric_levels	Table	dimensionid	BIGINT	19			null	Which criterion this level is part of
analytics_models_log	Table	dir	LONGTEXT	2147483647			null	
bigbluebuttonbn	Table	disablecam	BIT	1		0		
task_scheduled	Table	disabled	BIT	1		0		1 means do not run from cron
bigbluebuttonbn	Table	disablemic	BIT	1		0		
bigbluebuttonbn	Table	disablenote	BIT	1		0		
bigbluebuttonbn	Table	disableprivatechat	BIT	1		0		
bigbluebuttonbn	Table	disablepublicchat	BIT	1		0		
question_statistics	Table	discriminationindex	DECIMAL	15	✓		null	
question_statistics	Table	discriminativeefficiency	DECIMAL	15	✓		null	
forum_discussion_subs	Table	discussion	BIGINT	19			null	
forum_posts	Table	discussion	BIGINT	19		0		
forum_queue	Table	discussionid	BIGINT	19		0		
forum_read	Table	discussionid	BIGINT	19		0		
choice	Table	display	SMALLINT	5		0		
url	Table	display	SMALLINT	5		0		
folder	Table	display	SMALLINT	5		0		Display type of folder content: separate page or inline

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
grade_items	Table	display	BIGINT	19			0	Display as real grades, percentage (reference to the minimum and maximum grades) or letters (etc..), or course default (0)
page	Table	display	SMALLINT	5			0	
lesson_pages	Table	display	SMALLINT	5			1	
resource	Table	display	SMALLINT	5			0	
grade_items_history	Table	display	BIGINT	19			0	
mnet_application	Table	display_name	VARCHAR	50				
scorm	Table	displayattemptstatus	BIT	1			1	
scorm	Table	displaycoursestructure	BIT	1			0	
glossary	Table	displayformat	VARCHAR	50			dictionary	
lesson	Table	displayleft	SMALLINT	5			0	
lesson	Table	displayleftif	SMALLINT	5			0	
h5pactivity	Table	displayoptions	SMALLINT	5			0	H5P Button display options
page	Table	displayoptions	LONGTEXT	2147483647	✓		null	
url	Table	displayoptions	LONGTEXT	2147483647	✓		null	
resource	Table	displayoptions	LONGTEXT	2147483647	✓		null	
h5p	Table	displayoptions	SMALLINT	5	✓		null	H5P Button display options
quiz_reports	Table	displayorder	BIGINT	19			null	display order for report tabs
tool_usertours_tours	Table	displaystepnumbers	BIT	1			0	Setting to display step number for tour
forum	Table	displaywordcount	BIT	1			0	
search_simpledb_index	Table	docid	VARCHAR	255				
course_modules	Table	downloadcontent	BIT	1	✓		1	Whether the ability to download module content is enabled for this activity
course	Table	downloadcontent	BIT	1	✓		null	
external_services	Table	downloadfiles	BIT	1			0	1 if the service allow people to download file from webservice plugins.php - 0 if not
tool_dataprivacy_request	Table	dpo	BIGINT	19	✓		0	The user ID of the Data Protection Officer who is reviewing the request

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
tool_dataprivacy_request	Table	dpocomment	LONGTEXT	2147483647	✓		null	DPO's comments (e.g. reasons for rejecting the request, etc.)
tool_dataprivacy_request	Table	dpocommentformat	TINYINT	3			0	
assignfeedback_editpdf_cmnt	Table	draft	TINYINT	3			1	Is this a draft comment?
assignfeedback_editpdf_annot	Table	draft	TINYINT	3			1	Is this a draft annotation?
editor_atto_autosave	Table	draftid	BIGINT	19	✓		null	Optional draft area id contains files.
editor_atto_autosave	Table	drafttext	LONGTEXT	2147483647			null	The draft text
qtype_ddimageortext_drag	Table	draggroup	BIGINT	19			0	
h5p_contents_libraries	Table	dropcss	BIT	1			null	1 if the preloaded css from the dependency is to be excluded.
h5p_libraries	Table	droplibrarycss	LONGTEXT	2147483647	✓		null	List of libraries that should not have CSS included if this library is included. Comma separated list.
grade_categories_history	Table	droplow	BIGINT	19			0	Drop the X lowest items
grade_categories	Table	droplow	BIGINT	19			0	Drop the X lowest items
competency_template	Table	duedate	BIGINT	19	✓		null	The default due date for instances of this plan.
forum	Table	duedate	BIGINT	19			0	A due date to show in the calendar used for grading.
competency_plan	Table	duedate	BIGINT	19	✓		0	
assign_overrides	Table	duedate	BIGINT	19	✓		null	Time by which students must complete their attempt. Can be null in which case the assign default is used.
assign	Table	duedate	BIGINT	19			0	The due date for the assignment. Displayed to students.
h5pactivity_attempts	Table	duration	BIGINT	19	✓		0	Number of seconds inverted in this attempt (provided by the state).
h5pactivity_attempts_results	Table	duration	BIGINT	19	✓		0	Seconds inverted in this result (extracted directly from state).
glossary	Table	editalways	TINYINT	3			0	
data	Table	editany	SMALLINT	5			0	
wiki	Table	editbegin	BIGINT	19			0	editbegin
wiki	Table	editend	BIGINT	19	✓		0	editend

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
logstore_standard_log	Table	edulevel	BIT	1			null	
question_statistics	Table	effectiveweight	DECIMAL	15	√		null	
scorm_scoes_track	Table	element	VARCHAR	255				
editor_atto_autosave	Table	elementid	VARCHAR	255				The unique id for the text editor form.
oauth2_system_account	Table	email	LONGTEXT	2147483647	√		null	The email that was connected to the issuer.
user	Table	email	VARCHAR	100				
badge_backpack	Table	email	VARCHAR	100				
auth_oauth2_linked_login	Table	email	LONGTEXT	2147483647			null	The external email to map to moodle account
feedback	Table	email_notification	BIT	1			1	
user	Table	emailstop	BIT	1			0	
assignment	Table	emailteachers	TINYINT	3			0	
h5p_libraries	Table	embedtypes	VARCHAR	255				List of supported embed types
message_airnotifier_devices	Table	enable	BIT	1			1	The user can enable/disable
quizaccess_seb_quizsettings	Table	enableaudiocontrol	BIT	1	√		null	Bool to show volume and audio controls.
course	Table	enablecompletion	BIT	1			0	1 = allow use of 'completion' tracking on this course. 0 = completion tracking on this course
external_services	Table	enabled	BIT	1			null	
quizaccess_seb_template	Table	enabled	BIT	1			null	
payment_gateways	Table	enabled	BIT	1			1	
message_processors	Table	enabled	BIT	1			1	Defines if processor is enabled
tool_usertours_tours	Table	enabled	BIT	1			0	
enrol_lti_lti2_consumer	Table	enabled	BIT	1			null	
license	Table	enabled	BIT	1			1	
reportbuilder_schedule	Table	enabled	BIT	1			1	
messageinbound_handlers	Table	enabled	BIT	1			0	Whether this handler is currently enabled.
tag_area	Table	enabled	BIT	1			1	
mnet_remote_rpc	Table	enabled	BIT	1			null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
oauth2_issuer	Table	enabled	TINYINT	3		1		
payment_accounts	Table	enabled	BIT	1		0		
h5p_libraries	Table	enabled	BIT	1	√	1		Defines if this library is enabled or not (0)
message_conversations	Table	enabled	BIT	1		0		
adminpresets_plug	Table	enabled	SMALLINT	5		0		Whether this plugins is currently enabled.
analytics_models	Table	enabled	BIT	1		0		
mnet_rpc	Table	enabled	BIT	1		0		
workshopallocation_scheduled	Table	enabled	TINYINT	3		0		Is the scheduled allocation enabled?
lti_types	Table	enabledcapability	LONGTEXT	2147483647	√	null		Enabled capabilities, one per tool (for LTI 1 tools)
enrol_lti_lti2_consumer	Table	enablefrom	BIGINT	19	√	null		
h5pactivity	Table	enabletracking	BIT	1		1		Enable xAPI tracking
enrol_lti_lti2_consumer	Table	enableuntil	BIGINT	19	√	null		
course	Table	enddate	BIGINT	19		0		
analytics_indicator_calc	Table	endtime	BIGINT	19		null		
tool_usertours_tours	Table	endtourlabel	VARCHAR	255	√	null		Custom label for the end tour
assignfeedback_editpdf_annot	Table	endx	BIGINT	19	√	0		x-position of the end of the annotation
assignfeedback_editpdf_annot	Table	endy	BIGINT	19	√	0		y-position of the end of the annotation
enrol	Table	enrol	VARCHAR	20				
enrol	Table	enrolenddate	BIGINT	19	√	0		Custom - end of enrolment
enrol_lti_tools	Table	enrolid	BIGINT	19		null		
user_enrolments	Table	enrolid	BIGINT	19		null		
course_published	Table	enrollable	BIT	1		1		1 = enrollable, 0 = downloadable
groups	Table	enrolmentkey	VARCHAR	50	√	null		
course_completion_criteria	Table	enrolperiod	BIGINT	19	√	null		Number of days after enrolment course is completed (if using enrolperiod criteria type)
enrol	Table	enrolperiod	BIGINT	19	√	0		Custom - enrolment duration
enrol	Table	enrolstartdate	BIGINT	19	√	0		Custom - start of self enrolment
mnetservice_enrol_enrolments	Table	enroltime	BIGINT	19		0		

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
mnetSERVICE_enrol_enrolments	Table	enroltype	VARCHAR	20				The name of the enrol plugin or remote server that was used to add our student into their course
glossary	Table	entbypage	SMALLINT	5			10	
badge_external	Table	entityid	VARCHAR	255	✓		null	
glossary_alias	Table	entryid	BIGINT	19			0	
glossary_entries_categories	Table	entryid	BIGINT	19			0	
log_queries	Table	error	MEDIUMINT	7			0	is error
tool_brickfield_cache_acts	Table	errorcount	BIGINT	19	✓		null	
tool_brickfield_cache_check	Table	errorcount	BIGINT	19	✓		null	
tool_brickfield_results	Table	errorcount	BIGINT	19			0	
tool_brickfield_errors	Table	errordata	LONGTEXT	2147483647	✓		null	
events_queue_handlers	Table	errormessage	LONGTEXT	2147483647	✓		null	if an error happened last time we tried to process this event, record it
quiz_statistics	Table	errorratio	DECIMAL	15	✓		null	
tool_brickfield_summary	Table	errorschecktype1	BIGINT	19	✓		null	
tool_brickfield_summary	Table	errorschecktype2	BIGINT	19	✓		null	
tool_brickfield_summary	Table	errorschecktype3	BIGINT	19	✓		null	
tool_brickfield_summary	Table	errorschecktype4	BIGINT	19	✓		null	
tool_brickfield_summary	Table	errorschecktype5	BIGINT	19	✓		null	
tool_brickfield_summary	Table	errorschecktype6	BIGINT	19	✓		null	
tool_brickfield_summary	Table	errorschecktype7	BIGINT	19	✓		null	
workshop	Table	evaluation	VARCHAR	30				The recently used grading evaluation method
analytics_models_log	Table	evaluationmode	VARCHAR	50				
events_queue	Table	eventdata	LONGTEXT	2147483647			null	serialized version of the data passed to the event handler.
logstore_standard_log	Table	eventname	VARCHAR	255				
tool_monitor_events	Table	eventname	VARCHAR	254				Event name
tool_monitor_rules	Table	eventname	VARCHAR	254				Fully qualified name of the event handler
events_handlers	Table	eventname	VARCHAR	166				name of the event, e.g. 'grade' or 'comment'
message	Table	eventtype	VARCHAR	100	✓		null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
notifications	Table	eventtype	VARCHAR	100	✓		null	
message_read	Table	eventtype	VARCHAR	100	✓		null	
event	Table	eventtype	VARCHAR	20				
event_subscriptions	Table	eventtype	VARCHAR	20				The type of the event
workshop_submissions	Table	example	TINYINT	3	✓		0	Is this submission an example of a teacher
h5p_libraries	Table	example	LONGTEXT	2147483647	✓		null	Example URL
workshop	Table	examplesmode	SMALLINT	5	✓		0	0 = example assessments are not assessed 1 = examples must be assessed before own submission, 2 = examples are assessed after own submission and must be assessed before peer/self assessment phase
grade_grades	Table	excluded	BIGINT	19			0	grade excluded from aggregation functions, date means when
grade_grades_history	Table	excluded	BIGINT	19			0	grade excluded from aggregation functions, date means when
log_queries	Table	exetime	DECIMAL	10			null	query execution time in seconds
backup_controllers	Table	execution	SMALLINT	5			null	type of execution (immediate or delayed)
backup_controllers	Table	executiontime	BIGINT	19			null	epoch secs when the backup was executed (for delayed backups)
badge	Table	expiredate	BIGINT	19	✓		null	
tool_dataprivacy_ctxexpired	Table	expiredroles	LONGTEXT	2147483647	✓		null	Explicitly expires roles
badge	Table	expireperiod	BIGINT	19	✓		null	
lock_db	Table	expires	BIGINT	19	✓		null	Expiry time for an active lock
messageinbound_datakeys	Table	expires	BIGINT	19	✓		null	The expiry time of this key.
oauth2_access_token	Table	expires	BIGINT	19			null	Expiry timestamp (according to issuer)
enrol_lti_lti2_share_key	Table	expires	BIGINT	19			null	
mnet_session	Table	expires	BIGINT	19			0	Expire time of session on peer
enrol_lti_lti2_nonce	Table	expires	BIGINT	19			null	
badge_backpack_oauth2	Table	expires	BIGINT	19	✓		null	
cache_flags	Table	expiry	BIGINT	19			null	
enrol	Table	expirynotify	BIT	1	✓		0	Custom - notify users before expiry

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
enrol	Table	expirythreshold	BIGINT	19	✓		0	Custom - when should be the participants notified
portfolio_tempdata	Table	expirytime	BIGINT	19			null	time this record will expire (using cron cleanups) - the start of hours
grade_grades	Table	exported	BIGINT	19			0	date of last grade export, 0 if not exported
grade_grades_history	Table	exported	BIGINT	19			0	date of last grade export, 0 if not exported
quizaccess_seb_quizsettings	Table	expressionsallowed	LONGTEXT	2147483647	✓		null	Comma or newline separated allowed expressions
quizaccess_seb_quizsettings	Table	expressionsblocked	LONGTEXT	2147483647	✓		null	Comma or newline separated blocked expressions
assign_user_flags	Table	extensionduedate	BIGINT	19			0	An extension date assigned to individual student.
badge_backpack_oauth2	Table	externalbackpackid	BIGINT	19			null	
badge_backpack	Table	externalbackpackid	BIGINT	19	✓		null	
oauth2_user_field_mapping	Table	externalfield	VARCHAR	500				The fieldname returned by the endpoint.
badge_external_identifier	Table	externalid	VARCHAR	128				
external_services_functions	Table	externalserviceid	BIGINT	19			null	
external_services_users	Table	externalserviceid	BIGINT	19			null	
external_tokens	Table	externalserviceid	BIGINT	19			null	
url	Table	externalurl	LONGTEXT	2147483647			null	
question_statistics	Table	facility	DECIMAL	15	✓		null	
task_adhoc	Table	faildelay	BIGINT	19	✓		null	
task_scheduled	Table	faildelay	BIGINT	19	✓		null	
tool_brickfield_cache_acts	Table	failedactivities	BIGINT	19	✓		null	
tool_brickfield_summary	Table	failedchecktype1	BIGINT	19	✓		null	
tool_brickfield_summary	Table	failedchecktype2	BIGINT	19	✓		null	
tool_brickfield_summary	Table	failedchecktype3	BIGINT	19	✓		null	
tool_brickfield_summary	Table	failedchecktype4	BIGINT	19	✓		null	
tool_brickfield_summary	Table	failedchecktype5	BIGINT	19	✓		null	
tool_brickfield_summary	Table	failedchecktype6	BIGINT	19	✓		null	
tool_brickfield_summary	Table	failedchecktype7	BIGINT	19	✓		null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
blog_external	Table	failedlastsync	BIT	1			0	Whether or not the last sync for some reason
question_truefalse	Table	falseanswer	BIGINT	19			0	Foreign key references question_answers.id. The 'False' answer
grading_instances	Table	feedback	LONGTEXT	2147483647	✓		null	Overall feedback from the reviewer, author of the graded item
question_answers	Table	feedback	LONGTEXT	2147483647			null	
grade_import_values	Table	feedback	LONGTEXT	2147483647	✓		null	
feedback_completedtmp	Table	feedback	BIGINT	19			0	
lesson	Table	feedback	SMALLINT	5			1	
feedback_completed	Table	feedback	BIGINT	19			0	
grade_grades	Table	feedback	LONGTEXT	2147483647	✓		null	grading feedback
feedback_item	Table	feedback	BIGINT	19			0	
grade_grades_history	Table	feedback	LONGTEXT	2147483647	✓		null	grading feedback
workshop_submissions	Table	feedbackauthor	LONGTEXT	2147483647	✓		null	Teacher comment/feedback from author of the submission, for describing the reasons for the overriding
workshop_assessments	Table	feedbackauthor	LONGTEXT	2147483647	✓		null	The comment/feedback from reviewer for the author.
workshop_assessments	Table	feedbackauthorattachment	SMALLINT	5	✓		0	Are there some files attached to feedbackauthor field? Sets to file_postupdate_standard_files
workshop_submissions	Table	feedbackauthorformat	SMALLINT	5	✓		0	
workshop_assessments	Table	feedbackauthorformat	SMALLINT	5	✓		0	
grading_instances	Table	feedbackformat	TINYINT	3	✓		null	The format of the feedback format
grade_grades	Table	feedbackformat	BIGINT	19			0	format of feedback text
grade_grades_history	Table	feedbackformat	BIGINT	19			0	format of feedback text
question_answers	Table	feedbackformat	TINYINT	3			0	
feedback_sitecourse_map	Table	feedbackid	BIGINT	19			0	
workshop_assessments	Table	feedbackreviewer	LONGTEXT	2147483647	✓		null	The comment/feedback from teacher for the reviewer. For the reason why the grade for assessment was overridden

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
workshop_assessments	Table	feedbackreviewerformat	SMALLINT	5	✓		0	
quiz_feedback	Table	feedbacktext	LONGTEXT	2147483647			null	The feedback to show for a quiz attempt where mingrade <= attempt grade < maxgrade. See function quiz_feedback_for_grade in mod_quiz/lib.php.
quiz_feedback	Table	feedbacktextformat	TINYINT	3			0	
log_display	Table	field	VARCHAR	200				
user_info_data	Table	fieldid	BIGINT	19			0	id from the field table
data_content	Table	fieldid	BIGINT	19			0	
customfield_data	Table	fieldid	BIGINT	19			null	
tool_brickfield_areas	Table	fieldorarea	VARCHAR	50	✓		null	
files	Table	filearea	VARCHAR	50				Like "coursefiles". "submission_files" and "content" (images and summaries), etc.
analytics_used_files	Table	fileid	BIGINT	19			0	
mnet_rpc	Table	filename	VARCHAR	100				
tool_brickfield_areas	Table	filename	VARCHAR	1333	✓		null	
infected_files	Table	filename	LONGTEXT	2147483647			null	Original file name
files	Table	filename	VARCHAR	255				The full Unicode name of this file (case sensitive) - some chars are not allowed though
files	Table	filepath	VARCHAR	255				Optional - relative path to file in module content root, useful in the Activity and Resource mod - most of the time you do not need this
files	Table	filesize	BIGINT	19			null	
qtype_essay_options	Table	filetypeslist	LONGTEXT	2147483647	✓		null	What attachment file type a student is allowed to include with their submission or empty means unlimited.
filter_config	Table	filter	VARCHAR	32				The filter internal name, like 'mod_quiz'
cache_filters	Table	filter	VARCHAR	32				
filter_active	Table	filter	VARCHAR	32				The filter internal name, like 'mod_quiz'
question_set_references	Table	filtercondition	LONGTEXT	2147483647	✓		null	Filter expression in json format
h5p	Table	filtered	LONGTEXT	2147483647	✓		null	Filtered version of json_content

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
quizaccess_seb_quizsettings	Table	filterembeddedcontent	BIT	1	✓		null	Bool wither embedded content is filtered
resource	Table	filterfiles	SMALLINT	5			0	
reportbuilder_filter	Table	filterorder	BIGINT	19			null	
blog_external	Table	filtertags	VARCHAR	255	✓		null	Comma-separated list of tags that can be used to filter which entries are copied over from the external blog. Entries that refer to existing tags in the external blog.
grade_grades_history	Table	finalgrade	DECIMAL	10	✓		null	The final grade (cached) after all calculations are made
grade_import_values	Table	finalgrade	DECIMAL	10	✓		null	raw grade value
grade_grades	Table	finalgrade	DECIMAL	10	✓		null	The final grade (cached) after all calculations are made
user	Table	firstaccess	BIGINT	19			0	
analytics_used_analysables	Table	firstanalysis	BIGINT	19			null	
quiz_statistics	Table	firstattemptsavg	DECIMAL	15	✓		null	
quiz_statistics	Table	firstattemptscount	BIGINT	19			null	
sessions	Table	firstip	VARCHAR	45	✓		null	
user	Table	firstname	VARCHAR	100				
user	Table	firstnamephonetic	VARCHAR	255	✓		null	First name phonetic
wiki	Table	firstpagetitle	VARCHAR	255			First Page	Wiki first page's name
chat_users	Table	firstping	BIGINT	19			0	
forum_discussions	Table	firstpost	BIGINT	19			0	
forum_read	Table	firstread	BIGINT	19			0	
quiz_sections	Table	firstslot	BIGINT	19			null	Number of the first slot in the section. The section runs from here to the slot of the next section, or the end of the quiz.
lesson_branch	Table	flag	SMALLINT	5			0	
tag	Table	flag	SMALLINT	5	✓		0	a tag can be 'flagged' as inappropriate
question_attempts	Table	flagged	BIT	1			0	Whether this question has been flagged within the attempt.
lesson_answers	Table	flags	SMALLINT	5			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
cache_flags	Table	flagtype	VARCHAR	255				
mnet_host	Table	force_theme	BIT	1		0		
scorm	Table	forcecompleted	BIT	1		0		
folder	Table	forcedownload	BIT	1		1		1 = force download of individual files
wiki	Table	forceformat	BIT	1		1		Forces the default editor
scorm	Table	forcenewattempt	BIT	1		0		
forum	Table	forcesubscribe	BIT	1		0		
user_info_field	Table	forceunique	TINYINT	3		0		should the field contain unique values
assignment_submissions	Table	format	SMALLINT	5		0		
backup_controllers	Table	format	VARCHAR	20				format of the backup (moodle backup)
course_format_options	Table	format	VARCHAR	21				Format this option is for
course	Table	format	VARCHAR	21			topics	
event	Table	format	SMALLINT	5		0		
reportbuilder_schedule	Table	format	VARCHAR	255				
post	Table	format	BIGINT	19		0		
comments	Table	format	TINYINT	3		0		
forum_grades	Table	forum	BIGINT	19		null		The ID of the forum that this relates to
forum_discussion_subs	Table	forum	BIGINT	19		null		
forum_subscriptions	Table	forum	BIGINT	19		0		
forum_digests	Table	forum	BIGINT	19		null		
forum_discussions	Table	forum	BIGINT	19		0		
forum_track_prefs	Table	forumid	BIGINT	19		0		
forum_read	Table	forumid	BIGINT	19		0		
question_answers	Table	fraction	DECIMAL	12		0.0000000		
question_attempt_steps	Table	fraction	DECIMAL	12	√	null		The grade for this question, v graded out of 1. Needs to be by question_attempt.maxmark the actual mark for the question
tool_monitor_rules	Table	frequency	SMALLINT	5		null		Frequency
wiki_links	Table	frompageid	BIGINT	19		0		Page id with a link
glossary_entries	Table	fullmatch	TINYINT	3		1		

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
notifications	Table	fullmessage	LONGTEXT	2147483647	✓		null	
message	Table	fullmessage	LONGTEXT	2147483647	✓		null	
messages	Table	fullmessage	LONGTEXT	2147483647	✓		null	
message_read	Table	fullmessage	LONGTEXT	2147483647	✓		null	
message	Table	fullmessageformat	SMALLINT	5	✓		0	The format of the full messa
notifications	Table	fullmessageformat	BIT	1			0	
messages	Table	fullmessageformat	BIT	1			0	
message_read	Table	fullmessageformat	SMALLINT	5	✓		0	The format of the full messa
message_read	Table	fullmessagehtml	LONGTEXT	2147483647	✓		null	html format of message
notifications	Table	fullmessagehtml	LONGTEXT	2147483647	✓		null	
message	Table	fullmessagehtml	LONGTEXT	2147483647	✓		null	html format of message
messages	Table	fullmessagehtml	LONGTEXT	2147483647	✓		null	
messages	Table	fullmessagetrust	TINYINT	3			0	
course	Table	fullname	VARCHAR	254				
grade_outcomes_history	Table	fullname	LONGTEXT	2147483647			null	The full description of the ou (usually 1 sentence)
grade_outcomes	Table	fullname	LONGTEXT	2147483647			null	The full description of the ou (usually 1 sentence)
grade_categories_history	Table	fullname	VARCHAR	255				The name of this grade cate
course_request	Table	fullname	VARCHAR	254				
license	Table	fullname	LONGTEXT	2147483647	✓		null	
tool_recyclebin_category	Table	fullname	VARCHAR	255				
grade_categories	Table	fullname	VARCHAR	255				The name of this grade cate
mnet-service_enrol_courses	Table	fullname	VARCHAR	254				
h5p-libraries	Table	fullscreen	BIT	1			0	Display fullscreen button
mnet_rpc	Table	functionname	VARCHAR	40				
external_services_functions	Table	functionname	VARCHAR	200				
mnet_remote_rpc	Table	functionname	VARCHAR	40				
payment_gateways	Table	gateway	VARCHAR	100				
payments	Table	gateway	VARCHAR	100				
question	Table	generalfeedback	LONGTEXT	2147483647			null	to store the question feedba
question	Table	generalfeedbackformat	TINYINT	3			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
glossary	Table	globalglossary	TINYINT	3			0	
glossary_categories	Table	glossaryid	BIGINT	19			0	
glossary_entries	Table	glossaryid	BIGINT	19			0	
quiz	Table	graceperiod	BIGINT	19			0	The amount of time (in seconds) the time limit runs out during attempts can still be submitted. overduehandling is set to allow.
competency_usercomp	Table	grade	BIGINT	19	√		null	Grade assigned to the competency.
assignment_submissions	Table	grade	BIGINT	19			0	
workshop_assessments	Table	grade	DECIMAL	10	√		null	The aggregated grade for submission suggested by the reviewer. The 0..100 is computed from the grade assigned to the assessment fields. If NULL then it has not been aggregated yet.
h5pactivity	Table	grade	BIGINT	19	√		0	
assignfeedback_file	Table	grade	BIGINT	19			0	
competency_usercompcourse	Table	grade	BIGINT	19	√		null	The course grade assigned for the competency.
quiz	Table	grade	DECIMAL	10			0.00000	The total that the quiz overall is scaled to be out of.
workshop	Table	grade	DECIMAL	10	√		80.00000	The maximum grade for submission.
workshopform_rubric_levels	Table	grade	DECIMAL	10			null	Grade representing this level.
competency_evidence	Table	grade	BIGINT	19	√		null	
workshopform_accumulative	Table	grade	BIGINT	19			null	If greater than 0, then the value is the maximum grade on a scale of 0 to 100. If lesser than 0, then its absolute value is the id of a record in scale table. If equals 0, then no grading is present in this dimension, just comment.
assign_grades	Table	grade	DECIMAL	10	√		0.00000	The numerical grade for this assignment submission. Can be determined by scales/advancedgradingforms etc but always be converted back to a point number.

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
quiz_grades	Table	grade	DECIMAL	10			0.00000	The overall grade from the quiz, not affected by overrides in the quiz table.
forum_grades	Table	grade	DECIMAL	10	✓		null	The numerical grade for this forum assessment. Can be overridden by scales/advancedgradingform but will always be converted to a floating point number.
competency_usercompplan	Table	grade	BIGINT	19	✓		null	Grade assigned to the competency plan.
assignment	Table	grade	BIGINT	19			0	
lesson	Table	grade	BIGINT	19			0	
assignfeedback_comments	Table	grade	BIGINT	19			0	
lesson_grades	Table	grade	DOUBLE	22			0	
assign	Table	grade	BIGINT	19			0	The maximum grade for this assignment. Can be negative if the use of a scale.
lti	Table	grade	BIGINT	19			100	Grade scale
workshopform_numerrors_map	Table	grade	DECIMAL	10			null	Percentual grade 0..100 for the use of negative responses
workshop_grades	Table	grade	DECIMAL	10	✓		null	Given grade in the referenced assessment dimension.
workshop_submissions	Table	grade	DECIMAL	10	✓		null	Aggregated grade for the submission. The grade is a decimal number in the interval 0..100. If NULL then no grade for submission has not been aggregated yet.
lesson_answers	Table	grade	SMALLINT	5			0	
workshopform_numerrors	Table	grade0	VARCHAR	50	✓		null	The word describing the negative evaluation (like Poor, Missing etc.). If NULL, it defaults to a translated string False
workshopform_numerrors	Table	grade1	VARCHAR	50	✓		null	A word for possitive evaluation (like Good, Present, OK etc). If NULL, it defaults to a translated string True
forum	Table	grade_forum	BIGINT	19			0	
forum	Table	grade_forum_notify	SMALLINT	5			0	
workshop	Table	gradedecimals	SMALLINT	5	✓		0	Number of digits that should be used for the decimal part of the grade

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								after the decimal point when grades
quiz_attempts	Table	gradednotificationsenttime	BIGINT	19	√		null	The timestamp when the 'grade notification' was sent.
course_completion_crit_compl	Table	gradefinal	DECIMAL	10	√		null	The final grade for the course regardless of whether a pass was required)
assignfeedback_editpdf_rot	Table	gradeid	BIGINT	19			0	
assignfeedback_editpdf_annot	Table	gradeid	BIGINT	19			0	
assignfeedback_editpdf_cmnt	Table	gradeid	BIGINT	19			0	
ltiservice_gradebookservices	Table	gradeitemid	BIGINT	19			null	ID of the gradeItem related.
grade_items	Table	grademax	DECIMAL	10			100.00000	What is the maximum allowance
grade_items_history	Table	grademax	DECIMAL	10			100.00000	What is the maximum allowance
scorm	Table	grademethod	TINYINT	3			0	
h5pactivity	Table	grademethod	SMALLINT	5			1	Which H5P attempt is used for
quiz	Table	grademethod	SMALLINT	5			1	One of the values QUIZ_GRADEHIGHEST, QUIZ_GRADEAVERAGE, QUIZ_ATTEMPTFIRST or QUIZ_ATTEMPTLAST.
grade_items	Table	grademin	DECIMAL	10			0.00000	What is the minimum allowance
grade_items_history	Table	grademin	DECIMAL	10			0.00000	What is the minimum allowance
workshop_submissions	Table	gradeover	DECIMAL	10	√		null	Grade for the submission may be overridden by a teacher. Grade from interval 0..100. If NULL, grade is not overridden.
workshop_submissions	Table	gradeoverby	BIGINT	19	√		null	The id of the user who has overridden the grade for submission.
grade_items_history	Table	gradepass	DECIMAL	10			0.00000	What grade is needed to pass grademin < gradepass <
course_completion_criteria	Table	gradepass	DECIMAL	10	√		null	The minimum grade needed for the course (if passing grade criteria is enabled)
grade_items	Table	gradepass	DECIMAL	10			0.00000	What grade is needed to pass grademin < gradepass <

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
lti_submission	Table	gradepercent	DECIMAL	10			null	
assign_grades	Table	grader	BIGINT	19			0	
qtype_essay_options	Table	graderinfo	LONGTEXT	2147483647	√		null	Information shown to people with permission to manually grade a question, when they are grading it.
qtype_essay_options	Table	graderinfoformat	SMALLINT	5			0	The text format for graderinfo.
enrol_lti_tools	Table	gradesync	BIT	1			0	
enrol_lti_tools	Table	gradesynccompletion	BIT	1			0	
grade_items	Table	gradetype	SMALLINT	5			1	0 = none, 1 = value, 2 = scale
grade_items_history	Table	gradetype	SMALLINT	5			1	0 = none, 1 = value, 2 = scale
assign	Table	gradingduedate	BIGINT	19			0	The expected date for marking submissions.
workshop_assessments	Table	gradinggrade	DECIMAL	10	√		null	The computed grade 0..100 for an assessment. If NULL then it has not been computed yet.
workshop	Table	gradinggrade	DECIMAL	10	√		20.00000	The maximum grade for assessments made by this role.
workshop_aggregations	Table	gradinggrade	DECIMAL	10	√		null	The aggregated grade for all assessments made by this role. The grade is a number from 0..100. If NULL then the grade for assessments has not been aggregated yet.
workshop_assessments	Table	gradinggradeover	DECIMAL	10	√		null	Grade for the assessment may be overridden by a teacher. Grade is from interval 0..100. If NULL then the grade is not overridden.
workshop_assessments	Table	gradinggradeoverby	BIGINT	19	√		null	The id of the user who has overridden the grade for submission.
oauth2_system_account	Table	grantedscopes	LONGTEXT	2147483647			null	The scopes that this system account has been granted access to.
chat_messages_current	Table	groupid	BIGINT	19			0	
groups_members	Table	groupid	BIGINT	19			0	
event	Table	groupid	BIGINT	19			0	
bigbluebuttonbn_recordings	Table	groupid	BIGINT	19	√		null	
forum_discussions	Table	groupid	BIGINT	19			-1	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
data_records	Table	groupid	BIGINT	19			0	
assign_submission	Table	groupid	BIGINT	19			0	The group id for team submission
assign_overrides	Table	groupid	BIGINT	19	√		null	Foreign key references groupings_groups be null if this is a per-user override
chat_users	Table	groupid	BIGINT	19			0	
wiki_subwikis	Table	groupid	BIGINT	19			0	Group that owns this wiki
lesson_overrides	Table	groupid	BIGINT	19	√		null	Foreign key references groupings_groups be null if this is a per-user override
post	Table	groupid	BIGINT	19			0	
quiz_overrides	Table	groupid	BIGINT	19	√		null	Foreign key references groupings_groups be null if this is a per-user override
chat_messages	Table	groupid	BIGINT	19			0	
event_subscriptions	Table	groupid	BIGINT	19			0	
groupings_groups	Table	groupid	BIGINT	19			0	
course_modules	Table	groupingid	BIGINT	19			0	
groupings_groups	Table	groupingid	BIGINT	19			0	
course	Table	groupmode	SMALLINT	5			0	
course_modules	Table	groupmode	SMALLINT	5			0	
course	Table	groupmodeforce	SMALLINT	5			0	
feedback_completedtmp	Table	guestid	VARCHAR	255				
lti_tool_proxies	Table	guid	VARCHAR	255	√		null	
h5pactivity_attempts	Table	h5pactivityid	BIGINT	19			null	H5P activity ID
h5p_contents_libraries	Table	h5pid	BIGINT	19			null	Identifier for the h5p content
scorm_aicc_session	Table	hacpsession	VARCHAR	255				sessionid used to authenticate HACP communication
messageinbound_datakeys	Table	handler	BIGINT	19			null	The handler that this key belongs to
events_handlers	Table	handlerfile	VARCHAR	255				path to the file of the function grade/export/lib.php
events_handlers	Table	handlerfunction	LONGTEXT	2147483647	√		null	serialized string or array describing function, suitable to be passed to call_user_func()
events_queue_handlers	Table	handlerid	BIGINT	19			null	foreign key id corresponding to the event_handlers table

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
user_password_history	Table	hash	VARCHAR	255				
h5p_libraries_cachedassets	Table	hash	VARCHAR	255				Cache hash key that this library is of.
question_statistics	Table	hashcode	VARCHAR	40				sha1 hash of serialized qubaid's_condition class. Unique for every combination of class name and property.
question_response_analysis	Table	hashcode	VARCHAR	40				sha1 hash of serialized qubaid's_condition class. Unique for every combination of class name and property.
quiz_statistics	Table	hashcode	VARCHAR	40				sha1 hash of serialized qubaid's_condition class. Unique for every combination of class name and property.
feedback_item	Table	hasvalue	BIT	1			0	
reportbuilder_filter	Table	heading	VARCHAR	255	✓		null	
reportbuilder_column	Table	heading	VARCHAR	255	✓		null	
quiz_sections	Table	heading	VARCHAR	1333	✓		null	The text of the heading. May be an empty string/null. Multilingual.
reportbuilder_audience	Table	heading	VARCHAR	255	✓		null	
bigbluebuttonbn_recordings	Table	headless	BIT	1			0	
scorm	Table	height	BIGINT	19			600	
lesson	Table	height	BIGINT	19			480	
mnet_rpc	Table	help	LONGTEXT	2147483647			null	
grade_categories_history	Table	hidden	BIGINT	19			0	
grade_grades_history	Table	hidden	BIGINT	19			0	show 0, hide 1 or hide until date
grade_categories	Table	hidden	BIGINT	19			0	
grade_items	Table	hidden	BIGINT	19			0	1 is hidden, > 1 is a date to hide (prevents viewing)
grade_grades	Table	hidden	BIGINT	19			0	show 0, hide 1 or hide until date
book_chapters	Table	hidden	TINYINT	3			0	
grade_items_history	Table	hidden	BIGINT	19			0	1 is hidden, > 1 is a date to hide (prevents viewing)
scorm	Table	hidebrowse	BIT	1			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
assign	Table	hidegrader	TINYINT	3			0	Hide the grader's identity from students. The opposite of blind marking.
scorm	Table	hidetoc	BIT	1			0	
bigbluebuttonbn	Table	hideuserlist	BIT	1			0	
quiz_statistics	Table	highestattemptsavg	DECIMAL	15	✓		null	
quiz_statistics	Table	highestattemptscount	BIGINT	19			null	
question_hints	Table	hint	LONGTEXT	2147483647			null	The text of the feedback to be displayed.
question_hints	Table	hintformat	SMALLINT	5			0	The format of the hint.
mnet_log	Table	hostid	BIGINT	19			0	Unique host ID
mnet_host2service	Table	hostid	BIGINT	19			0	
mnetservice_enrol_courses	Table	hostid	BIGINT	19			null	The id of the remote MNet host.
mnetservice_enrol_enrolments	Table	hostid	BIGINT	19			null	ID of the remote MNet host.
task_log	Table	hostname	VARCHAR	255	✓		null	Hostname where the task was executed.
task_adhoc	Table	hostname	VARCHAR	255	✓		null	Hostname where the task is executed.
task_scheduled	Table	hostname	VARCHAR	255	✓		null	Hostname where the task is executed.
task_scheduled	Table	hour	VARCHAR	70				
tool_brickfield_errors	Table	htmlcode	LONGTEXT	2147483647	✓		null	
course_published	Table	hubcourseid	BIGINT	19			null	the course id on the hub server
registration_hubs	Table	hubname	VARCHAR	255				
course_published	Table	huburl	VARCHAR	255	✓		null	the url of the "registered on" hub
registration_hubs	Table	huburl	VARCHAR	255				
lti	Table	icon	LONGTEXT	2147483647	✓		null	
lti_types	Table	icon	LONGTEXT	2147483647	✓		null	URL to icon file
badge_backpack_oauth2	Table	id	BIGINT	19		✓	null	
files	Table	id	BIGINT	19		✓	null	
quiz_reports	Table	id	BIGINT	19		✓	null	
tool_recyclebin_course	Table	id	BIGINT	19		✓	null	
chat	Table	id	BIGINT	19		✓	null	
question_numerical_units	Table	id	BIGINT	19		✓	null	
enrol	Table	id	BIGINT	19		✓	null	
workshopallocation_scheduled	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
quiz_attempts	Table	id	BIGINT	19		✓	null	Standard Moodle primary key
qtype_ddmarker	Table	id	BIGINT	19		✓	null	
badge_external_identifier	Table	id	BIGINT	19		✓	null	
tool_policy_acceptances	Table	id	BIGINT	19		✓	null	
tool_brickfield_areas	Table	id	BIGINT	19		✓	null	
reportbuilder_schedule	Table	id	BIGINT	19		✓	null	
badge_criteria	Table	id	BIGINT	19		✓	null	
badge_related	Table	id	BIGINT	19		✓	null	
lesson_pages	Table	id	BIGINT	19		✓	null	
workshopform_rubric_levels	Table	id	BIGINT	19		✓	null	
tool_brickfield_summary	Table	id	BIGINT	19		✓	null	
enrol_lti_users	Table	id	BIGINT	19		✓	null	
scorm_scoes_data	Table	id	BIGINT	19		✓	null	
tool_monitor_events	Table	id	BIGINT	19		✓	null	
feedback_value	Table	id	BIGINT	19		✓	null	
customfield_field	Table	id	BIGINT	19		✓	null	
enrol_lti_lti2_context	Table	id	BIGINT	19		✓	null	
auth_oauth2_linked_login	Table	id	BIGINT	19		✓	null	
h5p_contents_libraries	Table	id	BIGINT	19		✓	null	
customfield_data	Table	id	BIGINT	19		✓	null	
enrol_lti_lti2_nonce	Table	id	BIGINT	19		✓	null	
post	Table	id	BIGINT	19		✓	null	
external_services	Table	id	BIGINT	19		✓	null	
role	Table	id	BIGINT	19		✓	null	
scorm_seq_mapinfo	Table	id	BIGINT	19		✓	null	
question_ddwtos	Table	id	BIGINT	19		✓	null	
message_conversation_members	Table	id	BIGINT	19		✓	null	
portfolio_log	Table	id	BIGINT	19		✓	null	
lock_db	Table	id	BIGINT	19		✓	null	
chat_messages_current	Table	id	BIGINT	19		✓	null	
question	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
chat_users	Table	id	BIGINT	19		✓	null	
question_response_count	Table	id	BIGINT	19		✓	null	
analytics_predictions	Table	id	BIGINT	19		✓	null	
question_gapselect	Table	id	BIGINT	19		✓	null	
assignfeedback_editpdf_annot	Table	id	BIGINT	19		✓	null	
paygw_paypal	Table	id	BIGINT	19		✓	null	
mnet_application	Table	id	BIGINT	19		✓	null	
message_contacts	Table	id	BIGINT	19		✓	null	
scorm_scoes_track	Table	id	BIGINT	19		✓	null	
grade_grades_history	Table	id	BIGINT	19		✓	null	
lesson_timer	Table	id	BIGINT	19		✓	null	
messageinbound_messagelist	Table	id	BIGINT	19		✓	null	
mnet_host2service	Table	id	BIGINT	19		✓	null	
choice	Table	id	BIGINT	19		✓	null	
user_password_resets	Table	id	BIGINT	19		✓	null	
message	Table	id	BIGINT	19		✓	null	
data_fields	Table	id	BIGINT	19		✓	null	
assignsubmission_onlinetext	Table	id	BIGINT	19		✓	null	
workshopeval_best_settings	Table	id	BIGINT	19		✓	null	
blog_association	Table	id	BIGINT	19		✓	null	
qtype_match_subquestions	Table	id	BIGINT	19		✓	null	
oauth2_user_field_mapping	Table	id	BIGINT	19		✓	null	
tool_brickfield_cache_check	Table	id	BIGINT	19		✓	null	
enrol_lti_lti2_consumer	Table	id	BIGINT	19		✓	null	
survey	Table	id	BIGINT	19		✓	null	
event_subscriptions	Table	id	BIGINT	19		✓	null	
tool_brickfield_checks	Table	id	BIGINT	19		✓	null	
assignsubmission_file	Table	id	BIGINT	19		✓	null	
block_rss_client	Table	id	BIGINT	19		✓	null	
course_completion_criteria	Table	id	BIGINT	19		✓	null	
payment_accounts	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
oauth2_endpoint	Table	id	BIGINT	19		✓	null	
reportbuilder_filter	Table	id	BIGINT	19		✓	null	
imscp	Table	id	BIGINT	19		✓	null	
grade_outcomes_history	Table	id	BIGINT	19		✓	null	
course_published	Table	id	BIGINT	19		✓	null	
task_adhoc	Table	id	BIGINT	19		✓	null	
assignfeedback_comments	Table	id	BIGINT	19		✓	null	
tool_dataprivacy_request	Table	id	BIGINT	19		✓	null	
payment_gateways	Table	id	BIGINT	19		✓	null	
qtype_shortanswer_options	Table	id	BIGINT	19		✓	null	
qtype_ddimageortext_drops	Table	id	BIGINT	19		✓	null	
assignfeedback_editpdf_rot	Table	id	BIGINT	19		✓	null	
grade_import_values	Table	id	BIGINT	19		✓	null	
adminpresets_it	Table	id	BIGINT	19		✓	null	
question_calculated	Table	id	BIGINT	19		✓	null	
badge	Table	id	BIGINT	19		✓	null	
badge_criteria_met	Table	id	BIGINT	19		✓	null	
competency_template	Table	id	BIGINT	19		✓	null	
forum_queue	Table	id	BIGINT	19		✓	null	
tool_dataprivacy_ctxinstance	Table	id	BIGINT	19		✓	null	
competency_templatecohort	Table	id	BIGINT	19		✓	null	
external_tokens	Table	id	BIGINT	19		✓	null	
forum_subscriptions	Table	id	BIGINT	19		✓	null	
gradingform_guide_criteria	Table	id	BIGINT	19		✓	null	
oauth2_access_token	Table	id	BIGINT	19		✓	null	
tag_correlation	Table	id	BIGINT	19		✓	null	
lesson	Table	id	BIGINT	19		✓	null	
tool_recyclebin_category	Table	id	BIGINT	19		✓	null	
course_sections	Table	id	BIGINT	19		✓	null	
stats_weekly	Table	id	BIGINT	19		✓	null	
wiki_synonyms	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
mnet_log	Table	id	BIGINT	19		✓	null	
block_recent_activity	Table	id	BIGINT	19		✓	null	
question_dataset_definitions	Table	id	BIGINT	19		✓	null	
question_calculated_options	Table	id	BIGINT	19		✓	null	
enrol_flatfile	Table	id	BIGINT	19		✓	null	
h5pactivity_attempts_results	Table	id	BIGINT	19		✓	null	
tool_brickfield_process	Table	id	BIGINT	19		✓	null	
competency_relatedcomp	Table	id	BIGINT	19		✓	null	
mnet_rpc	Table	id	BIGINT	19		✓	null	Unique Function ID
forum	Table	id	BIGINT	19		✓	null	
config_log	Table	id	BIGINT	19		✓	null	
mnetservice_enrol_courses	Table	id	BIGINT	19		✓	null	Unique remote-course ID
qtype_randomsamatch_options	Table	id	BIGINT	19		✓	null	
enrol_lti_lti2_tool_proxy	Table	id	BIGINT	19		✓	null	
grade_import_newitem	Table	id	BIGINT	19		✓	null	
user_preferences	Table	id	BIGINT	19		✓	null	
stats_monthly	Table	id	BIGINT	19		✓	null	
block_instances	Table	id	BIGINT	19		✓	null	
grading_areas	Table	id	BIGINT	19		✓	null	
tag_instance	Table	id	BIGINT	19		✓	null	
wiki_subwikis	Table	id	BIGINT	19		✓	null	
search_index_requests	Table	id	BIGINT	19		✓	null	
h5pactivity_attempts	Table	id	BIGINT	19		✓	null	
enrol_lti_lti2_user_result	Table	id	BIGINT	19		✓	null	
scale_history	Table	id	BIGINT	19		✓	null	
role_names	Table	id	BIGINT	19		✓	null	
workshop_assessments	Table	id	BIGINT	19		✓	null	
gradingform_rubric_levels	Table	id	BIGINT	19		✓	null	
cohort_members	Table	id	BIGINT	19		✓	null	
glossary_entries_categories	Table	id	BIGINT	19		✓	null	
grade_outcomes	Table	id	BIGINT	19		✓	null	id of the table

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
page	Table	id	BIGINT	19		✓	null	
quizaccess_seb_quizsettings	Table	id	BIGINT	19		✓	null	
user_private_key	Table	id	BIGINT	19		✓	null	
grade_items_history	Table	id	BIGINT	19		✓	null	
lesson_answers	Table	id	BIGINT	19		✓	null	
competency_userevidence	Table	id	BIGINT	19		✓	null	
lti_access_tokens	Table	id	BIGINT	19		✓	null	
competency_coursecomp	Table	id	BIGINT	19		✓	null	
tool_monitor_rules	Table	id	BIGINT	19		✓	null	
messageinbound_handlers	Table	id	BIGINT	19		✓	null	
competency_usercompplan	Table	id	BIGINT	19		✓	null	
workshop_submissions	Table	id	BIGINT	19		✓	null	
tool_dataprivacy_purpose	Table	id	BIGINT	19		✓	null	
customfield_category	Table	id	BIGINT	19		✓	null	
feedback_item	Table	id	BIGINT	19		✓	null	
config_plugins	Table	id	BIGINT	19		✓	null	
assignment_submissions	Table	id	BIGINT	19		✓	null	
tag_coll	Table	id	BIGINT	19		✓	null	
question_versions	Table	id	BIGINT	19		✓	null	
log_display	Table	id	BIGINT	19		✓	null	
competency_framework	Table	id	BIGINT	19		✓	null	
workshopform_accumulative	Table	id	BIGINT	19		✓	null	
survey_answers	Table	id	BIGINT	19		✓	null	
role_capabilities	Table	id	BIGINT	19		✓	null	
h5pactivity	Table	id	BIGINT	19		✓	null	
lti_submission	Table	id	BIGINT	19		✓	null	
message_popup	Table	id	BIGINT	19		✓	null	
question_hints	Table	id	BIGINT	19		✓	null	
lti_types_config	Table	id	BIGINT	19		✓	null	
stats_user_monthly	Table	id	BIGINT	19		✓	null	
message_providers	Table	id	BIGINT	19		✓	null	id of the table, please edit m

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
quiz_statistics	Table	id	BIGINT	19		✓	null	
user_devices	Table	id	BIGINT	19		✓	null	
feedback_completedtmp	Table	id	BIGINT	19		✓	null	
competency_plancomp	Table	id	BIGINT	19		✓	null	
forum_digests	Table	id	BIGINT	19		✓	null	
user	Table	id	BIGINT	19		✓	null	
question_numerical_options	Table	id	BIGINT	19		✓	null	
analytics_predict_samples	Table	id	BIGINT	19		✓	null	
question_answers	Table	id	BIGINT	19		✓	null	
groupings	Table	id	BIGINT	19		✓	null	
oauth2_system_account	Table	id	BIGINT	19		✓	null	
competency_evidence	Table	id	BIGINT	19		✓	null	
tool_customlang_components	Table	id	BIGINT	19		✓	null	
survey_analysis	Table	id	BIGINT	19		✓	null	
analytics_indicator_calc	Table	id	BIGINT	19		✓	null	
enrol_paypal	Table	id	BIGINT	19		✓	null	
mnet_host	Table	id	BIGINT	19		✓	null	Unique Host ID
comments	Table	id	BIGINT	19		✓	null	
scorm_scoes	Table	id	BIGINT	19		✓	null	
course_request	Table	id	BIGINT	19		✓	null	
mnet_service2rpc	Table	id	BIGINT	19		✓	null	Required ID field
analytics_used_analysables	Table	id	BIGINT	19		✓	null	
workshopform_rubric	Table	id	BIGINT	19		✓	null	
qtype_ddimageortext_drags	Table	id	BIGINT	19		✓	null	
assign_user_mapping	Table	id	BIGINT	19		✓	null	
analytics_prediction_actions	Table	id	BIGINT	19		✓	null	
workshop_aggregations	Table	id	BIGINT	19		✓	null	
registration_hubs	Table	id	BIGINT	19		✓	null	
lesson_grades	Table	id	BIGINT	19		✓	null	
glossary	Table	id	BIGINT	19		✓	null	
assign_grades	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
repository_instances	Table	id	BIGINT	19		✓	null	
events_queue_handlers	Table	id	BIGINT	19		✓	null	
badge_manual_award	Table	id	BIGINT	19		✓	null	
events_queue	Table	id	BIGINT	19		✓	null	
question_truefalse	Table	id	BIGINT	19		✓	null	
tag	Table	id	BIGINT	19		✓	null	
qtype_ddmarker_drags	Table	id	BIGINT	19		✓	null	
competency	Table	id	BIGINT	19		✓	null	
question_attempt_step_data	Table	id	BIGINT	19		✓	null	
groups	Table	id	BIGINT	19		✓	null	
scorm_seq_rolluprulecond	Table	id	BIGINT	19		✓	null	
sessions	Table	id	BIGINT	19		✓	null	
badge_external	Table	id	BIGINT	19		✓	null	
portfolio_tempdata	Table	id	BIGINT	19		✓	null	
competency_templatecomp	Table	id	BIGINT	19		✓	null	
survey_questions	Table	id	BIGINT	19		✓	null	
wiki_versions	Table	id	BIGINT	19		✓	null	
license	Table	id	BIGINT	19		✓	null	
question_set_references	Table	id	BIGINT	19		✓	null	
role_allow_view	Table	id	BIGINT	19		✓	null	
user_info_data	Table	id	BIGINT	19		✓	null	
choice_answers	Table	id	BIGINT	19		✓	null	
blog_external	Table	id	BIGINT	19		✓	null	
portfolio_instance_config	Table	id	BIGINT	19		✓	null	
competency_usercomp	Table	id	BIGINT	19		✓	null	
grade_categories_history	Table	id	BIGINT	19		✓	null	
question_categories	Table	id	BIGINT	19		✓	null	
groupings_groups	Table	id	BIGINT	19		✓	null	
lti	Table	id	BIGINT	19		✓	null	
mnet_remote_service2rpc	Table	id	BIGINT	19		✓	null	Required ID field
tool_brickfield_content	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
enrol_lti_lti2_share_key	Table	id	BIGINT	19		✓	null	
log_queries	Table	id	BIGINT	19		✓	null	
profiling	Table	id	BIGINT	19		✓	null	
glossary_alias	Table	id	BIGINT	19		✓	null	
adminpresets_plug	Table	id	BIGINT	19		✓	null	
question_numerical	Table	id	BIGINT	19		✓	null	
role_allow_switch	Table	id	BIGINT	19		✓	null	
grade_items	Table	id	BIGINT	19		✓	null	
messageinbound_datakeys	Table	id	BIGINT	19		✓	null	
stats_daily	Table	id	BIGINT	19		✓	null	
assignfeedback_editpdf_quick	Table	id	BIGINT	19		✓	null	
competency_coursecompsetting	Table	id	BIGINT	19		✓	null	
forum_track_prefs	Table	id	BIGINT	19		✓	null	
workshop_grades	Table	id	BIGINT	19		✓	null	
badge_alignment	Table	id	BIGINT	19		✓	null	
filter_active	Table	id	BIGINT	19		✓	null	
grade_settings	Table	id	BIGINT	19		✓	null	
portfolio_instance	Table	id	BIGINT	19		✓	null	
course	Table	id	BIGINT	19		✓	null	
assign	Table	id	BIGINT	19		✓	null	
question_multianswer	Table	id	BIGINT	19		✓	null	
feedback_sitecourse_map	Table	id	BIGINT	19		✓	null	
editor_atto_autosave	Table	id	BIGINT	19		✓	null	
tool_monitor_history	Table	id	BIGINT	19		✓	null	
tool_cohortroles	Table	id	BIGINT	19		✓	null	
adminpresets_app_plug	Table	id	BIGINT	19		✓	null	
competency_usercompcourse	Table	id	BIGINT	19		✓	null	
message_conversation_actions	Table	id	BIGINT	19		✓	null	
mnet_service	Table	id	BIGINT	19		✓	null	Unique Service ID
label	Table	id	BIGINT	19		✓	null	
message_conversations	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
external_services_functions	Table	id	BIGINT	19		✓	null	
event	Table	id	BIGINT	19		✓	null	
workshopform_comments	Table	id	BIGINT	19		✓	null	
quiz_slots	Table	id	BIGINT	19		✓	null	
role_context_levels	Table	id	BIGINT	19		✓	null	
cache_filters	Table	id	BIGINT	19		✓	null	
file_conversion	Table	id	BIGINT	19		✓	null	
assign_overrides	Table	id	BIGINT	19		✓	null	
data	Table	id	BIGINT	19		✓	null	
grading_definitions	Table	id	BIGINT	19		✓	null	
question_statistics	Table	id	BIGINT	19		✓	null	
events_handlers	Table	id	BIGINT	19		✓	null	
search_simplifiedb_index	Table	id	BIGINT	19		✓	null	
files_reference	Table	id	BIGINT	19		✓	null	
tool_dataprivacy_ctxexpired	Table	id	BIGINT	19		✓	null	
role_allow_assign	Table	id	BIGINT	19		✓	null	
modules	Table	id	BIGINT	19		✓	null	
enrol_lti_context	Table	id	BIGINT	19		✓	null	
url	Table	id	BIGINT	19		✓	null	
question_attempt_steps	Table	id	BIGINT	19		✓	null	
grade_grades	Table	id	BIGINT	19		✓	null	
tool_dataprivacy_purposerole	Table	id	BIGINT	19		✓	null	
filter_config	Table	id	BIGINT	19		✓	null	
tool_policy_versions	Table	id	BIGINT	19		✓	null	
wiki_pages	Table	id	BIGINT	19		✓	null	
quiz_sections	Table	id	BIGINT	19		✓	null	
tool_brickfield_schedule	Table	id	BIGINT	19		✓	null	
assign_plugin_config	Table	id	BIGINT	19		✓	null	
analytics_models	Table	id	BIGINT	19		✓	null	
tool_dataprivacy_ctxlevel	Table	id	BIGINT	19		✓	null	
capabilities	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
feedback_template	Table	id	BIGINT	19		✓	null	
enrol_lti_resource_link	Table	id	BIGINT	19		✓	null	
enrol_lti_tool_consumer_map	Table	id	BIGINT	19		✓	null	
bigbluebuttonbn	Table	id	BIGINT	19		✓	null	
forum_discussions	Table	id	BIGINT	19		✓	null	
groups_members	Table	id	BIGINT	19		✓	null	
oauth2_issuer	Table	id	BIGINT	19		✓	null	
workshopform_rubric_config	Table	id	BIGINT	19		✓	null	
h5p_libraries_cachedassets	Table	id	BIGINT	19		✓	null	
gradingform_rubric_fillings	Table	id	BIGINT	19		✓	null	
wiki	Table	id	BIGINT	19		✓	null	
data_records	Table	id	BIGINT	19		✓	null	
badge_issued	Table	id	BIGINT	19		✓	null	
message_read	Table	id	BIGINT	19		✓	null	
feedback	Table	id	BIGINT	19		✓	null	
context	Table	id	BIGINT	19		✓	null	
favourite	Table	id	BIGINT	19		✓	null	
question_dataset_items	Table	id	BIGINT	19		✓	null	
contentbank_content	Table	id	BIGINT	19		✓	null	
quiz_overrides	Table	id	BIGINT	19		✓	null	
competency_userevidencecomp	Table	id	BIGINT	19		✓	null	
quiz_grades	Table	id	BIGINT	19		✓	null	
tool_policy	Table	id	BIGINT	19		✓	null	
badge_external_backpack	Table	id	BIGINT	19		✓	null	
reportbuilder_column	Table	id	BIGINT	19		✓	null	
adminpresets_app_it	Table	id	BIGINT	19		✓	null	
feedback_valuetmp	Table	id	BIGINT	19		✓	null	
data_content	Table	id	BIGINT	19		✓	null	
course_modules	Table	id	BIGINT	19		✓	null	
logstore_standard_log	Table	id	BIGINT	19		✓	null	
lesson_overrides	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
log	Table	id	BIGINT	19		✓	null	
course_completion_crit_compl	Table	id	BIGINT	19		✓	null	
bigbluebuttonbn_recordings	Table	id	BIGINT	19		✓	null	
lesson_branch	Table	id	BIGINT	19		✓	null	
message_contact_requests	Table	id	BIGINT	19		✓	null	
grade_categories	Table	id	BIGINT	19		✓	null	
course_format_options	Table	id	BIGINT	19		✓	null	
adminpresets_it_a	Table	id	BIGINT	19		✓	null	
scorm_seq_ruleconds	Table	id	BIGINT	19		✓	null	
book_chapters	Table	id	BIGINT	19		✓	null	
reportbuilder_audience	Table	id	BIGINT	19		✓	null	
feedback_completed	Table	id	BIGINT	19		✓	null	
glossary_entries	Table	id	BIGINT	19		✓	null	
message_users_blocked	Table	id	BIGINT	19		✓	null	
competency_modulecomp	Table	id	BIGINT	19		✓	null	
enrol_lti_app_registration	Table	id	BIGINT	19		✓	null	
lti_tool_proxies	Table	id	BIGINT	19		✓	null	
task_log	Table	id	BIGINT	19		✓	null	
mnet_sso_access_control	Table	id	BIGINT	19		✓	null	Required ID field
qtype_ddimageortext	Table	id	BIGINT	19		✓	null	
external_services_users	Table	id	BIGINT	19		✓	null	
cache_flags	Table	id	BIGINT	19		✓	null	
book	Table	id	BIGINT	19		✓	null	
reportbuilder_report	Table	id	BIGINT	19		✓	null	
choice_options	Table	id	BIGINT	19		✓	null	
oauth2_refresh_token	Table	id	BIGINT	19		✓	null	
lesson_attempts	Table	id	BIGINT	19		✓	null	
lti_tool_settings	Table	id	BIGINT	19		✓	null	
quizaccess_seb_template	Table	id	BIGINT	19		✓	null	
block_recentlyaccesseditems	Table	id	BIGINT	19		✓	null	
analytics_train_samples	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
quiz	Table	id	BIGINT	19		✓	null	Standard Moodle primary key
scorm_seq_rolluprule	Table	id	BIGINT	19		✓	null	
ltiservice_gradebookservices	Table	id	BIGINT	19		✓	null	
context_temp	Table	id	BIGINT	19			null	This id isn't autonumeric/sec the context->id
mnet_session	Table	id	BIGINT	19		✓	null	Required ID field
course_completions	Table	id	BIGINT	19		✓	null	
message_popup_notifications	Table	id	BIGINT	19		✓	null	
scorm	Table	id	BIGINT	19		✓	null	
scorm_seq_objective	Table	id	BIGINT	19		✓	null	
adminpresets	Table	id	BIGINT	19		✓	null	
enrol_lti_lti2_resource_link	Table	id	BIGINT	19		✓	null	
cohort	Table	id	BIGINT	19		✓	null	
tool_brickfield_errors	Table	id	BIGINT	19		✓	null	
scorm_seq_rulecond	Table	id	BIGINT	19		✓	null	
stats_user_weekly	Table	id	BIGINT	19		✓	null	
user_info_category	Table	id	BIGINT	19		✓	null	
quiz_feedback	Table	id	BIGINT	19		✓	null	
task_scheduled	Table	id	BIGINT	19		✓	null	
gradingform_rubric_criteria	Table	id	BIGINT	19		✓	null	
tool_usertours_tours	Table	id	BIGINT	19		✓	null	
upgrade_log	Table	id	BIGINT	19		✓	null	
glossary_categories	Table	id	BIGINT	19		✓	null	
assignment_upgrade	Table	id	BIGINT	19		✓	null	
grade_outcomes_courses	Table	id	BIGINT	19		✓	null	
h5p_libraries	Table	id	BIGINT	19		✓	null	Primary Key: The id of the lib
message_email_messages	Table	id	BIGINT	19		✓	null	
folder	Table	id	BIGINT	19		✓	null	
scale	Table	id	BIGINT	19		✓	null	
qtype_ddmarker_drops	Table	id	BIGINT	19		✓	null	
user_enrolments	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
badge_backpack	Table	id	BIGINT	19		✓	null	
gradingform_guide_fillings	Table	id	BIGINT	19		✓	null	
tool_brickfield_cache_acts	Table	id	BIGINT	19		✓	null	
workshop	Table	id	BIGINT	19		✓	null	
user_lastaccess	Table	id	BIGINT	19		✓	null	
role_allow_override	Table	id	BIGINT	19		✓	null	
question_references	Table	id	BIGINT	19		✓	null	
resource_old	Table	id	BIGINT	19		✓	null	
adminpresets_app_it_a	Table	id	BIGINT	19		✓	null	
mnetSERVICE_enrol_enrolments	Table	id	BIGINT	19		✓	null	Unique enrollment ID
portfolio_instance_user	Table	id	BIGINT	19		✓	null	
tool_brickfield_results	Table	id	BIGINT	19		✓	null	
external_functions	Table	id	BIGINT	19		✓	null	
lti_types	Table	id	BIGINT	19		✓	null	
forum_read	Table	id	BIGINT	19		✓	null	
question_attempts	Table	id	BIGINT	19		✓	null	
badge_criteria_param	Table	id	BIGINT	19		✓	null	
assignfeedback_file	Table	id	BIGINT	19		✓	null	
repository	Table	id	BIGINT	19		✓	null	
my_pages	Table	id	BIGINT	19		✓	null	
chat_messages	Table	id	BIGINT	19		✓	null	
h5p	Table	id	BIGINT	19		✓	null	
scorm_aicc_session	Table	id	BIGINT	19		✓	null	
tool_monitor_subscriptions	Table	id	BIGINT	19		✓	null	
badge_endorsement	Table	id	BIGINT	19		✓	null	
message_user_actions	Table	id	BIGINT	19		✓	null	
user_password_history	Table	id	BIGINT	19		✓	null	
enrol_lti_tools	Table	id	BIGINT	19		✓	null	
enrol_lti_deployment	Table	id	BIGINT	19		✓	null	
course_categories	Table	id	BIGINT	19		✓	null	
user_info_field	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
gradingform_guide_comments	Table	id	BIGINT	19		✓	null	
competency_plan	Table	id	BIGINT	19		✓	null	
grading_instances	Table	id	BIGINT	19		✓	null	
adminpresets_app	Table	id	BIGINT	19		✓	null	
question_datasets	Table	id	BIGINT	19		✓	null	
qtype_essay_options	Table	id	BIGINT	19		✓	null	
infected_files	Table	id	BIGINT	19		✓	null	
block	Table	id	BIGINT	19		✓	null	
backup_controllers	Table	id	BIGINT	19		✓	null	
quiz_overview_regrades	Table	id	BIGINT	19		✓	null	
qtype_multichoice_options	Table	id	BIGINT	19		✓	null	
message_airnotifier_devices	Table	id	BIGINT	19		✓	null	
config	Table	id	BIGINT	19		✓	null	
course_modules_completion	Table	id	BIGINT	19		✓	null	
glossary_formats	Table	id	BIGINT	19		✓	null	
bigbluebuttonbn_logs	Table	id	BIGINT	19		✓	null	
enrol_lti_user_resource_link	Table	id	BIGINT	19		✓	null	
tag_area	Table	id	BIGINT	19		✓	null	
repository_onedrive_access	Table	id	BIGINT	19		✓	null	
grade_letters	Table	id	BIGINT	19		✓	null	
block_positions	Table	id	BIGINT	19		✓	null	
wiki_locks	Table	id	BIGINT	19		✓	null	
notifications	Table	id	BIGINT	19		✓	null	
course_completion_defaults	Table	id	BIGINT	19		✓	null	
analytics_models_log	Table	id	BIGINT	19		✓	null	
assign_user_flags	Table	id	BIGINT	19		✓	null	
workshopform_numerrors_map	Table	id	BIGINT	19		✓	null	
forum_discussion_subs	Table	id	BIGINT	19		✓	null	
wiki_links	Table	id	BIGINT	19		✓	null	
forum_grades	Table	id	BIGINT	19		✓	null	
workshopform_numerrors	Table	id	BIGINT	19		✓	null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
analytics_used_files	Table	id	BIGINT	19		✓	null	
message_processors	Table	id	BIGINT	19		✓	null	
assignment	Table	id	BIGINT	19		✓	null	
repository_instance_config	Table	id	BIGINT	19		✓	null	
messages	Table	id	BIGINT	19		✓	null	
tool_dataprivacy_category	Table	id	BIGINT	19		✓	null	
auth_lti_linked_login	Table	id	BIGINT	19		✓	null	
stats_user_daily	Table	id	BIGINT	19		✓	null	
role_assignments	Table	id	BIGINT	19		✓	null	
portfolio_mahara_queue	Table	id	BIGINT	19		✓	null	
payments	Table	id	BIGINT	19		✓	null	
mnet_remote_rpc	Table	id	BIGINT	19		✓	null	
assign_submission	Table	id	BIGINT	19		✓	null	
rating	Table	id	BIGINT	19		✓	null	
course_completion_aggr_methd	Table	id	BIGINT	19		✓	null	
backup_logs	Table	id	BIGINT	19		✓	null	
tool_customlang	Table	id	BIGINT	19		✓	null	
question_bank_entries	Table	id	BIGINT	19		✓	null	
tool_usertours_steps	Table	id	BIGINT	19		✓	null	
question_usages	Table	id	BIGINT	19		✓	null	
resource	Table	id	BIGINT	19		✓	null	
qtype_match_options	Table	id	BIGINT	19		✓	null	
question_response_analysis	Table	id	BIGINT	19		✓	null	
h5p_library_dependencies	Table	id	BIGINT	19		✓	null	
forum_posts	Table	id	BIGINT	19		✓	null	
backup_courses	Table	id	BIGINT	19		✓	null	
assignfeedback_editpdf_queue	Table	id	BIGINT	19		✓	null	
assignfeedback_editpdf_cmnt	Table	id	BIGINT	19		✓	null	
scorm_scoes	Table	identifier	VARCHAR	255				
grade_items	Table	idnumber	VARCHAR	255	✓		null	Arbitrary idnumber provided module responsible

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
course_categories	Table	idnumber	VARCHAR	100	✓		null	
course	Table	idnumber	VARCHAR	100				
competency_framework	Table	idnumber	VARCHAR	100	✓		null	Unique idnumber for this competency framework.
payment_accounts	Table	idnumber	VARCHAR	100	✓		null	
groups	Table	idnumber	VARCHAR	100				
competency	Table	idnumber	VARCHAR	100	✓		null	
question_categories	Table	idnumber	VARCHAR	100	✓		null	
user	Table	idnumber	VARCHAR	255				
course_modules	Table	idnumber	VARCHAR	100	✓		null	customizable idnumber
question_bank_entries	Table	idnumber	VARCHAR	100	✓		null	Unique identifier, useful especially for mapping to external entities.
mnetSERVICE_enrol_courses	Table	idnumber	VARCHAR	100				
cohort	Table	idnumber	VARCHAR	100	✓		null	Unique identifier of a cohort, especially for mapping to external entities
grade_items_history	Table	idnumber	VARCHAR	255	✓		null	Arbitrary idnumber provided by module responsible
groupings	Table	idnumber	VARCHAR	100				
oauth2_issuer	Table	image	LONGTEXT	2147483647			null	
user	Table	imagealt	VARCHAR	255	✓		null	alt tag for user uploaded image
badge	Table	imageauthoremail	VARCHAR	255	✓		null	
badge	Table	imageauthorname	VARCHAR	255	✓		null	
badge	Table	imageauthorurl	VARCHAR	255	✓		null	
badge	Table	imagecaption	LONGTEXT	2147483647	✓		null	
grade_import_newitem	Table	importcode	BIGINT	19			null	import batch code for identifying one batch of imports
grade_import_values	Table	importcode	BIGINT	19			null	similar to backup_code, a unique code for identifying one batch of imports
bigbluebuttonbn_recordings	Table	imported	BIT	1			0	
bigbluebuttonbn_recordings	Table	importeddata	LONGTEXT	2147483647	✓		null	This is the remote recording data as json and kept for future reference
grade_import_values	Table	importer	BIGINT	19	✓		null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
grade_import_newitem	Table	importer	BIGINT	19			null	user importing the data
grade_import_values	Table	importonlyfeedback	BIT	1	√		0	
book_chapters	Table	importsrc	VARCHAR	255				
tool_monitor_subscriptions	Table	inactivedate	BIGINT	19			0	
choice	Table	includeinactive	TINYINT	3			1	
qtype_randomsamatch_options	Table	incorrectfeedback	LONGTEXT	2147483647			null	Feedback shown for any incorrect response.
qtype_ddimageortext	Table	incorrectfeedback	LONGTEXT	2147483647			null	Feedback shown for any incorrect response.
qtype_match_options	Table	incorrectfeedback	LONGTEXT	2147483647			null	Feedback shown for any incorrect response.
question_gapselect	Table	incorrectfeedback	LONGTEXT	2147483647			null	Feedback shown for any incorrect response.
question_calculated_options	Table	incorrectfeedback	LONGTEXT	2147483647	√		null	Feedback shown for any incorrect response.
qtype_ddmarker	Table	incorrectfeedback	LONGTEXT	2147483647			null	Feedback shown for any incorrect response.
question_ddwtos	Table	incorrectfeedback	LONGTEXT	2147483647			null	Feedback shown for any incorrect response.
qtype_multichoice_options	Table	incorrectfeedback	LONGTEXT	2147483647			null	Feedback shown for any incorrect response.
question_ddwtos	Table	incorrectfeedbackformat	TINYINT	3			0	
question_calculated_options	Table	incorrectfeedbackformat	TINYINT	3			0	
qtype_match_options	Table	incorrectfeedbackformat	TINYINT	3			0	
qtype_ddmarker	Table	incorrectfeedbackformat	TINYINT	3			0	
qtype_randomsamatch_options	Table	incorrectfeedbackformat	TINYINT	3			0	
qtype_ddimageortext	Table	incorrectfeedbackformat	TINYINT	3			0	
question_gapselect	Table	incorrectfeedbackformat	TINYINT	3			0	
qtype_multichoice_options	Table	incorrectfeedbackformat	TINYINT	3			0	
course_modules	Table	indent	MEDIUMINT	7			0	
search_index_requests	Table	indexpriority	BIGINT	19			null	Priority value so that important requests can be dealt with first; higher values are processed first
analytics_indicator_calc	Table	indicator	VARCHAR	255				

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
analytics_models_log	Table	indicators	LONGTEXT	2147483647			null	
analytics_models	Table	indicators	LONGTEXT	2147483647			null	
qtype_ddimageortext_drags	Table	infinite	SMALLINT	5			0	
qtype_ddmarker_drags	Table	infinite	SMALLINT	5			0	
question_categories	Table	info	LONGTEXT	2147483647			null	
upgrade_log	Table	info	VARCHAR	255				
log_queries	Table	info	LONGTEXT	2147483647	✓		null	detailed info such as error te
analytics_models_log	Table	info	LONGTEXT	2147483647	✓		null	
log	Table	info	VARCHAR	255				
mnet_log	Table	info	VARCHAR	255				
question_categories	Table	infoformat	TINYINT	3			0	
grade_grades_history	Table	information	LONGTEXT	2147483647	✓		null	optiona information
grade_grades	Table	information	LONGTEXT	2147483647	✓		null	optiona information
grade_grades	Table	informationformat	BIGINT	19			0	format of information text
grade_grades_history	Table	informationformat	BIGINT	19			0	format of information text
tool_brickfield_process	Table	innercontextid	BIGINT	19	✓		null	
user_private_key	Table	instance	BIGINT	19	✓		null	optional instance id
portfolio_instance_user	Table	instance	BIGINT	19			null	fk to instance table
portfolio_tempdata	Table	instance	BIGINT	19	✓		0	which portfolio plugin instan
							used	
course_modules	Table	instance	BIGINT	19			0	
portfolio_instance_config	Table	instance	BIGINT	19			null	instance of plugin we're conf
event	Table	instance	BIGINT	19			0	
context	Table	instanceid	BIGINT	19			0	
enrol_paypal	Table	instanceid	BIGINT	19			0	
customfield_data	Table	instanceid	BIGINT	19			null	
gradingform_guide_fillings	Table	instanceid	BIGINT	19			null	The ID of the grading form in
gradingform_rubric_fillings	Table	instanceid	BIGINT	19			null	The ID of the grading form in
tool_brickfield_schedule	Table	instanceid	BIGINT	19			null	The id of the specific contex
								Course id for courses.
repository_instance_config	Table	instanceid	BIGINT	19			null	
contentbank_content	Table	instanceid	BIGINT	19	✓		null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
enrol_lti_tools	Table	institution	VARCHAR	40				
user	Table	institution	VARCHAR	255				
workshop	Table	instructauthors	LONGTEXT	2147483647	✓		null	Instructions for the submission
workshop	Table	instructauthorsformat	SMALLINT	5			0	
lti	Table	instructorchoiceacceptgrades	BIT	1	✓		null	Accept grades from tool
lti	Table	instructorchoiceallowroster	BIT	1	✓		null	Allow the roster to be retrieved
lti	Table	instructorchoiceallowsetting	BIT	1	✓		null	Allow a tool to store a setting
lti	Table	instructorchoicesendemailaddr	BIT	1	✓		null	Send user's email
lti	Table	instructorchoicesendname	BIT	1	✓		null	Send user's name
lti	Table	instructorcustomparameters	LONGTEXT	2147483647	✓		null	Additional custom parameters by the instructor
workshop	Table	instructreviewers	LONGTEXT	2147483647	✓		null	Instructions for the assessment
workshop	Table	instructreviewersformat	SMALLINT	5			0	
h5pactivity_attempts_results	Table	interactiontype	VARCHAR	128	✓		null	
backup_controllers	Table	interactive	SMALLINT	5			null	is the backup interactive (1-y
events_handlers	Table	internal	TINYINT	3			1	1 means standard plugin handler indicates if event handler sends external systems, this is used example to prevent immediate of events from pending db trans
oauth2_user_field_mapping	Table	internalfield	VARCHAR	64				The name of the Moodle field field maps to.
badge_external_identifier	Table	internalid	VARCHAR	128				
book	Table	intro	LONGTEXT	2147483647	✓		null	
forum	Table	intro	LONGTEXT	2147483647			null	
workshop	Table	intro	LONGTEXT	2147483647	✓		null	The introduction or description activity
choice	Table	intro	LONGTEXT	2147483647			null	
scorm	Table	intro	LONGTEXT	2147483647			null	
folder	Table	intro	LONGTEXT	2147483647	✓		null	
resource_old	Table	intro	LONGTEXT	2147483647	✓		null	
imscp	Table	intro	LONGTEXT	2147483647	✓		null	
survey	Table	intro	LONGTEXT	2147483647			null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
lesson	Table	intro	LONGTEXT	2147483647	✓		null	
resource	Table	intro	LONGTEXT	2147483647	✓		null	
lti	Table	intro	LONGTEXT	2147483647	✓		null	General introduction of the b activity
page	Table	intro	LONGTEXT	2147483647	✓		null	
assign	Table	intro	LONGTEXT	2147483647			null	The description of the assign field is used by feature MOD_
feedback	Table	intro	LONGTEXT	2147483647			null	
wiki	Table	intro	LONGTEXT	2147483647	✓		null	General introduction of the w
survey_questions	Table	intro	VARCHAR	50				
chat	Table	intro	LONGTEXT	2147483647			null	
url	Table	intro	LONGTEXT	2147483647	✓		null	
data	Table	intro	LONGTEXT	2147483647			null	
glossary	Table	intro	LONGTEXT	2147483647			null	
h5pactivity	Table	intro	LONGTEXT	2147483647	✓		null	Activity description.
label	Table	intro	LONGTEXT	2147483647			null	
quiz	Table	intro	LONGTEXT	2147483647			null	Quiz introduction text.
assignment	Table	intro	LONGTEXT	2147483647			null	
bigbluebuttonbn	Table	intro	LONGTEXT	2147483647	✓		null	
glossary	Table	introformat	SMALLINT	5			0	
workshop	Table	introformat	SMALLINT	5			0	The format of the intro field
label	Table	introformat	SMALLINT	5	✓		0	
quiz	Table	introformat	SMALLINT	5			0	Quiz intro text format.
assign	Table	introformat	SMALLINT	5			0	The format of the description the assignment. This field is feature MOD_INTRO.
imscp	Table	introformat	SMALLINT	5			0	
assignment	Table	introformat	SMALLINT	5			0	
book	Table	introformat	SMALLINT	5			0	
resource	Table	introformat	SMALLINT	5			0	
page	Table	introformat	SMALLINT	5			0	
feedback	Table	introformat	SMALLINT	5			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
survey	Table	introformat	SMALLINT	5		0		intro text field format
h5pactivity	Table	introformat	SMALLINT	5		0		The format of the intro field.
chat	Table	introformat	SMALLINT	5		0		text format of intro field
url	Table	introformat	SMALLINT	5		0		
scorm	Table	introformat	SMALLINT	5		0		
data	Table	introformat	SMALLINT	5		0		
lti	Table	introformat	SMALLINT	5	√	0		Format of the intro field (MO HTML, MARKDOWN...)
wiki	Table	introformat	SMALLINT	5		0		Format of the intro field (MO HTML, MARKDOWN...)
forum	Table	introformat	SMALLINT	5		0		text format of intro field
bigbluebuttonbn	Table	introformat	SMALLINT	5		1		
choice	Table	introformat	SMALLINT	5		0		
resource_old	Table	introformat	SMALLINT	5		0		
folder	Table	introformat	SMALLINT	5		0		
lesson	Table	introformat	SMALLINT	5		0		
customfield_data	Table	intvalue	BIGINT	19	√	null		
log	Table	ip	VARCHAR	45				
mnet_log	Table	ip	VARCHAR	45				
logstore_standard_log	Table	ip	VARCHAR	45	√	null		IP address
chat_users	Table	ip	VARCHAR	45				
mnet_host	Table	ip_address	VARCHAR	45				
external_tokens	Table	iprestriction	VARCHAR	255	√	null		ip restriction
user_private_key	Table	iprestriction	VARCHAR	255	√	null		ip restriction
external_services_users	Table	iprestriction	VARCHAR	255	√	null		ip restriction
reportbuilder_filter	Table	iscondition	BIT	1		0		
adminpresets	Table	iscore	BIT	1		0		Whether this is a core preset which core preset
tool_brickfield_content	Table	iscurrent	BIT	1		0		
tag_coll	Table	isdefault	TINYINT	3		0		
feedback_template	Table	ispublic	BIT	1		0		
message_popup	Table	isread	BIT	1		0		

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
assignfeedback_editpdf_rot	Table	isrotated	BIT	1		0		Whether the page is rotated
tag	Table	isstandard	BIT	1		0		Whether this tag is standard
badge_criteria_met	Table	issuedid	BIGINT	19	√	null		
auth_lti_linked_login	Table	issuer	LONGTEXT	2147483647		null		
auth_lti_linked_login	Table	issuer256	VARCHAR	64				SHA256 hash of the issuer from the platform user originates.
badge	Table	issuercontact	VARCHAR	255	√	null		
badge_endorsement	Table	issueremail	VARCHAR	255				
oauth2_endpoint	Table	issuerid	BIGINT	19		null		The identity provider this server belongs to.
oauth2_user_field_mapping	Table	issuerid	BIGINT	19		null		The oauth issuer.
oauth2_access_token	Table	issuerid	BIGINT	19		null		Corresponding oauth2 issuer
auth_oauth2_linked_login	Table	issuerid	BIGINT	19		null		
oauth2_system_account	Table	issuerid	BIGINT	19		null		The id of the oauth 2 identity
oauth2_refresh_token	Table	issuerid	BIGINT	19		null		Corresponding oauth2 issuer
badge_backpack_oauth2	Table	issuerid	BIGINT	19		null		
badge_manual_award	Table	issuerid	BIGINT	19		null		
badge	Table	issuename	VARCHAR	255				
badge_endorsement	Table	issuename	VARCHAR	255				
badge_issued	Table	issuernotified	BIGINT	19	√	null		
badge_manual_award	Table	issuerrrole	BIGINT	19		null		
badge	Table	issuerurl	VARCHAR	255				
badge_endorsement	Table	issuerurl	VARCHAR	255				
chat_messages_current	Table	issystem	BIT	1		0		
chat_messages	Table	issystem	BIT	1		0		
feedback_valuetmp	Table	item	BIGINT	19		0		
feedback_value	Table	item	BIGINT	19		0		
tool_brickfield_process	Table	item	VARCHAR	64	√	null		The item for process action.
enrol_paypal	Table	item_name	VARCHAR	255				
question_dataset_definitions	Table	itemcount	BIGINT	19		0		
role_assignments	Table	itemid	BIGINT	19		0		Id of enrolment/auth instance responsible for this role assignment

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
grade_import_values	Table	itemid	BIGINT	19	✓		null	if set, this points to existing grade id
reportbuilder_report	Table	itemid	BIGINT	19			0	
groups_members	Table	itemid	BIGINT	19			0	If the 'component' field is set, it can be used to define the instance of the component that created the group. Otherwise should be left as 0.
tool_brickfield_areas	Table	itemid	BIGINT	19	✓		null	
comments	Table	itemid	BIGINT	19			null	
question_references	Table	itemid	BIGINT	19	✓		null	Plugin specific id (e.g. slotid) where its used.
question_set_references	Table	itemid	BIGINT	19	✓		null	Plugin specific id (e.g. slotid) where its used.
grading_instances	Table	itemid	BIGINT	19	✓		null	This identifies the graded item and the grabable area
repository_onedrive_access	Table	itemid	VARCHAR	255				The item id in OneDrive.
rating	Table	itemid	BIGINT	19			null	
grade_grades	Table	itemid	BIGINT	19			null	The item this grade belongs to
adminpresets_it_a	Table	itemid	BIGINT	19			null	
favourite	Table	itemid	BIGINT	19			null	The identifier of the item which is favourited.
search_simpledb_index	Table	itemid	BIGINT	19			null	
files	Table	itemid	BIGINT	19			null	Optional - some plugin specific (eg. forum post, blog entry or assignment submission, user files)
backup_controllers	Table	itemid	BIGINT	19			null	id of the module/section/activity backup
message_conversations	Table	itemid	BIGINT	19	✓		null	
payments	Table	itemid	BIGINT	19			null	
grade_grades_history	Table	itemid	BIGINT	19			null	The item this grade belongs to
customfield_category	Table	itemid	BIGINT	19			0	
tag_instance	Table	itemid	BIGINT	19			null	
grade_items_history	Table	iteminfo	LONGTEXT	2147483647	✓		null	Info and notes about this item

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
grade_items	Table	iteminfo	LONGTEXT	2147483647	✓		null	Info and notes about this item
grade_items_history	Table	iteminstance	BIGINT	19	✓		null	id of the item module
grade_items	Table	iteminstance	BIGINT	19	✓		null	id of the item module
grade_items_history	Table	itemmodule	VARCHAR	30	✓		null	'forum', 'quiz', 'csv', etc
grade_items	Table	itemmodule	VARCHAR	30	✓		null	'forum', 'quiz', 'csv', etc
adminpresets_app_it_a	Table	itemname	VARCHAR	100	✓		null	Necessary to rollback
grade_items_history	Table	itemname	VARCHAR	255	✓		null	The name of this item (pushed to module)
grade_items	Table	itemname	VARCHAR	255	✓		null	The name of this item (pushed to module)
grade_import_newitem	Table	itemname	VARCHAR	255				new grade item name
forum_grades	Table	itemnumber	BIGINT	19			null	The grade itemnumber
grade_items	Table	itemnumber	BIGINT	19	✓		null	Can be used to distinguish multiple grades for an activity
question_dataset_items	Table	itemnumber	BIGINT	19			0	
grade_items_history	Table	itemnumber	BIGINT	19	✓		null	Can be used to distinguish multiple grades for an activity
grade_items	Table	itemtype	VARCHAR	30				'mod', 'blocks', 'import', 'calculator'
message_conversations	Table	itemtype	VARCHAR	100	✓		null	
tag_area	Table	itemtype	VARCHAR	100				
favourite	Table	itemtype	VARCHAR	100				The type of the item which is favoured. Usually a table name doesn't have to be. E.g. 'message_conversations'.
grade_items_history	Table	itemtype	VARCHAR	30				'mod', 'blocks', 'import', 'calculator'
tag_instance	Table	itemtype	VARCHAR	100				
h5p	Table	jsoncontent	LONGTEXT	2147483647			null	The content in json format
data	Table	jstemplate	LONGTEXT	2147483647	✓		null	
lesson_answers	Table	jump_to	BIGINT	19			0	
enrol_lti_app_registration	Table	jwturl	LONGTEXT	2147483647	✓		null	The JSON Web Key Set URL for the platform
chat	Table	keepdays	BIGINT	19			0	
grade_categories	Table	keephigh	BIGINT	19			0	Keep only the X highest items

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
grade_categories_history	Table	keephigh	BIGINT	19			0	Keep only the X highest items
imscp	Table	keepold	BIGINT	19			-1	incremented when after each changes, solves browser cache
quiz_statistics	Table	kurtosis	DECIMAL	15	√		null	
qtype_ddimageortext_drops	Table	label	LONGTEXT	2147483647			null	Alt label for drop box
feedback_item	Table	label	VARCHAR	255				
qtype_ddmarker_drag	Table	label	LONGTEXT	2147483647			null	Alt text label for drag-able im
qtype_ddimageortext_drag	Table	label	LONGTEXT	2147483647			null	Alt text label for drag-able im
tool_customlang	Table	lang	VARCHAR	20				The code of the language this belongs to. Like en, cs or es
tool_policy_acceptances	Table	lang	VARCHAR	30				Code of the language the user the policy document was dis
course	Table	lang	VARCHAR	30				
enrol_lti_tools	Table	lang	VARCHAR	30			en	
user	Table	lang	VARCHAR	30			en	
chat_users	Table	lang	VARCHAR	30				
badge	Table	language	VARCHAR	255	√		null	
mnet_host	Table	last_connect_time	BIGINT	19			0	
mnet_host	Table	last_log_id	BIGINT	19			0	
user	Table	lastaccess	BIGINT	19			0	
enrol_lti_users	Table	lastaccess	BIGINT	19	√		null	The time the user last access
enrol_lti_lti2_consumer	Table	lastaccess	BIGINT	19	√		null	
external_tokens	Table	lastaccess	BIGINT	19	√		null	last access timestamp
lti_access_tokens	Table	lastaccess	BIGINT	19	√		null	last access timestamp
scorm	Table	lastattemptlock	BIT	1			0	
quiz_statistics	Table	lastattemptsavg	DECIMAL	15	√		null	
quiz_statistics	Table	lastattemptscount	BIGINT	19			null	
modules	Table	lastcron	BIGINT	19			0	
block	Table	lastcron	BIGINT	19			0	
backup_courses	Table	lastendtime	BIGINT	19			0	
enrol_lti_users	Table	lastgrade	DECIMAL	10	√		null	The last grade that was sent
sessions	Table	lastip	VARCHAR	45	√		null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
user	Table	lastip	VARCHAR	45				
user	Table	lastlogin	BIGINT	19			0	
chat_users	Table	lastmessageping	BIGINT	19			0	
post	Table	lastmodified	BIGINT	19			0	
user	Table	lastname	VARCHAR	100				
user	Table	lastnamephonetic	VARCHAR	255	√		null	Last name phonetic
tool_monitor_subscriptions	Table	lastnotificationsent	BIGINT	19			0	Timestamp of the time when notification was last sent for subscription.
chat_users	Table	lastping	BIGINT	19			0	
forum_read	Table	lastread	BIGINT	19			0	
task_scheduled	Table	lastruntime	BIGINT	19	√		null	
backup_courses	Table	laststarttime	BIGINT	19			0	
backup_courses	Table	laststatus	VARCHAR	1			5	
files_reference	Table	lastsync	BIGINT	19	√		null	Last time the proxy file was s repository
event_subscriptions	Table	lastupdated	BIGINT	19	√		null	
workshop_submissions	Table	late	TINYINT	3			0	Has this submission been su after the deadline or during t assessment phase?
lesson_grades	Table	late	SMALLINT	5			0	
assign_submission	Table	latest	TINYINT	3			0	Greatly simplifies queries wa know information about only attempt.
workshop	Table	latesubmissions	TINYINT	3	√		0	Allow submitting the work af deadline
scorm_scoes	Table	launch	LONGTEXT	2147483647			null	
scorm	Table	launch	BIGINT	19			0	
lti	Table	launchcontainer	TINYINT	3			1	Launch external tool in a pop
lti_submission	Table	launchid	BIGINT	19			null	
tool_dataprivacy_purpose	Table	lawfulbases	LONGTEXT	2147483647			null	Comma-separated IDs match records in tool_dataprivacy_L
tool_dataprivacy_purposerole	Table	lawfulbases	LONGTEXT	2147483647	√		null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
quiz_attempts	Table	layout	LONGTEXT	2147483647			null	
lesson_pages	Table	layout	SMALLINT	5			1	
qtype_multichoice_options	Table	layout	SMALLINT	5			0	Not used. Was intended for a horizontal layout option. See MDL-18445.
workshopform_rubric_config	Table	layout	VARCHAR	30	✓		list	How should the rubric be displayed to reviewers
enrol_lti_deployment	Table	legacyconsumerkey	VARCHAR	255	✓		null	The legacy consumer key made available in this deployment, if the deployment represents a migrated tool.
course	Table	legacyfiles	SMALLINT	5			0	course files are not necessarily enabled 0 no legacy files, 1 legacy files enabled, 2 legacy files enabled
resource	Table	legacyfiles	SMALLINT	5			0	
page	Table	legacyfiles	SMALLINT	5			0	
resource	Table	legacyfileslast	BIGINT	19	✓		null	
page	Table	legacyfileslast	BIGINT	19	✓		null	
question	Table	length	BIGINT	19			1	
lesson_answers	Table	lessonid	BIGINT	19			0	
lesson_attempts	Table	lessonid	BIGINT	19			0	
lesson_pages	Table	lessonid	BIGINT	19			0	
lesson_grades	Table	lessonid	BIGINT	19			0	
lesson_branch	Table	lessonid	BIGINT	19			0	
lesson_overrides	Table	lessonid	BIGINT	19			0	Foreign key references lessons
lesson_timer	Table	lessonid	BIGINT	19			0	
scorm_aicc_session	Table	lessonstatus	VARCHAR	255	✓		null	
lesson_timer	Table	lesstontime	BIGINT	19			0	
grade_letters	Table	letter	VARCHAR	255				The display value of the letter grade, any character or string of characters (OK, A, 10% etc..)
gradingform_rubric_fillings	Table	levelid	BIGINT	19	✓		null	If a particular level was selected in the assessment, its ID is stored here
h5p_libraries_cachedassets	Table	libraryid	BIGINT	19			null	
h5p_contents_libraries	Table	libraryid	BIGINT	19			null	The identifier of a H5P library

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								content uses
h5p_library_dependencies	Table	libraryid	BIGINT	19			null	The id of a H5P library.
files	Table	license	VARCHAR	255	✓		null	license of the file to guide re
choice	Table	limitanswers	TINYINT	3			0	
enrol_lti_resource_link	Table	lineitemscope	VARCHAR	255	✓		null	The ags line items authoriza
enrol_lti_resource_link	Table	lineitemservice	VARCHAR	1333	✓		null	The URL for the line item ser one line item present).
enrol_lti_resource_link	Table	lineitemsservice	VARCHAR	1333	✓		null	The URL for the line items se this resource link
tool_brickfield_errors	Table	linenumber	BIGINT	19			0	
tool_monitor_events	Table	link	VARCHAR	254				Link to the event location
quizaccess_seb_quizsettings	Table	linkquitseb	LONGTEXT	2147483647	✓		null	Link to exit SEB.
data	Table	listtemplate	LONGTEXT	2147483647	✓		null	
data	Table	listtemplatefooter	LONGTEXT	2147483647	✓		null	
data	Table	listtemplateheader	LONGTEXT	2147483647	✓		null	
tool_customlang	Table	local	LONGTEXT	2147483647	✓		null	Local customization of the s not customized
event	Table	location	LONGTEXT	2147483647	✓		null	Event Location
forum	Table	lockdiscussionafter	BIGINT	19			0	
grade_items_history	Table	locked	BIGINT	19			0	1 is locked, > 1 is a date to (prevents update)
grade_grades	Table	locked	BIGINT	19			0	not locked 0, locked from da
context	Table	locked	TINYINT	3			0	Whether this context and its locked
context_temp	Table	locked	TINYINT	3			0	Whether this context and its locked
assign_user_flags	Table	locked	BIGINT	19			0	Student cannot make any ch their submission if this flag i
grade_items	Table	locked	BIGINT	19			0	1 is locked, > 1 is a date to (prevents update)
user_info_field	Table	locked	TINYINT	3			0	Field locked
grade_grades_history	Table	locked	BIGINT	19			0	not locked 0, locked from da
wiki_locks	Table	lockedat	BIGINT	19			0	timestamp

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
bigbluebuttonbn	Table	lockedlayout	BIT	1			0	
bigbluebuttonbn	Table	lockonjoin	BIT	1			0	
bigbluebuttonbn	Table	lockonjoinconfigurable	BIT	1			0	
grade_grades	Table	locktime	BIGINT	19			0	automatic locking of final grade means none, date otherwise
grade_grades_history	Table	locktime	BIGINT	19			0	automatic locking of final grade means none, date otherwise
grade_items_history	Table	locktime	BIGINT	19			0	lock all final grades after this time
grade_items	Table	locktime	BIGINT	19			0	lock all final grades after this time
bigbluebuttonbn_logs	Table	log	VARCHAR	32				
grade_categories_history	Table	loggeduser	BIGINT	19	√		null	the userid of the person who modified this outcome
scale_history	Table	loggeduser	BIGINT	19	√		null	the userid of the person who modified this outcome
grade_grades_history	Table	loggeduser	BIGINT	19	√		null	the userid of the person who modified this outcome
grade_items_history	Table	loggeduser	BIGINT	19	√		null	the userid of the person who modified this outcome
grade_outcomes_history	Table	loggeduser	BIGINT	19	√		null	the userid of the person who modified this outcome
oauth2_issuer	Table	loginpagename	VARCHAR	255	√		null	
oauth2_issuer	Table	loginparams	LONGTEXT	2147483647			null	Additional parameters sent for login attempt.
oauth2_issuer	Table	loginparamsoffline	LONGTEXT	2147483647			null	Additional parameters sent for login attempt to generate a refresh token.
oauth2_issuer	Table	loginscopes	LONGTEXT	2147483647			null	The scopes requested for a new login attempt.
oauth2_issuer	Table	loginscopesoffline	LONGTEXT	2147483647			null	The scopes requested for a login attempt to generate a refresh token.
backup_logs	Table	loglevel	SMALLINT	5			null	level of the log (debug...error)
grade_letters	Table	lowerboundary	DECIMAL	10			null	The lower boundary of the letter. The upper boundary is the lower letter or the next highest letter, unless none above, in which case it's the next highest letter.

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
enrol_lti_resource_link	Table	lticontextid	BIGINT	19	√		null	The id of the enrol_lti_context containing information about the context from which this resource originates.
enrol_lti_lti2_context	Table	lticontextkey	VARCHAR	255				
enrol_lti_resource_link	Table	ltideploymentid	BIGINT	19			null	The id of the enrol_lti_deployment record containing the deployment information.
enrol_lti_context	Table	ltideploymentid	BIGINT	19			null	The id of the enrol_lti_deployment record containing the deployment information.
enrol_lti_users	Table	ltideploymentid	BIGINT	19	√		null	
lti_submission	Table	ltiid	BIGINT	19			null	ID of the LTI tool instance
ltiservice_gradebookservices	Table	ltilinkid	BIGINT	19	√		null	ID of the LTI element related to the lineitem.
enrol_lti_lti2_resource_link	Table	ltiresourcelinkkey	VARCHAR	255				
enrol_lti_lti2_user_result	Table	ltireultsourcedid	VARCHAR	1024				
enrol_lti_user_resource_link	Table	ltiuserid	BIGINT	19			null	The id of the enrol_lti_users record
enrol_lti_lti2_user_result	Table	ltiuserkey	VARCHAR	255				
lti_types	Table	ltiversion	VARCHAR	10				
enrol_lti_lti2_consumer	Table	ltiversion	VARCHAR	10	√		null	
enrol_lti_tools	Table	ltiversion	VARCHAR	15			LTI-1p3	
h5p_libraries	Table	machinename	VARCHAR	255				The library machine name
user	Table	maildigest	BIT	1			0	
forum_digests	Table	maildigest	BIT	1			-1	
enrol_lti_tools	Table	maildisplay	TINYINT	3			2	
user	Table	maildisplay	TINYINT	3			2	
assignment_submissions	Table	mailed	BIT	1			0	
forum_posts	Table	mailed	TINYINT	3			0	
assign_user_flags	Table	mailed	SMALLINT	5			0	Has the student been sent a message about this grade update?
user	Table	mailformat	BIT	1			1	
forum_posts	Table	mailnow	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
glossary	Table	mainglossary	TINYINT	3			0	
h5p	Table	mainlibraryid	BIGINT	19			null	The library we first instantiated this node
h5p_libraries	Table	majorversion	SMALLINT	5			null	
data	Table	manageapproved	SMALLINT	5			1	
scorm_scoes	Table	manifest	VARCHAR	255				
course	Table	marker	BIGINT	19			0	
assign	Table	markingallocation	TINYINT	3			0	If enabled, marking allocation will be used in this assignment
assign	Table	markingworkflow	TINYINT	3			0	If enabled, marking workflow will be used in this assignment
tool_customlang	Table	master	LONGTEXT	2147483647	√		null	Master translation of the strings distributed in the official language if not translated
scorm	Table	masteryoverride	BIT	1			1	
choice_options	Table	maxanswers	BIGINT	19	√		0	
lesson	Table	maxanswers	SMALLINT	5			4	
forum	Table	maxattachments	BIGINT	19			1	Number of attachments allowed per post
scorm	Table	maxattempt	BIGINT	19			1	
assign	Table	maxattempts	MEDIUMINT	7			-1	What is the maximum number of student attempts allowed for this assignment? -1 means unlimited
lesson	Table	maxattempts	SMALLINT	5			5	
lesson_overrides	Table	maxattempts	SMALLINT	5	√		null	
assignment	Table	maxbytes	BIGINT	19			100000	
workshop	Table	maxbytes	BIGINT	19	√		100000	Maximum size of the one attachment
forum	Table	maxbytes	BIGINT	19			0	
course	Table	maxbytes	BIGINT	19			0	
qtype_essay_options	Table	maxbytes	BIGINT	19			0	Maximum size of attached files
enrol_lti_tools	Table	maxenrolled	BIGINT	19			0	
data	Table	maxentries	INT	10			0	
question_attempts	Table	maxfraction	DECIMAL	12			1.0000000	Some questions can give fractional marks

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								greater than 1. This indicates greatest fraction that can be
scorm	Table	maxgrade	DOUBLE	22			0	
quiz_feedback	Table	maxgrade	DECIMAL	10			0.00000	The upper limit of this grade Exclusive.
question_attempts	Table	maxmark	DECIMAL	12			null	The grade this question is m of in this attempt.
quiz_slots	Table	maxmark	DECIMAL	12			0.0000000	How many marks this questi contributes to quiz.sumgrad
question_statistics	Table	maxmark	DECIMAL	12	√		null	
lesson	Table	maxpages	SMALLINT	5			0	
gradingform_guide_criteria	Table	maxscore	DECIMAL	10			null	maximum grade that can be using this criterion
h5pactivity_attempts	Table	maxscore	BIGINT	19	√		0	
h5pactivity_attempts_results	Table	maxscore	BIGINT	19			0	
qtype_essay_options	Table	maxwordlimit	BIGINT	19	√		null	Maximum number of words
scorm	Table	md5hash	VARCHAR	32				MD5 Hash of package file
cache_filters	Table	md5key	VARCHAR	32				
scorm_seq_rulecond	Table	measurethreshold	FLOAT	11			0.0000	
lesson	Table	mediaclose	SMALLINT	5			0	
lesson	Table	mediafile	VARCHAR	255				Local file path or full externa
lesson	Table	mediaheight	BIGINT	19			100	
quiz_statistics	Table	median	DECIMAL	15	√		null	
lesson	Table	mediawidth	BIGINT	19			650	
bigbluebuttonbn_logs	Table	meetingid	VARCHAR	256				
bigbluebuttonbn	Table	meetingid	VARCHAR	255				
enrol_lti_users	Table	membershipsid	LONGTEXT	2147483647	√		null	
enrol_lti_users	Table	membershipsurl	LONGTEXT	2147483647	√		null	
enrol_lti_tools	Table	membersync	BIT	1			0	
enrol_lti_tools	Table	membersyncmode	BIT	1			0	
enrol_paypal	Table	memo	VARCHAR	255				
forum_posts	Table	message	LONGTEXT	2147483647			null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
badge	Table	message	LONGTEXT	2147483647			null	
reportbuilder_schedule	Table	message	LONGTEXT	2147483647			null	
chat_messages_current	Table	message	LONGTEXT	2147483647			null	
backup_logs	Table	message	LONGTEXT	2147483647			null	text logged
chat_messages	Table	message	LONGTEXT	2147483647			null	
reportbuilder_schedule	Table	messageformat	BIGINT	19			null	
forum_posts	Table	messageformat	TINYINT	3			0	
message_user_actions	Table	messageid	BIGINT	19			null	
message_popup	Table	messageid	BIGINT	19			null	
messageinbound_messagelist	Table	messageid	LONGTEXT	2147483647			null	
message_email_messages	Table	messageid	BIGINT	19			null	
badge	Table	messagesubject	LONGTEXT	2147483647			null	
forum_posts	Table	messagetrust	TINYINT	3			0	
bigbluebuttonbn_logs	Table	meta	LONGTEXT	2147483647	✓		null	
h5p_libraries	Table	metadatasettings	LONGTEXT	2147483647	✓		null	Library metadata settings
course_completion_aggr_methd	Table	method	BIT	1			0	1 = all, 2 = any, 3 = fraction, 4 = none
grading_definitions	Table	method	VARCHAR	100				The name of the plugin providing the grading form
badge_criteria	Table	method	BIT	1			1	1 = all, 2 = any
external_functions	Table	methodname	VARCHAR	100				
user	Table	middlename	VARCHAR	255	✓		null	Middle name
resource_old	Table	migrated	BIGINT	19			0	
files	Table	mimetype	VARCHAR	100	✓		null	type of file - jpeg image, open document, spreadsheet
question_attempts	Table	minfraction	DECIMAL	12			null	Some questions can award more than one mark. This indicates the maximum mark that can be awarded, on a 0 to 1 fraction scale where the maximum positive mark is 1.
quiz_feedback	Table	mingrade	DECIMAL	10			0.00000	The lower limit of this grade is inclusive.
scorm_seq_rolluprule	Table	minimumcount	BIGINT	19			0	
scorm_seq_rolluprule	Table	minimumpercent	FLOAT	11			0.0000	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
scorm_seq_objective	Table	minnormalizedmeasure	FLOAT	11			0.0000	
h5p_libraries	Table	minorversion	SMALLINT	5			null	
lesson	Table	minquestions	SMALLINT	5			0	
task_scheduled	Table	minute	VARCHAR	200				
qtype_essay_options	Table	minwordlimit	BIGINT	19	√		null	Minimum number of words
mnet_sso_access_control	Table	mnet_host_id	BIGINT	19			0	id of mnet host
mnet_session	Table	mnethostid	BIGINT	19			0	Unique remote host ID
user	Table	mnethostid	BIGINT	19			0	
lesson	Table	modattempts	SMALLINT	5			0	
user_devices	Table	model	VARCHAR	32				the device model, Nexus 4 or
analytics_train_samples	Table	modelid	BIGINT	19			null	
analytics_used_analysables	Table	modelid	BIGINT	19			null	
analytics_predict_samples	Table	modelid	BIGINT	19			null	
analytics_used_files	Table	modelid	BIGINT	19			0	
analytics_models_log	Table	modelid	BIGINT	19			null	
analytics_predictions	Table	modelid	BIGINT	19			null	
bigbluebuttonbn	Table	moderatorpass	VARCHAR	255				
tool_customlang	Table	modified	SMALLINT	5	√		0	Has the string been modified translator?
forum_posts	Table	modified	BIGINT	19			0	
search_simplifiedb_index	Table	modified	BIGINT	19			null	
question	Table	modifiedby	BIGINT	19	√		null	userid of person who last ed question
user_enrolments	Table	modifierid	BIGINT	19			0	
role_assignments	Table	modifierid	BIGINT	19			0	
role_capabilities	Table	modifierid	BIGINT	19			0	
block_recent_activity	Table	modname	VARCHAR	20	√		null	module type name (for delet
log	Table	module	VARCHAR	20				
post	Table	module	VARCHAR	20				
log_display	Table	module	VARCHAR	20				
course_modules	Table	module	BIGINT	19			0	
tool_recyclebin_course	Table	module	BIGINT	19			null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
course_completion_criteria	Table	module	VARCHAR	100	✓		null	Type of module (if using module type)
course_completion_defaults	Table	module	BIGINT	19			null	
mnet_log	Table	module	VARCHAR	20				
post	Table	moduleid	BIGINT	19			0	
course_completion_criteria	Table	moduleinstance	BIGINT	19	✓		null	Module instance id (if using criteria type)
event	Table	modulename	VARCHAR	20				
task_scheduled	Table	month	VARCHAR	30				
user	Table	moodlenetprofile	VARCHAR	255	✓		null	Moodle.net profile information
adminpresets	Table	moodlerelease	VARCHAR	255				
adminpresets	Table	moodleversion	VARCHAR	20				
log_display	Table	mtable	VARCHAR	30				
grade_items_history	Table	multifactor	DECIMAL	10			1.00000	Multiply all grades by this
grade_items	Table	multifactor	DECIMAL	10			1.00000	Multiply all grades by this
survey_questions	Table	multi	VARCHAR	100				
feedback	Table	multiple_submit	BIT	1			1	
tag_area	Table	multiplecontexts	BIT	1			0	Whether the tag area allows instances to be created in multiple contexts.
question_numerical_units	Table	multiplier	DECIMAL	38			1.00000000000000000000	The multiplier for this unit. For example, if the first unit is (1.0, 'cm'), a second unit might be (0.1, 'mm') or (100.0, 'm').
bigbluebuttonbn	Table	muteonstart	BIT	1			0	
quizaccess_seb_quizsettings	Table	muteonstartup	BIT	1	✓		null	Bool whether browser starts muted
tool_monitor_rules	Table	name	VARCHAR	254				Name of the rule
tool_recyclebin_course	Table	name	VARCHAR	255	✓		null	
grade_settings	Table	name	VARCHAR	255				
modules	Table	name	VARCHAR	20				
glossary	Table	name	VARCHAR	255				
my_pages	Table	name	VARCHAR	200				The page name (freeform text)
enrol	Table	name	VARCHAR	255	✓		null	Optional instance name
reportbuilder_schedule	Table	name	VARCHAR	255				

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
question_attempt_step_data	Table	name	VARCHAR	32				The name of this bit of data.
forum_discussions	Table	name	VARCHAR	255				
customfield_field	Table	name	VARCHAR	400				
feedback	Table	name	VARCHAR	255				
feedback_template	Table	name	VARCHAR	255				
lti_tool_proxies	Table	name	VARCHAR	255			Tool Provider	Tool Provider name
external_services	Table	name	VARCHAR	200				
label	Table	name	VARCHAR	255				
course_sections	Table	name	VARCHAR	255	✓		null	
question_categories	Table	name	VARCHAR	255				
portfolio_instance	Table	name	VARCHAR	255				name of plugin instance
message_conversations	Table	name	VARCHAR	255	✓		null	
portfolio_instance_user	Table	name	VARCHAR	255				name of config item
scale	Table	name	VARCHAR	255				
grading_definitions	Table	name	VARCHAR	255				The title of the form that helps identify it
data_fields	Table	name	VARCHAR	255				
course_categories	Table	name	VARCHAR	255				
filter_config	Table	name	VARCHAR	255				The config variable name.
external_functions	Table	name	VARCHAR	200				
question_dataset_definitions	Table	name	VARCHAR	255				
tool_dataprivacy_purpose	Table	name	VARCHAR	100				
contentbank_content	Table	name	VARCHAR	255				
choice	Table	name	VARCHAR	255				
workshop	Table	name	VARCHAR	255				Name of the activity
wiki	Table	name	VARCHAR	255			Wiki	name field for moodle instance
data	Table	name	VARCHAR	255				
user_info_category	Table	name	VARCHAR	255				Category name
adminpresets_it	Table	name	VARCHAR	100				
user_preferences	Table	name	VARCHAR	255				
mnet_application	Table	name	VARCHAR	50				

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
question	Table	name	VARCHAR	255				
bigbluebuttonbn	Table	name	VARCHAR	255				
groups	Table	name	VARCHAR	254				Short human readable unique name for the group.
competency_plan	Table	name	VARCHAR	100				
message_providers	Table	name	VARCHAR	100				The full name of the message provider in standard form
tag_coll	Table	name	VARCHAR	255	√		null	
mnet_host	Table	name	VARCHAR	80				
lti_types_config	Table	name	VARCHAR	100				Basic LTI param
role	Table	name	VARCHAR	255				Empty names are automatically localised
scorm_scoes_data	Table	name	VARCHAR	255				
book	Table	name	VARCHAR	255				
user_devices	Table	name	VARCHAR	32				the device name, occam or if not
enrol_lti_deployment	Table	name	VARCHAR	255				A short name identifying the deployment to users
repository_instance_config	Table	name	VARCHAR	255				
glossary_categories	Table	name	VARCHAR	255				
payment_accounts	Table	name	VARCHAR	255				
badge_criteria_param	Table	name	VARCHAR	255				
glossary_formats	Table	name	VARCHAR	50				
url	Table	name	VARCHAR	255				
groupings	Table	name	VARCHAR	255				Short human readable unique name for group.
lti_types	Table	name	VARCHAR	255			basiclti Activity	Activity name
badge	Table	name	VARCHAR	255				
config_plugins	Table	name	VARCHAR	100				
forum	Table	name	VARCHAR	255				
survey	Table	name	VARCHAR	255				
assign_plugin_config	Table	name	VARCHAR	28				
cohort	Table	name	VARCHAR	254				Short human readable name for cohort, does not have to be unique

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
tool_dataprivacy_category	Table	name	VARCHAR	100				
config_log	Table	name	VARCHAR	100				
resource_old	Table	name	VARCHAR	255				
oauth2_issuer	Table	name	VARCHAR	255				The name of this identity issuer
event_subscriptions	Table	name	VARCHAR	255				
tool_policy_versions	Table	name	VARCHAR	1333				Name of the policy document
page	Table	name	VARCHAR	255				
imscp	Table	name	VARCHAR	255				
enrol_lti_app_registration	Table	name	VARCHAR	255				Common name to identify the app to users
blog_external	Table	name	VARCHAR	255				
adminpresets_it_a	Table	name	VARCHAR	100				
folder	Table	name	VARCHAR	255				
cache_flags	Table	name	VARCHAR	255				
quiz_reports	Table	name	VARCHAR	255	√		null	name of the report, same as directory name
resource	Table	name	VARCHAR	255				
capabilities	Table	name	VARCHAR	255				
enrol_lti_lti2_consumer	Table	name	VARCHAR	50				
repository_instances	Table	name	VARCHAR	255				
lesson	Table	name	VARCHAR	255				
reportbuilder_report	Table	name	VARCHAR	255	√		null	
quiz	Table	name	VARCHAR	255				Quiz name.
event	Table	name	LONGTEXT	2147483647			null	
scorm	Table	name	VARCHAR	255				
analytics_models	Table	name	VARCHAR	1333	√		null	Explicit name of the model, target name is used when left blank
assign	Table	name	VARCHAR	255				The name of the instance of assignment. Displayed at the top of each page.
customfield_category	Table	name	VARCHAR	400				
h5pactivity	Table	name	VARCHAR	255				The name of the activity model instance

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
lti	Table	name	VARCHAR	255				name field for moodle instan
assignment	Table	name	VARCHAR	255				
adminpresets_plug	Table	name	VARCHAR	100				
mnet_service	Table	name	VARCHAR	40				
feedback_item	Table	name	VARCHAR	255				
portfolio_instance_config	Table	name	VARCHAR	255				config field
role_names	Table	name	VARCHAR	255				
tag	Table	name	VARCHAR	255				
competency_userevidence	Table	name	VARCHAR	100				
quizaccess_seb_template	Table	name	VARCHAR	255				Name of the template
chat	Table	name	VARCHAR	255				
config	Table	name	VARCHAR	255				
user_info_field	Table	name	LONGTEXT	2147483647		null		field name
course_format_options	Table	name	VARCHAR	100				Name of the format option
adminpresets_app_plug	Table	name	VARCHAR	100				
block	Table	name	VARCHAR	40				
tool_usertours_tours	Table	name	VARCHAR	255				Name of the user tour
message_processors	Table	name	VARCHAR	166				Name of the message proce
scale_history	Table	name	VARCHAR	255				
adminpresets	Table	name	VARCHAR	255				
oauth2_endpoint	Table	name	VARCHAR	255				The service name.
tool_customlang_components	Table	name	VARCHAR	255				The normalized name of the
workshop	Table	nattachments	SMALLINT	5	√	1		Maximum number of submis attachments
scorm	Table	nav	BIT	1		1		
quiz	Table	navmethod	VARCHAR	16		free		Any constraints on how the u allowed to navigate around t Currently recognised values and 'seq'.
scorm	Table	navpositionleft	BIGINT	19	√	-100		
scorm	Table	navpositiontop	BIGINT	19	√	-100		
book	Table	navstyle	SMALLINT	5		1		

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
grade_items_history	Table	needsupdate	BIGINT	19			0	If this flag is set, then the whole table will be recalculated
grade_items	Table	needsupdate	BIGINT	19			0	If this flag is set, then the whole table will be recalculated
question_statistics	Table	negcovar	TINYINT	3			0	
assignment_upgrade	Table	newcmid	BIGINT	19			0	
quiz_overview_regrades	Table	newfraction	DECIMAL	12	√		null	The new fraction for this question_attempt after regrade
grade_import_values	Table	newgradeitem	BIGINT	19	√		null	if set, points to the id of grade_import_newitem
resource_old	Table	newid	BIGINT	19	√		null	
assignment_upgrade	Table	newinstance	BIGINT	19			0	
resource_old	Table	newmodule	VARCHAR	50	√		null	
course	Table	newsitems	MEDIUMINT	7			1	
badge	Table	nextcron	BIGINT	19	√		null	
lesson	Table	nextpagedefault	SMALLINT	5			0	
lesson_branch	Table	nextpageid	BIGINT	19			0	
lesson_pages	Table	nextpageid	BIGINT	19			0	
task_adhoc	Table	nextruntime	BIGINT	19			null	
task_scheduled	Table	nextruntime	BIGINT	19	√		null	
backup_courses	Table	nextstarttime	BIGINT	19			0	
qtype_ddimageortext_drag	Table	no	BIGINT	19			0	drag no
qtype_ddmarker_drop	Table	no	BIGINT	19			0	drop number
qtype_ddimageortext_drop	Table	no	BIGINT	19			0	drop number
qtype_ddmarker_drag	Table	no	BIGINT	19			0	drag no
workshopform_numerrors_map	Table	nonegative	BIGINT	19			null	Number of negative responses from the reviewer
qtype_ddmarker_drag	Table	noofdrags	BIGINT	19			1	No of drag items, ignored if 0 or infinite.
assign	Table	nosubmissions	TINYINT	3			0	This field is a cache for is_any_submission_plugin_enabled which allows Moodle pages to distinguish offline assignments without loading the assignment

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
tool_policy_acceptances	Table	note	LONGTEXT	2147483647	✓		null	Plain text note describing how actual consent has been obtained, policy has been accepted on user's behalf.
competency_evidence	Table	note	LONGTEXT	2147483647	✓		null	A non-localised text to attach evidence.
survey_analysis	Table	notes	LONGTEXT	2147483647			null	
message	Table	notification	BIT	1	✓		0	
message_read	Table	notification	BIT	1	✓		0	
badge	Table	notification	BIT	1			1	Message when badge is awarded
data	Table	notification	BIGINT	19			0	Notify people when things change
message_popup_notifications	Table	notificationid	BIGINT	19			null	
enrol	Table	notifyall	BIT	1	✓		0	Custom - Notify both participant and person responsible for enrolment
enrol_lti_resource_link	Table	nrpserviceversions	VARCHAR	255	✓		null	The NRPS supported service versions
book	Table	numbering	SMALLINT	5			0	
assignment_submissions	Table	numfiles	BIGINT	19			0	
assignfeedback_file	Table	numfiles	BIGINT	19			0	The number of files uploaded by the grader.
assignsubmission_file	Table	numfiles	BIGINT	19			0	The number of files the student has submitted.
badge_external_backpack	Table	oauth2_issuerid	BIGINT	19	✓		null	OAuth 2 Issuer
logstore_standard_log	Table	objectid	BIGINT	19	✓		null	
scorm_seq_objective	Table	objectiveid	VARCHAR	255				
scorm_seq_mapinfo	Table	objectiveid	BIGINT	19			0	
logstore_standard_log	Table	objecttable	VARCHAR	50	✓		null	
mnet_service	Table	offer	BIT	1			0	Do we even offer this service?
assignment_upgrade	Table	oldcmid	BIGINT	19			0	
quiz_overview_regrades	Table	oldfraction	DECIMAL	12	✓		null	The previous fraction for this question_attempt.
grade_items_history	Table	oldid	BIGINT	19			null	
resource_old	Table	oldid	BIGINT	19			null	
scale_history	Table	oldid	BIGINT	19			null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
grade_grades_history	Table	oldid	BIGINT	19			null	
grade_categories_history	Table	oldid	BIGINT	19			null	
grade_outcomes_history	Table	oldid	BIGINT	19			null	
assignment_upgrade	Table	oldinstance	BIGINT	19			0	
config_log	Table	oldvalue	LONGTEXT	2147483647	✓		null	
adminpresets_app_plug	Table	oldvalue	SMALLINT	5			0	
lesson	Table	ongoing	SMALLINT	5			0	
assignsubmission_onlinetext	Table	onlineformat	SMALLINT	5			0	The format for this online text submission.
assignsubmission_onlinetext	Table	onlinetext	LONGTEXT	2147483647	✓		null	The text for this online text s
bigbluebuttonbn	Table	openingtime	BIGINT	19			0	
backup_controllers	Table	operation	VARCHAR	20			backup	Type of operation (backup/re
scorm_seq_rolluprulecond	Table	operator	VARCHAR	5			noOp	
scorm_seq_rulecond	Table	operator	VARCHAR	5			noOp	
enrol_paypal	Table	option_name1	VARCHAR	255				
enrol_paypal	Table	option_name2	VARCHAR	255				
enrol_paypal	Table	option_selection1_x	VARCHAR	255				
enrol_paypal	Table	option_selection2_x	VARCHAR	255				
tool_policy_versions	Table	optional	SMALLINT	5			0	0 - the policy must be accept the site, 1 - accepting the pol optional
choice_answers	Table	optionid	BIGINT	19			0	
survey_questions	Table	options	LONGTEXT	2147483647	✓		null	
feedback_item	Table	options	VARCHAR	255				
resource_old	Table	options	VARCHAR	255				
question_dataset_definitions	Table	options	VARCHAR	255				
grading_definitions	Table	options	LONGTEXT	2147483647	✓		null	General field to be used by p general storage place for the settings
question_hints	Table	options	VARCHAR	255	✓		null	A space for any other questio specific options.
scorm	Table	options	VARCHAR	255				
favourite	Table	ordering	BIGINT	19	✓		null	Optional ordering of the favo

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								its context area. For example allows things like sorting fav message conversations.
tag_instance	Table	ordering	BIGINT	19	✓		null	Maintains the order of the tag of an item
scorm_scoes	Table	organization	VARCHAR	255				
logstore_standard_log	Table	origin	VARCHAR	10	✓		null	cli, cron, ws, etc.
tool_customlang	Table	original	LONGTEXT	2147483647			null	English original of the string
course	Table	originalcourseid	BIGINT	19	✓		null	the id of the source course where the course originates from a rest of another course on the same
lti_submission	Table	originalgrade	DECIMAL	10			null	
competency_plan	Table	origtemplateid	BIGINT	19	✓		null	The template ID this plan was originally
logstore_standard_log	Table	other	LONGTEXT	2147483647	✓		null	
grade_outcomes_courses	Table	outcomeid	BIGINT	19			null	id of the outcome
grade_items_history	Table	outcomeid	BIGINT	19	✓		null	If this grade is related to an outcome which one is it?
grade_items	Table	outcomeid	BIGINT	19	✓		null	If this grade is related to an outcome which one is it?
tool_customlang	Table	outdated	SMALLINT	5	✓		0	Either the English original or translation changed and the customization may be outdated
task_log	Table	output	LONGTEXT	2147483647			null	
workshop	Table	overallfeedbackfiles	SMALLINT	5	✓		0	Number of allowed attachments for overall feedback.
workshop	Table	overallfeedbackfiletypes	VARCHAR	255	✓		null	comma separated list of file types
workshop	Table	overallfeedbackmaxbytes	BIGINT	19	✓		100000	Maximum size of one file attached to the overall feedback.
workshop	Table	overallfeedbackmode	SMALLINT	5	✓		1	Mode of the overall feedback
quiz	Table	overduehandling	VARCHAR	16			autoabandon	The method used to handle overdue attempts. 'autosubmit', 'grace', 'autoabandon'.
grade_grades	Table	overridden	BIGINT	19			0	indicates grade overridden from gradebook, 0 means none, 1 means

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								overridden
grade_grades_history	Table	overridden	BIGINT	19			0	indicates grade overridden from gradebook, 0 means none, default is overridden
course_modules_completion	Table	overrideby	BIGINT	19	✓		null	Tracks whether this completion has been set manually to override previous state.
lock_db	Table	owner	VARCHAR	36	✓		null	uuid indicating the owner of the lock
question_bank_entries	Table	ownerid	BIGINT	19	✓		null	userid of person who owns the question bank entry.
search_simpledb_index	Table	owneruserid	BIGINT	19	✓		null	
quiz_slots	Table	page	BIGINT	19			null	The page number that this question appears on. If the question in slot n appears on page p, then the question in slot n+1 must appear on page p+1. Well, except that when a quiz is created, there may be empty slots which would cause the page number to jump here.
feedback	Table	page_after_submit	LONGTEXT	2147483647			null	
feedback	Table	page_after_submitformat	TINYINT	3			0	
editor_atto_autosave	Table	pagehash	VARCHAR	64				The HTML DOM id of the page that loaded the form.
lesson_branch	Table	pageid	BIGINT	19			0	
wiki_versions	Table	pageid	BIGINT	19			0	Page id
wiki_locks	Table	pageid	BIGINT	19			0	Locked page
wiki_synonyms	Table	pageid	BIGINT	19			0	Original page
lesson_answers	Table	pageid	BIGINT	19			0	
lesson_attempts	Table	pageid	BIGINT	19			0	
editor_atto_autosave	Table	pageinstance	VARCHAR	64				The browser tab instance that saved the draft text. This is to allow multiple tabs from the same user to save different text alternately.
assignfeedback_editpdf_cmnt	Table	pageno	BIGINT	19			0	The page in the PDF that this comment appears on
assignfeedback_editpdf_rot	Table	pageno	BIGINT	19			0	Page number

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
assignfeedback_editpdf_annot	Table	pageno	BIGINT	19			0	The page in the PDF that this appears on
book_chapters	Table	pagenum	BIGINT	19			0	
wiki_synonyms	Table	pagesynonym	VARCHAR	255			Pagesynonym	Page name synonym
block_positions	Table	pagetype	VARCHAR	64				With contextid and subpage, page we are setting the position
block_instances	Table	pagetypepattern	VARCHAR	64				The types of page this block is on. Either an exact page type like quiz-view, or a pattern like mcourse-view-. Note that course-view will match course-view.
wiki_pages	Table	pageviews	BIGINT	19			0	Number of page views
data_fields	Table	param1	LONGTEXT	2147483647	✓		null	
user_info_field	Table	param1	LONGTEXT	2147483647	✓		null	General parameter field
data_fields	Table	param10	LONGTEXT	2147483647	✓		null	
data_fields	Table	param2	LONGTEXT	2147483647	✓		null	
user_info_field	Table	param2	LONGTEXT	2147483647	✓		null	General parameter field
data_fields	Table	param3	LONGTEXT	2147483647	✓		null	
user_info_field	Table	param3	LONGTEXT	2147483647	✓		null	General parameter field
data_fields	Table	param4	LONGTEXT	2147483647	✓		null	
user_info_field	Table	param4	LONGTEXT	2147483647	✓		null	General parameter field
user_info_field	Table	param5	LONGTEXT	2147483647	✓		null	General parameter field
data_fields	Table	param5	LONGTEXT	2147483647	✓		null	
data_fields	Table	param6	LONGTEXT	2147483647	✓		null	
data_fields	Table	param7	LONGTEXT	2147483647	✓		null	
data_fields	Table	param8	LONGTEXT	2147483647	✓		null	
data_fields	Table	param9	LONGTEXT	2147483647	✓		null	
lti_types	Table	parameter	LONGTEXT	2147483647	✓		null	Launch parameters, one per LTI 1 tool(s)
url	Table	parameters	LONGTEXT	2147483647	✓		null	
scorm_scoes	Table	parent	VARCHAR	255				
grade_categories_history	Table	parent	BIGINT	19	✓		null	Categories can be hierarchical
grade_categories	Table	parent	BIGINT	19	✓		null	Categories can be hierarchical

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
forum_posts	Table	parent	BIGINT	19		0		
course_categories	Table	parent	BIGINT	19		0		
question_categories	Table	parent	BIGINT	19		0		
question	Table	parent	BIGINT	19		0		
enrol_paypal	Table	parent_txn_id	VARCHAR	255				
block_instances	Table	parentcontextid	BIGINT	19		null		The context within which this appears. Foreign key, reference context.id.
competency	Table	parentid	BIGINT	19		0		The parent competency.
search_index_requests	Table	partialarea	VARCHAR	255				If processing of this context completed, set to the area then processing next. Blank indicates processed yet.
qtype_ddmarker	Table	partiallycorrectfeedback	LONGTEXT	2147483647		null		Feedback shown for any partially correct response.
question_calculated_options	Table	partiallycorrectfeedback	LONGTEXT	2147483647	✓	null		Feedback shown for any partially correct response.
qtype_match_options	Table	partiallycorrectfeedback	LONGTEXT	2147483647		null		Feedback shown for any partially correct response.
question_ddwtos	Table	partiallycorrectfeedback	LONGTEXT	2147483647		null		Feedback shown for any partially correct response.
question_gapselect	Table	partiallycorrectfeedback	LONGTEXT	2147483647		null		Feedback shown for any partially correct response.
qtype_multichoice_options	Table	partiallycorrectfeedback	LONGTEXT	2147483647		null		Feedback shown for any partially correct response.
qtype_randomsamatch_options	Table	partiallycorrectfeedback	LONGTEXT	2147483647		null		Feedback shown for any partially correct response.
qtype_ddimageortext	Table	partiallycorrectfeedback	LONGTEXT	2147483647		null		Feedback shown for any partially correct response.
qtype_multichoice_options	Table	partiallycorrectfeedbackformat	TINYINT	3		0		
question_gapselect	Table	partiallycorrectfeedbackformat	TINYINT	3		0		
qtype_match_options	Table	partiallycorrectfeedbackformat	TINYINT	3		0		
question_calculated_options	Table	partiallycorrectfeedbackformat	TINYINT	3		0		
qtype_ddimageortext	Table	partiallycorrectfeedbackformat	TINYINT	3		0		
qtype_ddmarker	Table	partiallycorrectfeedbackformat	TINYINT	3		0		

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
question_ddwtos	Table	partiallycorrectfeedbackformat	TINYINT	3			0	
qtype_randomsamatch_options	Table	partiallycorrectfeedbackformat	TINYINT	3			0	
search_index_requests	Table	partialtime	BIGINT	19			null	If processing partially complete, the timestamp within the next 24 hours where processing should start indicates not processed yet.
bigbluebuttonbn	Table	participants	LONGTEXT	2147483647	✓		null	
tool_brickfield_cache_acts	Table	passedactivities	BIGINT	19	✓		null	
enrol	Table	password	VARCHAR	50	✓		null	Custom - enrolment or access password
user	Table	password	VARCHAR	255				
quiz_overrides	Table	password	VARCHAR	255	✓		null	Quiz password. Can be null, in case the quiz default is used
lti	Table	password	VARCHAR	255	✓		null	
quiz	Table	password	VARCHAR	255				A password that the student must enter before starting or continuing an attempt.
badge_backpack	Table	password	VARCHAR	50	✓		null	
course_request	Table	password	VARCHAR	50				
repository_instances	Table	password	VARCHAR	255	✓		null	
lesson	Table	password	VARCHAR	32				
lesson_overrides	Table	password	VARCHAR	32	✓		null	Lesson password. Can be null, in case the lesson default is used
h5p_libraries	Table	patchversion	SMALLINT	5			null	
grade_categories	Table	path	VARCHAR	255	✓		null	shows the path as /1/2/3 (like course_categories)
context	Table	path	VARCHAR	255	✓		null	
context_temp	Table	path	VARCHAR	255				
grade_categories_history	Table	path	VARCHAR	255	✓		null	shows the path as /1/2/3 (like course_categories)
course_categories	Table	path	VARCHAR	255				
assignfeedback_editpdf_annot	Table	path	LONGTEXT	2147483647	✓		null	SVG path describing the free text annotation
competency	Table	path	VARCHAR	255				Used to speed up queries that traverse the entire branch of the tree. Localized to the competency

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								like /5/34/54.
tool_usertours_tours	Table	pathmatch	VARCHAR	255	✓		null	
files	Table	pathnamehash	VARCHAR	40				complete file path sha1 hash for each file
assignfeedback_editpdf_rot	Table	pathnamehash	LONGTEXT	2147483647			null	File path hash of the rotated
h5p	Table	pathnamehash	VARCHAR	40				Defines the complete unique the file path where the H5P c added.
enrol_paypal	Table	payment_status	VARCHAR	255				
enrol_paypal	Table	payment_type	VARCHAR	30				
payments	Table	paymentarea	VARCHAR	50				The name of payable area
paygw_paypal	Table	paymentid	BIGINT	19			null	
workshop_grades	Table	peercomment	LONGTEXT	2147483647	✓		null	Reviewer's comment to the g
workshop_grades	Table	peercommentformat	SMALLINT	5	✓		0	The format of peercomment
question	Table	penalty	DECIMAL	12			0.3333333	
enrol_paypal	Table	pending_reason	VARCHAR	255				
tool_brickfield_summary	Table	percentchecktype1	BIGINT	19	✓		null	
tool_brickfield_summary	Table	percentchecktype2	BIGINT	19	✓		null	
tool_brickfield_summary	Table	percentchecktype3	BIGINT	19	✓		null	
tool_brickfield_summary	Table	percentchecktype4	BIGINT	19	✓		null	
tool_brickfield_summary	Table	percentchecktype5	BIGINT	19	✓		null	
tool_brickfield_summary	Table	percentchecktype6	BIGINT	19	✓		null	
tool_brickfield_summary	Table	percentchecktype7	BIGINT	19	✓		null	
role_capabilities	Table	permission	BIGINT	19			0	
repository_onedrive_access	Table	permissionid	VARCHAR	255				The permission id in OneDrive
workshop	Table	phase	SMALLINT	5	✓		0	The current phase of worksh available, 1 = submission, 2 = assessment, 3 = closed)
workshop	Table	phaseswitchassessment	TINYINT	3			0	Automatically switch to the a phase after the submissions
user	Table	phone1	VARCHAR	20				
user	Table	phone2	VARCHAR	20				
groups	Table	picture	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
user	Table	picture	BIGINT	19			0	0 means no image uploaded values are revisions thta prev caching problems, negative v reserved for future use
task_adhoc	Table	pid	BIGINT	19	✓		null	PHP process ID that is running
task_log	Table	pid	BIGINT	19	✓		null	PHP process ID that was running task
task_scheduled	Table	pid	BIGINT	19	✓		null	PHP process ID that is running
forum_discussions	Table	pinned	BIT	1			0	
competency_usercompplan	Table	planid	BIGINT	19			null	Plan associated to the user.
competency_plancomp	Table	planid	BIGINT	19			null	
user_devices	Table	platform	VARCHAR	32				the device platform, Android
enrol_lti_app_registration	Table	platformclienthash	VARCHAR	64	✓		null	SHA256 hash of the platform and clientid
enrol_lti_deployment	Table	platformid	BIGINT	19			null	The platformid to which this belongs
enrol_lti_app_registration	Table	platformid	LONGTEXT	2147483647	✓		null	The issuer URL
enrol_lti_app_registration	Table	platformuniqueidhash	VARCHAR	64	✓		null	SHA256 hash of the platform and uniqueid
assign_plugin_config	Table	plugin	VARCHAR	28				
adminpresets_plug	Table	plugin	VARCHAR	100	✓		null	
portfolio_instance	Table	plugin	VARCHAR	50				fk to plugin
adminpresets_app_plug	Table	plugin	VARCHAR	100	✓		null	
config_plugins	Table	plugin	VARCHAR	100			core	
adminpresets_it	Table	plugin	VARCHAR	100	✓		null	
upgrade_log	Table	plugin	VARCHAR	100	✓		null	
config_log	Table	plugin	VARCHAR	100	✓		null	
tool_monitor_rules	Table	plugin	VARCHAR	254				Frankenstlye name of the plug
mnet_rpc	Table	pluginname	VARCHAR	20				
mnet_remote_rpc	Table	pluginname	VARCHAR	20				
mnet_rpc	Table	plugintype	VARCHAR	20				
mnet_remote_rpc	Table	plugintype	VARCHAR	20				
grade_items	Table	plusfactor	DECIMAL	10			0.00000	Add this to all grades

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
grade_items_history	Table	plusfactor	DECIMAL	10			0.00000	Add this to all grades
user	Table	policyagreed	BIT	1			0	
tool_policy_versions	Table	policyid	BIGINT	19			null	ID of the policy document we are a version of.
tool_policy_acceptances	Table	policyversionid	BIGINT	19			null	ID of the policy document version.
event_subscriptions	Table	pollinterval	BIGINT	19			0	Frequency of checks for new events
resource_old	Table	popup	LONGTEXT	2147483647			null	
scorm	Table	popup	BIT	1			0	
glossary_formats	Table	popupformatname	VARCHAR	50				
portfolio_log	Table	portfolio	BIGINT	19			null	fk to portfolio_instance
mnet_host	Table	portno	MEDIUMINT	7			0	
feedback_item	Table	position	SMALLINT	5			0	
question_statistics	Table	positions	LONGTEXT	2147483647	√		null	positions in which this item appears. Only used for random question generation.
forum_read	Table	postid	BIGINT	19			0	
forum_queue	Table	postid	BIGINT	19			0	
paygw_paypal	Table	pp_orderid	VARCHAR	255			The ID of the order in PayPal	
lesson	Table	practice	SMALLINT	5			0	
analytics_predictions	Table	prediction	DECIMAL	10			null	
analytics_prediction_actions	Table	predictionid	BIGINT	19			null	
analytics_predictions	Table	predictionscore	DECIMAL	10			null	
analytics_models	Table	predictionsprocessor	VARCHAR	255	√		null	
forum_discussion_subs	Table	preference	BIGINT	19			1	
quiz	Table	preferredbehaviour	VARCHAR	32				The behaviour to ask questions.
question_usages	Table	preferredbehaviour	VARCHAR	32				The archetypal behaviour that is used for question attempts in the system usage.
block_rss_client	Table	preferredtitle	VARCHAR	64				
h5p_libraries	Table	preloadedcss	LONGTEXT	2147483647	√		null	Comma separated list of stylesheets to load.
h5p_libraries	Table	preloadedjs	LONGTEXT	2147483647	√		null	Comma separated list of scripts to load.

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
feedback_item	Table	presentation	LONGTEXT	2147483647			null	
bigbluebuttonbn	Table	presentation	LONGTEXT	2147483647	✓		null	
assignment	Table	preventlate	TINYINT	3			0	
assign	Table	preventssubmissionnotingroup	TINYINT	3			0	If enabled a user will be unable to submit a submission unless they are a member of a group.
quiz_attempts	Table	preview	SMALLINT	5			0	
lesson_pages	Table	prevpageid	BIGINT	19			0	
scorm_seq_objective	Table	primaryobj	BIT	1			0	
enrol_lti_lti2_resource_link	Table	primaryresourcelinkid	BIGINT	19	✓		null	
event	Table	priority	BIGINT	19	✓		null	The event's display priority. For events with the same module instance and eventtype (e.g. overrides), the one with the highest priority will be displayed.
my_pages	Table	private	BIT	1			1	Whether or not the page is private (dashboard) or public (profile)
forum_posts	Table	privatereplyto	BIGINT	19			0	
external_tokens	Table	privatetoken	VARCHAR	64	✓		null	private token, generated at the time that the token, must be used safely by the ws client, to be used only via https
competency_usercomp	Table	proficiency	TINYINT	3	✓		null	Indicate if the competency is not.
competency_usercompcourse	Table	proficiency	TINYINT	3	✓		null	Indicate if the competency is not.
competency_usercompplan	Table	proficiency	TINYINT	3	✓		null	Indicate if the competency is not.
mnet_rpc	Table	profile	LONGTEXT	2147483647			null	Method signature
enrol_lti_lti2_consumer	Table	profile	LONGTEXT	2147483647	✓		null	
backup_controllers	Table	progress	DECIMAL	15			0.000000000000000	The backup or restore progress as a floating point number
lesson	Table	progressbar	SMALLINT	5			0	
tool_dataprivacy_purpose	Table	protected	BIT	1	✓		null	
tool_dataprivacy_purposerole	Table	protected	BIT	1	✓		null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
enrol_lti_lti2_consumer	Table	protected	BIT	1			null	
enrol_lti_tools	Table	provisioningmodeinstructor	TINYINT	3	✓		null	
enrol_lti_tools	Table	provisioningmodelearner	TINYINT	3	✓		null	
mnet_host	Table	public_key	LONGTEXT	2147483647			null	
mnet_host	Table	public_key_expires	BIGINT	19			0	
mnet_host2service	Table	publish	BIT	1			0	
choice	Table	publish	TINYINT	3			0	
feedback	Table	publish_stats	BIT	1			0	
workshop_submissions	Table	published	TINYINT	3	✓		0	Shall the submission be available other when the workshop is closed?
post	Table	publishstate	VARCHAR	20			draft	
backup_controllers	Table	purpose	SMALLINT	5			null	purpose (target) of the backup import, hub...)
tool_dataprivacy_purposerole	Table	purposeid	BIGINT	19			null	
tool_dataprivacy_ctxinstance	Table	purposeid	BIGINT	19	✓		null	
tool_dataprivacy_ctxlevel	Table	purposeid	BIGINT	19	✓		null	
user_devices	Table	pushid	VARCHAR	255				the device PUSH token/key/id registration id
competency_coursecompsetting	Table	pushratingstouserplans	TINYINT	3	✓		null	Does this course push rating plans?
lesson_pages	Table	qoption	SMALLINT	5			0	
lesson_pages	Table	qtype	SMALLINT	5			0	
log_queries	Table	qtype	MEDIUMINT	7			null	query type constant
question	Table	qtype	VARCHAR	20				
infected_files	Table	quarantinedfile	LONGTEXT	2147483647	✓		null	Quarantine zip file
question_numerical_options	Table	question	BIGINT	19			0	
question_truefalse	Table	question	BIGINT	19			0	Foreign key references question
question_multianswer	Table	question	BIGINT	19			0	
question_calculated	Table	question	BIGINT	19			0	
question_numerical_units	Table	question	BIGINT	19			0	Foreign key references question
survey_answers	Table	question	BIGINT	19			0	
question_answers	Table	question	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
question_calculated_options	Table	question	BIGINT	19		0		
question_datasets	Table	question	BIGINT	19		0		
question_numerical	Table	question	BIGINT	19		0		Redundant, because of the a
question_references	Table	questionarea	VARCHAR	50	√	null		Foreign key references quest
question_set_references	Table	questionarea	VARCHAR	50	√	null		Depending on the componen
question_attempt_steps	Table	questionattemptid	BIGINT	19		null		area the question is used in (
question_references	Table	questionbankentryid	BIGINT	19		0		quiz).
question_versions	Table	questionbankentryid	BIGINT	19		0		Depending on the componen
question_bank_entries	Table	questioncategoryid	BIGINT	19		0		area the question is used in (
quiz	Table	questiondecimalpoints	SMALLINT	5		-1		quiz).
qtype_essay_options	Table	questionid	BIGINT	19		null		Foreign key, references
qtype_match_options	Table	questionid	BIGINT	19		0		question_attempt.id
qtype_multichoice_options	Table	questionid	BIGINT	19		0		ID of the question bank entry
question_statistics	Table	questionid	BIGINT	19		null		question is part of.
question_versions	Table	questionid	BIGINT	19		0		ID of the question bank entry
question_response_analysis	Table	questionid	BIGINT	19		null		question version is part of.
qtype_ddmarker_drops	Table	questionid	BIGINT	19		0		ID of the category this questi
qtype_ddimageortext_drag	Table	questionid	BIGINT	19		0		of.
qtype_ddmarker	Table	questionid	BIGINT	19		0		Number of decimal points to
question_gapselect	Table	questionid	BIGINT	19		0		displaying question grades. (
question_ddwtos	Table	questionid	BIGINT	19		0		use decimalpoints.)
qtype_shortanswer_options	Table	questionid	BIGINT	19		0		Foreign key linking to the que
qtype_randomsamatch_options	Table	questionid	BIGINT	19		0		Foreign key link to question.i

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
question_attempts	Table	questionid	BIGINT	19			null	The id of the question being attempted. Foreign key references question_id
qtype_match_subquestions	Table	questionid	BIGINT	19			0	Foreign key link to question_id
qtype_ddmarker_drags	Table	questionid	BIGINT	19			0	
question_hints	Table	questionid	BIGINT	19			null	
qtype_ddimageortext_drops	Table	questionid	BIGINT	19			0	
qtype_ddimageortext	Table	questionid	BIGINT	19			0	
survey	Table	questions	VARCHAR	255				
question_set_references	Table	questionscontextid	BIGINT	19			0	Context questions come from here
quiz	Table	questionsperpage	BIGINT	19			0	How often to insert a page break when editing the quiz, or when shuffling question order.
question_attempts	Table	questionssummary	LONGTEXT	2147483647	✓		null	If this question uses randomization, should set this field to summarize random version the student actually saw. This is a human-readable summary of the student's response which might, for example, be a report.
question	Table	questiontext	LONGTEXT	2147483647			null	
qtype_match_subquestions	Table	questiontext	LONGTEXT	2147483647			null	
question	Table	questiontextformat	TINYINT	3			0	
qtype_match_subquestions	Table	questiontextformat	TINYINT	3			0	
question_attempts	Table	questionusageid	BIGINT	19			null	Foreign key, references question_usages.id
quiz_overview_regrades	Table	questionusageid	BIGINT	19			null	Foreign key references question_usages.id, or equivalent quiz_attempt.uniqueid.
portfolio_tempdata	Table	queued	BIT	1			0	Value 1 means the entry should be processed in cron.
events_queue_handlers	Table	queuedeventid	BIGINT	19			null	foreign key id corresponding to the event_queues table
quizaccess_seb_quizsettings	Table	quitpassword	LONGTEXT	2147483647	✓		null	Quit password to exit SEB.
quiz_attempts	Table	quiz	BIGINT	19			0	Foreign key reference to the question_id that was attempted.

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
quiz_grades	Table	quiz	BIGINT	19		0		Foreign key references quiz.i
quiz_overrides	Table	quiz	BIGINT	19		0		Foreign key references quiz.i
quizaccess_seb_quizsettings	Table	quizid	BIGINT	19		null		Foreign key to quiz id.
quiz_sections	Table	quizid	BIGINT	19		null		Foreign key references quiz.i
quiz_slots	Table	quizid	BIGINT	19		0		Foreign key references quiz.i
quiz_feedback	Table	quizid	BIGINT	19		0		Foreign key references quiz.i
feedback_completedtmp	Table	random_response	BIGINT	19		0		
feedback_completed	Table	random_response	BIGINT	19		0		
question_statistics	Table	randomguessscore	DECIMAL	12	√	null		An estimate of the score a st would get by guessing random
analytics_predict_samples	Table	rangeindex	BIGINT	19		null		
analytics_predictions	Table	rangeindex	MEDIUMINT	7		null		
grading_instances	Table	raterid	BIGINT	19		null		The ID of the user who did th assessment
post	Table	rating	BIGINT	19		0		
rating	Table	rating	BIGINT	19		null		
rating	Table	ratingarea	VARCHAR	50				
grading_instances	Table	rawgrade	DECIMAL	10	√	null		The raw normalized grade 0. 100.00000 as a result of the recent assessment
grade_grades_history	Table	rawgrade	DECIMAL	10	√	null		If the grade is a float value (c converted to one)
grade_grades	Table	rawgrade	DECIMAL	10	√	null		If the grade is a float value (c converted to one)
grade_grades_history	Table	rawgrademax	DECIMAL	10		100.00000		The maximum allowable gra this was created
grade_grades	Table	rawgrademax	DECIMAL	10		100.00000		The maximum allowable gra this was created
grade_grades_history	Table	rawgrademin	DECIMAL	10		0.00000		The minimum allowable gra this was created
grade_grades	Table	rawgrademin	DECIMAL	10		0.00000		The minimum allowable gra this was created
tag	Table	rawname	VARCHAR	255				The raw, unnormalised name as entered by users

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
grade_grades_history	Table	rawscaleid	BIGINT	19	√		null	If this grade is based on a score one was it?
grade_grades	Table	rawscaleid	BIGINT	19	√		null	If this grade is based on a score one was it?
h5pactivity_attempts	Table	rawscore	BIGINT	19	√		0	
h5pactivity_attempts_results	Table	rawscore	BIGINT	19			0	
cache_filters	Table	rawtext	LONGTEXT	2147483647			null	
assignfeedback_editpdf_quick	Table	rawtext	LONGTEXT	2147483647			null	
assignfeedback_editpdf_cmnt	Table	rawtext	LONGTEXT	2147483647	√		null	Raw text of the comment
question_response_count	Table	rcount	BIGINT	19			null	
scorm_seq_mapinfo	Table	readnormalizedmeasure	BIT	1			1	
wiki_pages	Table	readonly	BIT	1			0	Read only flag
repository_instances	Table	readonly	BIT	1			0	
scorm_seq_mapinfo	Table	readsatisfiedstatus	BIT	1			1	
course_completions	Table	reaggregate	BIGINT	19			0	
logstore_standard_log	Table	realuserid	BIGINT	19	√		null	real user id when logged-in-as
course_request	Table	reason	LONGTEXT	2147483647			null	
infected_files	Table	reason	LONGTEXT	2147483647			null	The reason for the antivirus failure
enrol_paypal	Table	reason_code	VARCHAR	30				
enrol_paypal	Table	receiver_email	VARCHAR	255				
enrol_paypal	Table	receiver_id	VARCHAR	255				
badge_manual_award	Table	recipientid	BIGINT	19			null	
bigbluebuttonbn	Table	record	BIT	1			0	
bigbluebuttonbn	Table	recordallfromstart	BIT	1			0	
bigbluebuttonbn	Table	recordhidebutton	BIT	1			0	
data_content	Table	recordid	BIGINT	19			0	
bigbluebuttonbn_recordings	Table	recordingid	VARCHAR	64				
bigbluebuttonbn	Table	recordings_deleted	BIT	1			1	
bigbluebuttonbn	Table	recordings_html	BIT	1			0	
bigbluebuttonbn	Table	recordings_imported	BIT	1			0	
bigbluebuttonbn	Table	recordings_preview	BIT	1			0	
reportbuilder_schedule	Table	recurrence	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
resource_old	Table	reference	VARCHAR	255				
scorm	Table	reference	VARCHAR	255				
files_reference	Table	reference	LONGTEXT	2147483647	✓		null	Identification of the external Repository plugins are interpreted to locate the external file.
files	Table	referencefileid	BIGINT	19	✓		null	Use to indicate file is a proxy repository file
files_reference	Table	referencehash	VARCHAR	40				Internal implementation details. SHA1 hash of the reference to be indexed and used for comparison. Not meant to be used by a non-code.
tool_brickfield_areas	Table	refid	BIGINT	19	✓		null	
scorm_seq_rulecond	Table	refrencedobjective	VARCHAR	255				
oauth2_system_account	Table	refreshtoken	LONGTEXT	2147483647			null	The refresh token used to refresh access tokens.
badge_backpack_oauth2	Table	refreshtoken	LONGTEXT	2147483647			null	
tool_brickfield_areas	Table	reftable	VARCHAR	40	✓		null	
quizaccess_seb_quizsettings	Table	regexallowed	LONGTEXT	2147483647	✓		null	Regex of allowed URLs
quizaccess_seb_quizsettings	Table	regexblocked	LONGTEXT	2147483647	✓		null	Regex of blocked URLs
block_positions	Table	region	VARCHAR	16				Which block region on this page block should appear in.
quiz_overview_regrades	Table	regraded	SMALLINT	5			null	set to 0 if element has just been regraded. Set to 1 if element marked as needing regrading
lti_tool_proxies	Table	regurl	LONGTEXT	2147483647	✓		null	
badge_related	Table	relatedbadgeid	BIGINT	19	✓		null	
competency_relatedcomp	Table	relatedcompetencyid	BIGINT	19			null	
logstore_standard_log	Table	relateduserid	BIGINT	19	✓		null	
course	Table	relativedatesmode	BIT	1			0	Whether to let this course display course- or activity-related data to the user's enrolment date course.
gradingform_guide_fillings	Table	remark	LONGTEXT	2147483647	✓		null	Side note feedback regarding particular criterion

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
gradingform_rubric_fillings	Table	remark	LONGTEXT	2147483647	✓		null	Side note feedback regarding particular criterion
gradingform_rubric_fillings	Table	remarkformat	TINYINT	3	✓		null	The format of the remark field
gradingform_guide_fillings	Table	remarkformat	TINYINT	3	✓		null	The format of the remark field
mnet-service_enrol_enrolments	Table	remotecourseid	BIGINT	19			null	ID of the course at the remote site. Note that this may and may not be cached in our database. mnet-service_enrol_courses table depends of whether the course is opened for remote enrolment. If a student is the enrolled there is a plugin
mnet-service_enrol_courses	Table	remoteid	BIGINT	19			null	ID of course on its home server
mnet_log	Table	remoteid	BIGINT	19			0	
event	Table	repeatid	BIGINT	19			0	
reportbuilder_schedule	Table	reportempty	BIGINT	19			0	
reportbuilder_audience	Table	reportid	BIGINT	19			null	
reportbuilder_schedule	Table	reportid	BIGINT	19			0	
reportbuilder_column	Table	reportid	BIGINT	19			0	
reportbuilder_filter	Table	reportid	BIGINT	19			0	
files_reference	Table	repositoryid	BIGINT	19			null	
course	Table	requested	BIT	1			0	
tool_dataprivacy_request	Table	requestedby	BIGINT	19			0	The user ID of the one making the request
message_contact_requests	Table	requesteduserid	BIGINT	19			null	
course_request	Table	requester	BIGINT	19			0	
assign	Table	requireallteammemberssubmit	TINYINT	3			0	If enabled, a submission will not be accepted until all team members have submitted it.
oauth2_issuer	Table	requireconfirmation	TINYINT	3			1	
user_info_field	Table	required	TINYINT	3			0	Field required
feedback_item	Table	required	BIT	1			0	
data_fields	Table	required	BIT	1			0	Required fields must have a value inserted by a user

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
block_instances	Table	requiredbytheme	SMALLINT	5			0	If 1, this block was created by a theme that was required by the theme and must exist.
external_services	Table	requiredcapability	VARCHAR	150	✓		null	
data	Table	requiredentries	INT	10			0	
data	Table	requiredentriestoview	INT	10			0	
h5p_library_dependencies	Table	requiredlibraryid	BIGINT	19			null	The dependent library to load
quiz_slots	Table	requireprevious	SMALLINT	5			0	Set to 1 when current question requires previous one to be answered
quizaccess_seb_quizsettings	Table	requiresafeexambrowser	BIT	1			null	Bool whether to require SEB.
assign	Table	requiresubmissionstatement	TINYINT	3			0	Forces the student to accept submission statement when creating an assignment
Itiservice_gradebookservices	Table	resourceid	VARCHAR	512	✓		null	Resource id for the line item
enrol_lti_resource_link	Table	resourceid	BIGINT	19			null	The id of the local enrol_lti_resource containing information about the published resource to which the resource link relates.
lock_db	Table	resourcekey	VARCHAR	255				String identifying the resource that is locked. Should use frankenstein
lti	Table	resourcekey	VARCHAR	255	✓		null	
enrol_lti_lti2_user_result	Table	resourceid	BIGINT	19			null	
enrol_lti_resource_link	Table	resourceid	VARCHAR	255				The platform-and-deployment-id of the resource link
enrol_lti_lti2_share_key	Table	resourceid	BIGINT	19			null	
enrol_lti_user_resource_link	Table	resourceid	BIGINT	19			null	The id of the enrol_lti_resource record.
h5pactivity_attempts_results	Table	response	LONGTEXT	2147483647			null	User response data in xAPI format
question_response_analysis	Table	response	LONGTEXT	2147483647	✓		null	
lesson_answers	Table	response	LONGTEXT	2147483647	✓		null	
qtype_essay_options	Table	responsefieldlines	SMALLINT	5			15	Approximate height, in lines, of the text box the students should be given for their response.
qtype_essay_options	Table	responseformat	VARCHAR	16			editor	The type of input area students should be given for their response.

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
lesson_answers	Table	responseformat	TINYINT	3			0	
qtype_essay_options	Table	responserequired	TINYINT	3			1	Nonzero if an online text response is optional
question_attempts	Table	responsesummary	LONGTEXT	2147483647	✓		null	This is a textual summary of the student's response (basically what you would expect to in the Quiz report).
qtype_essay_options	Table	responsetemplate	LONGTEXT	2147483647	✓		null	The template to pre-populate the response field during attempts
qtype_essay_options	Table	responsetemplateformat	SMALLINT	5			0	The text format for responses
external_services	Table	restrictedusers	BIT	1			null	
assignment	Table	resubmit	TINYINT	3			0	
task_log	Table	result	TINYINT	3			null	Whether the task was successful 0 = pass; 1 = fail.
tool_brickfield_errors	Table	resultid	BIGINT	19			null	
workshopallocation_scheduled	Table	resultlog	LONGTEXT	2147483647	✓		null	The log of the most recent execution
workshopallocation_scheduled	Table	resultmessage	VARCHAR	1333	✓		null	Optional short message describing the resulting status
enrol_lti_resource_link	Table	resultscope	VARCHAR	255	✓		null	The ags result authorization scope
workshopallocation_scheduled	Table	resultstatus	BIGINT	19	✓		null	The resulting status of the module execution
lesson	Table	retake	SMALLINT	5			1	
lesson_overrides	Table	retake	SMALLINT	5	✓		null	
tool_dataprivacy_purposerole	Table	retentionperiod	VARCHAR	255				
tool_dataprivacy_purpose	Table	retentionperiod	VARCHAR	255				
lesson_branch	Table	retry	BIGINT	19			0	
lesson_attempts	Table	retry	SMALLINT	5			0	
portfolio_log	Table	returnurl	VARCHAR	255				the original "returnurl" of the module takes us to the moodle page from
assign	Table	revealidentities	TINYINT	3			0	Show identities for a blind module assignment
lesson_overrides	Table	review	SMALLINT	5	✓		null	
lesson	Table	review	SMALLINT	5			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
quiz	Table	reviewattempt	MEDIUMINT	7			0	Whether users are allowed to review their quiz attempts at various times. This is a bit field, decoded by mod_quiz_display_options configured by ORing together the values defined there.
quiz	Table	reviewcorrectness	MEDIUMINT	7			0	Whether users are allowed to review their quiz attempts at various times. This is a bit field, like reviewattempt.
workshop_assessments	Table	reviewerid	BIGINT	19			null	The id of the reviewer who made the assessment
competency_usercomp	Table	reviewerid	BIGINT	19	✓		null	User that reviewed the competency
competency_plan	Table	reviewerid	BIGINT	19	✓		null	
quiz	Table	reviewgeneralfeedback	MEDIUMINT	7			0	Whether users are allowed to review their quiz attempts at various times. This is a bit field, like reviewattempt.
quiz	Table	reviewmarks	MEDIUMINT	7			0	Whether users are allowed to review their quiz attempts at various times. This is a bit field, like reviewattempt.
h5pactivity	Table	reviewmode	SMALLINT	5	✓		1	
quiz	Table	reviewoverallfeedback	MEDIUMINT	7			0	Whether users are allowed to review their quiz attempts at various times. This is a bit field, like reviewattempt.
quiz	Table	reviewrightanswer	MEDIUMINT	7			0	Whether users are allowed to review their quiz attempts at various times. This is a bit field, like reviewattempt.
quiz	Table	reviewspecificfeedback	MEDIUMINT	7			0	Whether users are allowed to review their quiz attempts at various times. This is a bit field, like reviewattempt.
book	Table	revision	BIGINT	19			0	
resource	Table	revision	BIGINT	19			0	incremented when after each change, solves browser cache
folder	Table	revision	BIGINT	19			0	incremented when after each change, solves browser cache
scorm	Table	revision	BIGINT	19			0	revision number
page	Table	revision	BIGINT	19			0	incremented when after each change, solves browser cache

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
imscp	Table	revision	BIGINT	19			0	incremented when after each changes, solves browser cache
tool_policy_versions	Table	revision	VARCHAR	1333				Human readable version of the document
question_attempts	Table	rightanswer	LONGTEXT	2147483647	√		null	This is a human-readable text summary of the right answer to the question. Might be used, for the quiz preview, to help people testing the question. Or might be in reports.
capabilities	Table	riskbitmask	BIGINT	19			0	
course_completion_criteria	Table	role	BIGINT	19	√		null	
role_context_levels	Table	roleid	BIGINT	19			null	
enrol_flatfile	Table	roleid	BIGINT	19			null	
role_allow_view	Table	roleid	BIGINT	19			null	The role the user has.
role_allow_override	Table	roleid	BIGINT	19			0	
stats_daily	Table	roleid	BIGINT	19			0	id of role for the aggregates
role_allow_switch	Table	roleid	BIGINT	19			null	The role the user has.
role_capabilities	Table	roleid	BIGINT	19			0	
stats_weekly	Table	roleid	BIGINT	19			0	id of role for the aggregates
role_allow_assign	Table	roleid	BIGINT	19			0	
stats_user_daily	Table	roleid	BIGINT	19			0	
stats_user_monthly	Table	roleid	BIGINT	19			0	
tool_dataprivacy_purposerole	Table	roleid	BIGINT	19			null	
tool_cohortroles	Table	roleid	BIGINT	19			null	The role to assign
enrol	Table	roleid	BIGINT	19	√		0	Custom - the default role given to participants who self-enrol
stats_monthly	Table	roleid	BIGINT	19			0	id of role for the aggregates
mnetsservice_enrol_courses	Table	roleid	BIGINT	19			null	The ID of the role at the remote site that our users will get when we add them there
role_assignments	Table	roleid	BIGINT	19			0	
stats_user_weekly	Table	roleid	BIGINT	19			0	
role_names	Table	roleid	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
enrol_lti_tools	Table	roleinstructor	BIGINT	19			null	
enrol_lti_tools	Table	rolelearner	BIGINT	19			null	
mnetSERVICE_enrol_courses	Table	rolename	VARCHAR	255				The name of the role at the mnet server that our users will get when they enrol them there
mnetSERVICE_enrol_enrolments	Table	rolename	VARCHAR	255				
scorm_seq_rolluprulecond	Table	rollupruleid	BIGINT	19			0	
mnet_service2rpc	Table	rpcid	BIGINT	19			0	Unique Function ID
mnet_remote_service2rpc	Table	rpcid	BIGINT	19			0	Unique Function ID
forum	Table	rssarticles	TINYINT	3			0	
data	Table	rssarticles	SMALLINT	5			0	
glossary	Table	rssarticles	TINYINT	3			0	
data	Table	rsstemplate	LONGTEXT	2147483647	√		null	
data	Table	rsstitletemplate	LONGTEXT	2147483647	√		null	
forum	Table	rsstype	TINYINT	3			0	
glossary	Table	rsstype	TINYINT	3			0	
scorm_seq_rulecond	Table	ruleconditionsid	BIGINT	19			0	
competency	Table	ruleconfig	LONGTEXT	2147483647	√		null	
tool_monitor_subscriptions	Table	ruleid	BIGINT	19			null	Rule id
competency_coursecomp	Table	ruleoutcome	TINYINT	3			null	The rule that applies to the course when the course is completed.
competency	Table	ruleoutcome	TINYINT	3			0	
competency_modulecomp	Table	ruleoutcome	TINYINT	3			null	The outcome when an activity is completed.
competency	Table	ruletype	VARCHAR	100	√		null	
scorm_seq_ruleconds	Table	ruletype	TINYINT	3			0	
profiling	Table	runcomment	VARCHAR	255				Brief comment for this run
profiling	Table	runid	VARCHAR	32				the unique id for this run (as generated by xhprof)
h5p_libraries	Table	runnable	BIT	1			null	Can this library be started by itself or is it a dependent module? i.e. not a dependency
profiling	Table	runreference	TINYINT	3			0	Is this run a reference one
question_statistics	Table	s	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
analytics_predictions	Table	sampleid	BIGINT	19			null	
analytics_indicator_calc	Table	sampleid	BIGINT	19			null	
analytics_predict_samples	Table	sampleids	LONGTEXT	2147483647			null	
analytics_train_samples	Table	sampleids	LONGTEXT	2147483647			null	
analytics_indicator_calc	Table	sampleorigin	VARCHAR	255				
scorm_seq_objective	Table	satisfiedbymeasure	BIT	1			1	
data	Table	scale	BIGINT	19			0	
scale_history	Table	scale	LONGTEXT	2147483647			null	
forum	Table	scale	BIGINT	19			0	
glossary	Table	scale	BIGINT	19			0	
scale	Table	scale	LONGTEXT	2147483647			null	
competency_framework	Table	scaleconfiguration	LONGTEXT	2147483647			null	Scale information.
competency	Table	scaleconfiguration	LONGTEXT	2147483647	√		null	
h5pactivity_attempts	Table	scaled	DECIMAL	10			0.00000	Number 0..1 that reflects the performance of the learner
competency	Table	scaleid	BIGINT	19	√		null	
grade_outcomes_history	Table	scaleid	BIGINT	19	√		null	The recommended scale for outcome.
grade_items_history	Table	scaleid	BIGINT	19	√		null	If this grade is based on a score, one is it?
rating	Table	scaleid	BIGINT	19			null	
competency_framework	Table	scaleid	BIGINT	19	√		null	Scale used to define competency
grade_items	Table	scaleid	BIGINT	19	√		null	If this grade is based on a score, one is it?
grade_outcomes	Table	scaleid	BIGINT	19	√		null	The recommended scale for outcome.
chat	Table	schedule	SMALLINT	5			0	
events_handlers	Table	schedule	VARCHAR	255	√		null	'cron' or 'instant'.
scorm_seq_ruleconds	Table	scoid	BIGINT	19			0	
scorm_seq_objective	Table	scoid	BIGINT	19			0	
scorm_aicc_session	Table	scoid	BIGINT	19	√		0	id from scorm_scoes table
scorm_seq_rolluprulecond	Table	scoid	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
scorm_scoes_track	Table	scoid	BIGINT	19			0	
scorm_seq_mapinfo	Table	scoid	BIGINT	19			0	
scorm_seq_rulecond	Table	scoid	BIGINT	19			0	
scorm_seq_rolluprule	Table	scoid	BIGINT	19			0	
scorm_scoes_data	Table	scoid	BIGINT	19			0	
badge_backpack_oauth2	Table	scope	LONGTEXT	2147483647	√		null	
oauth2_access_token	Table	scope	LONGTEXT	2147483647			null	
lti_access_tokens	Table	scope	LONGTEXT	2147483647			null	Scope values as JSON array
oauth2_refresh_token	Table	scopehash	VARCHAR	40				sha1 hash of the scopes used requesting the refresh token
oauth2_issuer	Table	scopessupported	LONGTEXT	2147483647	√		null	The list of scopes this service supports
gradingform_rubric_levels	Table	score	DECIMAL	10			null	The score for this level
course_modules	Table	score	SMALLINT	5			0	
lesson_answers	Table	score	BIGINT	19			0	
analytics_models_log	Table	score	DECIMAL	10			0.00000	
gradingform_guide_fillings	Table	score	DECIMAL	10			null	The score assigned
enrol_lti_resource_link	Table	scorescope	VARCHAR	255	√		null	The ags score items authorized scope
scorm_scoes	Table	scorm	BIGINT	19			0	
scorm_aicc_session	Table	scormid	BIGINT	19			0	id from scorm table
scorm_scoes_track	Table	scormid	BIGINT	19			0	
scorm_aicc_session	Table	scormmode	VARCHAR	50	√		null	
scorm_aicc_session	Table	scormstatus	VARCHAR	255	√		null	
scorm_scoes	Table	scormtype	VARCHAR	5				
scorm	Table	scormtype	VARCHAR	50			local	local, external or repository
user_private_key	Table	script	VARCHAR	128				plugin, module - unique identifier
question_statistics	Table	sd	DECIMAL	15	√		null	
modules	Table	search	VARCHAR	255				
tag_coll	Table	searchable	TINYINT	3			1	Whether the tag collection is searchable
search_index_requests	Table	searcharea	VARCHAR	255				Set (e.g. 'forum-post') if a space is to be reindexed. Blank indicates all areas.

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
registration_hubs	Table	secret	VARCHAR	255	✓		null	the unique site identifier for t
user	Table	secret	VARCHAR	15				
lti_tool_proxies	Table	secret	VARCHAR	255	✓		null	
enrol_lti_lti2_consumer	Table	secret	VARCHAR	1024				
enrol_lti_tools	Table	secret	LONGTEXT	2147483647	✓		null	
tool_recyclebin_course	Table	section	BIGINT	19			null	
course_sections	Table	section	BIGINT	19			0	
course_modules	Table	section	BIGINT	19			0	
course_format_options	Table	sectionid	BIGINT	19			0	Null if this is a course option id of the section this option i
wiki_locks	Table	sectionname	VARCHAR	255	✓		null	locked page section
lti_types	Table	secureicon	LONGTEXT	2147483647	✓		null	Secure URL to icon file
lti	Table	secureicon	LONGTEXT	2147483647	✓		null	
lti	Table	securetoolurl	LONGTEXT	2147483647	✓		null	
h5p_libraries	Table	semantics	LONGTEXT	2147483647	✓		null	The semantics definition in j
assign	Table	sendlatenotifications	TINYINT	3			0	Allows separate enabling of notifications for late assignm submissions.
assign	Table	sendnotifications	TINYINT	3			0	Allows the disabling of email notifications in the assign m
assign	Table	sendstudentnotifications	TINYINT	3			1	Default for send student noti checkbox when grading.
tool_dataprivacy_purpose	Table	sensitivedatareasons	LONGTEXT	2147483647	✓		null	Comma-separated IDs match records in tool_dataprivacy_s
tool_dataprivacy_purposerole	Table	sensitivedatareasons	LONGTEXT	2147483647	✓		null	
question_multianswer	Table	sequence	LONGTEXT	2147483647			null	
course_sections	Table	sequence	LONGTEXT	2147483647	✓		null	
event	Table	sequence	BIGINT	19			1	
question_attempt_steps	Table	sequencenumber	BIGINT	19			null	Numbers the steps in a ques attempt sequentially.
mnet_service2rpc	Table	serviceid	BIGINT	19			0	Unique service ID
mnet_remote_service2rpc	Table	serviceid	BIGINT	19			0	Unique service ID
mnet_host2service	Table	serviceid	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
lti_tool_proxies	Table	serviceoffered	LONGTEXT	2147483647			null	List of services offered, one
external_functions	Table	services	VARCHAR	1333	✓		null	all the services (by shortnam this function must be include
lti	Table	servicesalt	VARCHAR	40	✓		null	
oauth2_issuer	Table	servicetype	VARCHAR	255	✓		null	Issuer service type, such as 'facebook'.
enrol_lti_users	Table	serviceurl	LONGTEXT	2147483647	✓		null	
sessions	Table	sessdata	LONGTEXT	2147483647	✓		null	session content
mnet_session	Table	session_id	VARCHAR	40				The PHP Session ID
scorm_aicc_session	Table	sessiontime	VARCHAR	255	✓		null	
lti_tool_settings	Table	settings	LONGTEXT	2147483647			null	Setting values as JSON
enrol_lti_lti2_context	Table	settings	LONGTEXT	2147483647	✓		null	
enrol_lti_lti2_consumer	Table	settings	LONGTEXT	2147483647	✓		null	
enrol_lti_lti2_resource_link	Table	settings	LONGTEXT	2147483647	✓		null	
workshopallocation_scheduled	Table	settings	LONGTEXT	2147483647	✓		null	The pre-defined settings for r underlying random allocation with
reportbuilder_report	Table	settingsdata	LONGTEXT	2147483647	✓		null	
tool_brickfield_checks	Table	severity	TINYINT	3			0	
scorm	Table	sha1hash	VARCHAR	40	✓		null	package content or ext path
qtype_ddmarker_drops	Table	shape	VARCHAR	255	✓		null	circle, rectangle, polygon
enrol_lti_lti2_resource_link	Table	shareapproved	BIT	1	✓		null	
block_rss_client	Table	shared	TINYINT	3			0	
enrol_lti_lti2_share_key	Table	sharekey	VARCHAR	32				
customfield_data	Table	shortcharvalue	VARCHAR	255	✓		null	
course	Table	shortname	VARCHAR	255				
customfield_field	Table	shortname	VARCHAR	100				
course_request	Table	shortname	VARCHAR	100				
tool_recyclebin_category	Table	shortname	VARCHAR	255				
license	Table	shortname	VARCHAR	255	✓		null	
external_services	Table	shortname	VARCHAR	255	✓		null	a unique shortname
gradingform_guide_criteria	Table	shortname	VARCHAR	255				shortname of this criterion

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
role	Table	shortname	VARCHAR	100				
user_info_field	Table	shortname	VARCHAR	255			shortname	short name for each field
grade_outcomes_history	Table	shortname	VARCHAR	255				The short name or code for the outcome statement
tool_brickfield_checks	Table	shortname	VARCHAR	64	✓		null	
competency_template	Table	shortname	VARCHAR	100	✓		null	Short name for the learning plan template.
grade_outcomes	Table	shortname	VARCHAR	255				The short name or code for the outcome statement
mnetservice_enrol_courses	Table	shortname	VARCHAR	100				
competency_framework	Table	shortname	VARCHAR	100	✓		null	Short name for the competency framework.
competency	Table	shortname	VARCHAR	100	✓		null	Shortname of a competency
survey_questions	Table	shorttext	VARCHAR	30				
course	Table	showactivitydates	BIT	1			0	Whether to display activity dates 0 = do not display, 1 = display dates
glossary	Table	showall	TINYINT	3			1	
glossary	Table	showalphabet	TINYINT	3			1	
choice	Table	showavailable	BIT	1			0	If this field is set to 1, then the number of available space or options will be shown, given the limitanswers is set to 1.
quiz	Table	showblocks	SMALLINT	5			0	Whether blocks should be shown in attempt.php and review.php
course	Table	showcompletionconditions	BIT	1	✓		null	Whether to display completion conditions to user. 0 = do not display conditions
course_modules	Table	showdescription	BIT	1			0	Some module types support 'description' which shows within module pages. This option controls whether it also displays on the main page. 0 = does not display (default), 1 = displays
lti	Table	showdescriptionlaunch	BIT	1			0	
folder	Table	showdownloadfolder	BIT	1			1	1 = show download folder button

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
folder	Table	showexpanded	BIT	1			1	1 = expanded, 0 = collapsed folders
course	Table	showgrades	TINYINT	3			1	
glossary_formats	Table	showgroup	TINYINT	3			1	
block_instances	Table	showinsubcontexts	SMALLINT	5			null	If 1, this block appears on all pages in subcontexts of parentcontextid, as well in pages belonging to parentcontextid
quizaccess_seb_quizsettings	Table	showkeyboardlayout	BIT	1	√		null	Bool to show keyboard layout
qtype_ddmarker	Table	showmisplaced	SMALLINT	5			0	
qtype_randomsamatch_options	Table	shownumcorrect	TINYINT	3			0	If true, then when the user gets a question partially correct, tell them how many choices they got correct alongside the feedback.
question_gapselect	Table	shownumcorrect	TINYINT	3			0	
question_hints	Table	shownumcorrect	BIT	1	√		null	Whether the feedback should include a message about how many choices the student got right. This is only applicable to certain question types (for example, matching or multiple choice questions with a single response).
qtype_ddimageortext	Table	shownumcorrect	TINYINT	3			0	
qtype_match_options	Table	shownumcorrect	TINYINT	3			0	If true, then when the user gets a question partially correct, tell them how many choices they got correct alongside the feedback.
question_calculated_options	Table	shownumcorrect	TINYINT	3			0	If true, then when the user gets a multiple-response question partially correct, tell them how many choices they got correct alongside the feedback.
qtype_ddmarker	Table	shownumcorrect	TINYINT	3			0	
qtype_multichoice_options	Table	shownumcorrect	TINYINT	3			0	If true, then when the user gets a multiple-response question partially correct, tell them how many choices they got correct alongside the feedback.
question_ddwtos	Table	shownumcorrect	TINYINT	3			0	
oauth2_issuer	Table	showonloginpage	TINYINT	3			1	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
choice	Table	showpreview	TINYINT	3			0	
quizaccess_seb_quizsettings	Table	showreloadbutton	BIT	1	√		null	Bool to show reload button.
course	Table	showreports	SMALLINT	5			0	
choice	Table	showresults	TINYINT	3			0	
quizaccess_seb_quizsettings	Table	showsebdownloadlink	BIT	1	√		null	Bool whether SEB download appear
quizaccess_seb_quizsettings	Table	showsebtaskbar	BIT	1	√		null	Bool to show SEB task bar
glossary	Table	showspecial	TINYINT	3			1	
tag_area	Table	showstandard	BIT	1			0	
qtype_multichoice_options	Table	showstandardinstruction	TINYINT	3			1	Whether standard instruction one:’ or ‘Select one or more:’ displayed
glossary_formats	Table	showtabs	VARCHAR	100	√		null	
quizaccess_seb_quizsettings	Table	showtime	BIT	1	√		null	Bool to show the clock.
lti	Table	showtitlelaunch	BIT	1			0	
choice	Table	showunanswered	TINYINT	3			0	
question_numerical_options	Table	showunits	SMALLINT	5			0	How units are handled: 3) No all, 0) Optional, or 1) must be penalty applied.
quiz	Table	showuserpicture	SMALLINT	5			0	Option to show the user’s pic the attempt and on the review
quizaccess_seb_quizsettings	Table	showwificontrol	BIT	1	√		null	Bool to allow user to control
qtype_ddimageortext	Table	shuffleanswers	SMALLINT	5			1	
qtype_match_options	Table	shuffleanswers	SMALLINT	5			1	
qtype_multichoice_options	Table	shuffleanswers	SMALLINT	5			1	Whether the choices can be shuffled.
quiz	Table	shuffleanswers	SMALLINT	5			0	Whether the parts of the que should be shuffled, in those c types that support it.
question_calculated_options	Table	shuffleanswers	SMALLINT	5			0	Whether the choices can be shuffled.
qtype_ddmarker	Table	shuffleanswers	SMALLINT	5			1	
question_ddwtos	Table	shuffleanswers	SMALLINT	5			1	
question_gapselect	Table	shuffleanswers	SMALLINT	5			1	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
quiz_sections	Table	shufflequestions	SMALLINT	5			0	Whether the question order within a section should be shuffled for each attempt.
chat_users	Table	sid	VARCHAR	32				
sessions	Table	sid	VARCHAR	128				Session id
external_tokens	Table	sid	VARCHAR	128	√		null	link to browser or emulated session
tool_monitor_history	Table	sid	BIGINT	19			null	Subscription id
user_info_field	Table	signup	TINYINT	3			0	display field on signup page
question_calculated_options	Table	single	SMALLINT	5			0	If 0 it multiple response (checkboxes). Otherwise it is radio buttons.
qtype_multichoice_options	Table	single	SMALLINT	5			0	If 0 it multiple response (checkboxes). Otherwise it is radio buttons.
data	Table	singletemplate	LONGTEXT	2147483647	√		null	
adminpresets	Table	site	VARCHAR	255				
feedback	Table	site_after_submit	VARCHAR	255				
badge_external_identifier	Table	sitebackpackid	BIGINT	19			null	ID of a site backpack
quiz_statistics	Table	skewness	DECIMAL	15	√		null	
block_rss_client	Table	skiptime	BIGINT	19			0	How many seconds skip this feed (increases every time it fails, resets to 0 when it succeeds)
block_rss_client	Table	skipuntil	BIGINT	19			0	Do not query this RSS feed again until this time
scorm	Table	skipview	BIT	1			1	
lesson	Table	slideshow	SMALLINT	5			0	
quiz_overview_regrades	Table	slot	BIGINT	19			null	Foreign key, references question_attempts.slot
question_attempts	Table	slot	BIGINT	19			null	Used to number the question attempts sequentially.
quiz_slots	Table	slot	BIGINT	19			null	Where this question comes in the list of questions in this quiz. question_attempts.slot.
question_statistics	Table	slot	BIGINT	19	√		null	The position in the quiz where the question appears
message_read	Table	smallmessage	LONGTEXT	2147483647	√		null	Small version of message (e.g. for mobile)

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
message	Table	smallmessage	LONGTEXT	2147483647	✓		null	Smal version of message (eq
messages	Table	smallmessage	LONGTEXT	2147483647	✓		null	
notifications	Table	smallmessage	LONGTEXT	2147483647	✓		null	
workshopform_comments	Table	sort	BIGINT	19	✓		0	Defines the dimension order assessment form
workshopform_numerrors	Table	sort	BIGINT	19	✓		0	Defines the dimension order assessment form
workshopform_accumulative	Table	sort	BIGINT	19	✓		0	Defines the dimension order assessment form
workshopform_rubric	Table	sort	BIGINT	19	✓		0	Defines the dimension order assessment form
reportbuilder_column	Table	sortdirection	BIT	1			null	
reportbuilder_column	Table	sortenabled	BIT	1			0	
glossary_formats	Table	sortkey	VARCHAR	50				
question_categories	Table	sortorder	BIGINT	19			999	
my_pages	Table	sortorder	MEDIUMINT	7			0	The order of the pages for a
competency	Table	sortorder	BIGINT	19			null	Relative sort order within the
role	Table	sortorder	BIGINT	19			0	
course_categories	Table	sortorder	BIGINT	19			0	
grade_items	Table	sortorder	BIGINT	19			0	Sorting order of the columns
role_assignments	Table	sortorder	BIGINT	19			0	
mnetservice_enrol_courses	Table	sortorder	BIGINT	19			0	
competency_usercompplan	Table	sortorder	BIGINT	19	✓		null	Relative sort order
customfield_category	Table	sortorder	BIGINT	19	✓		null	
tool_usertours_steps	Table	sortorder	BIGINT	19			0	
oauth2_issuer	Table	sortorder	BIGINT	19			null	The defined sort order.
competency_modulecomp	Table	sortorder	BIGINT	19			null	The field used to naturally so
competency_coursecomp	Table	sortorder	BIGINT	19			null	The display order for this link
gradingform_guide_criteria	Table	sortorder	BIGINT	19			null	Defines the order of the crite guide
customfield_field	Table	sortorder	BIGINT	19	✓		null	
filter_active	Table	sortorder	BIGINT	19			0	Only relevant if contextid poi system context. In other cas

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								should contain 0. The order i filters should be applied.
gradingform_rubric_criteria	Table	sortorder	BIGINT	19			null	Defines the order of the crite rubric
tool_usertours_tours	Table	sortorder	BIGINT	19			0	
competency_templatecomp	Table	sortorder	BIGINT	19	√		null	Relative sort order
glossary_formats	Table	sortorder	VARCHAR	50				
user_info_category	Table	sortorder	BIGINT	19			0	Display order
user_info_field	Table	sortorder	BIGINT	19			0	order within the category
tool_policy	Table	sortorder	MEDIUMINT	7			999	Defines the order in which po should be presented to users
competency_plancomp	Table	sortorder	BIGINT	19	√		null	Relative sort order
gradingform_guide_comments	Table	sortorder	BIGINT	19			null	Defines the order of the com
license	Table	sortorder	MEDIUMINT	7			0	
scorm_scoes	Table	sortorder	BIGINT	19			0	order of scoes
badge_external_backpack	Table	sortorder	BIGINT	19			0	
files	Table	sortorder	BIGINT	19			0	order of files
course	Table	sortorder	BIGINT	19			0	
reportbuilder_column	Table	sortorder	BIGINT	19	√		null	
quizaccess_seb_template	Table	sortorder	BIGINT	19			null	
assign_overrides	Table	sortorder	BIGINT	19	√		null	Rank for sorting overrides.
grade_items_history	Table	sortorder	BIGINT	19			0	Sorting order of the columns
enrol	Table	sortorder	BIGINT	19			0	order of enrol plugins in each
repository	Table	sortorder	BIGINT	19			0	
tag_coll	Table	sortorder	MEDIUMINT	7			0	
grade_categories_history	Table	source	VARCHAR	255	√		null	What caused the modificatio module/import/...
grade_outcomes_history	Table	source	VARCHAR	255	√		null	What caused the modificatio module/import/...
reportbuilder_report	Table	source	VARCHAR	255				
grade_items_history	Table	source	VARCHAR	255	√		null	What caused the modificatio module/import/...
scale_history	Table	source	VARCHAR	255	√		null	What caused the modificatio

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								module/import/...
license	Table	source	VARCHAR	255	✓		null	
files	Table	source	LONGTEXT	2147483647	✓		null	contains the reference if the imported from external sites
grade_grades_history	Table	source	VARCHAR	255	✓		null	What caused the modification module/import/...
file_conversion	Table	sourcefileid	BIGINT	19			null	
glossary_entries	Table	sourceglossaryid	BIGINT	19			0	
enrol_lti_users	Table	sourceid	LONGTEXT	2147483647	✓		null	
log_queries	Table	sqlparams	LONGTEXT	2147483647	✓		null	query parameters
log_queries	Table	sqltext	LONGTEXT	2147483647			null	query sql
mnet_host	Table	sslverification	BIT	1			0	
mnet_application	Table	sso_jump_url	VARCHAR	255				
mnet_application	Table	sso_land_url	VARCHAR	255				
events_queue	Table	stackdump	LONGTEXT	2147483647	✓		null	serialized debug_backtrace s where the event was fired from
question_categories	Table	stamp	VARCHAR	255				
question	Table	stamp	VARCHAR	255				
quiz_statistics	Table	standarddeviation	DECIMAL	15	✓		null	
quiz_statistics	Table	standarderror	DECIMAL	15	✓		null	
course	Table	startdate	BIGINT	19			0	
mnetservice_enrol_courses	Table	startdate	BIGINT	19			null	
analytics_indicator_calc	Table	starttime	BIGINT	19			null	
lesson_timer	Table	starttime	BIGINT	19			0	
stats_monthly	Table	stat1	BIGINT	19			0	stat1. usually used for reads
stats_weekly	Table	stat1	BIGINT	19			0	stat1. usually used for reads
stats_daily	Table	stat1	BIGINT	19			0	stat1. usually used for reads
stats_daily	Table	stat2	BIGINT	19			0	stat2. usually used for writes
stats_monthly	Table	stat2	BIGINT	19			0	stat2. usually used for writes
stats_weekly	Table	stat2	BIGINT	19			0	stat2. usually used for writes
question_attempt_steps	Table	state	VARCHAR	13				One of the constants defined in question_state class, giving the

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
quiz_attempts	Table	state	VARCHAR	16			inprogress	the question at the end of the attempt The current state of the attempt can be 'inprogress', 'overdue', 'finished', 'abandoned'.
lti_types	Table	state	TINYINT	3			2	Active = 1, Pending = 2, Rejected = 3
lti_tool_proxies	Table	state	TINYINT	3			1	Configured = 1, Pending = 2, Rejected = 3, Rejected = 4, Cancelled = 5
lti_submission	Table	state	TINYINT	3			null	
sessions	Table	state	BIGINT	19			0	0 means normal session
mnet_rpc	Table	static	BIT	1	√		null	
stats_user_daily	Table	statsreads	BIGINT	19			0	
stats_user_weekly	Table	statsreads	BIGINT	19			0	
stats_user_monthly	Table	statsreads	BIGINT	19			0	
stats_user_daily	Table	statswrites	BIGINT	19			0	
stats_user_monthly	Table	statswrites	BIGINT	19			0	
stats_user_weekly	Table	statswrites	BIGINT	19			0	
stats_user_daily	Table	stattype	VARCHAR	30				
stats_user_monthly	Table	stattype	VARCHAR	30				
stats_daily	Table	stattype	VARCHAR	20			activity	type of stat
stats_user_weekly	Table	stattype	VARCHAR	30				
stats_monthly	Table	stattype	VARCHAR	20			activity	type of stat
stats_weekly	Table	stattype	VARCHAR	20			activity	type of stat
badge	Table	status	BIT	1			0	Badge status: 0 = inactive, 1 = active+locked, 3 = inactive+locked+archived
tool_brickfield_cache_check	Table	status	BIT	1	√		null	
enrol_lti_app_registration	Table	status	BIT	1			0	Status of the registration, used to denote draft (incomplete) or complete
tool_brickfield_summary	Table	status	BIT	1	√		null	
grading_definitions	Table	status	BIGINT	19			0	Status of the form definition, 0 = in the under-construction state
files	Table	status	BIGINT	19			0	number greater than 0 means file is in the under-construction state

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								something is wrong with this missing, etc.)
backup_controllers	Table	status	SMALLINT	5			null	current status of the backup (configured, ui, running...)
events_handlers	Table	status	BIGINT	19			0	number of failed attempts to this handler
competency_usercomp	Table	status	TINYINT	3			0	Competency status.
user_enrolments	Table	status	BIGINT	19			0	0..9 are system constants, 0 active participation, see ENROL_PARTICIPATION_* constants, plugins may define own status greater than 10
enrol	Table	status	BIGINT	19			0	0..9 are system constants, 0 active enrolment, see ENROL_* constants, plugins may define status greater than 10
tool_dataprivacy_ctxexpired	Table	status	TINYINT	3			0	
events_queue_handlers	Table	status	BIGINT	19	√		null	number of failed attempts to this handler
tool_policy_acceptances	Table	status	BIT	1	√		null	Acceptance status: 1 - accepted
grading_instances	Table	status	BIGINT	19			0	The status of the assessment default the instance is under assessment state
tool_brickfield_content	Table	status	TINYINT	3			0	0 - needs checking, -1 in progress, 1 - checked
bigbluebuttonbn_recordings	Table	status	BIT	1			0	
assign_submission	Table	status	VARCHAR	10	√		null	The status of this assignment submission. The current status is DRAFT and SUBMITTED.
file_conversion	Table	status	BIGINT	19	√		0	
tool_brickfield_schedule	Table	status	TINYINT	3			0	The schedule status for this tool not requested; 1 = requested and analyzed.
tool_dataprivacy_request	Table	status	TINYINT	3			0	The current status of the data request
question_versions	Table	status	VARCHAR	10			ready	If the question is ready, hidden

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
course_published	Table	status	BIT	1	✓		0	is the publication published or not
tool_brickfield_cache_acts	Table	status	BIT	1	✓		null	
tool_brickfield_checks	Table	status	SMALLINT	5			null	
competency_plan	Table	status	BIT	1			null	
file_conversion	Table	statusmessage	LONGTEXT	2147483647	✓		null	
workshop	Table	strategy	VARCHAR	30				The type of the current grading strategy used in this workshop
workshop_grades	Table	strategy	VARCHAR	30				
tool_customlang	Table	stringid	VARCHAR	255				The identifier of the string
imscp	Table	structure	LONGTEXT	2147483647	✓		null	
chat	Table	studentlogs	SMALLINT	5			0	
auth_lti_linked_login	Table	sub	VARCHAR	255				
auth_lti_linked_login	Table	sub256	VARCHAR	64				SHA256 hash of the subject identifier of the user for the issuer.
qtype_randomsamatch_options	Table	subcats	TINYINT	3			1	Whether to include or not the subcategories.
book_chapters	Table	subchapter	BIGINT	19			0	
h5pactivity_attempts_results	Table	subcontent	VARCHAR	128	✓		null	
message_read	Table	subject	LONGTEXT	2147483647	✓		null	The message subject
messages	Table	subject	LONGTEXT	2147483647	✓		null	
forum_posts	Table	subject	VARCHAR	255				
reportbuilder_schedule	Table	subject	VARCHAR	255				
post	Table	subject	VARCHAR	128				
notifications	Table	subject	LONGTEXT	2147483647	✓		null	The message subject
message	Table	subject	LONGTEXT	2147483647	✓		null	The message subject
assignsubmission_onlinetext	Table	submission	BIGINT	19			0	
assignsubmission_file	Table	submission	BIGINT	19			0	
assign	Table	submissionattachments	TINYINT	3			0	
assignfeedback_editpdf_queue	Table	submissionattempt	BIGINT	19			null	
assignment_submissions	Table	submissioncomment	LONGTEXT	2147483647			null	
assign	Table	submissiondrafts	TINYINT	3			0	If true, assignment submission is considered drafts until the student is graded.

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
workshopallocation_scheduled	Table	submissionend	BIGINT	19			null	clicks on the submit assignment button What was the workshop's submissionend when this record was created or modified
workshop	Table	submissionend	BIGINT	19	✓		0	0 = will be closed manually, greater than 0 the timestamp of the end of submission phase
workshop	Table	submissionfiletypes	VARCHAR	255	✓		null	comma separated list of file types
assignfeedback_editpdf_queue	Table	submissionid	BIGINT	19			null	
workshop_assessments	Table	submissionid	BIGINT	19			null	The id of the assessed submission
workshop	Table	submissionstart	BIGINT	19	✓		0	0 = will be started manually, greater than 0 the timestamp of the start of submission phase
workshop	Table	submissiontypefile	BIT	1			1	Can students attach files for submissions? 0 for no, 1 for yes
workshop	Table	submissiontypetext	BIT	1			1	Can students enter text for the submissions? 0 for no, 1 for yes
quiz	Table	subnet	VARCHAR	255				Used to restrict the IP addresses which this quiz can be attempted. The format is as required by the address_in_subnet function.
block_positions	Table	subpage	VARCHAR	16				With contextid and pagetypeid the page we are setting the position
block_instances	Table	subpagepattern	VARCHAR	16	✓		null	Further restrictions on where the block appears. In some places, e.g. quiz or lesson attempt, different blocks have different subpage ids. If this is not null, the block only appears on that particular subpage.
question_response_analysis	Table	subqid	VARCHAR	100				
question_statistics	Table	subquestion	SMALLINT	5			null	
question_statistics	Table	subquestions	LONGTEXT	2147483647	✓		null	
mnet_host2service	Table	subscribe	BIT	1			0	
event	Table	subscriptionid	BIGINT	19	✓		null	The event_subscription id this event belongs to

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								associated with.
assign_plugin_config	Table	subtype	VARCHAR	28				
wiki_pages	Table	subwikiid	BIGINT	19			0	Subwiki instance of this page
wiki_synonyms	Table	subwikiid	BIGINT	19			0	Subwiki instance
wiki_links	Table	subwikiid	BIGINT	19			0	Subwiki instance
h5pactivity_attempts	Table	success	BIT	1	✓		null	Store the xAPI tracking success
h5pactivity_attempts_results	Table	success	BIT	1	✓		null	Store the xAPI tracking success
quiz	Table	sumgrades	DECIMAL	10			0.00000	The total of all the question i maxmarks.
quiz_attempts	Table	sumgrades	DECIMAL	10	✓		null	Total marks for this attempt.
tool_policy_versions	Table	summary	LONGTEXT	2147483647			null	Policy text summary
course_request	Table	summary	LONGTEXT	2147483647			null	
course	Table	summary	LONGTEXT	2147483647	✓		null	
post	Table	summary	LONGTEXT	2147483647	✓		null	
course_sections	Table	summary	LONGTEXT	2147483647	✓		null	
mnetSERVICE_enrol_courses	Table	summary	LONGTEXT	2147483647			null	
post	Table	summaryformat	TINYINT	3			0	
tool_policy_versions	Table	summaryformat	SMALLINT	5			null	Format of the summary field
mnetSERVICE_enrol_courses	Table	summaryformat	SMALLINT	5	✓		0	Format of the summary field
course_sections	Table	summaryformat	TINYINT	3			0	
course	Table	summaryformat	TINYINT	3			0	
course_request	Table	summaryformat	TINYINT	3			0	
survey_answers	Table	survey	BIGINT	19			0	
survey_analysis	Table	survey	BIGINT	19			0	
user	Table	suspended	BIT	1			0	suspended flag prevents use
question_calculated_options	Table	synchronize	TINYINT	3			0	
tool_dataprivacy_request	Table	systemapproved	SMALLINT	5			0	
tool_brickfield_areas	Table	tablename	VARCHAR	40	✓		null	
ltiSERVICE_gradebookservices	Table	tag	VARCHAR	255	✓		null	Tag type specified for the lin
tag_area	Table	tagcollid	BIGINT	19			null	
tag	Table	tagcollid	BIGINT	19			null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
tag_correlation	Table	tagid	BIGINT	19			null	
tag_instance	Table	tagid	BIGINT	19			null	
logstore_standard_log	Table	target	VARCHAR	100				
analytics_models	Table	target	VARCHAR	255				
analytics_models_log	Table	target	VARCHAR	255				
badge_alignment	Table	targetcode	VARCHAR	255	✓		null	
badge_alignment	Table	targetdescription	LONGTEXT	2147483647	✓		null	
file_conversion	Table	targetformat	VARCHAR	100				
badge_alignment	Table	targetframework	VARCHAR	255	✓		null	
badge_alignment	Table	targetname	VARCHAR	255				
scorm_seq_mapinfo	Table	targetobjectiveid	BIGINT	19			0	
tool_usertours_steps	Table	targettype	TINYINT	3			null	Type of the target (e.g. block selector, etc.)
badge_alignment	Table	targeturl	VARCHAR	255				
tool_usertours_steps	Table	targetvalue	LONGTEXT	2147483647			null	The value for the specified target
upgrade_log	Table	targetversion	VARCHAR	100	✓		null	version of plugin or core specification version.php at the time of upgrade logging
enrol_paypal	Table	tax	VARCHAR	255				
competency_framework	Table	taxonomies	VARCHAR	255				Sequence of terms to use for competency level.
assignment_submissions	Table	teacher	BIGINT	19			0	
glossary_entries	Table	teacherentry	TINYINT	3			0	
assign	Table	teamsubmission	TINYINT	3			0	Do students submit in teams
assign	Table	teamsubmissiongroupingid	BIGINT	19			0	A grouping id to get groups for submissions
portfolio_log	Table	tempdataid	BIGINT	19			0	old id from portfolio_tempdata so that we can gracefully catch condition between an external request and causing tempdata to be deleted, before gets the "your transfer is requested" page
survey	Table	template	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
tool_monitor_rules	Table	template	LONGTEXT	2147483647			null	Message template
feedback_item	Table	template	BIGINT	19			0	
tool_monitor_rules	Table	templateformat	BIT	1			null	Template format
competency_templatecomp	Table	templateid	BIGINT	19			null	The template this competency is linked to.
competency_templatecohort	Table	templateid	BIGINT	19			null	
competency_plan	Table	templateid	BIGINT	19	✓		null	
quizaccess_seb_quizsettings	Table	templateid	BIGINT	19			null	Foreign key to quizaccess_seb_template.id
survey_questions	Table	text	VARCHAR	255				
choice_options	Table	text	LONGTEXT	2147483647	✓		null	
mnet_host	Table	theme	VARCHAR	100	✓		null	
cohort	Table	theme	VARCHAR	50	✓		null	
course_categories	Table	theme	VARCHAR	50	✓		null	Theme for the category
course	Table	theme	VARCHAR	50				
user	Table	theme	VARCHAR	50				
adminpresets_app	Table	time	BIGINT	19			null	
portfolio_log	Table	time	BIGINT	19			null	time of transfer (in the case of a failed transfer this is the time the attempt was made, not when the user started the transfer)
mnet_log	Table	time	BIGINT	19			0	
log	Table	time	BIGINT	19			0	
analytics_used_files	Table	time	BIGINT	19			0	
survey_answers	Table	time	BIGINT	19			0	
block_recentlyaccesseditems	Table	timeaccess	BIGINT	19			null	Time the user accessed the item
user_lastaccess	Table	timeaccess	BIGINT	19			0	
cohort_members	Table	timeadded	BIGINT	19			0	
groupings_groups	Table	timeadded	BIGINT	19			0	
groups_members	Table	timeadded	BIGINT	19			0	
workshopallocation_scheduled	Table	timeallocated	BIGINT	19	✓		null	When was the last scheduled allocation executed
analytics_used_analysables	Table	timeanalysed	BIGINT	19			null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
tool_brickfield_schedule	Table	timeanalyzed	BIGINT	19	√	0		The most recent time the item was analyzed by scheduler.
assignment	Table	timeavailable	BIGINT	19		0		
data	Table	timeavailablefrom	BIGINT	19		0		
data	Table	timeavailableto	BIGINT	19		0		
tool_brickfield_content	Table	timechecked	BIGINT	19	√	null		
course_published	Table	timechecked	BIGINT	19	√	null		the last time the status has been checked
quiz_attempts	Table	timecheckstate	BIGINT	19	√	0		Next time quiz cron should check for attempt for state changes. Null means never check.
quiz_overrides	Table	timeclose	BIGINT	19	√	null		Time by which students must have completed their attempt. Can be null in which case the quiz default is used.
quiz	Table	timeclose	BIGINT	19		0		The time when this quiz closes (no restriction.)
choice	Table	timeclose	BIGINT	19		0		
feedback	Table	timeclose	BIGINT	19		0		
scorm	Table	timeclose	BIGINT	19		0		
course_completions	Table	timecompleted	BIGINT	19	√	null		
tool_brickfield_process	Table	timecompleted	BIGINT	19	√	null		
course_completion_crit_compl	Table	timecompleted	BIGINT	19	√	null		
grading_definitions	Table	timecopied	BIGINT	19	√	0		The timestamp of when this definition was most recently copied into an instance.
tool_recyclebin_category	Table	timecreated	BIGINT	19		null		
competency_userevidence	Table	timecreated	BIGINT	19		null		
competency_userevidencecomp	Table	timecreated	BIGINT	19		null		
reportbuilder_schedule	Table	timecreated	BIGINT	19		0		
lesson_answers	Table	timecreated	BIGINT	19		0		
course	Table	timecreated	BIGINT	19		0		
oauth2_issuer	Table	timecreated	BIGINT	19		null		Time this record was created
backup_logs	Table	timecreated	BIGINT	19		null		timestamp this log entry was created
quizaccess_seb_template	Table	timecreated	BIGINT	19		0		

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
profiling	Table	timecreated	BIGINT	19			null	unix timestap of the creation
user	Table	timecreated	BIGINT	19			0	
lesson_pages	Table	timecreated	BIGINT	19			0	
message_conversation_actions	Table	timecreated	BIGINT	19			null	
workshop_submissions	Table	timecreated	BIGINT	19			null	Timestamp when the work w submitted for the first time
analytics_train_samples	Table	timecreated	BIGINT	19			0	
book	Table	timecreated	BIGINT	19			0	
oauth2_endpoint	Table	timecreated	BIGINT	19			null	The time this record was cre
notifications	Table	timecreated	BIGINT	19			null	
enrol_lti_users	Table	timecreated	BIGINT	19	√		null	The time the user was create
analytics_indicator_calc	Table	timecreated	BIGINT	19			null	
bigbluebuttonbn_recordings	Table	timecreated	BIGINT	19			0	
analytics_predict_samples	Table	timecreated	BIGINT	19			0	
tool_dataprivacy_ctxlevel	Table	timecreated	BIGINT	19			null	
assign_grades	Table	timecreated	BIGINT	19			0	The time the assignment sub was first modified by a grade
competency_template	Table	timecreated	BIGINT	19			null	The time this learning plan te was created.
file_conversion	Table	timecreated	BIGINT	19			null	
enrol_lti_deployment	Table	timecreated	BIGINT	19			null	
tool_monitor_events	Table	timecreated	BIGINT	19			null	Time created
grading_definitions	Table	timecreated	BIGINT	19			null	The timestamp of when the t definition was created initiall
block_instances	Table	timecreated	BIGINT	19			null	Time at which this block inst originally created
messageinbound_datakeys	Table	timecreated	BIGINT	19			null	The time that the data key w
competency_usercompplan	Table	timecreated	BIGINT	19			null	
bigbluebuttonbn_logs	Table	timecreated	BIGINT	19			0	
glossary_entries	Table	timecreated	BIGINT	19			0	
task_adhoc	Table	timecreated	BIGINT	19			0	Timestamp of adhoc task cre
enrol_lti_context	Table	timecreated	BIGINT	19			null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
reportbuilder_filter	Table	timecreated	BIGINT	19			0	
wiki_versions	Table	timecreated	BIGINT	19			0	Page edition timestamp
message_users_blocked	Table	timecreated	BIGINT	19	√		null	
lti_types	Table	timecreated	BIGINT	19			null	
message_contacts	Table	timecreated	BIGINT	19	√		null	
competency_framework	Table	timecreated	BIGINT	19			null	The time this competency fra was created.
oauth2_refresh_token	Table	timecreated	BIGINT	19			null	Time this record was created
wiki	Table	timecreated	BIGINT	19			0	
message	Table	timecreated	BIGINT	19			0	
enrol_lti_resource_link	Table	timecreated	BIGINT	19			null	
repository_onedrive_access	Table	timecreated	BIGINT	19			null	
contentbank_content	Table	timecreated	BIGINT	19			0	
grade_grades	Table	timecreated	BIGINT	19	√		null	the time this grade was first
message_conversations	Table	timecreated	BIGINT	19			null	
grade_categories	Table	timecreated	BIGINT	19			null	
tool_dataprivacy_purpose	Table	timecreated	BIGINT	19			null	
files	Table	timecreated	BIGINT	19			null	
enrol_lti_tools	Table	timecreated	BIGINT	19			null	
lti_tool_proxies	Table	timecreated	BIGINT	19			null	Date/time at which the recor created
messageinbound_messagelist	Table	timecreated	BIGINT	19			null	
tool_dataprivacy_category	Table	timecreated	BIGINT	19			null	
competency_templatecohort	Table	timecreated	BIGINT	19			null	
h5pactivity	Table	timecreated	BIGINT	19			null	Timestamp of when the insta added to the course.
tool_brickfield_process	Table	timecreated	BIGINT	19	√		null	
h5pactivity_attempts_results	Table	timecreated	BIGINT	19			null	
auth_oauth2_linked_login	Table	timecreated	BIGINT	19			null	
book_chapters	Table	timecreated	BIGINT	19			0	
adminpresets	Table	timecreated	BIGINT	19			0	
oauth2_system_account	Table	timecreated	BIGINT	19			null	Time this record was created

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
user_password_history	Table	timecreated	BIGINT	19			null	
tool_policy_acceptances	Table	timecreated	BIGINT	19			null	Timestamp of when the acceptance record was created
message_user_actions	Table	timecreated	BIGINT	19			null	
bigbluebuttonbn	Table	timecreated	BIGINT	19			0	
lti_tool_settings	Table	timecreated	BIGINT	19			null	Date/time at which the record was created
question	Table	timecreated	BIGINT	19			0	time question was created
tool_dataprivacy_purposerole	Table	timecreated	BIGINT	19			null	
analytics_models	Table	timecreated	BIGINT	19	√		null	
lti_access_tokens	Table	timecreated	BIGINT	19			null	created timestamp
competency_usercomp	Table	timecreated	BIGINT	19			null	
lti	Table	timecreated	BIGINT	19			0	
enrol_lti_app_registration	Table	timecreated	BIGINT	19			null	
tool_policy_versions	Table	timecreated	BIGINT	19			null	Timestamp of when the policy was created.
competency_coursecomp	Table	timecreated	BIGINT	19			null	The time this link was created
tool_dataprivacy_request	Table	timecreated	BIGINT	19			0	The time this data request was created
tool_dataprivacy_ctxexpired	Table	timecreated	BIGINT	19			null	
quizaccess_seb_quizsettings	Table	timecreated	BIGINT	19			0	
question_attempt_steps	Table	timecreated	BIGINT	19			null	Time-stamp of the action that created this state being created.
grade_items	Table	timecreated	BIGINT	19	√		null	The first time this grade_item was created
message_contact_requests	Table	timecreated	BIGINT	19			null	
h5pactivity_attempts	Table	timecreated	BIGINT	19			null	
analytics_prediction_actions	Table	timecreated	BIGINT	19			null	
external_tokens	Table	timecreated	BIGINT	19			null	created timestamp
forum_grades	Table	timecreated	BIGINT	19			null	
user_enrolments	Table	timecreated	BIGINT	19			0	
tool_brickfield_content	Table	timecreated	BIGINT	19			null	
tag_instance	Table	timecreated	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
messages	Table	timecreated	BIGINT	19			null	
badge_backpack_oauth2	Table	timecreated	BIGINT	19			0	
message_conversation_members	Table	timecreated	BIGINT	19			null	
groups	Table	timecreated	BIGINT	19			0	
competency_relatedcomp	Table	timecreated	BIGINT	19			null	
user_private_key	Table	timecreated	BIGINT	19	√		null	created timestamp
customfield_field	Table	timecreated	BIGINT	19			null	
tool_cohortroles	Table	timecreated	BIGINT	19			null	The time this record was cre
wiki_pages	Table	timecreated	BIGINT	19			0	Wiki page creation timestam
assign_submission	Table	timecreated	BIGINT	19			0	The time of the first student to this assignment.
competency_plan	Table	timecreated	BIGINT	19			null	
competency_plancomp	Table	timecreated	BIGINT	19			null	
analytics_models_log	Table	timecreated	BIGINT	19			null	
payments	Table	timecreated	BIGINT	19			0	
oauth2_access_token	Table	timecreated	BIGINT	19			null	Time this record was created
infected_files	Table	timecreated	BIGINT	19			0	The time the infected file wa
payment_accounts	Table	timecreated	BIGINT	19	√		null	
tool_recyclebin_course	Table	timecreated	BIGINT	19			0	
groupings	Table	timecreated	BIGINT	19			0	
reportbuilder_audience	Table	timecreated	BIGINT	19			0	
logstore_standard_log	Table	timecreated	BIGINT	19			null	
payment_gateways	Table	timecreated	BIGINT	19			null	
survey	Table	timecreated	BIGINT	19			0	
comments	Table	timecreated	BIGINT	19			null	
competency_modulecomp	Table	timecreated	BIGINT	19			null	The time this record was cre
oauth2_user_field_mapping	Table	timecreated	BIGINT	19			null	The time this record was cre
tool_monitor_rules	Table	timecreated	BIGINT	19			null	Time stamp of when this rule created
user_devices	Table	timecreated	BIGINT	19			null	
auth_iti_linked_login	Table	timecreated	BIGINT	19			null	
competency_templatecomp	Table	timecreated	BIGINT	19			null	The time this link was create

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
enrol	Table	timecreated	BIGINT	19			0	
quiz	Table	timecreated	BIGINT	19			0	The time when the quiz was the course.
scorm_aicc_session	Table	timecreated	BIGINT	19			0	time this session was created
sessions	Table	timecreated	BIGINT	19			null	
message_read	Table	timecreated	BIGINT	19			0	
external_services_users	Table	timecreated	BIGINT	19	√		null	created timestamp
tool_monitor_subscriptions	Table	timecreated	BIGINT	19			null	Timestamp of when this subscription was created
tool_dataprivacy_ctxinstance	Table	timecreated	BIGINT	19			null	
reportbuilder_report	Table	timecreated	BIGINT	19			0	
external_services	Table	timecreated	BIGINT	19			null	
competency_coursecompsetting	Table	timecreated	BIGINT	19			null	The time this setting was created
assignment_upgrade	Table	timecreated	BIGINT	19			0	
events_queue	Table	timecreated	BIGINT	19			null	time stamp of the first time this event was added
backup_controllers	Table	timecreated	BIGINT	19			null	time the controller was created
analytics_predictions	Table	timecreated	BIGINT	19			0	
cohort	Table	timecreated	BIGINT	19			null	
competency_evidence	Table	timecreated	BIGINT	19			null	
competency	Table	timecreated	BIGINT	19			null	The time this competency was created
badge	Table	timecreated	BIGINT	19			0	
h5p	Table	timecreated	BIGINT	19			0	
assignment_submissions	Table	timecreated	BIGINT	19			0	
rating	Table	timecreated	BIGINT	19			null	
customfield_category	Table	timecreated	BIGINT	19			null	
reportbuilder_column	Table	timecreated	BIGINT	19			0	
favourite	Table	timecreated	BIGINT	19			null	Creation time
data_records	Table	timecreated	BIGINT	19			0	
repository_instances	Table	timecreated	BIGINT	19	√		null	
workshop_assessments	Table	timecreated	BIGINT	19	√		0	If 0 then the assessment was created but the reviewer has not assessed it

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								greater than 0 then the timestamp when the reviewer assessed the time
competency_usercompcourse	Table	timecreated	BIGINT	19			null	
grade_outcomes	Table	timecreated	BIGINT	19	√		null	the time this outcome was finished
glossary	Table	timecreated	BIGINT	19			0	
block_recent_activity	Table	timecreated	BIGINT	19			null	
customfield_data	Table	timecreated	BIGINT	19			null	
tool_customlang	Table	timecustomized	BIGINT	19	√		null	The timestamp of when the user's local translation was recently modified. null if not customized yet
assignment	Table	timedue	BIGINT	19			0	
event	Table	timeduration	BIGINT	19			0	
stats_user_daily	Table	timeend	BIGINT	19			0	
analytics_predictions	Table	timeend	BIGINT	19	√		null	
stats_daily	Table	timeend	BIGINT	19			0	
forum_discussions	Table	timeend	BIGINT	19			0	
task_log	Table	timeend	DECIMAL	20			null	The end time of the task
course_completion_criteria	Table	timeend	BIGINT	19	√		null	Timestamp of the date for course completion (if using date criteria)
stats_monthly	Table	timeend	BIGINT	19			0	
stats_weekly	Table	timeend	BIGINT	19			0	
stats_user_monthly	Table	timeend	BIGINT	19			0	
enrol_flatfile	Table	timeend	BIGINT	19			0	
user_enrolments	Table	timeend	BIGINT	19			2147483647	
stats_user_weekly	Table	timeend	BIGINT	19			0	
course_completions	Table	timeenrolled	BIGINT	19			0	
blog_external	Table	timefetched	BIGINT	19			0	
quiz_attempts	Table	timefinish	BIGINT	19			0	Time when the attempt was finished. 0 if the attempt has not been finished yet.
workshop_submissions	Table	timegraded	BIGINT	19	√		null	The timestamp when grade over gradeover was recently modified

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
workshop_aggregations	Table	timegraded	BIGINT	19	√		null	The timestamp of when the p gradinggrade was recently a
adminpresets	Table	timeimported	BIGINT	19			0	
reportbuilder_schedule	Table	timelastsent	BIGINT	19			0	
lesson_overrides	Table	timelimit	BIGINT	19	√		null	Time limit in seconds. Can b which case the lesson defau
quiz	Table	timelimit	BIGINT	19			0	The time limit for quiz attempt seconds.
lesson	Table	timelimit	BIGINT	19			0	
assign_overrides	Table	timelimit	BIGINT	19	√		null	Time limit in seconds. Can b which case the quiz default i
assign	Table	timelimit	BIGINT	19			0	
quiz_overrides	Table	timelimit	BIGINT	19	√		null	Time limit in seconds. Can b which case the quiz default i
forum_discussions	Table	timelocked	BIGINT	19			0	
log_queries	Table	timelogged	BIGINT	19			null	timestamp when log info sto
assignment_submissions	Table	timemarked	BIGINT	19			0	
lesson_pages	Table	timemodified	BIGINT	19			0	
lesson	Table	timemodified	BIGINT	19			0	
enrol_flatfile	Table	timemodified	BIGINT	19			0	
backup_controllers	Table	timemodified	BIGINT	19			null	last time the controller was r
grade_grades_history	Table	timemodified	BIGINT	19	√		null	The last time this grade_item modified
enrol_lti_deployment	Table	timemodified	BIGINT	19			null	
quizaccess_seb_quizsettings	Table	timemodified	BIGINT	19			0	
payments	Table	timemodified	BIGINT	19			0	
analytics_predict_samples	Table	timemodified	BIGINT	19			0	
tag	Table	timemodified	BIGINT	19	√		null	
assignment_submissions	Table	timemodified	BIGINT	19			0	
competency_template	Table	timemodified	BIGINT	19			null	The time this learning plan te was last modified.
quiz_attempts	Table	timemodified	BIGINT	19			0	Last modified time.
tool_dataprivacy_purposerole	Table	timemodified	BIGINT	19			null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
events_queue_handlers	Table	timemodified	BIGINT	19			null	time stamp of the last attempt to delete this from the queue
question	Table	timemodified	BIGINT	19			0	time that question was last modified
wiki_pages	Table	timemodified	BIGINT	19			0	page edition timestamp
badge_backpack_oauth2	Table	timemodified	BIGINT	19			0	
repository_onedrive_access	Table	timemodified	BIGINT	19			null	
scorm	Table	timemodified	BIGINT	19			0	
user_enrolments	Table	timemodified	BIGINT	19			0	
enrol	Table	timemodified	BIGINT	19			0	
groupings	Table	timemodified	BIGINT	19			0	
tool_cohortroles	Table	timemodified	BIGINT	19			null	The time this record was modified
reportbuilder_audience	Table	timemodified	BIGINT	19			0	
tool_dataprivacy_ctxlevel	Table	timemodified	BIGINT	19			null	
competency_templatecohort	Table	timemodified	BIGINT	19			null	
lti_tool_settings	Table	timemodified	BIGINT	19			null	Date/time at which the record was modified
cache_flags	Table	timemodified	BIGINT	19			0	
grade_items	Table	timemodified	BIGINT	19	√		null	The last time this grade_item was modified
blog_external	Table	timemodified	BIGINT	19	√		null	
oauth2_user_field_mapping	Table	timemodified	BIGINT	19			null	The time this record was modified
registration_hubs	Table	timemodified	BIGINT	19			0	
config_log	Table	timemodified	BIGINT	19			null	
oauth2_issuer	Table	timemodified	BIGINT	19			null	Time this record was modified
competency_framework	Table	timemodified	BIGINT	19			null	The time this competency framework was last modified.
competency_coursecomp	Table	timemodified	BIGINT	19			null	The time this link was modified
auth_lti_linked_login	Table	timemodified	BIGINT	19			null	
payment_gateways	Table	timemodified	BIGINT	19			null	
repository_instances	Table	timemodified	BIGINT	19	√		null	
role_capabilities	Table	timemodified	BIGINT	19			0	
block_instances	Table	timemodified	BIGINT	19			null	Time at which block instance was created

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								modified.
oauth2_endpoint	Table	timemodified	BIGINT	19			null	The time this record was mo
payment_accounts	Table	timemodified	BIGINT	19	√		null	
competency	Table	timemodified	BIGINT	19			null	The time this competency wa modified.
forum	Table	timemodified	BIGINT	19			0	
quiz_grades	Table	timemodified	BIGINT	19			0	The last time this grade char
competency_modulecomp	Table	timemodified	BIGINT	19			null	The time this record was last
workshop	Table	timemodified	BIGINT	19			null	The timestamp when the mo modified
grading_definitions	Table	timemodified	BIGINT	19			null	The time stamp of when the definition was modified rece
user	Table	timemodified	BIGINT	19			0	
quizaccess_seb_template	Table	timemodified	BIGINT	19			0	
assign_submission	Table	timemodified	BIGINT	19			0	The last time this assignmen submission was modified by
forum_queue	Table	timemodified	BIGINT	19			0	The modified time of the orig
tool_dataprivacy_purpose	Table	timemodified	BIGINT	19			null	
folder	Table	timemodified	BIGINT	19			0	
favourite	Table	timemodified	BIGINT	19			null	Last modification time
user_devices	Table	timemodified	BIGINT	19			null	
customfield_category	Table	timemodified	BIGINT	19			null	
grading_instances	Table	timemodified	BIGINT	19			null	The timestamp of when the a was most recently modified
quiz_overview_regrades	Table	timemodified	BIGINT	19			null	Timestamp of when this row modified.
cohort	Table	timemodified	BIGINT	19			null	
contentbank_content	Table	timemodified	BIGINT	19	√		0	
choice_answers	Table	timemodified	BIGINT	19			0	
sessions	Table	timemodified	BIGINT	19			null	
tool_dataprivacy_request	Table	timemodified	BIGINT	19			0	The last time this data reque updated
competency_usercomp	Table	timemodified	BIGINT	19	√		null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
event	Table	timemodified	BIGINT	19			0	
competency_templatecomp	Table	timemodified	BIGINT	19			null	The time this link was modified
grade_items_history	Table	timemodified	BIGINT	19	√		null	The last time this grade_item was modified
tool_dataprivacy_category	Table	timemodified	BIGINT	19			null	
tag_instance	Table	timemodified	BIGINT	19			0	timemodified
lti	Table	timemodified	BIGINT	19			0	
competency_relatedcomp	Table	timemodified	BIGINT	19	√		null	
h5pactivity	Table	timemodified	BIGINT	19			null	Timestamp of when the instance was last modified.
url	Table	timemodified	BIGINT	19			0	
competency_usercompplan	Table	timemodified	BIGINT	19	√		null	
workshop_submissions	Table	timemodified	BIGINT	19			null	Timestamp when the submission was last been updated
feedback_completedtmp	Table	timemodified	BIGINT	19			0	
quiz	Table	timemodified	BIGINT	19			0	Last modified time.
competency_evidence	Table	timemodified	BIGINT	19			null	
scale_history	Table	timemodified	BIGINT	19	√		null	The last time this grade_item was modified
oauth2_system_account	Table	timemodified	BIGINT	19			null	Time this record was modified
customfield_field	Table	timemodified	BIGINT	19			null	
feedback_completed	Table	timemodified	BIGINT	19			0	
data_records	Table	timemodified	BIGINT	19			0	
assign_grades	Table	timemodified	BIGINT	19			0	The most recent modification of the assignment submission
tool_brickfield_schedule	Table	timemodified	BIGINT	19	√		0	Time stamp of the last record
grade_outcomes	Table	timemodified	BIGINT	19	√		null	the time this outcome was last modified
forum_discussions	Table	timemodified	BIGINT	19			0	
enrol_lti_resource_link	Table	timemodified	BIGINT	19			null	
competency_usercompcourse	Table	timemodified	BIGINT	19	√		null	
h5p	Table	timemodified	BIGINT	19			0	
bigbluebuttonbn_recordings	Table	timemodified	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
assignment	Table	timemodified	BIGINT	19			0	
glossary_entries	Table	timemodified	BIGINT	19			0	
analytics_models	Table	timemodified	BIGINT	19			null	
upgrade_log	Table	timemodified	BIGINT	19			null	
grade_categories	Table	timemodified	BIGINT	19			null	
feedback	Table	timemodified	BIGINT	19			0	
grade_outcomes_history	Table	timemodified	BIGINT	19	√		null	The last time this grade_item modified
reportbuilder_schedule	Table	timemodified	BIGINT	19			0	
competency_userevidencecomp	Table	timemodified	BIGINT	19			null	
course	Table	timemodified	BIGINT	19			0	
book	Table	timemodified	BIGINT	19			0	
chat	Table	timemodified	BIGINT	19			0	
scorm_scoes_track	Table	timemodified	BIGINT	19			0	
quiz_statistics	Table	timemodified	BIGINT	19			null	
enrol_lti_context	Table	timemodified	BIGINT	19			null	
scale	Table	timemodified	BIGINT	19			0	
page	Table	timemodified	BIGINT	19			0	
resource	Table	timemodified	BIGINT	19			0	
competency_userevidence	Table	timemodified	BIGINT	19			null	
question_statistics	Table	timemodified	BIGINT	19			null	
workshop_assessments	Table	timemodified	BIGINT	19	√		0	If 0 then the assessment was not assessed but the reviewer has not assessed yet greater than 0 then the times when the reviewer assessed the time
choice_options	Table	timemodified	BIGINT	19			0	
course_categories	Table	timemodified	BIGINT	19			0	
survey	Table	timemodified	BIGINT	19			0	
competency_plancomp	Table	timemodified	BIGINT	19	√		null	
tool_dataprivacy_ctxinstance	Table	timemodified	BIGINT	19			null	
forum_grades	Table	timemodified	BIGINT	19			null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
lti_tool_proxies	Table	timemodified	BIGINT	19			null	Date/time at which the record was modified
oauth2_access_token	Table	timemodified	BIGINT	19			null	Time this record was modified
scorm_aicc_session	Table	timemodified	BIGINT	19			0	time this session was last used
groups	Table	timemodified	BIGINT	19			0	
reportbuilder_column	Table	timemodified	BIGINT	19			0	
glossary	Table	timemodified	BIGINT	19			0	
files	Table	timemodified	BIGINT	19			null	
tool_customlang	Table	timemodified	BIGINT	19			null	The timestamp of when the tool master was recently modified
enrol_lti_tools	Table	timemodified	BIGINT	19			null	
wiki	Table	timemodified	BIGINT	19			0	
competency_plan	Table	timemodified	BIGINT	19			0	
data	Table	timemodified	BIGINT	19			0	The time the settings for this module instance were last modified
assign	Table	timemodified	BIGINT	19			0	The time the settings for this module instance were last modified
tool_monitor_rules	Table	timemodified	BIGINT	19			null	Timestamp when this rule was modified
tool_policy_acceptances	Table	timemodified	BIGINT	19			null	Timestamp of when the acceptance record was last modified
grade_grades	Table	timemodified	BIGINT	19	√		null	the time this grade was last modified
course_modules_completion	Table	timemodified	BIGINT	19			null	Time at which the completion was changed.
question_response_analysis	Table	timemodified	BIGINT	19			null	
tool_policy_versions	Table	timemodified	BIGINT	19			null	Timestamp of when the policy was last modified.
course_sections	Table	timemodified	BIGINT	19			0	Time at which the course section was last changed.
file_conversion	Table	timemodified	BIGINT	19			null	
competency_coursecompsetting	Table	timemodified	BIGINT	19			null	The time this setting was last modified
badge	Table	timemodified	BIGINT	19			0	
cache_filters	Table	timemodified	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
rating	Table	timemodified	BIGINT	19			null	
question_attempts	Table	timemodified	BIGINT	19			null	The time this record was last
oauth2_refresh_token	Table	timemodified	BIGINT	19			null	Time this record was modified
book_chapters	Table	timemodified	BIGINT	19			0	
enrol_lti_app_registration	Table	timemodified	BIGINT	19			null	
grade_categories_history	Table	timemodified	BIGINT	19	√		null	The last time this grade_item
								modified
lesson_answers	Table	timemodified	BIGINT	19			0	
role_assignments	Table	timemodified	BIGINT	19			0	
h5pactivity_attempts	Table	timemodified	BIGINT	19			null	
auth_oauth2_linked_login	Table	timemodified	BIGINT	19			null	
tool_dataprivacy_ctxexpired	Table	timemodified	BIGINT	19			null	
lti_types	Table	timemodified	BIGINT	19			null	
reportbuilder_report	Table	timemodified	BIGINT	19			0	
imscp	Table	timemodified	BIGINT	19			0	
external_services	Table	timemodified	BIGINT	19	√		null	
label	Table	timemodified	BIGINT	19			0	
choice	Table	timemodified	BIGINT	19			0	
message_conversations	Table	timemodified	BIGINT	19	√		null	
bigbluebuttonbn	Table	timemodified	BIGINT	19			0	
resource_old	Table	timemodified	BIGINT	19			0	
editor_atto_autosave	Table	timemodified	BIGINT	19			0	Store the last modified time
								save text.
reportbuilder_filter	Table	timemodified	BIGINT	19			0	
customfield_data	Table	timemodified	BIGINT	19			null	
lesson_timer	Table	timemodifiedoffline	BIGINT	19			0	Last modified time via web s
								(mobile app).
quiz_attempts	Table	timemodifiedoffline	BIGINT	19			0	Last modified time via web s
reportbuilder_schedule	Table	timenextsend	BIGINT	19			0	
choice	Table	timeopen	BIGINT	19			0	
feedback	Table	timeopen	BIGINT	19			0	
quiz_overrides	Table	timeopen	BIGINT	19	√		null	Time at which students may

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								attempting this quiz. Can be null in which case the quiz default is used.
quiz	Table	timeopen	BIGINT	19			0	The time when this quiz opened (with restriction.)
scorm	Table	timeopen	BIGINT	19			0	
course_published	Table	timepublished	BIGINT	19			null	The time when the publication was made
message_read	Table	timeread	BIGINT	19			0	
notifications	Table	timeread	BIGINT	19	√		null	
wiki_pages	Table	timerendered	BIGINT	19			0	Last render timestamp
user_password_resets	Table	timerequested	BIGINT	19			null	The time that the user first requested this password reset
search_index_requests	Table	timerequested	BIGINT	19			null	Time at which this index update was requested.
user_password_resets	Table	timererequested	BIGINT	19			0	The time the user re-requested a password reset.
reportbuilder_schedule	Table	timescheduled	BIGINT	19			0	
lesson_branch	Table	timeseen	BIGINT	19			0	
lesson_attempts	Table	timeseen	BIGINT	19			0	
tool_monitor_history	Table	timesent	BIGINT	19			null	Timestamp of when the message was sent.
event	Table	timesort	BIGINT	19	√		null	
analytics_train_samples	Table	timesplitting	VARCHAR	255				
analytics_models_log	Table	timesplitting	VARCHAR	255	√		null	
analytics_predict_samples	Table	timesplitting	VARCHAR	255				
analytics_models	Table	timesplitting	VARCHAR	255	√		null	
chat_messages	Table	timestamp	BIGINT	19			0	
chat_messages_current	Table	timestamp	BIGINT	19			0	
forum_discussions	Table	timestamp	BIGINT	19			0	
event	Table	timestamp	BIGINT	19			0	
task_log	Table	timestamp	DECIMAL	20			null	The start time of the task
quiz_attempts	Table	timestamp	BIGINT	19			0	Time when the attempt was made
enrol_flatfile	Table	timestamp	BIGINT	19			0	
analytics_predictions	Table	timestamp	BIGINT	19	√		null	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
user_enrolments	Table	timestart	BIGINT	19			0	
task_scheduled	Table	timestarted	BIGINT	19	✓		null	Time when the task was started
assign_submission	Table	timestarted	BIGINT	19	✓		null	The time when the student started submission.
course_completions	Table	timestarted	BIGINT	19			0	
task_adhoc	Table	timestarted	BIGINT	19	✓		null	Time when the task was started
enrol_paypal	Table	timeupdated	BIGINT	19			0	
message_read	Table	timeuserfromdeleted	BIGINT	19			0	
message	Table	timeuserfromdeleted	BIGINT	19			0	
message_read	Table	timeusertodeleted	BIGINT	19			0	
message	Table	timeusertodeleted	BIGINT	19			0	
data	Table	timeviewfrom	BIGINT	19			0	
data	Table	timeviewto	BIGINT	19			0	
tool_monitor_rules	Table	timewindow	MEDIUMINT	7			null	Time window in seconds
enrol_lti_tools	Table	timezone	VARCHAR	100			99	
user	Table	timezone	VARCHAR	100			99	
workshop_submissions	Table	title	VARCHAR	255				The submission title
tool_usertours_steps	Table	title	LONGTEXT	2147483647	✓		null	Title of the step
h5p_libraries	Table	title	VARCHAR	255				The human readable name of the library
book_chapters	Table	title	VARCHAR	255				
block_rss_client	Table	title	LONGTEXT	2147483647			null	
scorm_scoes	Table	title	VARCHAR	255				
lesson_pages	Table	title	VARCHAR	255				
wiki_pages	Table	title	VARCHAR	255			title	Page name
search_simplifiedb_index	Table	title	LONGTEXT	2147483647	✓		null	
tag_instance	Table	tiuserid	BIGINT	19			0	
feedback_valuetmp	Table	tmp_completed	BIGINT	19			0	
feedback_value	Table	tmp_completed	BIGINT	19			0	
resource	Table	tobemigrated	SMALLINT	5			0	
lti_access_tokens	Table	token	VARCHAR	128				security token, aka private access token
mnet_session	Table	token	VARCHAR	40				Unique SHA1 Token

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
external_tokens	Table	token	VARCHAR	128				security token, aka private access token
registration_hubs	Table	token	VARCHAR	255				the token to communicate with the service by web service
oauth2_access_token	Table	token	LONGTEXT	2147483647			null	access token
user_password_resets	Table	token	VARCHAR	32				secret set and emailed to user
portfolio_mahara_queue	Table	token	VARCHAR	50				the token mahara sent us to receive the transfer.
badge_backpack_oauth2	Table	token	LONGTEXT	2147483647			null	
oauth2_refresh_token	Table	token	LONGTEXT	2147483647			null	refresh token
external_tokens	Table	tokentype	SMALLINT	5			null	type of token: 0=permanent, 1=linked to current browser session, 2=permanent, with emulated session
question_calculated	Table	tolerance	VARCHAR	20			0.0	
question_numerical	Table	tolerance	VARCHAR	255			0.0	Allowed error when matching question response to this answer. I don't know why this is stored as a string
question_calculated	Table	tolerancetype	BIGINT	19			1	
wiki_links	Table	tomissingpage	VARCHAR	255	✓		null	link to a nonexistent page
lti_types	Table	tooldomain	VARCHAR	255				
enrol_lti_tool_consumer_map	Table	toolid	BIGINT	19			null	The tool ID.
enrol_lti_users	Table	toolid	BIGINT	19			null	
lti_tool_proxies	Table	toolproxy	LONGTEXT	2147483647	✓		null	JSON string representing tool proxy returned by tool provider
enrol_lti_lti2_tool_proxy	Table	toolproxy	LONGTEXT	2147483647			null	
enrol_lti_lti2_consumer	Table	toolproxy	LONGTEXT	2147483647	✓		null	
ltiservice_gradebookservices	Table	toolproxyid	BIGINT	19	✓		null	ID of the Tool Proxy instance
lti_types	Table	toolproxyid	BIGINT	19	✓		null	Primary key of related tool proxy for LTI 1 tools)
lti_tool_settings	Table	toolproxyid	BIGINT	19			null	Primary key of related tool proxy
enrol_lti_lti2_tool_proxy	Table	toolproxykey	VARCHAR	32				
lti	Table	toolurl	LONGTEXT	2147483647			null	Remote tool url
wiki_links	Table	topageid	BIGINT	19			0	Page id that recives a link

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
tool_brickfield_cache_acts	Table	totalactivities	BIGINT	19	√		null	
profiling	Table	totalcalls	BIGINT	19			null	Total number of calls performed in this run
profiling	Table	totalcputime	BIGINT	19			null	time (in microseconds) spent on CPU in this run
profiling	Table	totalexecutiontime	BIGINT	19			null	time (in microseconds) spent on execution
profiling	Table	totalmemory	BIGINT	19			null	Total memory used by the run
forum_posts	Table	totalscore	SMALLINT	5			0	
tool_usertours_steps	Table	tourid	BIGINT	19			null	
user	Table	trackforums	BIT	1			0	
forum	Table	trackingtype	TINYINT	3			1	
analytics_models	Table	trained	BIT	1			0	
portfolio_mahara_queue	Table	transferid	BIGINT	19			null	fk to portfolio_tempdata.id
mnet_host	Table	transport	TINYINT	3			0	
question_truefalse	Table	trueanswer	BIGINT	19			0	Foreign key references question_answers.id. The 'True' answer
user	Table	trustbitmask	BIGINT	19			0	
question_response_count	Table	try	BIGINT	19			null	
h5p_libraries	Table	tutorial	LONGTEXT	2147483647	√		null	Tutorial URL
enrol_paypal	Table	txn_id	VARCHAR	255				
feedback_item	Table	typ	VARCHAR	255				
badge	Table	type	BIT	1			1	1 = site, 2 = course
forum	Table	type	VARCHAR	20			general	
enrol_lti_context	Table	type	LONGTEXT	2147483647	√		null	The type of the context on the LTI system
upgrade_log	Table	type	BIGINT	19			null	type: 0==info, 1==notice, 2==error
tool_dataprivacy_request	Table	type	BIGINT	19			0	Data request type
customfield_field	Table	type	VARCHAR	100				
repository	Table	type	VARCHAR	255				
tool_brickfield_areas	Table	type	TINYINT	3			0	
badge_external_identifier	Table	type	VARCHAR	16				
search_simplifiedb_index	Table	type	BIT	1			null	
data_fields	Table	type	VARCHAR	255				

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
reportbuilder_report	Table	type	TINYINT	3			0	
enrol_lti_lti2_context	Table	type	VARCHAR	100	√		null	
task_log	Table	type	SMALLINT	5			null	The type of task. Scheduled Adhoc task = 1.
backup_controllers	Table	type	VARCHAR	10				Type of the backup (activity/course)
assignfeedback_editpdf_annot	Table	type	VARCHAR	10	√		line	line, oval, rect, etc.
tool_policy_versions	Table	type	SMALLINT	5			0	Type of the policy: 0 - Site po Privacy policy, 2 - Third party Other
question_dataset_definitions	Table	type	BIGINT	19			0	
survey_questions	Table	type	SMALLINT	5			0	
event	Table	type	SMALLINT	5			0	
message_conversations	Table	type	BIGINT	19			1	
resource_old	Table	type	VARCHAR	30				
bigbluebuttonbn	Table	type	TINYINT	3			0	
repository_instances	Table	typeid	BIGINT	19			null	
lti	Table	typeid	BIGINT	19	√		null	Basic LTI type
lti_tool_settings	Table	typeid	BIGINT	19	√		null	
ltiservice_gradebookservices	Table	typeid	BIGINT	19	√		null	ID of the LTI Type if not Proxy
lti_types_config	Table	typeid	BIGINT	19			null	Basic LTI type id
lti_access_tokens	Table	typeid	BIGINT	19			null	Basic LTI type id
course_completion_crit_compl	Table	unenroled	BIGINT	19	√		null	Timestamp when the user w unenroled
tool_dataprivacy_ctxexpired	Table	unexpiredroles	LONGTEXT	2147483647	√		null	Roles which have explicitly n yet.
badge_issued	Table	uniquehash	LONGTEXT	2147483647			null	
post	Table	uniquehash	VARCHAR	255				
quiz_attempts	Table	uniqueid	BIGINT	19			0	Foreign key reference to the question_usage that holds th the the question_attempts th this quiz attempt.
enrol_lti_app_registration	Table	uniqueid	VARCHAR	255				A unique local id, which can the initiate login URI to provi

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								clientid} uniqueness in the al the optional client_id claim.
reportbuilder_column	Table	uniqueidentifier	VARCHAR	255				
reportbuilder_filter	Table	uniqueidentifier	VARCHAR	255				
reportbuilder_report	Table	uniquerows	BIT	1		0		
question_numerical_units	Table	unit	VARCHAR	50				The unit. For example 'm' or 's'
question_numerical_options	Table	unitgradingtype	SMALLINT	5		0		0 no penalty, 1 fraction respon 2 fraction total grade
question_numerical_options	Table	unitpenalty	DECIMAL	12			0.1000000	Penalty for getting the unit w they are being graded.
question_numerical_options	Table	unitsleft	SMALLINT	5		0		display the unit at left as in \$
enrol_lti_lti2_consumer	Table	updated	BIGINT	19		null		
enrol_lti_lti2_context	Table	updated	BIGINT	19		null		
enrol_lti_lti2_tool_proxy	Table	updated	BIGINT	19		null		
enrol_lti_lti2_user_result	Table	updated	BIGINT	19		null		
enrol_lti_lti2_resource_link	Table	updated	BIGINT	19		null		
scorm	Table	updatefreq	BIT	1		0		Define when the package mu automatically update
external_services	Table	uploadfiles	BIT	1		0		1 if the service allow people files to webservice/upload.p
log	Table	url	VARCHAR	100				
blog_external	Table	url	LONGTEXT	2147483647		null		
profiling	Table	url	VARCHAR	255				the url this profiling record is (without wwwroot nor query
competency_userevidence	Table	url	LONGTEXT	2147483647		null		
event_subscriptions	Table	url	VARCHAR	255				
competency_evidence	Table	url	VARCHAR	255	√	null		
mnet_log	Table	url	VARCHAR	100				
oauth2_endpoint	Table	url	LONGTEXT	2147483647		null		The url to the endpoint
block_rss_client	Table	url	VARCHAR	255				
qtype_shortanswer_options	Table	usecase	TINYINT	3		0		Whether answers are matche sensitively.
glossary_categories	Table	usedynalink	TINYINT	3		1		

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
glossary_entries	Table	usedynalink	TINYINT	3			1	
glossary	Table	usedynalink	TINYINT	3			1	
workshop	Table	useexamples	TINYINT	3	√		0	optional feature: students provide feedback while evaluating on example submitted from teacher
lesson	Table	usemaxgrade	SMALLINT	5			0	
lesson	Table	usepassword	SMALLINT	5			0	
workshop	Table	usepeerassessment	TINYINT	3	√		0	optional feature: students provide peer assessment of others' work
mnet_session	Table	useragent	VARCHAR	40				SHA1 hash of User Agent
lesson_attempts	Table	useranswer	LONGTEXT	2147483647	√		null	
competency_evidence	Table	usercompetencyid	BIGINT	19			null	
quizaccess_seb_quizsettings	Table	userconfirmquit	BIT	1	√		null	Bool whether confirm quit pop up should appear.
contentbank_content	Table	usercreated	BIGINT	19			null	The original author of the content
reportbuilder_schedule	Table	usercreated	BIGINT	19			0	
grading_definitions	Table	usercreated	BIGINT	19			null	The ID of the user who created the definition and is considered the owner for access control purposes
reportbuilder_filter	Table	usercreated	BIGINT	19			0	
reportbuilder_column	Table	usercreated	BIGINT	19			0	
reportbuilder_report	Table	usercreated	BIGINT	19			0	
reportbuilder_audience	Table	usercreated	BIGINT	19			0	
badge	Table	usercreated	BIGINT	19			null	
message_airnotifier_devices	Table	userdeviceid	BIGINT	19			null	The user device id in the user_devices table
competency_userevidencecomp	Table	userevidenceid	BIGINT	19			null	
editor_atto_autosave	Table	userid	BIGINT	19			null	The id of the user that loaded the editor
forum_track_prefs	Table	userid	BIGINT	19			0	
badge_issued	Table	userid	BIGINT	19			0	
files	Table	userid	BIGINT	19	√		null	Optional - general userid field for all files depending on plugin
events_queue	Table	userid	BIGINT	19	√		null	\$USER->id when the event is created

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
assignfeedback_editpdf_quick	Table	userid	BIGINT	19		0		
user_private_key	Table	userid	BIGINT	19		null		owner
wiki_versions	Table	userid	BIGINT	19		0		Edition autor
user_lastaccess	Table	userid	BIGINT	19		0		
survey_analysis	Table	userid	BIGINT	19		0		
payments	Table	userid	BIGINT	19		null		
analytics_prediction_actions	Table	userid	BIGINT	19		null		
lti_submission	Table	userid	BIGINT	19		null		
message_contacts	Table	userid	BIGINT	19		null		
my_pages	Table	userid	BIGINT	19	√	0		The user who owns this page system defaults
tool_monitor_subscriptions	Table	userid	BIGINT	19		null		User id of the subscriber
competency_usercompplan	Table	userid	BIGINT	19		null		User associated to the comp
scale_history	Table	userid	BIGINT	19		0		
external_tokens	Table	userid	BIGINT	19		null		owner of the token
badge_criteria_met	Table	userid	BIGINT	19		null		
lesson_attempts	Table	userid	BIGINT	19		0		
user_info_data	Table	userid	BIGINT	19		0		id from the user table
task_log	Table	userid	BIGINT	19		null		The userid that the task was to run as (Adhoc tasks only)
feedback_completedtmp	Table	userid	BIGINT	19		0		
mnet_log	Table	userid	BIGINT	19		0		
forum_posts	Table	userid	BIGINT	19		0		
user_password_resets	Table	userid	BIGINT	19		null		id of the user account which claimed to be
badge_backpack_oauth2	Table	userid	BIGINT	19		null		
event	Table	userid	BIGINT	19		0		
badge_backpack	Table	userid	BIGINT	19		0		
stats_user_monthly	Table	userid	BIGINT	19		0		
user_preferences	Table	userid	BIGINT	19		0		
tool_monitor_history	Table	userid	BIGINT	19		null		User to whom this notificatio
enrol_flatfile	Table	userid	BIGINT	19		null		

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
forum_digests	Table	userid	BIGINT	19			null	
course_completion_crit_compl	Table	userid	BIGINT	19			0	
infected_files	Table	userid	BIGINT	19			null	The user that uploaded the in
forum_subscriptions	Table	userid	BIGINT	19			0	
grade_grades_history	Table	userid	BIGINT	19			null	The user who this grade is fo
log	Table	userid	BIGINT	19			0	
chat_messages_current	Table	userid	BIGINT	19			0	
repository_instances	Table	userid	BIGINT	19			0	
event_subscriptions	Table	userid	BIGINT	19			0	
h5pactivity_attempts	Table	userid	BIGINT	19			null	Attempt user ID
enrol_lti_users	Table	userid	BIGINT	19			null	
rating	Table	userid	BIGINT	19			null	
assign_grades	Table	userid	BIGINT	19			0	
search_simplifiedb_index	Table	userid	BIGINT	19	√		null	
forum_read	Table	userid	BIGINT	19			0	
chat_messages	Table	userid	BIGINT	19			0	
forum_grades	Table	userid	BIGINT	19			null	The user who was graded
tag	Table	userid	BIGINT	19			null	
scorm_aicc_session	Table	userid	BIGINT	19			0	id from user table
adminpresets	Table	userid	BIGINT	19			null	
feedback_completed	Table	userid	BIGINT	19			0	
mnetSERVICE_enrol_enrolments	Table	userid	BIGINT	19			null	ID of our local user on this se
message_user_actions	Table	userid	BIGINT	19			null	
assignment_submissions	Table	userid	BIGINT	19			0	
config_log	Table	userid	BIGINT	19			null	
external_services_users	Table	userid	BIGINT	19			null	
portfolio_log	Table	userid	BIGINT	19			null	user who exported content
auth_oauth2_linked_login	Table	userid	BIGINT	19			null	The user account this oauth linked to.
message_conversation_members	Table	userid	BIGINT	19			null	
forum_queue	Table	userid	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
block_rss_client	Table	userid	BIGINT	19		0		
scale	Table	userid	BIGINT	19		0		
quiz_grades	Table	userid	BIGINT	19		0		Foreign key references user.i
lesson_branch	Table	userid	BIGINT	19		0		
quiz_attempts	Table	userid	BIGINT	19		0		Foreign key reference to the attempt this is.
course_modules_completion	Table	userid	BIGINT	19		null		ID of user who has (or hasn't completed the activity.
assign_submission	Table	userid	BIGINT	19		0		
wiki_subwikis	Table	userid	BIGINT	19		0		Owner of that subwiki
block_recentlyaccesseditems	Table	userid	BIGINT	19		null		User id that accessed the ite
messageinbound_messagelist	Table	userid	BIGINT	19		null		
message_conversation_actions	Table	userid	BIGINT	19		null		
scorm_scoes_track	Table	userid	BIGINT	19		0		
role_assignments	Table	userid	BIGINT	19		0		
auth_lti_linked_login	Table	userid	BIGINT	19		null		The user account the LTI use
quiz_overrides	Table	userid	BIGINT	19	√	null		Foreign key references user.i null if this is a per-group over
cohort_members	Table	userid	BIGINT	19		0		
tool_policy_acceptances	Table	userid	BIGINT	19		null		ID of the user this acceptanc
oauth2_refresh_token	Table	userid	BIGINT	19		null		relevant to The user to whom this refres
user_devices	Table	userid	BIGINT	19		0		belongs.
message_contact_requests	Table	userid	BIGINT	19		null		
groups_members	Table	userid	BIGINT	19		0		
course_completions	Table	userid	BIGINT	19		0		
competency_userevidence	Table	userid	BIGINT	19		null		
workshop_aggregations	Table	userid	BIGINT	19		null		The id of the user which agg
data_records	Table	userid	BIGINT	19		0		grades are calculated for
stats_user_daily	Table	userid	BIGINT	19		0		

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
tool_monitor_rules	Table	userid	BIGINT	19			null	Id of user who created the rule
wiki_pages	Table	userid	BIGINT	19			0	Edition author
chat_users	Table	userid	BIGINT	19			0	
stats_user_weekly	Table	userid	BIGINT	19			0	
assign_user_mapping	Table	userid	BIGINT	19			0	
competency_plan	Table	userid	BIGINT	19			null	
comments	Table	userid	BIGINT	19			null	
grade_grades	Table	userid	BIGINT	19			null	The user who this grade is for
forum_discussions	Table	userid	BIGINT	19			0	
portfolio_instance_user	Table	userid	BIGINT	19			null	fk to user table
message_users_blocked	Table	userid	BIGINT	19			null	
wiki_locks	Table	userid	BIGINT	19			0	Locking user
competency_usercomp	Table	userid	BIGINT	19			null	User associated to the competency
assign_overrides	Table	userid	BIGINT	19	√		null	Foreign key references user.id null if this is a per-group override
upgrade_log	Table	userid	BIGINT	19			null	
lesson_grades	Table	userid	BIGINT	19			0	
blog_external	Table	userid	BIGINT	19			null	
enrol_paypal	Table	userid	BIGINT	19			0	
tool_cohortroles	Table	userid	BIGINT	19			null	The user to sync
bigbluebuttonbn_logs	Table	userid	BIGINT	19	√		null	
grade_import_values	Table	userid	BIGINT	19			null	
task_adhoc	Table	userid	BIGINT	19	√		null	
logstore_standard_log	Table	userid	BIGINT	19			null	
competency_usercompcourse	Table	userid	BIGINT	19			null	User associated to the competency course
assign_user_flags	Table	userid	BIGINT	19			0	The id of the user these flags are for
user_enrolments	Table	userid	BIGINT	19			null	
adminpresets_app	Table	userid	BIGINT	19			null	
sessions	Table	userid	BIGINT	19			null	
backup_controllers	Table	userid	BIGINT	19			null	user that owns/performs the backup
survey_answers	Table	userid	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
forum_discussion_subs	Table	userid	BIGINT	19			null	
choice_answers	Table	userid	BIGINT	19			0	
favourite	Table	userid	BIGINT	19			null	The id of the user to whom the post belongs
post	Table	userid	BIGINT	19			0	
user_password_history	Table	userid	BIGINT	19			null	
block_recent_activity	Table	userid	BIGINT	19			null	User performing the action
portfolio_tempdata	Table	userid	BIGINT	19			null	psuedo fk to user. this is stored as a serialised data structure in the data field, but added here for ease of lookups.
question_attempt_steps	Table	userid	BIGINT	19	√		null	The user whose action lead to this being created.
mnet_session	Table	userid	BIGINT	19			0	Unique user ID
glossary_entries	Table	userid	BIGINT	19			0	
lesson_timer	Table	userid	BIGINT	19			0	
lesson_overrides	Table	userid	BIGINT	19	√		null	Foreign key references user.id. null if this is a per-group override
tool_dataprivacy_request	Table	userid	BIGINT	19			0	The user ID the request is being made for
messages	Table	useridfrom	BIGINT	19			null	
message	Table	useridfrom	BIGINT	19			0	
message_read	Table	useridfrom	BIGINT	19			0	
notifications	Table	useridfrom	BIGINT	19			null	
message_read	Table	useridto	BIGINT	19			0	
message	Table	useridto	BIGINT	19			0	
message_email_messages	Table	useridto	BIGINT	19			null	
notifications	Table	useridto	BIGINT	19			null	
bigbluebuttonbn	Table	userlimit	SMALLINT	5			0	
tool_dataprivacy_request	Table	usermodified	BIGINT	19			0	The user who created/modified the request object
competency_plan	Table	usermodified	BIGINT	19			null	
competency_modulecomp	Table	usermodified	BIGINT	19			null	The user who last modified the competency

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
competency_usercompcourse	Table	usermodified	BIGINT	19			null	
reportbuilder_schedule	Table	usermodified	BIGINT	19			0	
competency_relatedcomp	Table	usermodified	BIGINT	19			null	
competency	Table	usermodified	BIGINT	19	√		null	The user who last modified t competency
competency_framework	Table	usermodified	BIGINT	19	√		null	The user who last modified t framework
analytics_models_log	Table	usermodified	BIGINT	19			null	
tool_dataprivacy_purpose	Table	usermodified	BIGINT	19			null	
tool_policy_versions	Table	usermodified	BIGINT	19			null	ID of the user who last edited document version.
file_conversion	Table	usermodified	BIGINT	19			null	
forum_discussions	Table	usermodified	BIGINT	19			0	
grade_grades_history	Table	usermodified	BIGINT	19	√		null	the userid of the person who modified this grade
oauth2_endpoint	Table	usermodified	BIGINT	19			null	The user who modified this r
competency_coursecompsetting	Table	usermodified	BIGINT	19	√		null	The user who last modified t
bigbluebuttonbn_recordings	Table	usermodified	BIGINT	19			0	
oauth2_system_account	Table	usermodified	BIGINT	19			null	The user who modified this r
tool_dataprivacy_ctxinstance	Table	usermodified	BIGINT	19			null	
quizaccess_seb_quizsettings	Table	usermodified	BIGINT	19			0	
oauth2_access_token	Table	usermodified	BIGINT	19			null	The user who modified this r
reportbuilder_audience	Table	usermodified	BIGINT	19			0	
tool_policy_acceptances	Table	usermodified	BIGINT	19			null	ID of the user who last modifi acceptance record
competency_templatecomp	Table	usermodified	BIGINT	19			null	The user who modified this l
contentbank_content	Table	usermodified	BIGINT	19	√		null	
analytics_models	Table	usermodified	BIGINT	19			null	
competency_templatecohort	Table	usermodified	BIGINT	19			null	
competency_usercompplan	Table	usermodified	BIGINT	19			null	
tool_dataprivacy_purposerole	Table	usermodified	BIGINT	19			null	
badge_backpack_oauth2	Table	usermodified	BIGINT	19			0	

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
competency_usercomp	Table	usermodified	BIGINT	19			null	
grading_definitions	Table	usermodified	BIGINT	19			null	The ID of the user who did the recent modification
quizaccess_seb_template	Table	usermodified	BIGINT	19			0	
competency_evidence	Table	usermodified	BIGINT	19			null	
reportbuilder_report	Table	usermodified	BIGINT	19			0	
tool_dataprivacy_ctxexpired	Table	usermodified	BIGINT	19			null	
competency_userevidence	Table	usermodified	BIGINT	19			null	
tool_dataprivacy_category	Table	usermodified	BIGINT	19			null	
competency_userevidencecomp	Table	usermodified	BIGINT	19			null	
post	Table	usermodified	BIGINT	19	√		null	
grade_grades	Table	usermodified	BIGINT	19	√		null	the userid of the person who modified this grade
reportbuilder_column	Table	usermodified	BIGINT	19			0	
grade_outcomes	Table	usermodified	BIGINT	19	√		null	the userid of the person who modified this outcome
reportbuilder_filter	Table	usermodified	BIGINT	19			0	
repository_onedrive_access	Table	usermodified	BIGINT	19			null	
auth_oauth2_linked_login	Table	usermodified	BIGINT	19			null	
badge	Table	usermodified	BIGINT	19			null	
oauth2_issuer	Table	usermodified	BIGINT	19			null	The user who modified this record
oauth2_user_field_mapping	Table	usermodified	BIGINT	19			null	The user who modified this record
tool_cohortroles	Table	usermodified	BIGINT	19	√		null	Who last modified this record
tool_dataprivacy_ctxlevel	Table	usermodified	BIGINT	19			null	
competency_coursecomp	Table	usermodified	BIGINT	19			null	The user who modified this record
competency_plancomp	Table	usermodified	BIGINT	19			null	
competency_template	Table	usermodified	BIGINT	19	√		null	The user who last modified this plan template
repository_instances	Table	username	VARCHAR	255	√		null	
mnet_session	Table	username	VARCHAR	100				Unique username
oauth2_system_account	Table	username	LONGTEXT	2147483647			null	The username that was connected to this system account to this issue

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
auth_oauth2_linked_login	Table	username	VARCHAR	255				The external username to match moodle account
mnet_sso_access_control	Table	username	VARCHAR	100				Username
user	Table	username	VARCHAR	100				
reportbuilder_schedule	Table	userviewas	BIGINT	19			0	
workshop	Table	useselfassessment	TINYINT	3	✓		0	optional feature: students perform self assessment of their own work
question_set_references	Table	usingcontextid	BIGINT	19			0	Context where question is used
question_references	Table	usingcontextid	BIGINT	19			0	Context where question is used
enrol_lti_tools	Table	uuid	VARCHAR	36	✓		null	
user_devices	Table	uuid	VARCHAR	255				The device vendor UUID
event	Table	uuid	VARCHAR	255				
messageinbound_handlers	Table	validateaddress	BIT	1			1	Whether to validate the send address against the user record.
user_private_key	Table	validuntil	BIGINT	19	✓		null	timestamp - valid until data expires
external_services_users	Table	validuntil	BIGINT	19	✓		null	timestamp - valid until data expires
external_tokens	Table	validuntil	BIGINT	19	✓		null	timestamp - valid until data expires
lti_access_tokens	Table	validuntil	BIGINT	19			null	timestamp - valid until data expires
config_log	Table	value	LONGTEXT	2147483647	✓		null	
customfield_data	Table	value	LONGTEXT	2147483647			null	
adminpresets_it	Table	value	LONGTEXT	2147483647	✓		null	
portfolio_instance_user	Table	value	LONGTEXT	2147483647	✓		null	value of config item
adminpresets_app_plug	Table	value	SMALLINT	5			0	
feedback_valuetmp	Table	value	LONGTEXT	2147483647			null	
portfolio_instance_config	Table	value	LONGTEXT	2147483647	✓		null	config value
course_completion_aggr_methd	Table	value	DECIMAL	10	✓		null	NULL = all/any, 0..1 for method 'fraction', > 0 for method 'units'
enrol_lti_lti2_nonce	Table	value	VARCHAR	64				
filter_config	Table	value	LONGTEXT	2147483647	✓		null	The corresponding config variable
feedback_value	Table	value	LONGTEXT	2147483647			null	
question_attempt_step_data	Table	value	LONGTEXT	2147483647	✓		null	The corresponding value
lti_types_config	Table	value	LONGTEXT	2147483647			null	Param value

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
adminpresets_it_a	Table	value	LONGTEXT	2147483647	✓		null	
analytics_indicator_calc	Table	value	DECIMAL	10	✓		null	The calculated value, it can b
question_dataset_items	Table	value	VARCHAR	255				
scorm_scoes_track	Table	value	LONGTEXT	2147483647			null	
user_private_key	Table	value	VARCHAR	128				private access key value
user_preferences	Table	value	VARCHAR	1333				
grade_settings	Table	value	LONGTEXT	2147483647	✓		null	
cache_flags	Table	value	LONGTEXT	2147483647			null	
config_plugins	Table	value	LONGTEXT	2147483647			null	
course_format_options	Table	value	LONGTEXT	2147483647	✓		null	Value of the format option
config	Table	value	LONGTEXT	2147483647			null	
assign_plugin_config	Table	value	LONGTEXT	2147483647	✓		null	The value of the config settin as text but can be interpreted plugin however it likes.
badge_criteria_param	Table	value	VARCHAR	255	✓		null	
scorm_scoes_data	Table	value	LONGTEXT	2147483647			null	
repository_instance_config	Table	value	LONGTEXT	2147483647	✓		null	
customfield_data	Table	valueformat	BIGINT	19			null	
assignment	Table	var1	BIGINT	19	✓		0	
assignment	Table	var2	BIGINT	19	✓		0	
assignment	Table	var3	BIGINT	19	✓		0	
assignment	Table	var4	BIGINT	19	✓		0	
assignment	Table	var5	BIGINT	19	✓		0	
question_attempts	Table	variant	BIGINT	19			1	The variant of the qusetion b
question_statistics	Table	variant	BIGINT	19	✓		null	
question_response_analysis	Table	variant	BIGINT	19	✓		null	
lti_tool_proxies	Table	vendorcode	VARCHAR	255	✓		null	
analytics_models	Table	version	BIGINT	19			null	
tool_customlang_components	Table	version	VARCHAR	255	✓		null	The checked out version of t null if the version is unknowr
question_references	Table	version	BIGINT	19	✓		null	Version number for the ques NULL means use the latest r

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
								version.
user_devices	Table	version	VARCHAR	32				The device version, 6.1.2, 4.2
license	Table	version	BIGINT	19		0		
upgrade_log	Table	version	VARCHAR	100	✓	null		plugin or main version if kno
question_versions	Table	version	BIGINT	19		1		Version number for the ques the first version is always 1.
analytics_models_log	Table	version	BIGINT	19		null		
chat_users	Table	version	VARCHAR	16				
scorm	Table	version	VARCHAR	9				
badge	Table	version	VARCHAR	255	✓	null		
cache_filters	Table	version	BIGINT	19		0		
wiki_versions	Table	version	MEDIUMINT	7		0		Wiki page version
course_modules_completion	Table	viewed	BIT	1	✓	null		Tracks whether or not this ac been viewed. NULL = we are tracking viewed for this activ viewed 1 = viewed
bigbluebuttonbn	Table	viewerpass	VARCHAR	255				
contentbank_content	Table	visibility	BIT	1		1		
block	Table	visible	BIT	1		1		
repository	Table	visible	BIT	1	✓	1		
portfolio_instance	Table	visible	BIT	1		1		whether this instance is visib
course	Table	visible	BIT	1		1		
competency_framework	Table	visible	TINYINT	3		1		Used to show/hide this comp framework.
event	Table	visible	SMALLINT	5		1		
course_modules	Table	visible	BIT	1		1		
badge_issued	Table	visible	BIT	1		0		
glossary_formats	Table	visible	TINYINT	3		1		
cohort	Table	visible	BIT	1		1		Visibility to teachers
block_positions	Table	visible	SMALLINT	5		null		Whether this block instance this page.
competency_template	Table	visible	TINYINT	3		1		Used to show/hide this learn template.

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
course_categories	Table	visible	BIT	1		1		
course_sections	Table	visible	BIT	1		1		
modules	Table	visible	BIT	1		1		
user_info_field	Table	visible	SMALLINT	5		0		Visibility: private, public, hidden
course	Table	visibleold	BIT	1		1		the state of visible field when parent category, this helps us hidden states when un hiding category later
course_categories	Table	visibleold	BIT	1		1		the state of visible field when parent category, this helps us hidden states when un hiding category later
course_modules	Table	visibleold	BIT	1		1		
course_modules	Table	visibleoncoursepage	BIT	1		1		If stealth visibility is allowed course, this controls whether visible on course page
bigbluebuttonbn	Table	voicebridge	MEDIUMINT	7		0		
bigbluebuttonbn	Table	wait	BIT	1		0		
forum	Table	warnafter	BIGINT	19		0		
h5p_contents_libraries	Table	weight	BIGINT	19		null		Determines the order in which preloaded libraries will be loaded
block_positions	Table	weight	BIGINT	19		null		Used to order the blocks within region.
workshopform_accumulative	Table	weight	MEDIUMINT	7	✓	1		The weight of the dimension
workshopform_numerrors	Table	weight	MEDIUMINT	7	✓	1		Weight of this dimension
workshop_assessments	Table	weight	BIGINT	19		1		The weight of the assessment purposes of aggregation
grade_items_history	Table	weightoverride	BIT	1		0		
grade_items	Table	weightoverride	BIT	1		0		
bigbluebuttonbn	Table	welcome	LONGTEXT	2147483647	✓	null		
scorm	Table	whatgrade	BIGINT	19		0		
quiz_statistics	Table	whichattempts	SMALLINT	5		null		bool used to indicate whether stats are for all attempts or just first.
question_response_analysis	Table	whichtries	VARCHAR	255				

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
scorm	Table	width	BIGINT	19			100	
lesson	Table	width	BIGINT	19			640	
assignfeedback_editpdf_quick	Table	width	BIGINT	19			120	
assignfeedback_editpdf_cmnt	Table	width	BIGINT	19	√		120	width, in pixels, of the comment
wiki_subwikis	Table	wikiid	BIGINT	19			0	Wiki activity
wiki	Table	wikimode	VARCHAR	20			collaborative	Wiki mode (individual, collaborative)
forum_posts	Table	wordcount	BIGINT	19	√		null	
assign_user_flags	Table	workflowstate	VARCHAR	20	√		null	The current workflow state of the user
workshopform_rubric_config	Table	workshopid	BIGINT	19			null	The id of workshop this configuration applies for
workshopallocation_scheduled	Table	workshopid	BIGINT	19			null	workshop id we are part of
workshopform_comments	Table	workshopid	BIGINT	19			null	Workshop ID
workshopeval_best_settings	Table	workshopid	BIGINT	19			null	
workshopform_numerrors_map	Table	workshopid	BIGINT	19			null	The id of the workshop
workshopform_rubric	Table	workshopid	BIGINT	19			null	Workshop ID
workshopform_accumulative	Table	workshopid	BIGINT	19			null	Workshop ID
workshop_aggregations	Table	workshopid	BIGINT	19			null	the id of the workshop instance
workshopform_numerrors	Table	workshopid	BIGINT	19			null	Workshop ID
workshop_submissions	Table	workshopid	BIGINT	19			null	the id of the workshop instance
scorm_seq_mapinfo	Table	writenormalizedmeasure	BIT	1			0	
scorm_seq_mapinfo	Table	writesatisfiedstatus	BIT	1			0	
mnet_host	Table	wwwroot	VARCHAR	255				
assignfeedback_editpdf_annot	Table	x	BIGINT	19	√		0	x-position of the start of the annotation (in pixels - image resolution in pixels per inch)
assignfeedback_editpdf_cmnt	Table	x	BIGINT	19	√		0	x-position of the top-left corner of the comment (in pixels - image resolution in pixels per inch) set to 100 pixels per inch)
qtype_ddimageortext_drops	Table	xleft	BIGINT	19			0	
mnet_application	Table	xmlrpc_server_url	VARCHAR	255				
mnet_rpc	Table	xmlrpcpath	VARCHAR	80				
mnet_remote_rpc	Table	xmlrpcpath	VARCHAR	80				

Table	Type	Column	Type	Size	Nullable	Auto	Default	Comments
assignfeedback_editpdf_cmnt	Table	y	BIGINT	19	√	0		y-position of the top-left corner of the comment (in pixels - image resolution is set to 100 pixels per inch)
assignfeedback_editpdf_annot	Table	y	BIGINT	19	√	0		y-position of the start of the annotation (in pixels - image resolution is set to 100 pixels per inch)
qtype_ddimageortext_drops	Table	ytop	BIGINT	19		0		