

LEGEND

- NEW WALL - SEE WALL ASSEMBLIES
- ENLARGED PLANS - SEE SHEET STARTING AT A2.1.
- EXTERIOR ELEVATION MARKER. SEE SHEETS STARTING AT SHEET A3.0.

revisions:
NO. DESCRIPTION DATE

CHANGED LIFE CHURCH NEW BUILDING

E. DEER FLAT RD.
KUNA, IDAHO 83634

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. RBA ARCHITECTS, LLC, AS THE OWNER OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, DRAWINGS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

REPRODUCTION OF THIS DOCUMENT IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

COPYRIGHT RBA ARCHITECTS, LLC.

508 S. PINE ST.
NAVARA, ID 83686
PH: (208)444-4029
tck@RBAarch.com




checked RB
date 7-20-2022
drawn STY
job no. 21015
issued for PERMIT

sheet title: OVERALL FLOOR PLAN
sheet number: A2.0

OVERALL FLOOR PLAN



1/8" = 1'-0"



stamp
LICENSED ARCHITECT
RICHARD B.
BUGATSCHE
AK-2551
7-20-2022

revisions:
NO. DESCRIPTION DATE

CHANGED LIFE CHURCH NEW BUILDING

E. DEER FLAT RD.
KUNA, IDAHO 83634

GENERAL NOTES - FLOOR PLAN

- A. PLAN WALL DIMENSIONS ARE TO GRID LINE OR FACE OF WALL STRUCTURE. "CLEAR" DIMENSIONS ARE TO FACE OF WALL FINISH.
- B. FIELD VERIFY ALL EXISTING CONDITIONS AND THEIR COMPATIBILITY WITH NEW CONSTRUCTION PRIOR TO THE COMMENCEMENT OF WORK. COORDINATE DISCREPANCIES WITH ARCHITECT.
- C. DO NOT SCALE DRAWINGS.
- D. SEE CIVIL, STRUCTURAL, MECHANICAL, AND ELECTRICAL DRAWINGS FOR MORE INFORMATION.
- E. PROVIDE MOISTURE RESISTANT GYPSUM BOARD AT LAVATORIES, CUSTODIAL, AND WATER CLOSET WALLS IF OCCURS.
- F. PROVIDE SOLID BLOCKING AT WALL-MOUNTED EQUIPMENT AND ACCESSORIES AS REQUIRED.
- G. VERIFY ACTUAL CLEAR DIMENSIONS OF ALL APPLIANCES AND EQUIPMENT.
- H. COORDINATE WITH SCHEDULES FOR COLORS, FINISHES, ETC.
- I. COORDINATE WITH OWNER REPRESENTATIVE FOR CIVIL, STRUCTURAL, MECHANICAL, AND ELECTRICAL PRIOR TO START OF CONSTRUCTION.

KEYNOTES - FLOOR PLAN

- 2.01 WALL TO EXTEND TO BOTTOM OF EQUIPMENT PLATFORM FLOOR.
- 2.03 ADA SINK WITH LEVEL HANDLE FAUCETS, TYP. COORDINATE WITH OWNER AND PLUMBING DRAWINGS.
- 2.05 DASHED LINES INDICATE REFERENCE FOR FUTURE AUDIO / VIDEO BOOTH. COORDINATE WITH ELECTRICAL DRAWINGS FOR FUTURE STUBBING.
- 2.07 FIRE EXTINGUISHER AND SEMI-RECESSED MOUNTED CABINET PER NFPA. REFER TO FIXTURE MOUNTING SCHEDULE ON SHEET A3.5.
- 2.11 FLOOR SINK COORDINATE WITH PLUMBING DRAWINGS.
- 2.13 PRE-ENGINEERED BUILDING STRUCTURE, MAIN FRAMES, GIRTS, PURLINS, COLUMNS, AND METAL SIDING / ROOF PER BUILDING MFR.
- 2.24 MOP RACK. COORDINATE WITH OWNER.
- 2.37 FLOOR SINK. COORDINATE WITH PLUMBING AND STRUCTURAL DRAWINGS. PROVIDE FLOOR PENETRATION AS REQUIRED PER PLUMBING DRAWINGS.
- 2.38 FLOOR CLEAN OUT. COORDINATE WITH PLUMBING DRAWINGS.
- 2.39 STRUCTURAL COLUMN. REFER TO BUILDING DRAWINGS.
- 2.41 HOSE BIB. COORDINATE WITH PLUMBING DRAWINGS.

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING, AND MAINTAINING THE PROJECT. RBA ARCHITECTS, LLC, AS THE OWNER OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, PLANS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

REPRODUCTION OF THIS DOCUMENT IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

© COPYRIGHT RBA ARCHITECTS, LLC.

LEGEND

	NEW WALL - SEE WALL ASSEMBLIES. SEE SHEET A2.5
	WALL TYPE MARKER - SEE WALL ASSEMBLIES. SEE SHEET A2.5.
	NOTE: "FH" REPRESENTS INTERIOR WALLS TO BE FULL HT.
	DOOR NUMBER - SEE DOOR SCHEDULE ON SHEET A7.0
	WINDOW TYPE MARKER - SEE WINDOW TYPES ON SHEET A7.0
	BUILDING SECTION - SEE SHEET A4.0
	WALL SECTION - SEE SHEET A4.1
	ROOM NAME / NUMBER
	INTERIOR ELEVATION MARKER. SEE SHEET A3.5
	EXTERIOR ELEVATION MARKER. SEE SHEETS STARTING AT SHEET A3.0
	KEYNOTE
	ENLARGED PLAN
	sheet number: A2.1

508 S. PINE ST.
NAVARA, ID 83686
PH: (208)484-4029
tck@RBAarch.com



SEE SHEET: A2.4


1 ENLARGED PLAN



NORTH

1/4" = 1'-0"

SEE SHEET: A2.2



GENERAL NOTES - FLOOR PLAN

- A. PLAN WALL DIMENSIONS ARE TO GRID LINE OR FACE OF WALL STRUCTURE. "CLEAR" DIMENSIONS ARE TO FACE OF WALL FINISH.
- B. FIELD VERIFY ALL EXISTING CONDITIONS AND THEIR COMPATIBILITY WITH NEW CONSTRUCTION PRIOR TO THE COMMENCEMENT OF WORK. COORDINATE WITH ARCHITECT.
- C. DO NOT SCALE DRAWINGS.
- D. SEE CIVIL, STRUCTURAL, MECHANICAL, AND ELECTRICAL DRAWINGS FOR MORE INFORMATION.
- E. PROVIDE MOISTURE RESISTANT GYPSUM BOARD AT LAVATORIES, CUSTODIAL, AND WATER CLOSET WALLS IF OCCURS.
- F. PROVIDE SOLID BLOCKING AT WALL-MOUNTED EQUIPMENT AND ACCESSORIES AS REQUIRED.
- G. VERIFY ACTUAL CLEAR DIMENSIONS OF ALL APPLIANCES AND EQUIPMENT.
- H. COORDINATE WITH SCHEDULES FOR COLORS, FINISHES, ETC.
- I. COORDINATE WITH OWNER REPRESENTATIVE FOR CIVIL, STRUCTURAL, MECHANICAL, AND ELECTRICAL PRIOR TO START OF CONSTRUCTION.

KEYNOTES - FLOOR PLAN

- 2.01 WALL TO EXTEND TO BOTTOM OF EQUIPMENT PLATFORM FLOOR.
- 2.02 INTERIOR STAIR GUARD CONSTRUCTION BY CONTRACTOR. STAIR CONSTRUCTION TO BE ADA, ICCANS-A117.1 (2009) AND BC 2018 COMPLIANT. COORDINATE WITH STRUCTURAL AND ASSOCIATED ITEMS.
- 2.03 ADA SINK WITH LEVEL HANDLE FAUCETS, TYP. COORDINATE WITH OWNER AND PLUMBING DRAWINGS.
- 2.04 COFFEE SPACE. COORDINATE WITH PLUMBING, MECHANICAL, AND ELECTRICAL FOR STUBBINGS. COORDINATE WITH OWNER FOR FINAL EQUIPMENT AND FINISHES.
- 2.07 FIRE EXTINGUISHER AND SEMI-RECESSED MOUNTED CABINET PER NFPA. REFER TO FIXTURE MOUNTING SCHEDULE ON SHEET A2.3.
- 2.10 NEW ADA COMPLIANT HILCO DRINKING FOUNTAIN. COORDINATE WITH ELECTRICAL AND PLUMBING DRAWINGS. REFER TO PLUMBING DRAWINGS AND SEE FIXTURE MOUNTING SCHEDULE FOR ADA MOUNTING HEIGHTS.
- 2.11 FLOOR SINK. COORDINATE WITH PLUMBING DRAWINGS.
- 2.13 PRE-ENGINEERED BUILDING STRUCTURE: MAIN FRAMES, GIRTS, PURLINS, COLUMNS, AND METAL SIDING / ROOF BY BUILDING MFR.
- 2.14 ADA TOILET AND SEAT. COORDINATE WITH PLUMBING DRAWINGS.
- 2.15 STANDARD TOILET AND SEAT. COORDINATE WITH PLUMBING DRAWINGS.
- 2.16 BUILDING CONTRACTOR TO COORDINATE TOILET PARTITIONS AND URINAL SCREENS WITH OWNER FOR TYPE AND COLOR. PARTITIONS ARE TO BE ADA REQUIREMENTS.
- 2.17 ADA LAVATORY WITH LEVER HANDLE FAUCETS, TYP.
- 2.18 COUNTER WITH CLEARANCES PER ADA REQUIREMENTS. SEE SHEET A3.5 FOR FIXTURE MOUNTING SCHEDULE.
- 2.19 PAPER TOWEL DISPENSER AND WASTE. COORDINATE WITH OWNER.
- 2.20 SANITARY NAPKIN DISPENSER. COORDINATE WITH OWNER.
- 2.21 ADA MIRROR. COORDINATE WITH OWNER.
- 2.22 STANDARD MIRROR. COORDINATE WITH OWNER.
- 2.23 ADA GRAB BARS (1-1/2" DIA. X 42", 1-1/2" DIA. X 36" & 1-1/2" DIA. X 18" - VERTICAL).
- 2.24 MOP RACE COORDINATE WITH OWNER.
- 2.25 TOILET DISPENSER. COORDINATE WITH OWNER. REFER TO FIXTURE MOUNTING SCHEDULE.
- 2.26 SOAP DISPENSER. COORDINATE WITH OWNER.
- 2.27 DIAPER CHANGE STATION. COORDINATE WITH OWNER. REFER TO FIXTURE MOUNTING SCHEDULE.
- 2.28 TOILET COVER SEAT DISPENSER. COORDINATE WITH OWNER. REFER TO FIXTURE MOUNTING SCHEDULE.
- 2.29 URINAL. PROVIDE (1) URINAL MOUNTED PER ADA REQUIREMENTS. COORDINATE WITH PLUMBING DRAWINGS.
- 2.30 AMBULATORY PARTITION. COORDINATE WITH OWNER FOR TYPE AND COLOR.
- 2.38 FLOOR CLEAN OUT. COORDINATE WITH PLUMBING DRAWINGS.
- 2.39 STRUCTURAL COLUMN. REFER TO BUILDING DRAWINGS.
- 2.40 FLOOR DRAIN. COORDINATE WITH PLUMBING DRAWINGS.
- 2.41 HOSE BIB. COORDINATE WITH PLUMBING DRAWINGS.
- 2.49 WALL ACCESS HATCH. GENERAL CONTRACTOR TO COORDINATE WITH OWNER FOR TYPE AND REFER TO ASSOCIATED DRAWINGS.
- 2.52 NEW ADA COMPLIANT HILCO DRINKING FOUNTAIN. COORDINATE WITH ELECTRICAL AND PLUMBING DRAWINGS. REFER TO PLUMBING DRAWINGS AND SEE FIXTURE MOUNTING SCHEDULE FOR ADA MOUNTING HEIGHTS.
- 2.53 ELECTRICAL PANEL. COORDINATE WITH ELECTRICAL DRAWINGS.
- 2.61 PROVIDE AND INSTALL PAPER / WASTE DISPENSER, SOAP DISPENSER, AND TOILET PAPER DISPENSER PER ADA REQUIREMENTS. COORDINATE WITH OWNER FOR TYPES.

CHANGED LIFE CHURCH NEW BUILDING

E. DEER FLAT RD.
KUNA, IDAHO 83634

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING, AND MAINTAINING THE PROJECT. RBA ARCHITECTS, LLC, AS THE OWNER OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.


REPRODUCTION OF THIS DOCUMENT IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

Copyright RBA Architects, LLC.

508 S. PINE ST.
NAVARA, ID 83636
TEL: (208)484-4029
FAX: (208)484-4029
rba@rbaarch.com



checked	RB
date	7-20-2022
drawn	STY
job no.	21015
issued for	PERMIT
sheet title:	ENLARGED PLAN
sheet number:	A2.2



revisions:		
NO.	DESCRIPTION	DATE

CHANGED LIFE CHURCH NEW BUILDING

E. DEER FLAT RD.
KUNA, IDAHO 83334

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING. USE AND DISSEMINATION OF THE PROJECT BY RBA ARCHITECTS, LLC, AS THE OWNER OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS REPRODUCTION OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

REPRODUCTION OF THIS DOCUMENT IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

Copyright RBA Architects, LLC.



checked RB
date 7-20-2022
drawn STY
job no. 21015
issued for PERMIT
sheet title:

ENLARGED PLANS

sheet number:



A2.4

GENERAL NOTES - FLOOR PLAN

- A. PLAN WALL DIMENSIONS ARE TO GRID LINE OR FACE OF WALL STRUCTURE. "CLEAR" DIMENSIONS ARE TO FACE OF WALL FINISH.
- B. FIELD VERIFY ALL EXISTING CONDITIONS AND THEIR COMPATIBILITY WITH NEW CONSTRUCTION PRIOR TO THE COMMENCEMENT OF WORK. COORDINATE DISCREPANCIES WITH ARCHITECT.
- C. DO NOT SCALE DRAWINGS.
- D. SEE CIVIL, STRUCTURAL, MECHANICAL, AND ELECTRICAL DRAWINGS FOR MORE INFORMATION.
- E. PROVIDE MOISTURE RESISTANT GYPSUM BOARD AT LAVATORIES, CUSTODIAL, AND WATER CLOSET WALLS IF OCCURS.
- F. PROVIDE SOLID BLOCKING AT WALL-MOUNTED EQUIPMENT AND ACCESSORIES AS REQUIRED.
- G. VERIFY ACTUAL CLEAR DIMENSIONS OF ALL APPLIANCES AND EQUIPMENT.
- H. COORDINATE WITH SCHEDULES FOR COLORS, FINISHES, ETC.
- I. COORDINATE WITH OWNER REPRESENTATIVE FOR CIVIL, STRUCTURAL, MECHANICAL, AND ELECTRICAL PRIOR TO START OF CONSTRUCTION.

KEYNOTES - FLOOR PLAN

- 2.06 COORDINATE WITH WALL ASSEMBLIES AND EXTERIOR ELEVATIONS FOR WALL PANEL TYPE LOCATIONS.
- 2.07 FIRE EXTINGUISHER AND SEMI-RECESSED MOUNTED CABINET PER NFPA. REFER TO FIXTURE MOUNTING SCHEDULE ON SHEET A35.
- 2.09 BUILDING CONTRACTOR TO COORDINATE WITH OWNER FOR CURVED WALL SPECIFICATIONS AND FINISH TYPE BEFORE CONSTRUCTION BEGINS.
- 2.12 COORDINATE WITH BUILDING MFR. WALLS FOR INTERIOR PARTITION HEIGHTS TO MATCH FOR A SMOOTH FINISH TRANSITION.
- 2.13 PRE-ENGINEERED BUILDING STRUCTURE, MAIN FRAMES, GIRTS, PURLINS, COLUMNS, AND METAL SIDING / ROOF PER BUILDING MFR.
- 2.38 FLOOR CLEAN CUT, COORDINATE WITH PLUMBING DRAWINGS.
- 2.41 HOSE BIB, COORDINATE WITH PLUMBING DRAWINGS.
- 2.42 ROOF ACCESS LADDER PER OSHA AND ADA REQUIREMENTS.
- 2.43 EXTERIOR CONCRETE SLAB, COORDINATE WITH STRUCTURAL AND CIVIL DRAWINGS.
- 2.44 ELECTRICAL PANEL, COORDINATE WITH ELECTRICAL DRAWINGS.
- 2.57 ELECTRIC WALL HEATER, COORDINATE WITH ELECTRICAL DRAWINGS.
- 2.58 ELECTRICAL DISCONNECT SWITCH, COORDINATE WITH ELECTRICAL DRAWINGS.
- 2.59 GAS CONNECTION AND SHUT-OFF VALVE, COORDINATE WITH MECHANICAL DRAWINGS.
- 2.61 PROVIDE AND INSTALL PAPER / WASTE DISPENSER, SOAP DISPENSER, AND TOILET PAPER DISPENSER PER ADA REQUIREMENTS. COORDINATE WITH OWNER FOR TYPES.
- 2.62 COORDINATE AND VERIFY WITH OWNER FOR FIXTURE / TOILET TYPES.





LEGEND

- NEW WALL - SEE WALL ASSEMBLIES. SEE SHEET A2.5
- WALL TYPE MARKER - SEE WALL ASSEMBLIES. SEE SHEET A2.5.
- NOTE: 'FH' REPRESENTS INTERIOR WALLS TO BE FULL HT.
- DOOR NUMBER - SEE DOOR SCHEDULE ON SHEET A7.0
- WINDOW TYPE MARKER - SEE WINDOW TYPES ON SHEET A7.0
- BUILDING SECTION - SEE SHEET A4.0
- WALL SECTION - SEE SHEET A4.1
- ROOM NAME XXX
- ROOM NAME / NUMBER
- INTERIOR ELEVATION MARKER. SEE SHEET A3.5
- EXTERIOR ELEVATION MARKER. SEE SHEETS STARTING AT SHEET A3.0
- KEYNOTE

sheet number:

A2.4



- GENERAL NOTES - FLOOR PLAN**
- PLAN WALL DIMENSIONS ARE TO GRID LINE OR FACE OF WALL STRUCTURE. "CLEAR" DIMENSIONS ARE TO FACE OF WALL FINISH.
 - FIELD VERIFY ALL EXISTING CONDITIONS AND THEIR COMPATIBILITY WITH NEW CONSTRUCTION PRIOR TO THE COMMENCEMENT OF WORK. COORDINATE DISCREPANCIES WITH ARCHITECT.
 - DO NOT SCALE DRAWINGS.
 - SEE CIVIL, STRUCTURAL, MECHANICAL, AND ELECTRICAL DRAWINGS FOR MORE INFORMATION.
 - PROVIDE MOISTURE RESISTANT GYPSUM BOARD AT LAVATORIES, CUSTODIAL, AND WATER CLOSET WALLS IF OCCURS.
 - PROVIDE SOLID BLOCKING AT WALL-MOUNTED EQUIPMENT AND ACCESSORIES AS REQUIRED.
 - VERIFY ACTUAL CLEAR DIMENSIONS OF ALL APPLIANCES AND EQUIPMENT.
 - COORDINATE WITH SCHEDULES FOR COLORS, FINISHES, ETC.
 - COORDINATE WITH OWNER REPRESENTATIVE FOR CIVIL, STRUCTURAL, MECHANICAL, AND ELECTRICAL PRIOR TO START OF CONSTRUCTION.

revisions:	NO.	DESCRIPTION	DATE

CHANGED LIFE CHURCH NEW BUILDING

E. DEER FLAT RD.
KUNA, IDAHO 83634

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING. USING THESE DOCUMENTS WITHOUT THE PROJECT ARCHITECTS LLC AS THE OWNER OF RECORD FOR THE PROJECT IS AN INFRINGEMENT OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS REPRODUCTION OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

REPRODUCTION OF THIS DOCUMENT IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

Copyright RBA Architects, LLC.

508 S. PINE ST.
NAVARA, ID 83686
TICK@RBAARCHITECTS.COM




checked	RB
date	7-20-2022
drawn	STY
job no.	21015
issued for	PERMIT
sheet title:	EQUIPMENT PLATFORM AND WALL ASSEMBLIES
sheet number:	A2.5

LEGEND	
NEW WALL - SEE WALL ASSEMBLIES. SEE SHEET A2.5	
WALL TYPE MARKER - SEE WALL ASSEMBLIES. SEE SHEET A2.5.	
NOTE: THIS REPRESENTS INTERIOR WALLS TO BE FULL HT.	
DOOR NUMBER - SEE DOOR SCHEDULE ON SHEET A7.0	
WINDOW TYPE MARKER - SEE WINDOW TYPES ON SHEET A7.0	
BUILDING SECTION - SEE SHEET A4.0	
WALL SECTION - SEE SHEET A4.1	
ROOM NAME XXX	ROOM NAME / NUMBER
INTERIOR ELEVATION MARKER. SEE SHEET A3.5	
EXTERIOR ELEVATION MARKER. SEE SHEETS STARTING AT SHEET A3.3	
KEYNOTE	

stamp

LICENSED ARCHITECT
RICHARD B.
BUGATSCHE
AK-2551
7-20-2022



revisions:
NO. DESCRIPTION DATE

CHANGED LIFE CHURCH

E. DEER FLAT RD.
KUNA, IDAHO 83634

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING, AND MAINTAINING THE PROJECT. RBA ARCHITECTS, LLC, AS THE OWNER OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IN WHOLE OR IN PART, IS PROHIBITED HEREIN IN WHOLE OR PART BY ANY MEANS WHATSOEVER AND IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

REPRODUCTION OF THIS DOCUMENT IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

Copyright RBA Architects, LLC.


508 S. PINE ST.
NAVARA, ID 83686
PH: (208)484-4029
E-mail: RBA@RBAarch.com



checked RB
date 7-20-2022
drawn STY
job no. 21015
issued for PERMIT
sheet title:
EXTERIOR ELEVATIONS

sheet number:
A3.0

LEGEND




GENERAL NOTES - BUILDING ELEVATION


- A. REFER TO FLOOR PLANS FOR DOOR AND WINDOW TYPES.
- B. REFER TO ELECTRICAL DRAWINGS FOR ROUGH-IN BACKBOX LOCATIONS AND HEIGHTS AT EXTERIOR LUMINARE LOCATIONS AND SIGNAGE.
- C. CONTRACTOR TO LEAVE A 1/2" GAP BETWEEN ALL DISSIMILAR MATERIALS, TYP. TO BE FILLED WITH BACKER ROD AND CAULKING, COLOR TO BE DETERMINED.
- D. REFER TO WALL PANEL MFR. FOR VERTICAL EXPANSION / HORIZONTAL COMPRESSION JOINT REQUIREMENTS. FIELD LOCATE JOINT REQUIREMENTS BEFORE WALL INSTALLATION.
- E. COORDINATE WITH CIVIL, STRUCTURAL, MECHANICAL, ELECTRICAL, AND PEMB DRAWINGS PRIOR TO START OF CONSTRUCTION.
- F. IT IS THE CONTRACTOR'S RESPONSIBILITY TO REVIEW OTHER DRAWINGS FOR PENETRATIONS NOT SHOWN.
- G. CONTRACTOR IS RESPONSIBLE FOR PROTECTING MATERIALS AND SYSTEMS ADJACENT TO THE WORK LIMITS AND MATERIALS AND SYSTEMS LOCATED WITHIN THE WORK LIMITS.
- H. CONTRACTOR TO COORDINATE WITH FIRE MARSHAL FOR LOCATION OF KNOX BOX PREFERENCE ON BUILDING.
- I. ALL FLASHING, TRIM, AND ASSOCIATED BUILDING CONNECTIONS TO BE SHEET METAL AND PROVIDED BY PRE-ENGINEERED BUILDING MANUFACTURER.
- J. FINISH FLOOR ELEVATION = 100'-0" IS THE FERENCENCE DATUM FOR THESE ARCHITECTURAL DRAWINGS. SEE CIVIL, STRUCTURAL, AND PEMB DRAWINGS FOR ACTUAL FINISH FLOOR ELEVATIONS. FIELD VERIFY FINISH FLOOR ELEVATION.
- K. CONTRACTOR TO COORDINATE WITH OWNER FOR FINAL WALL PANEL SYSTEM SELECTION AND FINISHES.

KEYNOTES - EXTERIOR ELEVATIONS


- 3.01 EXTERIOR INSULATED H.M. DOOR. REFER TO DOOR SCHEDULE.
- 3.02 HATCH PATTERN INDICATES WALL PANEL SYSTEM. CONTRACTOR TO COORDINATE WITH OWNER FOR FINISH SELECTION. PROVIDE REQUIRED CLIPS, TRACKS, AND ASSOCIATED ITEMS PER WALL PANEL MFR. BASIS OF DESIGN: NICHIAH - ILLUMINATION, 10'-0" WIDE X 18' TALL RIBBED, IVORY WHITE COLOR PANELS.
- 3.03 HATCH PATTERN INDICATES WALL PANEL SYSTEM. CONTRACTOR TO COORDINATE WITH OWNER FOR FINISH SELECTION. PROVIDE REQUIRED CLIPS, TRACKS, AND ASSOCIATED ITEMS PER WALL PANEL MFR. BASIS OF DESIGN: NICHIAH - NOVENARY 10'-0" WIDE X 18' TALL SMOOTH, OPAL COLOR PANELS.
- 3.04 HATCH PATTERN INDICATES WALL PANEL SYSTEM. CONTRACTOR TO COORDINATE WITH OWNER FOR FINISH SELECTION. PROVIDE REQUIRED CLIPS, TRACKS, AND ASSOCIATED ITEMS PER WALL PANEL MFR. BASIS OF DESIGN: NICHIAH - ILLUMINATION 10'-0" WIDE X 18' TALL TUFFBLOCK, STEEL COLOR PANELS.
- 3.05 HATCH PATTERN INDICATES WALL PANEL SYSTEM. CONTRACTOR TO COORDINATE WITH OWNER FOR FINISH SELECTION. PROVIDE REQUIRED CLIPS, TRACKS, AND ASSOCIATED ITEMS PER WALL PANEL MFR. BASIS OF DESIGN: NICHIAH - VINTAGEWOOD, BARK COLOR PANELS.
- 3.06 7.2 VERTICAL METAL PANEL AS ASSOCIATED TRIM / EXPANSION JOINTS PER BUILDING MFR. CONTRACTOR TO COORDINATE WITH OWNER FOR FINAL FINISH SELECTION.
- 3.07 PRE-FINISHED ROOF ASSEMBLY PER BUILDING MFR. CONTRACTOR TO COORDINATE WITH OWNER FOR COLOR AND FINISH. COORDINATE WITH ROOF PLAN AND ASSOCIATED DRAWINGS.
- 3.08 STOREFRONT SIGNAGE BY OTHER. BUILDING CONTRACTOR TO COORDINATE WITH OWNER FOR SIGNAGE LOCATION, SIZE, AND ASSOCIATED ITEMS FOR MOUNTING, POWER, AND LIGHTING.
- 3.09 PRE-FINISHED CONTINUOUS METAL GUTTER W/ DOWN SPOUTS. COORDINATE WITH CIVIL DRAWINGS FOR CONNECTION TO UNDERGROUND SYSTEM. CONTRACTOR TO COORDINATE WITH OWNER FOR COLOR AND FINISH. COORDINATE WITH ROOF PLAN AND ASSOCIATED DRAWINGS.
- 3.10 STOREFRONT ENTRY WITH INSULATED DOOR. PROVIDE ADA COMPLIANT HARDWARE, THRESHOLD, WEATHER-STRIPPING, AND INSULATED GLAZING. COORDINATE WITH DOOR SCHEDULE AND OWNER FOR FINAL SELECTION AND FINISH.
- 3.11 PARAPET WALL WITH PRE-FINISHED METAL SIDING ON ROOF SLOPE SIDE WITH ASSOCIATED TRIM. CONTRACTOR TO VERIFY WITH OWNER FOR FINAL FINISH SELECTION. COORDINATE WITH STRUCTURAL AND PEMB DRAWINGS.
- 3.12 PEMB EAVE PURFLIN / DRIP AND ASSOCIATED TRIM.
- 3.13 BASE FLASHING / DRIP.
- 3.14 OVERHEAD INSULATED SECTIONAL DOOR. REFER TO DOOR TYPES.
- 3.15 HVAC UNIT. COORDINATE WITH ASSOCIATED DRAWINGS.
- 3.16 ROOF ACCESS LADDER PER OSHA AND ANSI REQUIREMENTS.
- 3.17 SUSPENDED ENTRY AWNING. COORDINATE WITH OWNER FOR COLOR AND FINISH. REFER TO CEILING / ROOF PLAN, AND ROOF DETAILS.
- 3.18 WALL HUNG AWNING. COORDINATE WITH OWNER FOR COLOR AND FINISH. REFER TO CEILING / ROOF PLAN, AND ROOF DETAILS.
- 3.19 OVERHEAD GLAZED SECTIONAL DOOR. REFER TO DOOR TYPES.
- 3.20 EXTERIOR ALUMINUM / STOREFRONT WINDOW. REFER TO WINDOW SCHEDULE.
- 3.21 ALUMINUM OR STOREFRONT WINDOW WITH INSULATED DOORS. PROVIDE ADA COMPLIANT HARDWARE, THRESHOLD, WEATHER-STRIPPING, AND INSULATED GLAZING. COORDINATE WITH FRAME SCHEDULE.
- 3.22 HOSE BIB. COORDINATE WITH PLUMBING / MECHANICAL DRAWINGS.
- 3.23 ROOF VENT. COORDINATE WITH MECHANICAL AND ROOF PLANS.
- 3.24 PRE-FINISHED PARAPET CAP. COORDINATE WITH OWNER FOR COLOR / FINISH SELECTION.
- 3.25 HVAC ROOF TOP UNIT. SCREEN WALL TO BE PROVIDED. COORDINATE PEMB, MECHANICAL, AND ROOF PLANS / DETAIL DRAWINGS.
- 3.26 EXTERIOR ELECTRICAL PANEL. COORDINATE WITH ELECTRICAL DRAWINGS.
- 3.27 EXTERIOR LIGHT. COORDINATE WITH ELECTRICAL DRAWINGS.
- 3.28 FIRE RISER CONNECTION. COORDINATE WITH ASSOCIATED DRAWINGS.



3 WEST ELEVATION - OUTDOOR SPACE
1/8" = 1'-0"



2 WEST ELEVATION - SIDE ENTRY
1/8" = 1'-0"




1 SOUTH ELEVATION - MAIN ENTRY
1/8" = 1'-0"

** NOTE: REFER TO WEST ELEVATION - SIDE ENTRY FOR PANEL DIMENSIONS.

EXTERIOR ELEVATIONS

sheet number:

A3.0



revisions:
NO. DESCRIPTION DATE

CHANGED LIFE CHURCH NEW BUILDING

E. DEER FLAT RD.
KUNA, IDAHO 83634

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE USE OF THE PROJECT OWNER. THE PROJECT OWNER RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

REPRODUCTION OF THIS DOCUMENT IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

Copyright RBA Architects, LLC.

508 S. PINE ST.
NANPA, ID 83686
PH: (208)484-4029
rba@rbaarch.com




checked RB
date 7-20-2022
drawn STY
job no. 21015
issued for PERMIT
sheet title:

EXTERIOR ELEVATIONS

sheet number:

A3.1

LEGEND




GENERAL NOTES - BUILDING ELEVATION


- A. REFER TO FLOOR PLANS FOR DOOR AND WINDOW TYPES.
- B. REFER TO ELECTRICAL DRAWINGS FOR ROUGH-IN BACKBOX LOCATIONS AND HEIGHTS AT EXTERIOR LUMINARE LOCATIONS AND SIGNAGE.
- C. CONTRACTOR TO LEAVE A 1/2" GAP BETWEEN ALL DISSIMILAR MATERIALS, TYP. TO BE FILLED WITH BACKER ROD AND CAULKING. COLOR TO BE DETERMINED.
- D. REFER TO WALL PANEL MFR. FOR VERTICAL EXPANSION / HORIZONTAL COMPRESSION JOINT REQUIREMENTS. FIELD LOCATE JOINT REQUIREMENTS BEFORE WALL INSTALLATION.
- E. COORDINATE WITH CIVIL, STRUCTURAL, MECHANICAL, ELECTRICAL, AND PEMB DRAWINGS PRIOR TO START OF CONSTRUCTION.
- F. IT IS THE CONTRACTOR'S RESPONSIBILITY TO REVIEW OTHER DRAWINGS FOR PENETRATIONS NOT SHOWN.
- G. CONTRACTOR IS RESPONSIBLE FOR PROTECTING MATERIALS AND SYSTEMS ADJACENT TO THE WORK LIMITS AND MATERIALS AND SYSTEMS LOCATED WITHIN THE WORK LIMITS.
- H. CONTRACTOR TO COORDINATE WITH FIRE MARSHAL FOR LOCATION OF KNOX BOX PREFERENCE.
- I. ALL FLASHING, TRIM, AND ASSOCIATED BUILDING CONNECTIONS TO BE SHEET METAL AND PROVIDED BY PRE-ENGINEERED BUILDING MANUFACTURER.
- J. FINISH FLOOR ELEVATION = 100'-0" IS THE FERENCENCE DATUM FOR THESE ARCHITECTURAL DRAWINGS. SEE CIVIL, STRUCTURAL, AND PEMB DRAWINGS FOR ACTUAL FINISH FLOOR ELEVATIONS. FIELD VERIFY FINISH FLOOR ELEVATION.
- K. CONTRACTOR TO COORDINATE WITH OWNER FOR FINAL WALL PANEL SYSTEM SELECTION AND FINISHES.

KEYNOTES - EXTERIOR ELEVATIONS


- 3.01 EXTERIOR INSULATED H.M. DOOR. REFER TO DOOR SCHEDULE.
- 3.03 HATCH PATTERN INDICATES WALL PANEL SYSTEM. CONTRACTOR TO COORDINATE WITH OWNER FOR FINAL FINISH SELECTION. PROVIDE REQUIRED CLIPS, TRACKS, AND ASSOCIATED ITEMS PER WALL PANEL MFR. BASIS OF DESIGN: NICHIAH - NOVENARY 10'-0" WIDE X 18' TALL SMOOTH, OPAL COLOR PANELS.
- 3.04 HATCH PATTERN INDICATES WALL PANEL SYSTEM. CONTRACTOR TO COORDINATE WITH OWNER FOR FINAL FINISH SELECTION. PROVIDE REQUIRED CLIPS, TRACKS, AND ASSOCIATED ITEMS PER WALL PANEL MFR. BASIS OF DESIGN: NICHIAH - ILLUMINATION 10'-0" WIDE X 18' TALL TUFFBLOCK, STEEL COLOR PANELS.
- 3.05 HATCH PATTERN INDICATES WALL PANEL SYSTEM. CONTRACTOR TO COORDINATE WITH OWNER FOR FINAL FINISH SELECTION. PROVIDE REQUIRED CLIPS, TRACKS, AND ASSOCIATED ITEMS PER WALL PANEL MFR. BASIS OF DESIGN: NICHIAH - VINTAGEWOOD, BARK COLOR PANELS.
- 3.06 7/2 VERTICAL METAL PANEL AS ASSOCIATED TRIM / EXPANSION JOINTS PER BUILDING MFR. CONTRACTOR TO COORDINATE WITH OWNER FOR FINAL FINISH SELECTION.
- 3.07 PRE-FINISHED ROOF ASSEMBLY PER BUILDING MFR. CONTRACTOR TO COORDINATE WITH OWNER FOR FINAL FINISH SELECTION.
- 3.09 PRE-FINISHED CONDUIT METAL GUTTER W/ DOWN SPOUTS. COORDINATE WITH CIVIL DRAWINGS FOR CONNECTION TO UNDERGROUND RETENTION SYSTEM. CONTRACTOR TO COORDINATE WITH OWNER FOR COLOR AND FINISH. COORDINATE WITH ROOF PLAN AND ASSOCIATED DRAWINGS.
- 3.11 PARAPET WALL WITH PRE-FINISHED METAL SIDING ON ROOF SLOPE SIDE WITH ASSOCIATED TRIM. CONTRACTOR TO VERIFY WITH OWNER FOR FINAL FINISH SELECTION. COORDINATE WITH STRUCTURAL AND PEMB DRAWINGS.
- 3.12 PEMB EAVE PURLIN / DRIP AND ASSOCIATED TRIM.
- 3.13 PRE-FINISHED METAL ROOF ASSEMBLY AND ASSOCIATED ITEMS. MATCH PEMB ROOF ASSEMBLY FOR COLOR AND FINISH.
- 3.14 BASE FLASHING / DRIP.
- 3.15 PRE-FINISHED METAL FASCIA AND SOFFIT PER PEMB DRAWINGS.
- 3.16 OVERHEAD INSULATED SECTIONAL DOOR. REFER TO DOOR TYPES.
- 3.17 HVAC UNIT. COORDINATE WITH ASSOCIATED DRAWINGS.
- 3.18 ROOF ACCESS LADDER PER OSHA AND ANSI REQUIREMENTS.
- 3.19 SUSPENDED ENTRY AWNING. COORDINATE WITH OWNER FOR COLOR AND FINISH. REFER TO CEILING / ROOF PLAN, AND ROOF DETAILS.
- 3.22 EXTERIOR ALUMINUM / STOREFRONT WINDOW. REFER TO WINDOW SCHEDULE.
- 3.24 HOSE BIB. COORDINATE WITH PLUMBING / MECHANICAL DRAWINGS.
- 3.26 ROOF VENT. COORDINATE WITH MECHANICAL AND ROOF PLANS.
- 3.28 EXTERIOR HVAC UNIT ON PLATFORM. COORDINATE WITH MECHANICAL AND STRUCTURAL PLANS.
- 3.29 CONCRETE PAD. COORDINATE WITH CIVIL, MECHANICAL, AND STRUCTURAL DRAWINGS.
- 3.30 PRE-FINISHED PARAPET CAR. COORDINATE WITH OWNER FOR COLOR / FINISH SELECTION.
- 3.31 HVAC ROOF TOP UNIT. SCREEN WALL TO BE PROVIDED. COORDINATE PEMB, MECHANICAL, AND ROOF PLANS / DETAIL DRAWINGS.
- 3.32 PRE-FINISHED METAL VERTICAL SIDING AND ASSOCIATED ITEMS TO MATCH PEMB EXTERIOR FINISH. CONTRACTOR TO COORDINATE WITH OWNER FOR FINAL FINISH SELECTIONS.
- 3.33 PRE-FINISHED METAL DRIP EDGE.
- 3.34 EXTERIOR LIGHT. COORDINATE WITH ELECTRICAL DRAWINGS.
- 3.35 HVAC LOUVER. COORDINATE WITH MECHANICAL DRAWINGS FOR SIZE, TYPE, AND TRIM. PAINT TO MATCH PEMB FINISHES.




3 EAST ELEVATION - OUTDOOR SPACE



2 EAST ELEVATION



1 NORTH ELEVATION



revisions: _____

NO. _____ DESCRIPTION _____ DATE _____

CHANGED LIFE CHURCH NEW BUILDING

E. DEER FLAT RD.
KUNA, IDAHO 83334

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING, AND MAINTAINING THE PROJECT. RBA ARCHITECTS, LLC, AS THE OWNER OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS REPRODUCTION OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

REPRODUCTION OF THIS DOCUMENT IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

Copyright RBA Architects, LLC.

508 S. PINE ST.
NAVARA, ID 83686
PH: (208)484-4029
E-mail: info@RBAArch.com



checked	RB
date	7-20-2022
drawn	STY
job no.	21015
issued for	PERMIT
sheet title:	

FINISH SCHEDULES
sheet number:
A3.5

sheet number:
A3.5

GENERAL NOTES

- A. ALL FINISHES AND WALL / CEILING TEXTURES TO BE SUBMITTED TO OWNER FOR FINAL APPROVAL.
- B. WINDOW SILLS, WALL CAPS AND ANY OTHER MISCELLANEOUS ITEMS TO RECEIVE (2) COATS OF LATEX ENAMEL.
- C. WINDOWS TO RECEIVE GYPSUM BOARD WRAP AT JAMBS AND HEADER W/ WOOD SILL & APRON.
- D. PROVIDE MOISTURE-PROOF GWB IN RESTROOMS & CUSTODIAL ROOMS.
- E. MECHANICAL GRILLES AND REGISTERS TO MATCH CEILING COLOR.
- F. INSTALL ALL WALL AND FLOOR COVERINGS AND ANY UNDERLayment PER MANUFACTURER'S RECOMMENDATIONS.
- G. CONTRACTOR TO VERIFY WITH OWNER FOR TYPES & COLORS OF CORNER GUARDS.

KEYNOTES - INTERIOR ELEVATIONS


- 3.50 BASE PER OWNER'S SELECTION.
 3.51 PLASTIC LAMINATE COUNTERTOP, CABINET, AND BACKSPLASH.
 3.52 DOUBLE SINK & FAUCET. COORDINATE WITH PLUMBING PLANS.
 3.53 ADJUSTABLE SHELVING.
 3.54 FILLER TO MATCH CABINET FINISH.
 3.55 MICROWAVE BY OWNER. COORDINATE WITH ELECTRICAL DRAWINGS.
 3.56 MICROWAVE SHELF.
 3.57 REFRIGERATOR BY OWNER. VERIFY WITH OWNER FOR SELECTION. COORDINATE WITH PLUMBING AND ELECTRICAL DRAWINGS.
 3.58 ADA LAVATORY WITH LEVER HANDLE FAUCETS, TYP.
 3.59 ADA MIRROR. COORDINATE WITH OWNER.
 3.60 STANDARD MIRROR. COORDINATE WITH OWNER.
 3.61 SOAP DISPENSER. COORDINATE WITH OWNER.
 3.62 PAPER TOWEL DISPENSER AND WASTE. COORDINATE WITH OWNER.
 3.63 REMOVABLE PANELS. REFER TO BATHROOM COUNTER SECTION.

ROOM FINISH SCHEDULE

NOTE: VERIFY w/ OWNER FOR FINAL INTERIOR FINISH SELECTIONS AND COLORS.


INTERIOR FINISH LEGEND		
	FINISH TYPE - DESCRIPTION	PRODUCT - REMARKS
WALLS		
W1	5/8" GYP. BD. w/ ACRYLIC LATEX PAINT OVER LATEX PRIME COAT AND WALL TEXTURE (SMOOTH FINISH)	OWNER TO SELECT FINAL WALL TEXTURE AND PAINT COLORS
W2	5/8" GYP. BD. w/ EPOXY PAINT OVER LATEX PRIME COAT AND WALL TEXTURE (SMOOTH FINISH)	OWNER TO SELECT FINAL WALL TEXTURE AND PAINT COLORS
W3	PRE-ENGINEERED WALL SYSTEM w/ 5/8" GYP. BD. INTERIOR SIDE	GYP. BD. TEXTURE AND PAINT TO MATCH 'W1'
WALL BASE		
B1	4" RUBBER BASE w/ TOE	JOHNSONITE OR SIM. COLOR TO BE SELECTED BY OWNER
B2	6" RUBBER BASE w/ TOE	JOHNSONITE OR SIM. COLOR TO BE SELECTED BY OWNER
CEILING		
ACT	ACOUSTICAL CEILING TILE (SUSPENDED CEILING GRID SYSTEM)	OWNER TO SELECT FINAL SELECTION
C1	ACRYLIC LATEX PAINT OVER LATEX PRIME COAT AND TEXTURE (SMOOTH)	OWNER TO SELECT FINAL WALL TEXTURE AND PAINT COLORS
C2	EPOXY PAINT OVER LATEX PRIME COAT AND WALL TEXTURE (SMOOTH FINISH)	OWNER TO SELECT FINAL WALL TEXTURE AND PAINT COLORS
MILLWORK		
PL	HIGH PRESSURE PLASTIC LAMINATE COUNTERTOP, BACKSPLASH, CABINET FACE & EDGE BAND	PLASTIC LAMINATE FINISH ON EXPOSED FACES. WHITE MELAMINE FINISH ON INTERIOR AND SHELVING. OWNER TO SELECT FINAL PLASTIC LAMINATE FINISH
FLOORING		
EM	ENTRY MAT	'AMERICAN FLOOR PRODUCTS' CENTURY CRATING SYSTEM NO. UX-282 MIL FINISH, 1/2" ALUMINUM FRAME MAT WITH CARPET INSERTS (COLOR AS SELECTED BY OWNER) NOTE: INSTALL PRODUCT PERPENDICULAR w/ EXTERIOR WALL ENTRY.
EC	EXPOSED CONCRETE	UNFINISHED CONCRETE FLOOR
CPT	CARPET TILE	OWNER TO SELECT FINAL SELECTION
SC	SEALED CONCRETE	OWNER OPTION: STAIN OR EPOXY PER OWNER'S SELECTION

ROOM NO.	ROOM NAME	FLOOR					WALLS			
	FINISH	BASE	NORTH	EAST	SOUTH	WEST	TYPE	FINISH	HEIGHT	
100	LOBBY	SC	B1	W1	W1	W3	W3	OTS	OPEN TO STRUCTURE. 'W1' FINISH AT BULKHEAD AT GRID 'K'. COORD. w/ STRUCTURAL AND PEMB DRAWINGS.	
101	MULTI-PURPOSE	SC	B1	W1	W1	W3	W3	OTS	1-HR. FIRE RATED GYP. BD. & FIRE TAPE TO BE INSTALLED TO BOTTOM OF ROOF DECK. NO PAINT OR FINISH.	
102	FIRE RISER	EC	B2	W1	W1	W1	W3	OTS		
103	STORAGE	SC	B1	—	W1	W1	W3	OTS		
104	STORAGE	SC	B1	W3	W1	W1	W3	OTS		
105	EQUIPMENT ROOM	EC	B1	W3	W1	W1	W1	OTS		
106	OFFICE 1	CPT	B1	W3	W1	W1	W1	ACT	9'-0"	
107	GREEN ROOM	CPT	B1	W1	W1	W1	W1	ACT	9'-0"	
108	STORAGE	SC	B1	W3	W1	W1	W1	C1	P 9'-0"	
109	OFFICE 2	CPT	B1	W3	W1	W1	W1	ACT	8'-0"	
110	HALL	SC	B1	W3	W1	—	W1	ACT	8'-0"	
111	CUSTODIAL	SC	B2	W2	W2	W2	C2	P 8'-0"	'W1' FINISH AT BULKHEAD ON SOUTH PORTION OF HALL LOCATED AT GRID 'H'.	
112	BREAK ROOM	SC	B1	W1	W1	W1	W1	ACT	8'-0"	COORDINATE WITH OWNER FOR FINAL CABINET LAYOUT, DESIGN, AND COLOR / FINISHES.
113	RESTROOM	SC	B2	W2	W2	W2	C2	P 8'-0"		
114	STAIR	SC	B1	W1	W1	W1	C1	9'-9"	COORDINATE WITH ASSOCIATED DRAWINGS.	
115	WOMENS	SC	B2	W2	W2	W2	C2	P 8'-0"		
116	MENS	SC	B2	W2	W2	W2	C2	P 8'-0"		
116A	ELECT	SC	B1	W1	W1	W1	OTS			
117	STORAGE	SC	B2	W2	W2	W2	OTS		NOTE: PLUMBING CHASE SPACE TO BE UNFINISHED.	
118	CLASSROOM 1	CPT	B1	W3	W1	W1	OTS			
119	LIVE STREAM	CPT	B1	W3	W1	W1	ACT	8'-0"		
120	HALL	SC	B1	W1	W1	W1	—	ACT	8'-0"	
121	STORAGE	SC	B1	W1	W1	W1	C1	P 9'-0"		
122	STORAGE	SC	B1	W1	W1	W1	C1	P 9'-0"		
123	RESTROOM	SC	B2	W2	W2	W2	C2	P 9'-0"		
124	RESTROOM	SC	B2	W2	W2	W2	C2	P 9'-0"		
125	ELEMENTARY	CPT	B1	W1	W1	W1	W1	OTS		
126	CLASSROOM 2	CPT	B1	W3	W3	W1	W1	ACT	9'-0"	
127	CHILD RESTROOM	SC	B2	W2	W2	W2	C2	P 9'-0"		
128	STORAGE	SC	B1	W1	W1	W1	W1	C1	P 9'-0"	
129	CLASSROOM 3	CPT	B1	W1	W3	W1	W1	ACT	9'-0"	
130	HALL	SC	B1	W3	W1	W1	W1	ACT	9'-0"	
131	CLASSROOM 4	CPT	B1	W1	W3	W1	W1	ACT	9'-0"	
132	STORAGE	SC	B1	W1	W1	W1	C1	P 9'-0"		
133	CHILD RESTROOM	SC	B2	W2	W2	W2	C2	P 9'-0"		
134	INFANT ROOM	CPT	B1	W1	W3	W1	W1	ACT	9'-0"	
135	NURSING	CPT	B1	W1	W1	W1	W1	C1	P 9'-0"	
136	ENTRY	SC	B1	W1	W1	W1	W1	OTS	'W1' FINISH AT BULKHEAD. COORDINATE WITH STRUCTURAL AND PEMB DRAWINGS.	
137	WAITING	SC	B1	—	W1	W1	OTS			
138	OFFICE 3	CPT	B1	W1	W1	W1	W1	ACT	9'-0"	
139	OFFICE 4	CPT	B1	W3	W1	W1	W1	ACT	9'-0"	
139A	BATHROOM	SC	B2	W2	W2	W2	OTS		COORD. w/ MECH., PLUMB. AND ELECT. DRAWINGS. PROVIDE HOUSE KEEPING PAD FOR MECHANICAL UNITS. REFER TO OWNER FOR INT. FINISH.	
140	VESTIBULE	SC	B1	W1	W1	W1	OTS		COORD. w/ MECH., PLUMB. AND ELECT. DRAWINGS. PROVIDE HOUSE KEEPING PAD FOR MECHANICAL UNITS. REFER TO OWNER FOR INT. FINISH.	
141	COFFEE LOUNGE	SC	B1	—	W1	W1	W1	OTS	COORD. w/ MECH., PLUMB. AND ELECT. DRAWINGS. PROVIDE HOUSE KEEPING PAD FOR MECHANICAL UNITS. REFER TO OWNER FOR INT. FINISH.	
142	MAIN ENTRY	SC	B1	W1	W1	W1	W1	OTS		
143	ROOF ACCESS	SC	B1	W1	W1	W1	W1	OTS		
144	MECH	EC	—	—	—	W3	OTS			
145	COFFEE	SC	—	—	—	W3	OTS			
200	EQUIP. PLATEFORM	EC	B1	W3	W3	W1	W1	OTS		
201	COMMS	EC	B1	W1	W1	W1	W1	OTS		




TYPICAL ADA FIXTURE MOUNTING SCHEDULE

SCALE: 3/8" - 1'-0"



ACCESSORY MOUNTING S



GENERAL NOTES - SECTIONS

- A. REFER TO FLOOR PLANS FOR EXTERIOR DOOR AND WINDOW TYPES.
- B. REFER TO PEMB AND ASSOCIATED MANUFACTURER SPECIFICATIONS FOR ADDITIONAL WEATHER-PROOFING REQUIREMENTS.
- C. FIELD VERY AND LOCATE FINISH FLOOR ELEVATIONS AND INTERIOR FLOOR.
- D. THE CONTRACTOR IS RESPONSIBLE TO CHECK THE PLANS AND NOTIFY THE ARCHITECT OF ANY ERRORS OR OMISSIONS PRIOR TO THE START OF CONSTRUCTION.
- E. IT IS THE CONTRACTOR'S RESPONSIBILITY TO REVIEW OTHER DRAWINGS FOR PENETRATIONS NOT SHOWN.
- F. REFER TO ELECTRICAL DRAWINGS FOR ROUGH-IN BACKBOX LOCATIONS AND HEIGHTS AT EXTERIOR LUMINARE LOCATIONS AND SIGNAGE.
- G. CONTRACTOR TO PAINT ALL VENT PIPES, EXHAUST FANS, EQUIPMENT AND ALL OTHER ROOF PENETRATIONS UNLESS NOTED OTHERWISE.
- H. COORDINATE WITH FINISH SCHEDULES FOR ADDITIONAL BUILDING FINISH AND WEATHER PROTECTION INFORMATION.
- I. FINISH FLOOR ELEVATION = 100'-0" IS THE REFERENCE DATUM FOR THESE ARCHITECTURAL DRAWINGS. SEE CIVIL, FOUNDATION, STRUCTURAL, AND PEMB DRAWINGS FOR ACTUAL FINISH FLOOR ELEVATIONS. FIELD VERIFY FINISH FLOOR ELEVATION.

revisions: NO. DESCRIPTION DATE

CHANGED LIFE CHURCH NEW BUILDING

E. DEER FLAT RD.
KUNA, IDAHO 83334

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. RBA ARCHITECTS, LLC, AS THE OWNER OF RECORD, FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IN WHOLE OR IN PART, IS PROHIBITED HEREIN IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.



REPRODUCTION OF THIS DOCUMENT IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.


Copyright RBA Architects, LLC.

508 S. PINE ST.
NAVARA, ID 83686
tck@rbaarch.com



checked	RB
date	7-20-2022
drawn	STY
job no.	21015
issued for	PERMIT
sheet title:	EQUIP. PLTFRM. BUILDING SECTION & WALL SECTIONS
sheet number:	A4.1





revisions:
NO. DESCRIPTION DATE

CHANGED LIFE CHURCH NEW BUILDING

E. DEER FLAT RD.
KUNA, IDAHO 83634

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING. USING OR MODIFYING THESE DOCUMENTS FOR THE PROJECT BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

REPRODUCTION OF THIS DOCUMENT IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

Copyright RBA Architects, LLC.

508 S. PINE ST.
NAVARA, ID 83686
TICKET@RBAARCHITECTS.COM



checked RB
date 7-20-2022
drawn STY
job no. 21015
issued for PERMIT
sheet title:
OVERALL ROOF PLAN


sheet number:
A5.0


LEGEND

	NEW WALL - SEE WALL ASSEMBLIES THIS SHEET
	EXTERIOR ELEVATION MARKER SEE SHEETS STARTING AT A3.0
	KEYNOTE

GENERAL NOTES - ROOF PLAN

- A. COORDINATE WITH PLUMBING, MECHANICAL AND ELECTRICAL DRAWINGS FOR LOCATION AND NUMBER OF OTHER ROOF PENETRATIONS (IE., VENT STACKS, VENT PIPES, CONDUIT PENETRATIONS, ETC.).
- B. FLASH ALL PENETRATIONS WEATHER TIGHT, COORDINATE WITH BLDG. MANUFACTURER REQUIREMENTS.
- C. PROVIDE ATTIC INTAKE VENTILATION AT UNDERSIDE OF SOFFITS / EAVES, TYP.
- D. ALL METAL ROOF FLASHING DETAILS SHALL BE PER MANUFACTURER'S RECOMMENDATIONS AND REVIEWED BY THE ARCHITECT FOR DESIGN INTENT.
- E. COORDINATE WITH CIVIL, STRUCTURAL, MECHANICAL, AND ELECTRICAL PRIOR TO START OF CONSTRUCTION.





GENERAL NOTES - CEILING

- A. COORDINATE LIGHT FIXTURES, GRILLES, DIFFUSERS, ETC. WITH MECHANICAL AND ELECTRICAL PLANS.
- B. THE CEILING HEIGHT SHOWN IN THE ROOM TAG INDICATES THE HEIGHT OF THE DOMINANT CEILING FINISH. SEE ADDITIONAL CEILING FINISH CALLOUTS FOR OTHER CEILING HEIGHT OR FEATURES.
- C. THE CONTRACTOR SHALL COORDINATE ALL TRADES TO ENSURE THAT DESIGNATED CEILING HEIGHTS CAN BE ACHIEVED. NOTIFY ARCHITECT OF ANY CONFLICTS OR CONDITIONS THAT PREVENT THIS FROM OCCURRING BEFORE PROCEEDING WITH THE WORK.
- D. COORDINATE WITH OWNER FOR GYP. BD. CEILING FINISH BEFORE APPLIED.
- E. COORDINATE WITH FINISH PLAN / SCHEDULES FOR COLORS, FINISHES, ETC.

KEYNOTES - CEILING PLAN

- 6.01 EXTERIOR LIGHT FIXTURE. COORDINATE WITH ELECTRICAL DRAWINGS.
- 6.02 LIGHT FIXTURE. COORDINATE WITH ELECTRICAL DRAWINGS.
- 6.07 EMERGENCY LIGHTING. COORDINATE WITH ELECTRICAL DRAWINGS.
- 6.09 DASHED LINE INDICATES ROOF OVERHANG.
- 6.10 OVERHEAD DOOR. REFER TO DOOR SCHEDULE.
- 6.11 EXIT SIGN. COORDINATE WITH ELECTRICAL DRAWINGS.
- 6.13 HVAC EXPOSED DUCT. COORDINATE WITH MECHANICAL DRAWINGS.
- 6.14 OVERHEAD PLUMBING / VENTING. COORDINATE WITH PLUMBING DRAWINGS.
- 6.15 PRE-ENGINEERED ROOF STRUCTURE. COORDINATE WITH BUILDING DRAWINGS.
- 6.16 WALL MOUNTED HVAC EQUIPMENT. COORDINATE WITH MECHANICAL AND ELECTRICAL DRAWINGS.
- 6.25 DOOR HEADER. COORDINATE WITH ASSOCIATED DRAWINGS.
- 6.26 WINDOW HEADER. COORDINATE WITH ASSOCIATED DRAWINGS.
- 6.29 PENDANT LIGHT. COORDINATE WITH ELECTRICAL DRAWINGS.
- 6.35 SUSPENDED ELECTRIC HEATER UNIT. COORDINATE WITH MECHANICAL AND ELECTRICAL DRAWINGS.

CHANGED LIFE CHURCH NEW BUILDING

E. DEER FLAT RD.
KUNA, IDAHO 83634

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. RBA ARCHITECTS, LLC, AS THE DESIGNER OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN, IN WHOLE OR IN PART, IS PROHIBITED HEREIN IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

REPRODUCTION OF THIS DOCUMENT IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

Copyright RBA Architects, LLC.


508 S. PINE ST.
NAVARA, ID 83686
PH: (208)484-4029
tck@RBAarch.com



checked RB
date 7-20-2022
drawn STY
job no. 21015
issued for PERMIT
sheet title:
ENLARGED CEILING PLAN
sheet number:
A6.1

LEGEND

- NEW GYPSUM BOARD CEILING
- NEW ACOUSTICAL LAY-IN, 2' x 4' GRID
- SURFACE MOUNTED FIXTURE - COORDINATE WITH ELECTRICAL
- WALL MOUNTED FIXTURE - COORDINATE WITH ELECTRICAL
- EXTERIOR WALL MOUNTED FIXTURE - COORDINATE WITH ELECTRICAL
- RECESSED AND / OR PENDANT MOUNTED FIXTURE - COORDINATE WITH ELECTRICAL
- EXIT SIGN AND / OR LIGHT COMBO. COORDINATE WITH ELECTRICAL
- OCCUPANCY SENSOR. COORDINATE WITH ELECTRICAL
- VACANCY SENSOR. COORDINATE WITH ELECTRICAL
- H.V.A.C. SUPPLY DIFFUSER - COORDINATE WITH MECHANICAL
- H.V.A.C. RETURN GRILLE - COORDINATE WITH MECHANICAL
- H.V.A.C. EXHAUST GRILLE - COORDINATE WITH MECHANICAL
- ROOM NAME XXX
- ROOM NAME / NUMBER
- INDICATES CEILING HEIGHT A.F.
- KEYNOTE



GENERAL NOTES - CEILING

A. COORDINATE LIGHT FIXTURES, GRILLES, DIFFUSERS, ETC. WITH MECHANICAL AND ELECTRICAL PLANS.

B. THE CEILING HEIGHT SHOWN IN THE ROOM TAG INDICATES THE HEIGHT OF THE DOMINANT CEILING FINISH. SEE ADDITIONAL CEILING FINISH CALLOUTS FOR OTHER CEILING HEIGHT OR FEATURES.

C. THE CONTRACTOR SHALL COORDINATE ALL TRADES TO ENSURE THAT DESIGNATED CEILING HEIGHTS CAN BE ACHIEVED. NOTIFY ARCHITECT OF ANY CONFLICTS OR CONDITIONS THAT PREVENT THIS FROM OCCURRING BEFORE PROCEEDING WITH THE WORK.

D. COORDINATE WITH OWNER FOR GYP. B.D. CEILING FINISH BEFORE APPLIED.

E. COORDINATE WITH FINISH PLAN / SCHEDULES FOR COLORS, FINISHES, ETC.

stamp
 LICENSED ARCHITECT
 RICHARD B.
 BUGATSCHE
 AR-2551
 7-20-2022

revisions:
 NO. DESCRIPTION DATE

CHANGED LIFE CHURCH

NEW BUILDING

E. DEER FLAT RD.
 KUNA, IDAHO 83634

ANY USE OF THIS DOCUMENT OR USE OF THIS DOCUMENT'S OR CONCEPTS DESCRIBED HEREIN SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING, MODIFYING, OR EXPANDING THE PROJECT BY RBA ARCHITECTS, LLC, AS THE OWNER OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

REPRODUCTION OF THIS DOCUMENT IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

Copyright RBA Architects, LLC.


508 S. PINE ST.
 Nampa, ID 83686
 PH: (208)454-4029
 tick@RBAarch.com




checked RB
 date 7-20-2022
 drawn STY
 job no. 21015
 issued for PERMIT
 sheet title:
 sheet number: A6.2

ENLARGED CEILING PLAN

KEYNOTE





GENERAL NOTES - CEILING

- A. COORDINATE LIGHT FIXTURES, GRILLES, DIFFUSERS, ETC. WITH MECHANICAL AND ELECTRICAL PLANS.
- B. THE CEILING HEIGHT SHOWN IN THE ROOM TAG INDICATES THE HEIGHT OF THE DOMINANT CEILING FINISH. SEE ADDITIONAL CEILING FINISH CALLOUTS FOR OTHER CEILING HEIGHT OR FEATURES.
- C. THE CONTRACTOR SHALL COORDINATE ALL TRADES TO ENSURE THAT DESIGNATED CEILING HEIGHTS CAN BE ACHIEVED. NOTIFY ARCHITECT OF ANY CONFLICTS OR CONDITIONS THAT PREVENT THIS FROM OCCURRING BEFORE PROCEEDING WITH THE WORK.
- D. COORDINATE WITH OWNER FOR GYP. B.D. CEILING FINISH BEFORE APPLIED.
- E. COORDINATE WITH FINISH PLAN / SCHEDULES FOR COLORS, FINISHES, ETC.

KEYNOTES - CEILING PLAN

- 6.01 EXTERIOR LIGHT FIXTURE. COORDINATE WITH ELECTRICAL DRAWINGS.
- 6.02 LIGHT FIXTURE. COORDINATE WITH ELECTRICAL DRAWINGS.
- 6.03 WALL HUNG LIGHT FIXTURE. COORDINATE WITH ELECTRICAL DRAWINGS.
- 6.04 SUPPLY DIFFUSER. COORDINATE WITH MECHANICAL DRAWINGS.
- 6.05 RETURN DUCT. COORDINATE WITH MECHANICAL DRAWINGS.
- 6.06 EXHAUST FAN. COORDINATE WITH MECHANICAL DRAWINGS.
- 6.07 EMERGENCY LIGHTING. COORDINATE WITH ELECTRICAL DRAWINGS.
- 6.08 CEILING MOUNTED OCCUPANCY OR VACANCY SENSOR. COORDINATE WITH ELECTRICAL DRAWINGS.
- 6.09 DASHED LINE INDICATES ROOF OVERHANG.
- 6.11 EXIT SIGN. COORDINATE WITH ELECTRICAL DRAWINGS.
- 6.13 HVAC EXPOSED DUCT. COORDINATE WITH MECHANICAL DRAWINGS.
- 6.14 OVERHEAD PLUMBING / VENTING. COORDINATE WITH PLUMBING DRAWINGS.
- 6.24 STRUCTURAL COLUMN. REFER TO BUILDING DRAWINGS.
- 6.25 DOOR HEADER. COORDINATE WITH ASSOCIATED DRAWINGS.
- 6.26 WINDOW HEADER. COORDINATE WITH ASSOCIATED DRAWINGS.
- 6.28 RECESSED LIGHT. COORDINATE WITH ELECTRICAL DRAWINGS.

revisions:

NO. DESCRIPTION DATE

CHANGED LIFE CHURCH NEW BUILDING

E. DEER FLAT RD.
KUNA, IDAHO 83634

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING. USE AND REPRODUCTION OF THE PROJECT BY RBA ARCHITECTS, LLC, AS THE OWNER OF RECORD FOR THE PROJECT IS PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

ANY USE OF THESE DOCUMENTS OR USE OF THIS REPRODUCTION OR CONCEPTS DESCRIBED HEREIN IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

REPRODUCTION OF THIS DOCUMENT IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

Copyright RBA Architects, LLC.


508 S. PINE ST.
NAVARA, ID 83686
tck@RBAarch.com




checked RB
date 7-20-2022
drawn STY
job no. 21015
issued for PERMIT
sheet title:
ENLARGED CEILING PLANS
sheet number:
A6.3

SEE: #1 THIS SHEET

SEE SHEET: A6.2



② ENLARGED CLSSRM. / INFANT CEILING PLAN
1/4" = 1'-0"




SEE: #2 THIS SHEET

① ENLARGED CLASSROOM CEILING PLAN
1/4" = 1'-0"

LEGEND

- NEW GYPSUM BOARD CEILING
- NEW ACOUSTICAL LAY-IN, 2' X 4' GRID
- SURFACE MOUNTED FIXTURE - COORDINATE WITH ELECTRICAL
- WALL MOUNTED FIXTURE - COORDINATE WITH ELECTRICAL
- EXTERIOR WALL MOUNTED FIXTURE - COORDINATE WITH ELECTRICAL
- RECESSED AND / OR PENDANT MOUNTED FIXTURE - COORDINATE WITH ELECTRICAL
- EXIT SIGN AND / OR LIGHT COMBO. COORDINATE WITH ELECTRICAL
- OCCUPANCY SENSOR. COORDINATE WITH ELECTRICAL
- VACANCY SENSOR. COORDINATE WITH ELECTRICAL
- H.V.A.C. SUPPLY DIFFUSER - COORDINATE WITH MECHANICAL
- H.V.A.C. RETURN GRILLE - COORDINATE WITH MECHANICAL
- H.V.A.C. EXHAUST GRILLE - COORDINATE WITH MECHANICAL
- ROOM NAME XXX
- ROOM NAME / NUMBER
- X-X" INDICATES CEILING HEIGHT A.F.
- KEYNOTE



stamp
 LICENSED ARCHITECT
 RICHARD B.
 BUGATSCHE
 AR-2551
 7-20-2022

revisions:
 NO. DESCRIPTION DATE

CHANGED LIFE CHURCH
 NEW BUILDING
 E. DEER FLAT RD.
 KUNA, IDAHO 83634

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING. USING OR MODIFYING THE PROJECT BY RBA ARCHITECTS, LLC, AS THE OWNER OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS OR USE OF THIS DESIGN OR CONCEPT DESCRIBED HEREIN IN WHOLE OR IN PART BY ANY MEANS WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

REPRODUCTION OF THIS DOCUMENT IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.


Copyright RBA Architects, LLC.

508 S. PINE ST.
 NAVPA, ID 83686
 PH: (208)444-4029
 tick@RBAarch.com




checked RB
 date 7-20-2022
 drawn STY
 job no. 21015
 issued for PERMIT
 sheet title:
 CEILING DETAILS


sheet number:
 A6.7




7 TYPICAL WIRE CONNECTION @ ROOF DECK
 3' = 1'-0"




6 PARTITION CEILING
 1 1/2" = 1'-0"




5 SUSPENDED DRYWALL CEILING
 3' = 1'-0"




2 TYP. GRID BRACING
 3' = 1'-0"



1 TYP. SPLAY WIRE BRACING
 3' = 1'-0"




4 SUSPENDED ACOUSTICAL PANEL CEILING - TYPICAL
 1 1/2" = 1'-0"




3 TYP. FIXT. HANG.WIRES
 1 1/2" = 1'-0"


DOOR FRAMES



WINDOW TYPES



DOOR TYPES




DOOR HARDWARE SCHEDULE

NOTE: VERIFY w/OWNER FOR HARDWARE TYPE, CLOSERS, FINISHES, FUNCTIONS, ETC. MASTER KEY FOR OWNER REQ'S.			
HARDWARE GROUP	FUNCTION	DESCRIPTION	NOTES
01	ENTRY / EXITING	EXTERIOR DOORS. PROVIDE REQUIRED EXITING DEVICES AND ADA COMPLIANT HARDWARE, THRESHOLDS, AND SEALS.	DOORS TO BE KEYED, EXCEPT FOR INTERIOR VESTIBULE DOORS - PASSAGE FUNCTION ONLY
02	STOREROOM	DEADLOCKING LATCHBOLT OPERATED BY KEY IN OUTSIDE LEVER, OR BY OPERATING INSIDE LEVER. OUTSIDE LEVER IS ALWAYS LOCKED.	DOORS TO BE KEYED. PROVIDE ADA COMPLIANT HARDWARE, SEALS, SILENCERS, WALL / FLOOR STOPS, CLOSERS (IF APPLICABLE).
03	CLASSROOM	DEADLOCKING LATCHBOLT OPERATED BY LEVER FROM EITHER SIDE EXCEPT WHEN OUTSIDE LEVER IS LOCKED FROM OUTSIDE BY KEY. WHEN OUTSIDE LEVER IS LOCKED, LATCHBOLT IS OPERATED BY INSIDE LEVER.	DOORS TO BE KEYED. PROVIDE ADA COMPLIANT HARDWARE, SEALS, SILENCERS, WALL / FLOOR STOPS, CLOSERS (IF APPLICABLE).
04	OFFICE	PUSH-BUTTON LOCKING. PUSH-BUTTON LOCKS OUTSIDE LEVER UNTIL UNLOCKED WITH KEY OR BY ROTATING INSIDE LEVER.	DOORS TO BE KEYED. PROVIDE ADA COMPLIANT HARDWARE, SEALS, SILENCERS, WALL / FLOOR STOPS, CLOSERS (IF APPLICABLE).
05	PRIVACY	LATCHBOLT OPERATED BY LEVER FROM EITHER SIDE. OUTSIDE LEVER IS LOCKED BY PUSH BUTTON AND UNLOCKED BY EMERGENCY RELEASE OUTSIDE, OPERATING INSIDE LEVER OR CLOSING DOOR.	DOORS TO BE KEYED. PROVIDE ADA COMPLIANT HARDWARE, SEALS, SILENCERS, WALL / FLOOR STOPS, CLOSERS (IF APPLICABLE).
MFR.	MANUFACTURER	DOOR MANUFACTURER TO PROVIDE OWNER OPTIONS FOR LOCKING FUNCTIONS.	COORDINATE WITH OWNER AND ASSOCIATED DRAWINGS.

GENERAL NOTES

- A. FIELD VERIFY ALL DIMENSIONS PRIOR TO SHOP DRAWING SUBMITTAL & SUBSEQUENT FABRICATION OF ALL DOOR AND WINDOW FRAMES.
- B. PROVIDE CLEARANCE REQUIRED BY ACCESSIBILITY CODES ANSI A11.1 AND ADA AT ALL DOORS.
- C. PROVIDE BACKING IN WALLS AT ALL WALL MOUNTED DOOR STOPS.
- D. FOR WALL TYPES, SEE PLANS, WALL SECTIONS, AND ELEVATIONS. ISOLATE DISSIMILAR MATERIALS.
- E. COORDINATE SCHEDULES AND DRAWINGS WITH ASSOCIATED TRADES FOR ADDITIONAL INFORMATION. NOTIFY OWNER AND ARCHITECT FOR ANY DISCREPANCIES.
- F. ALL HARDWARE SHALL COMPLY WITH IBC 1010.19 AND SECTION 404.2.6 OF ICC/ANSI A11.1 FOR GRIPPING, TWISTING, AND TURNING AS REGULATED BY CHAPTER 11, IBC FOR ACCESSIBILITY AND USABILITY.
- G. BUILDING CONTRACTOR TO COORDINATE ALL DOOR HARDWARE TYPES, FINISHES, HINGES, THRESHOLDS, WEATHER STRIPPING, CLOSERS, AND FUNCTIONS WITH OWNER PRIOR TO BUILDING CONSTRUCTION.
- H. PROVIDE TEMPERED SAFETY GLAZING AS REQUIRED BY SECTION 2406, INTERNATIONAL BUILDING CODE.
- I. ALL COLOR SELECTION SUBSTITUTIONS TO BE VERIFIED BY OWNER.



revisions:
NO. DESCRIPTION DATE

CHANGED LIFE CHURCH NEW BUILDING

E. DEER FLAT RD.
KUNA, IDAHO 83634

THESE DOCUMENTS HAVE BEEN PRODUCED AS AN INSTRUMENT OF SERVICE AND ARE INTENDED SOLELY FOR THE PURPOSE OF CONSTRUCTING, USING AND MAINTAINING THE PROJECT. RBA ARCHITECTS, LLC, AS THE OWNER OF RECORD FOR THE PROJECT RETAINS OWNERSHIP OF THESE DOCUMENTS.

ANY USE OF THESE DOCUMENTS FOR THE PURPOSE OF RESALE, DUPLICATING OR CONCEPTS DISCLOSED HEREIN IN WHOLE OR IN PART BY WHOMEVER WHATSOEVER IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

REPRODUCTION OF THIS DOCUMENT IS STRICTLY PROHIBITED EXCEPT BY WRITTEN CONSENT OF RBA ARCHITECTS, LLC.

COPYRIGHT RBA ARCHITECTS, LLC.

508 S. PINE ST.
NAVARA, ID 83636
PH: (208)484-4029
flick@RBAarchitects.com



checked	RB
date	7-20-2022
drawn	STY
job no.	21015
issued for	PERMIT
sheet title:	
sheet number:	A7.0
Door & Window Types / Door & Hardware Schedules	
sheet number:	