



Lab5


นาย ภูริณัฐ บุญมาถึง






Laptop3
Physical
Config
Desktop
Programming
Attributes
Command Prompt
X
Cisco Packet Tracer PC Command Line 1.0
C:\>ipconfig /renew
IP Address.....: 192.168.50.103
Subnet Mask.....: 255.255.255.0
Default Gateway.....: 192.168.50.1
DNS Server.....: 209.165.201.1
C:\>
Top


Laptop2
Physical
Config
Desktop
Programming
Attributes
Command Prompt
X
Cisco Packet Tracer PC Command Line 1.0
C:\>ipconfig /renew
IP Address.....: 192.168.50.102
Subnet Mask.....: 255.255.255.0
Default Gateway.....: 192.168.50.1
DNS Server.....: 209.165.201.1
C:\>
C:\>
Top



Part 1 - Step 2:

What is the IP address of the computer?
What is the subnet mask of the computer?
What is the default gateway of the computer?

- IP address: `192.168.0.101`

- Subnet mask: `255.255.255.0`
- Default gateway: `192.168.0.1`

Part 1 - Step 3:

Is the IP address for Admin within this range? Is it expected? Explain your answer.

- Yes, it is within range and expected, because WR acts as the DHCP server and automatically assigns an IP address to Admin from its default DHCP pool (starting at .100).

Part 4 - Step 2 (f):

Why? (Web Browser will display a Request Timeout after a short time)

- Because Admin is still using its old IP address on the 192.168.0.0/24 network, but the router's LAN IP address has changed to 192.168.50.1 (network 192.168.50.0/24). Admin's old IP can no longer communicate with the router until it renews its IP address.

Part 4 - Step 2 (i):

What is the new IP address information for Admin?

- IP Address: `192.168.50.101`
- Subnet Mask: `255.255.255.0`
- Default Gateway: `192.168.50.1`
- DNS Server: `209.165.201.1`

Part 4 - Step 2 (l):

Why? (Laptop1 connected to the AP instead of WR)

- เนื่องจากสัญญาณไร้สาย (SSID: aCompany) ที่ Laptop1 ได้รับจาก AP มีความแรงมากกว่าสัญญาณที่ได้รับจาก WR ณ ตำแหน่งที่ตั้งของ Laptop1 อุปกรณ์จึงทำการเลือกเชื่อมต่อกับจุดเข้าใช้งาน (Access Point) ที่ให้ความแรงของสัญญาณสูงสุดโดยอัตโนมัติ"ข้อแนะนำเพิ่มเติม (Supplementary Note)