

CMB Analysis Results - GetDist Tables

September 28, 2026

Table 1: CMB Analysis Configuration

Configuration Parameter	Value
analysis: mode	all
analysis: lmax	30
analysis: n samples	1000
Interval 1	[-1.0000, 0.5000]
Interval 2	[-1.0000, -0.9011]
Interval 3	[-0.9011, -0.0389]
Interval 4	[-0.0389, 0.8655]
Interval 5	[0.8655, 1.0000]
Interval 6	[-1.0000, 1.0000]
pipeline: nside in	2048
pipeline: fwhm in arcmin	40.000000
pipeline: noise Cl	0.000045
pipeline: mask	NaN
pipeline: num workers	8
statistics: enabled	True
statistics: skip simulation	False
plotting: enabled	True
plotting: format	pdf
plotting: colors: experimental	red
plotting: colors: simulation	blue
plotting: colors: theory	black
output: base dir	runs
output: save on param change	True

1 base omegak CamSpecHM TT lowl lowE

Global tension (ACAT). MCMC: $p = 0.079$ (1.41σ) Best-fit: $p = 0.144$ (1.06σ)					
Statistic	Experimental	MCMC ($T = 3.964$)		Best-fit ($T = 2.051$)	
		Value	p -value	Value	p -value
ξ_{180}	-354.1497	$211.3724^{510.1557}_{-26.8229}$	0.008 (2.41σ)	$215.8451^{497.4143}_{-47.0754}$	0.016 (2.14σ)
$\langle \xi^2 \rangle_{60}^{180}$	4462.7255	$16056.3752^{46644.8495}_{4907.5352}$	0.147 (1.05σ)	$15580.0771^{50020.2584}_{5020.4956}$	0.142 (1.07σ)
$\langle \xi^2 \rangle_{154}^{180}$	27691.9008	$32614.4907^{169783.5724}_{4133.1898}$	0.464 (0.09σ)	$34129.0273^{156820.9442}_{4551.3787}$	0.451 (0.12σ)
$\langle \xi^2 \rangle_{92}^{154}$	2665.3885	$8415.6653^{27866.8486}_{2293.2600}$	0.186 (0.89σ)	$8277.2649^{29675.3576}_{2429.7764}$	0.182 (0.91σ)
$\langle \xi^2 \rangle_{30}^{92}$	9099.3745	$18367.8621^{48055.0140}_{6678.6620}$	0.243 (0.70σ)	$17864.2232^{47279.0085}_{6625.1903}$	0.254 (0.66σ)
$\langle \xi^2 \rangle_0^{30}$	291832.9621	$381848.5902^{679217.0718}_{214064.7271}$	0.291 (0.55σ)	$368209.8156^{677673.4877}_{220367.2749}$	0.329 (0.44σ)
$\langle \xi^2 \rangle_0^{180}$	26262.1333	$40886.7811^{85870.8783}_{20119.3429}$	0.261 (0.64σ)	$38711.4831^{85833.0622}_{20931.9746}$	0.269 (0.62σ)
$\langle \xi \rangle_{60}^{180}$	-2.1052	$-33.1099^{-11.1960}_{-62.0514}$	0.951 (-1.65σ)	$-31.8461^{-10.8452}_{-65.2713}$	0.962 (-1.77σ)
$\langle \xi \rangle_{154}^{180}$	-138.6536	$166.7164^{406.1033}_{1.2682}$	0.028 (1.91σ)	$172.6489^{392.4370}_{-10.3336}$	0.038 (1.77σ)
$\langle \xi \rangle_{92}^{154}$	42.0072	$8.3142^{40.4086}_{-20.4058}$	0.853 (-1.05σ)	$7.2889^{42.1768}_{-20.3575}$	0.838 (-0.99σ)
$\langle \xi \rangle_{30}^{92}$	-81.0404	$-104.3240^{-66.2353}_{-154.9641}$	0.739 (-0.64σ)	$-103.4273^{-67.6640}_{-150.3846}$	0.715 (-0.57σ)
$\langle \xi \rangle_0^{30}$	377.5806	$504.5285^{721.5812}_{334.2579}$	0.235 (0.72σ)	$490.9879^{730.1638}_{335.5946}$	0.240 (0.71σ)
$\langle \xi \rangle_0^{180}$	-0.0000	$-0.0000^{-0.0000}_{-0.0000}$	—	$-0.0000^{-0.0000}_{-0.0000}$	—

Table 2: Statistical summary for base_omegak_CamSpecHM_TT_lowl_lowE: experimental value, MCMC, and best-fit ensembles.

2 base omegak plikHM TTTEEE lowl lowE

Global tension (ACAT). MCMC: $p = 0.123$ (1.16σ) Best-fit: $p = 0.127$ (1.14σ)					
Statistic	Experimental	MCMC ($T = 2.451$)		Best-fit ($T = 2.374$)	
		Value	p -value	Value	p -value
ξ_{180}	-354.1497	$204.6610^{499.7218}_{-36.2991}$	0.014 (2.20σ)	$202.5118^{495.9494}_{-48.5957}$	0.015 (2.17σ)
$\langle \xi^2 \rangle_{60}^{180}$	4462.7255	$16915.9692^{48529.1990}_{5258.4725}$	0.122 (1.17σ)	$14333.2096^{48351.1966}_{4600.9966}$	0.151 (1.03σ)
$\langle \xi^2 \rangle_{154}^{180}$	27691.9008	$34863.8569^{172726.0523}_{4910.6170}$	0.454 (0.12σ)	$32728.9536^{155157.5863}_{3737.3954}$	0.469 (0.08σ)
$\langle \xi^2 \rangle_{92}^{154}$	2665.3885	$8985.4818^{29850.8378}_{2622.5979}$	0.161 (0.99σ)	$7849.2287^{28705.1214}_{2008.0054}$	0.218 (0.78σ)
$\langle \xi^2 \rangle_{30}^{92}$	9099.3745	$19372.3118^{48697.1797}_{7843.5016}$	0.205 (0.82σ)	$17272.8785^{46265.3906}_{6892.4623}$	0.231 (0.74σ)
$\langle \xi^2 \rangle_0^{30}$	291832.9621	$410428.4280^{732220.7016}_{244901.2384}$	0.263 (0.63σ)	$387942.5591^{697636.5453}_{224605.0775}$	0.298 (0.53σ)
$\langle \xi^2 \rangle_0^{180}$	26262.1333	$42779.6138^{87027.8606}_{23323.9969}$	0.220 (0.77σ)	$39823.8212^{86620.8513}_{20881.5089}$	0.261 (0.64σ)
$\langle \xi \rangle_{60}^{180}$	-2.1052	$-33.1635^{-11.2247}_{-63.8120}$	0.955 (-1.70σ)	$-30.2595^{-9.1217}_{-64.2656}$	0.938 (-1.54σ)
$\langle \xi \rangle_{154}^{180}$	-138.6536	$168.7078^{409.4085}_{-8.2170}$	0.042 (1.73σ)	$162.6057^{391.1164}_{-7.8509}$	0.040 (1.75σ)
$\langle \xi \rangle_{92}^{154}$	42.0072	$7.2819^{44.6438}_{-20.0412}$	0.820 (-0.92σ)	$8.3621^{42.0546}_{-18.7459}$	0.839 (-0.99σ)
$\langle \xi \rangle_{30}^{92}$	-81.0404	$-108.8318^{-73.3379}_{-157.3776}$	0.769 (-0.74σ)	$-104.3910^{-68.3696}_{-152.9386}$	0.744 (-0.66σ)
$\langle \xi \rangle_0^{30}$	377.5806	$515.2121^{750.0748}_{364.5262}$	0.180 (0.92σ)	$500.1786^{732.2770}_{334.6211}$	0.230 (0.74σ)
$\langle \xi \rangle_0^{180}$	-0.0000	$-0.0000^{-0.0000}_{-0.0000}$	—	$-0.0000^{-0.0000}_{-0.0000}$	—

Table 3: Statistical summary for base_omegak_plikHM_TTTEEE_lowl_lowE: experimental value, MCMC, and best-fit ensembles.

3 base CamSpecHM TT lowl lowE

Global tension (ACAT). MCMC: $p = 0.142$ (1.07σ) Best-fit: $p = 0.139$ (1.09σ)					
Statistic	Experimental	MCMC ($T = 2.096$)		Best-fit ($T = 2.148$)	
		Value	p -value	Value	p -value
ξ_{180}	-354.1497	$251.0652^{607.3857}_{-56.2886}$	0.024 (1.98σ)	$260.0665^{620.8562}_{-62.5862}$	0.025 (1.96σ)
$\langle \xi^2 \rangle_{60}^{180}$	4462.7255	$22917.4801^{69730.5997}_{7526.2129}$	0.080 (1.41σ)	$24708.0789^{75236.3230}_{7612.0714}$	0.078 (1.42σ)
$\langle \xi^2 \rangle_{154}^{180}$	27691.9008	$46726.6719^{242681.7938}_{6646.0999}$	0.393 (0.27σ)	$49817.2296^{250852.4626}_{6740.9149}$	0.377 (0.31σ)
$\langle \xi^2 \rangle_{92}^{154}$	2665.3885	$12119.3377^{43061.2829}_{3144.8720}$	0.136 (1.10σ)	$12942.8175^{43964.0096}_{3237.5026}$	0.119 (1.18σ)
$\langle \xi^2 \rangle_{30}^{92}$	9099.3745	$26693.1513^{66160.9462}_{9933.3611}$	0.137 (1.09σ)	$26337.5337^{74338.4956}_{10449.3894}$	0.130 (1.13σ)
$\langle \xi^2 \rangle_0^{30}$	291832.9621	$531740.1528^{948181.6960}_{300445.1917}$	0.145 (1.06σ)	$529397.9912^{994132.3826}_{309451.2871}$	0.130 (1.13σ)
$\langle \xi^2 \rangle_0^{180}$	26262.1333	$57062.0577^{116142.8264}_{29429.1913}$	0.127 (1.14σ)	$59703.4034^{131897.0929}_{30461.8519}$	0.105 (1.25σ)
$\langle \xi \rangle_{60}^{180}$	-2.1052	$-38.3954^{-14.0274}_{77.2472}$	0.958 (-1.73σ)	$-39.7381^{-13.7240}_{80.1959}$	0.954 (-1.68σ)
$\langle \xi \rangle_{154}^{180}$	-138.6536	$200.2108^{483.4017}_{-7.9755}$	0.042 (1.73σ)	$207.9737^{497.8865}_{-10.3416}$	0.051 (1.64σ)
$\langle \xi \rangle_{92}^{154}$	42.0072	$9.6376^{49.6032}_{-26.5065}$	0.792 (-0.81σ)	$7.9063^{49.4409}_{-26.0207}$	0.793 (-0.82σ)
$\langle \xi \rangle_{30}^{92}$	-81.0404	$-126.0347^{-80.8287}_{-180.4727}$	0.839 (-0.99σ)	$-125.5178^{-84.1172}_{-186.3994}$	0.863 (-1.09σ)
$\langle \xi \rangle_0^{30}$	377.5806	$603.3254^{856.6876}_{403.9309}$	0.119 (1.18σ)	$600.8346^{887.6683}_{417.8534}$	0.111 (1.22σ)
$\langle \xi \rangle_0^{180}$	-0.0000	$-0.0000^{-0.0000}_{-0.0000}$	—	$-0.0000^{-0.0000}_{-0.0000}$	—

Table 4: Statistical summary for base_CamSpecHM_TT_lowl_lowE: experimental value, MCMC, and best-fit ensembles.

4 base plikHM TT lowl lowE

Global tension (ACAT). MCMC: $p = 0.158$ (1.00σ) Best-fit: $p = 0.148$ (1.05σ)					
Statistic	Experimental	MCMC ($T = 1.853$)		Best-fit ($T = 2.001$)	
		Value	p -value	Value	p -value
ξ_{180}	-354.1497	$239.6073^{592.0541}_{-63.8155}$	0.028 (1.91σ)	$246.7787^{614.5848}_{-47.7674}$	0.024 (1.98σ)
$\langle \xi^2 \rangle_{60}^{180}$	4462.7255	$23712.0882^{74046.9414}_{7376.4596}$	0.080 (1.41σ)	$23515.2739^{74680.3538}_{7623.9122}$	0.081 (1.40σ)
$\langle \xi^2 \rangle_{154}^{180}$	27691.9008	$45719.5553^{232575.2331}_{5968.9221}$	0.384 (0.29σ)	$54569.8423^{252246.6471}_{5621.5247}$	0.381 (0.30σ)
$\langle \xi^2 \rangle_{92}^{154}$	2665.3885	$12545.4512^{45021.5554}_{3351.8308}$	0.122 (1.17σ)	$13141.2623^{46260.2483}_{3186.1050}$	0.134 (1.11σ)
$\langle \xi^2 \rangle_{30}^{92}$	9099.3745	$27407.4585^{71091.1716}_{10775.0035}$	0.121 (1.17σ)	$26956.5761^{71300.5289}_{10046.2420}$	0.137 (1.09σ)
$\langle \xi^2 \rangle_0^{30}$	291832.9621	$545394.4939^{981986.2221}_{315659.1667}$	0.120 (1.17σ)	$551289.3679^{990432.8042}_{307725.2220}$	0.141 (1.08σ)
$\langle \xi^2 \rangle_0^{180}$	26262.1333	$57927.5917^{130462.8238}_{30605.7613}$	0.103 (1.26σ)	$59094.1591^{127764.3907}_{30319.4852}$	0.123 (1.16σ)
$\langle \xi \rangle_{60}^{180}$	-2.1052	$-39.0428^{-13.4281}_{-79.0739}$	0.961 (-1.76σ)	$-39.3165^{-14.2435}_{-80.0544}$	0.961 (-1.76σ)
$\langle \xi \rangle_{154}^{180}$	-138.6536	$193.9865^{477.7088}_{-27.2207}$	0.060 (1.55σ)	$210.6041^{497.0036}_{-2.9934}$	0.052 (1.63σ)
$\langle \xi \rangle_{92}^{154}$	42.0072	$11.1458^{55.3157}_{-23.9496}$	0.766 (-0.73σ)	$7.4157^{51.9277}_{-24.9396}$	0.792 (-0.81σ)
$\langle \xi \rangle_{30}^{92}$	-81.0404	$-127.2702^{-84.6534}_{-185.9526}$	0.859 (-1.08σ)	$-127.1144^{-81.5784}_{-185.9391}$	0.843 (-1.01σ)
$\langle \xi \rangle_0^{30}$	377.5806	$605.8121^{880.8862}_{416.6593}$	0.114 (1.21σ)	$609.6357^{878.3284}_{408.8386}$	0.110 (1.23σ)
$\langle \xi \rangle_0^{180}$	-0.0000	$-0.0000^{-0.0000}_{-0.0000}$	—	$-0.0000^{-0.0000}_{-0.0000}$	—

Table 5: Statistical summary for base_plikHM_TT_lowl_lowE: experimental value, MCMC, and best-fit ensembles.