

CMB Analysis Results - GetDist Tables

September 21, 2026

Table 1: CMB Analysis Configuration

Configuration Parameter	Value
analysis: mode	all
analysis: lmax	30
analysis: n samples	1000
Interval 1	[-1.0000, 0.5000]
Interval 2	[-1.0000, -0.9011]
Interval 3	[-0.9011, -0.0389]
Interval 4	[-0.0389, 0.8655]
Interval 5	[0.8655, 1.0000]
Interval 6	[-1.0000, 1.0000]
pipeline: nside in	2048
pipeline: fwhm in arcmin	40.000000
pipeline: noise Cl	NaN
pipeline: mask	NaN
pipeline: num workers	8
statistics: enabled	True
statistics: skip simulation	False
plotting: enabled	True
plotting: format	pdf
plotting: colors: experimental	red
plotting: colors: simulation	blue
plotting: colors: theory	black
output: base dir	runs
output: save on param change	True

1 base omegak CamSpecHM TT lowl lowE

1.1 MCMC Analysis

Global tension (ACAT): $T = 3.160$, $p = 0.098$ (1.30σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	210.4504	[-29.4335, 504.7514]	0.010 (2.33σ)
$S_{180,60}$	4462.7255	15916.9864	[4807.0631, 48255.7185]	0.142 (1.07σ)
$S_{180,154}$	27691.9008	35319.4931	[4349.8315, 165417.3206]	0.443 (0.14σ)
$S_{154,92}$	2665.3885	8729.0628	[2209.4600, 30741.7494]	0.202 (0.83σ)
$S_{92,30}$	9099.3745	17880.4592	[7172.4535, 46804.2046]	0.231 (0.74σ)
$S_{30,0}$	291832.9621	382845.3886	[223278.1823, 705485.2397]	0.299 (0.53σ)
$S_{180,0}$	26262.1333	40770.1660	[20897.6230, 86197.4674]	0.261 (0.64σ)
$\xi_{180,60}$	-2.1052	-32.1196	[-64.0437, -10.8523]	0.948 (-1.63σ)
$\xi_{180,154}$	-138.6536	175.5674	[-7.8486, 402.0736]	0.030 (1.88σ)
$\xi_{154,92}$	42.0072	7.7496	[-22.2913, 40.5183]	0.848 (-1.03σ)
$\xi_{92,30}$	-81.0404	-103.3668	[-154.7195, -68.9711]	0.731 (-0.62σ)
$\xi_{30,0}$	377.5806	503.5344	[338.8030, 732.1645]	0.222 (0.77σ)

Table 2: MCMC results for base_omegak_CamSpecHM_TT_lowl_lowE

1.2 Best-Fit Analysis

Global tension (ACAT): $T = 3.922$, $p = 0.079$ (1.41σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	218.3068	[-46.8240, 505.0961]	0.009 (2.37σ)
$S_{180,60}$	4462.7255	15488.9510	[5086.2731, 46469.2906]	0.139 (1.08σ)
$S_{180,154}$	27691.9008	31802.2625	[3957.6308, 163417.1252]	0.469 (0.08σ)
$S_{154,92}$	2665.3885	8967.5725	[2466.6601, 28645.6059]	0.175 (0.93σ)
$S_{92,30}$	9099.3745	17226.2119	[6897.4269, 47554.3637]	0.251 (0.67σ)
$S_{30,0}$	291832.9621	380959.6130	[229416.0878, 681978.9316]	0.313 (0.49σ)
$S_{180,0}$	26262.1333	39796.5525	[21736.8965, 85597.6902]	0.255 (0.66σ)
$\xi_{180,60}$	-2.1052	-31.4368	[-62.5235, -10.9202]	0.944 (-1.59σ)
$\xi_{180,154}$	-138.6536	167.0544	[-7.2707, 397.4213]	0.026 (1.94σ)
$\xi_{154,92}$	42.0072	8.1800	[-22.1217, 42.3887]	0.837 (-0.98σ)
$\xi_{92,30}$	-81.0404	-101.8753	[-153.3461, -70.5236]	0.710 (-0.55σ)
$\xi_{30,0}$	377.5806	498.0512	[349.5016, 728.8612]	0.225 (0.76σ)

Table 3: Best-fit results for base_omegak_CamSpecHM_TT_lowl_lowE

2 base omegak plikHM TTTEEE lowl lowE

2.1 MCMC Analysis

Global tension (ACAT): $T = 2.056$, $p = 0.144$ (1.06σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	222.3974	[-51.3854, 504.7972]	0.018 (2.10σ)
$S_{180,60}$	4462.7255	17135.2017	[5074.4233, 49650.3322]	0.133 (1.11σ)
$S_{180,154}$	27691.9008	36393.5542	[4482.6245, 165179.1633]	0.446 (0.14σ)
$S_{154,92}$	2665.3885	9317.5147	[2346.3821, 29843.7423]	0.187 (0.89σ)
$S_{92,30}$	9099.3745	19459.4408	[7076.2736, 48308.0815]	0.234 (0.73σ)
$S_{30,0}$	291832.9621	409827.4651	[234137.9687, 728373.1912]	0.268 (0.62σ)
$S_{180,0}$	26262.1333	43081.1274	[21757.4206, 89317.1258]	0.238 (0.71σ)
$\xi_{180,60}$	-2.1052	-33.2061	[-63.8884, -10.6705]	0.948 (-1.63σ)
$\xi_{180,154}$	-138.6536	174.0050	[-8.5796, 399.2007]	0.040 (1.75σ)
$\xi_{154,92}$	42.0072	7.7193	[-20.9761, 44.3029]	0.826 (-0.94σ)
$\xi_{92,30}$	-81.0404	-109.3800	[-156.9357, -69.2359]	0.734 (-0.62σ)
$\xi_{30,0}$	377.5806	514.4404	[347.2634, 753.7673]	0.211 (0.80σ)

Table 4: MCMC results for base_omegak_plikHM_TTTEEE_lowl_lowE

2.2 Best-Fit Analysis

Global tension (ACAT): $T = 2.572$, $p = 0.118$ (1.18σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	212.6782	[-56.2371, 513.1984]	0.013 (2.23σ)
$S_{180,60}$	4462.7255	16398.7965	[5416.4847, 46709.8306]	0.111 (1.22σ)
$S_{180,154}$	27691.9008	33036.7210	[4907.9489, 162523.0095]	0.468 (0.08σ)
$S_{154,92}$	2665.3885	8840.4068	[2515.9936, 28956.7540]	0.176 (0.93σ)
$S_{92,30}$	9099.3745	19040.9996	[7670.0797, 45056.4260]	0.209 (0.81σ)
$S_{30,0}$	291832.9621	405592.0049	[242961.5128, 681871.1990]	0.269 (0.62σ)
$S_{180,0}$	26262.1333	42825.2695	[23125.9052, 84443.0967]	0.208 (0.81σ)
$\xi_{180,60}$	-2.1052	-33.2284	[-61.9064, -12.7168]	0.959 (-1.74σ)
$\xi_{180,154}$	-138.6536	160.1900	[-16.7963, 398.4398]	0.042 (1.73σ)
$\xi_{154,92}$	42.0072	8.5376	[-20.9998, 43.9677]	0.828 (-0.95σ)
$\xi_{92,30}$	-81.0404	-106.9679	[-154.0913, -72.7437]	0.768 (-0.73σ)
$\xi_{30,0}$	377.5806	513.6100	[362.8007, 723.0785]	0.197 (0.85σ)

Table 5: Best-fit results for base_omegak_plikHM_TTTEEE_lowl_lowE

3 base CamSpecHM TT lowl lowE

3.1 MCMC Analysis

Global tension (ACAT): $T = 1.813$, $p = 0.160$ (0.99σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	226.1590	[-67.0063, 599.8022]	0.028 (1.91σ)
$S_{180,60}$	4462.7255	23197.8426	[7844.4596, 73202.2952]	0.067 (1.50σ)
$S_{180,154}$	27691.9008	44089.9427	[5991.3675, 221067.9431]	0.392 (0.27σ)
$S_{154,92}$	2665.3885	12212.6433	[3555.8781, 44810.6024]	0.110 (1.23σ)
$S_{92,30}$	9099.3745	26893.4110	[10318.5751, 71577.5505]	0.132 (1.12σ)
$S_{30,0}$	291832.9621	542696.0886	[310091.8214, 950706.4333]	0.126 (1.15σ)
$S_{180,0}$	26262.1333	58687.7869	[29958.8676, 128087.8349]	0.107 (1.24σ)
$\xi_{180,60}$	-2.1052	-38.2225	[-79.3088, -14.7169]	0.966 (-1.83σ)
$\xi_{180,154}$	-138.6536	184.2357	[-19.0483, 464.3726]	0.060 (1.55σ)
$\xi_{154,92}$	42.0072	12.9817	[-24.6558, 53.7118]	0.766 (-0.73σ)
$\xi_{92,30}$	-81.0404	-126.4244	[-183.5577, -85.4895]	0.862 (-1.09σ)
$\xi_{30,0}$	377.5806	609.2239	[414.8444, 869.0027]	0.106 (1.25σ)

Table 6: MCMC results for base_CamSpecHM_TT_lowl_lowE

3.2 Best-Fit Analysis

Global tension (ACAT): $T = 2.104$, $p = 0.141$ (1.07σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	250.0620	[-51.3712, 587.9475]	0.027 (1.93σ)
$S_{180,60}$	4462.7255	23801.1195	[7563.3074, 72677.4165]	0.055 (1.60σ)
$S_{180,154}$	27691.9008	51560.9879	[7467.8760, 250225.2107]	0.370 (0.33σ)
$S_{154,92}$	2665.3885	12223.7453	[3694.2961, 44661.4620]	0.121 (1.17σ)
$S_{92,30}$	9099.3745	26001.7026	[9972.0305, 70247.7443]	0.141 (1.08σ)
$S_{30,0}$	291832.9621	537060.0788	[314944.2686, 965380.7054]	0.126 (1.15σ)
$S_{180,0}$	26262.1333	58126.2485	[30516.9301, 126712.7571]	0.107 (1.24σ)
$\xi_{180,60}$	-2.1052	-39.2584	[-80.2490, -13.4414]	0.956 (-1.71σ)
$\xi_{180,154}$	-138.6536	211.7688	[-3.0828, 496.2591]	0.059 (1.56σ)
$\xi_{154,92}$	42.0072	8.1021	[-24.9549, 50.3317]	0.801 (-0.85σ)
$\xi_{92,30}$	-81.0404	-125.7629	[-184.2052, -82.3270]	0.852 (-1.05σ)
$\xi_{30,0}$	377.5806	601.0347	[413.9174, 880.2160]	0.113 (1.21σ)

Table 7: Best-fit results for base_CamSpecHM_TT_lowl_lowE

4 base plikHM TT lowl lowE

4.1 MCMC Analysis

Global tension (ACAT): $T = 2.623$, $p = 0.116$ (1.20σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	230.6582	[-62.4364, 597.9640]	0.017 (2.12σ)
$S_{180,60}$	4462.7255	22850.0851	[7536.9840, 67753.7836]	0.079 (1.41σ)
$S_{180,154}$	27691.9008	42325.2696	[5538.6886, 233059.1363]	0.418 (0.21σ)
$S_{154,92}$	2665.3885	12047.0505	[3461.2138, 40132.7106]	0.114 (1.21σ)
$S_{92,30}$	9099.3745	27203.5501	[10582.1059, 68217.0959]	0.122 (1.17σ)
$S_{30,0}$	291832.9621	549201.4137	[307593.8911, 966005.0874]	0.136 (1.10σ)
$S_{180,0}$	26262.1333	58460.6416	[30008.4338, 120851.3697]	0.113 (1.21σ)
$\xi_{180,60}$	-2.1052	-38.3536	[-74.5048, -13.4072]	0.954 (-1.68σ)
$\xi_{180,154}$	-138.6536	184.5466	[-26.5954, 478.6097]	0.047 (1.67σ)
$\xi_{154,92}$	42.0072	13.3877	[-23.6971, 53.5417]	0.764 (-0.72σ)
$\xi_{92,30}$	-81.0404	-127.7176	[-182.6233, -84.9911]	0.868 (-1.12σ)
$\xi_{30,0}$	377.5806	608.0599	[414.9867, 880.2251]	0.112 (1.22σ)

Table 8: MCMC results for base_plikHM_TT_lowl_lowE

4.2 Best-Fit Analysis

Global tension (ACAT): $T = 2.057$, $p = 0.144$ (1.06σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	256.7922	[-68.8540, 608.4646]	0.025 (1.96σ)
$S_{180,60}$	4462.7255	23829.4211	[7498.6549, 73107.0706]	0.073 (1.45σ)
$S_{180,154}$	27691.9008	45132.5604	[6203.4401, 243760.0422]	0.405 (0.24σ)
$S_{154,92}$	2665.3885	12892.9310	[3893.7317, 45683.6626]	0.102 (1.27σ)
$S_{92,30}$	9099.3745	28553.8293	[11250.0332, 69590.8568]	0.122 (1.17σ)
$S_{30,0}$	291832.9621	543400.9620	[317193.4435, 995300.3580]	0.122 (1.17σ)
$S_{180,0}$	26262.1333	58794.7687	[29956.4315, 129289.8214]	0.110 (1.23σ)
$\xi_{180,60}$	-2.1052	-39.3880	[-79.2900, -14.7676]	0.963 (-1.79σ)
$\xi_{180,154}$	-138.6536	192.7826	[-24.9712, 487.7489]	0.058 (1.57σ)
$\xi_{154,92}$	42.0072	10.3696	[-23.9101, 54.5258]	0.762 (-0.71σ)
$\xi_{92,30}$	-81.0404	-128.9962	[-187.3106, -84.0221]	0.860 (-1.08σ)
$\xi_{30,0}$	377.5806	606.7079	[418.5364, 886.5358]	0.103 (1.26σ)

Table 9: Best-fit results for base_plikHM_TT_lowl_lowE