

CMB Analysis Results - GetDist Tables

September 22, 2026

Table 1: CMB Analysis Configuration

Configuration Parameter	Value
analysis: mode	all
analysis: lmax	30
analysis: n samples	1000
Interval 1	[-1.0000, 0.5000]
Interval 2	[-1.0000, -0.9011]
Interval 3	[-0.9011, -0.0389]
Interval 4	[-0.0389, 0.8655]
Interval 5	[0.8655, 1.0000]
Interval 6	[-1.0000, 1.0000]
pipeline: nside in	2048
pipeline: fwhm in arcmin	40.000000
pipeline: noise Cl	0.000045
pipeline: mask	NaN
pipeline: num workers	8
statistics: enabled	True
statistics: skip simulation	False
plotting: enabled	True
plotting: format	pdf
plotting: colors: experimental	red
plotting: colors: simulation	blue
plotting: colors: theory	black
output: base dir	runs
output: save on param change	True

1 base omegak CamSpecHM TT lowl lowE

1.1 MCMC Analysis

Global tension (ACAT): $T = 3.964$, $p = 0.079$ (1.41σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	211.3724	[-26.8229, 510.1557]	0.008 (2.41σ)
$S_{180,60}$	4462.7255	16056.3752	[4907.5352, 46644.8495]	0.147 (1.05σ)
$S_{180,154}$	27691.9008	32614.4907	[4133.1898, 169783.5724]	0.464 (0.09σ)
$S_{154,92}$	2665.3885	8415.6653	[2293.2600, 27866.8486]	0.186 (0.89σ)
$S_{92,30}$	9099.3745	18367.8621	[6678.6620, 48055.0140]	0.243 (0.70σ)
$S_{30,0}$	291832.9621	381848.5902	[214064.7271, 679217.0718]	0.291 (0.55σ)
$S_{180,0}$	26262.1333	40886.7811	[20119.3429, 85870.8783]	0.261 (0.64σ)
$\xi_{180,60}$	-2.1052	-33.1099	[-62.0514, -11.1960]	0.951 (-1.65σ)
$\xi_{180,154}$	-138.6536	166.7164	[1.2682, 406.1033]	0.028 (1.91σ)
$\xi_{154,92}$	42.0072	8.3142	[-20.4058, 40.4086]	0.853 (-1.05σ)
$\xi_{92,30}$	-81.0404	-104.3240	[-154.9641, -66.2353]	0.739 (-0.64σ)
$\xi_{30,0}$	377.5806	504.5285	[334.2579, 721.5812]	0.235 (0.72σ)

Table 2: MCMC results for base_omegak_CamSpecHM_TT_lowl_lowE

1.2 Best-Fit Analysis

Global tension (ACAT): $T = 2.051$, $p = 0.144$ (1.06σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	215.8451	[-47.0754, 497.4143]	0.016 (2.14σ)
$S_{180,60}$	4462.7255	15580.0771	[5020.4956, 50020.2584]	0.142 (1.07σ)
$S_{180,154}$	27691.9008	34129.0273	[4551.3787, 156820.9442]	0.451 (0.12σ)
$S_{154,92}$	2665.3885	8277.2649	[2429.7764, 29675.3576]	0.182 (0.91σ)
$S_{92,30}$	9099.3745	17864.2232	[6625.1903, 47279.0085]	0.254 (0.66σ)
$S_{30,0}$	291832.9621	368209.8156	[220367.2749, 677673.4877]	0.329 (0.44σ)
$S_{180,0}$	26262.1333	38711.4831	[20931.9746, 85833.0622]	0.269 (0.62σ)
$\xi_{180,60}$	-2.1052	-31.8461	[-65.2713, -10.8452]	0.962 (-1.77σ)
$\xi_{180,154}$	-138.6536	172.6489	[-10.3336, 392.4370]	0.038 (1.77σ)
$\xi_{154,92}$	42.0072	7.2889	[-20.3575, 42.1768]	0.838 (-0.99σ)
$\xi_{92,30}$	-81.0404	-103.4273	[-150.3846, -67.6640]	0.715 (-0.57σ)
$\xi_{30,0}$	377.5806	490.9879	[335.5946, 730.1638]	0.240 (0.71σ)

Table 3: Best-fit results for base_omegak_CamSpecHM_TT_lowl_lowE

2 base omegak plikHM TTTEEE lowl lowE

2.1 MCMC Analysis

Global tension (ACAT): $T = 2.451$, $p = 0.123$ (1.16σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	204.6610	[-36.2991, 499.7218]	0.014 (2.20σ)
$S_{180,60}$	4462.7255	16915.9692	[5258.4725, 48529.1990]	0.122 (1.17σ)
$S_{180,154}$	27691.9008	34863.8569	[4910.6170, 172726.0523]	0.454 (0.12σ)
$S_{154,92}$	2665.3885	8985.4818	[2622.5979, 29850.8378]	0.161 (0.99σ)
$S_{92,30}$	9099.3745	19372.3118	[7843.5016, 48697.1797]	0.205 (0.82σ)
$S_{30,0}$	291832.9621	410428.4280	[244901.2384, 732220.7016]	0.263 (0.63σ)
$S_{180,0}$	26262.1333	42779.6138	[23323.9969, 87027.8606]	0.220 (0.77σ)
$\xi_{180,60}$	-2.1052	-33.1635	[-63.8120, -11.2247]	0.955 (-1.70σ)
$\xi_{180,154}$	-138.6536	168.7078	[-8.2170, 409.4085]	0.042 (1.73σ)
$\xi_{154,92}$	42.0072	7.2819	[-20.0412, 44.6438]	0.820 (-0.92σ)
$\xi_{92,30}$	-81.0404	-108.8318	[-157.3776, -73.3379]	0.769 (-0.74σ)
$\xi_{30,0}$	377.5806	515.2121	[364.5262, 750.0748]	0.180 (0.92σ)

Table 4: MCMC results for base_omegak_plikHM_TTTEEE_lowl_lowE

2.2 Best-Fit Analysis

Global tension (ACAT): $T = 2.374$, $p = 0.127$ (1.14σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	202.5118	[-48.5957, 495.9494]	0.015 (2.17σ)
$S_{180,60}$	4462.7255	14333.2096	[4600.9966, 48351.1966]	0.151 (1.03σ)
$S_{180,154}$	27691.9008	32728.9536	[3737.3954, 155157.5863]	0.469 (0.08σ)
$S_{154,92}$	2665.3885	7849.2287	[2008.0054, 28705.1214]	0.218 (0.78σ)
$S_{92,30}$	9099.3745	17272.8785	[6892.4623, 46265.3906]	0.231 (0.74σ)
$S_{30,0}$	291832.9621	387942.5591	[224605.0775, 697636.5453]	0.298 (0.53σ)
$S_{180,0}$	26262.1333	39823.8212	[20881.5089, 86620.8513]	0.261 (0.64σ)
$\xi_{180,60}$	-2.1052	-30.2595	[-64.2656, -9.1217]	0.938 (-1.54σ)
$\xi_{180,154}$	-138.6536	162.6057	[-7.8509, 391.1164]	0.040 (1.75σ)
$\xi_{154,92}$	42.0072	8.3621	[-18.7459, 42.0546]	0.839 (-0.99σ)
$\xi_{92,30}$	-81.0404	-104.3910	[-152.9386, -68.3696]	0.744 (-0.66σ)
$\xi_{30,0}$	377.5806	500.1786	[334.6211, 732.2770]	0.230 (0.74σ)

Table 5: Best-fit results for base_omegak_plikHM_TTTEEE_lowl_lowE

3 base CamSpecHM TT lowl lowE

3.1 MCMC Analysis

Global tension (ACAT): $T = 2.096$, $p = 0.142$ (1.07σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	251.0652	[-56.2886, 607.3857]	0.024 (1.98σ)
$S_{180,60}$	4462.7255	22917.4801	[7526.2129, 69730.5997]	0.080 (1.41σ)
$S_{180,154}$	27691.9008	46726.6719	[6646.0999, 242681.7938]	0.393 (0.27σ)
$S_{154,92}$	2665.3885	12119.3377	[3144.8720, 43061.2829]	0.136 (1.10σ)
$S_{92,30}$	9099.3745	26693.1513	[9933.3611, 66160.9462]	0.137 (1.09σ)
$S_{30,0}$	291832.9621	531740.1528	[300445.1917, 948181.6960]	0.145 (1.06σ)
$S_{180,0}$	26262.1333	57062.0577	[29429.1913, 116142.8264]	0.127 (1.14σ)
$\xi_{180,60}$	-2.1052	-38.3954	[-77.2472, -14.0274]	0.958 (-1.73σ)
$\xi_{180,154}$	-138.6536	200.2108	[-7.9755, 483.4017]	0.042 (1.73σ)
$\xi_{154,92}$	42.0072	9.6376	[-26.5065, 49.6032]	0.792 (-0.81σ)
$\xi_{92,30}$	-81.0404	-126.0347	[-180.4727, -80.8287]	0.839 (-0.99σ)
$\xi_{30,0}$	377.5806	603.3254	[403.9309, 856.6876]	0.119 (1.18σ)

Table 6: MCMC results for base_CamSpecHM_TT_lowl_lowE

3.2 Best-Fit Analysis

Global tension (ACAT): $T = 2.148$, $p = 0.139$ (1.09σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	260.0665	[-62.5862, 620.8562]	0.025 (1.96σ)
$S_{180,60}$	4462.7255	24708.0789	[7612.0714, 75236.3230]	0.078 (1.42σ)
$S_{180,154}$	27691.9008	49817.2296	[6740.9149, 250852.4626]	0.377 (0.31σ)
$S_{154,92}$	2665.3885	12942.8175	[3237.5026, 43964.0096]	0.119 (1.18σ)
$S_{92,30}$	9099.3745	26337.5337	[10449.3894, 74338.4956]	0.130 (1.13σ)
$S_{30,0}$	291832.9621	529397.9912	[309451.2871, 994132.3826]	0.130 (1.13σ)
$S_{180,0}$	26262.1333	59703.4034	[30461.8519, 131897.0929]	0.105 (1.25σ)
$\xi_{180,60}$	-2.1052	-39.7381	[-80.1959, -13.7240]	0.954 (-1.68σ)
$\xi_{180,154}$	-138.6536	207.9737	[-10.3416, 497.8865]	0.051 (1.64σ)
$\xi_{154,92}$	42.0072	7.9063	[-26.0207, 49.4409]	0.793 (-0.82σ)
$\xi_{92,30}$	-81.0404	-125.5178	[-186.3994, -84.1172]	0.863 (-1.09σ)
$\xi_{30,0}$	377.5806	600.8346	[417.8534, 887.6683]	0.111 (1.22σ)

Table 7: Best-fit results for base_CamSpecHM_TT_lowl_lowE

4 base plikHM TT lowl lowE

4.1 MCMC Analysis

Global tension (ACAT): $T = 1.853$, $p = 0.158$ (1.00σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	239.6073	[-63.8155, 592.0541]	0.028 (1.91σ)
$S_{180,60}$	4462.7255	23712.0882	[7376.4596, 74046.9414]	0.080 (1.41σ)
$S_{180,154}$	27691.9008	45719.5553	[5968.9221, 232575.2331]	0.384 (0.29σ)
$S_{154,92}$	2665.3885	12545.4512	[3351.8308, 45021.5554]	0.122 (1.17σ)
$S_{92,30}$	9099.3745	27407.4585	[10775.0035, 71091.1716]	0.121 (1.17σ)
$S_{30,0}$	291832.9621	545394.4939	[315659.1667, 981986.2221]	0.120 (1.17σ)
$S_{180,0}$	26262.1333	57927.5917	[30605.7613, 130462.8238]	0.103 (1.26σ)
$\xi_{180,60}$	-2.1052	-39.0428	[-79.0739, -13.4281]	0.961 (-1.76σ)
$\xi_{180,154}$	-138.6536	193.9865	[-27.2207, 477.7088]	0.060 (1.55σ)
$\xi_{154,92}$	42.0072	11.1458	[-23.9496, 55.3157]	0.766 (-0.73σ)
$\xi_{92,30}$	-81.0404	-127.2702	[-185.9526, -84.6534]	0.859 (-1.08σ)
$\xi_{30,0}$	377.5806	605.8121	[416.6593, 880.8862]	0.114 (1.21σ)

Table 8: MCMC results for base_plikHM_TT_lowl_lowE

4.2 Best-Fit Analysis

Global tension (ACAT): $T = 2.001$, $p = 0.148$ (1.05σ)				
Statistic	Experimental	Median	68% CI	p -value
C_{180}	-354.1497	246.7787	[-47.7674, 614.5848]	0.024 (1.98σ)
$S_{180,60}$	4462.7255	23515.2739	[7623.9122, 74680.3538]	0.081 (1.40σ)
$S_{180,154}$	27691.9008	54569.8423	[5621.5247, 252246.6471]	0.381 (0.30σ)
$S_{154,92}$	2665.3885	13141.2623	[3186.1050, 46260.2483]	0.134 (1.11σ)
$S_{92,30}$	9099.3745	26956.5761	[10046.2420, 71300.5289]	0.137 (1.09σ)
$S_{30,0}$	291832.9621	551289.3679	[307725.2220, 990432.8042]	0.141 (1.08σ)
$S_{180,0}$	26262.1333	59094.1591	[30319.4852, 127764.3907]	0.123 (1.16σ)
$\xi_{180,60}$	-2.1052	-39.3165	[-80.0544, -14.2435]	0.961 (-1.76σ)
$\xi_{180,154}$	-138.6536	210.6041	[-2.9934, 497.0036]	0.052 (1.63σ)
$\xi_{154,92}$	42.0072	7.4157	[-24.9396, 51.9277]	0.792 (-0.81σ)
$\xi_{92,30}$	-81.0404	-127.1144	[-185.9391, -81.5784]	0.843 (-1.01σ)
$\xi_{30,0}$	377.5806	609.6357	[408.8386, 878.3284]	0.110 (1.23σ)

Table 9: Best-fit results for base_plikHM_TT_lowl_lowE