

# CMB Analysis Results - GetDist Tables

June 1, 2026

Table 1: CMB Analysis Configuration

| Configuration Parameter        | Value              |
|--------------------------------|--------------------|
| analysis: mode                 | all                |
| analysis: lmax                 | 30                 |
| analysis: n samples            | 1000               |
| Interval 1                     | [-1.0000, 0.5000]  |
| Interval 2                     | [-1.0000, -0.9011] |
| Interval 3                     | [-0.9011, -0.0389] |
| Interval 4                     | [-0.0389, 0.8655]  |
| Interval 5                     | [0.8655, 1.0000]   |
| pipeline: nside in             | 2048               |
| pipeline: fwhm in arcmin       | 40.000000          |
| pipeline: noise Cl             | NaN                |
| pipeline: mask                 | NaN                |
| pipeline: num workers          | 12                 |
| statistics: enabled            | True               |
| statistics: skip simulation    | False              |
| plotting: enabled              | True               |
| plotting: format               | pdf                |
| plotting: colors: experimental | red                |
| plotting: colors: simulation   | blue               |
| plotting: colors: theory       | black              |
| output: base dir               | runs               |
| output: save on param change   | True               |

# 1 base omegak CamSpecHM TT lowl lowE

## 1.1 MCMC Analysis

| <b>Global tension (ACAT):</b> $T = -1.741$ , $p = 8.34e - 01$ , $0.21\sigma$ |                             |             |                            |            |
|------------------------------------------------------------------------------|-----------------------------|-------------|----------------------------|------------|
| Statistic                                                                    | Experimental                | MCMC Median | 68% CI                     | $p$ -value |
| $C_{180}$                                                                    | $-354.1497 \pm 171.2834$    | 196.3529    | $[-33.6480, 499.1034]$     | 0.013      |
| $S_{180,60}$                                                                 | $6694.0882 \pm 8822.2915$   | 16587.5010  | $[5049.4661, 50401.6105]$  | 0.224      |
| $S_{180,154}$                                                                | $2739.9435 \pm 3018.8131$   | 2673.7786   | $[349.5165, 13859.4995]$   | 0.506      |
| $S_{154,92}$                                                                 | $2298.0174 \pm 3103.8229$   | 4953.9801   | $[1403.6711, 16649.5682]$  | 0.272      |
| $S_{92,30}$                                                                  | $8229.1759 \pm 10643.1270$  | 10932.7937  | $[4239.2476, 29132.5902]$  | 0.392      |
| $S_{30,0}$                                                                   | $39257.1300 \pm 48919.8333$ | 39978.8014  | $[22623.5916, 74098.2213]$ | 0.482      |
| $\xi_{180,60}$                                                               | $-2.1052 \pm 12.1260$       | $-25.0097$  | $[-51.5323, -8.4034]$      | 0.950      |
| $\xi_{180,154}$                                                              | $-138.6536 \pm 57.5605$     | 145.0064    | $[-5.9415, 362.9842]$      | 0.032      |
| $\xi_{154,92}$                                                               | $42.0072 \pm 34.6449$       | 3.9682      | $[-21.0822, 35.0764]$      | 0.881      |
| $\xi_{92,30}$                                                                | $-81.0404 \pm 79.0240$      | $-87.0262$  | $[-130.1295, -55.2944]$    | 0.566      |
| $\xi_{30,0}$                                                                 | $377.5806 \pm 351.5645$     | 422.2422    | $[281.9245, 629.2318]$     | 0.388      |

Table 2: MCMC results for base\_omegak\_CamSpecHM\_TT\_lowl\_lowE

## 1.2 Best-Fit Analysis

| <b>Global tension (ACAT):</b> $T = 1.426$ , $p = 1.95e - 01$ , $1.30\sigma$ |                             |             |                            |            |
|-----------------------------------------------------------------------------|-----------------------------|-------------|----------------------------|------------|
| Statistic                                                                   | Experimental                | MCMC Median | 68% CI                     | $p$ -value |
| $C_{180}$                                                                   | $-354.1497 \pm 171.2834$    | 198.1066    | $[-49.4804, 491.5164]$     | 0.017      |
| $S_{180,60}$                                                                | $6694.0882 \pm 8822.2915$   | 23490.6973  | $[7796.2301, 75138.8685]$  | 0.125      |
| $S_{180,154}$                                                               | $2739.9435 \pm 3018.8131$   | 3260.1454   | $[417.2054, 14842.8323]$   | 0.460      |
| $S_{154,92}$                                                                | $2298.0174 \pm 3103.8229$   | 6880.1728   | $[2058.2513, 25969.5167]$  | 0.186      |
| $S_{92,30}$                                                                 | $8229.1759 \pm 10643.1270$  | 16708.3457  | $[6460.0508, 41678.3195]$  | 0.217      |
| $S_{30,0}$                                                                  | $39257.1300 \pm 48919.8333$ | 52398.5565  | $[30802.5839, 92742.3423]$ | 0.301      |
| $\xi_{180,60}$                                                              | $-2.1052 \pm 12.1260$       | $-30.8517$  | $[-62.6401, -12.4779]$     | 0.966      |
| $\xi_{180,154}$                                                             | $-138.6536 \pm 57.5605$     | 162.3483    | $[-14.1878, 383.3823]$     | 0.045      |
| $\xi_{154,92}$                                                              | $42.0072 \pm 34.6449$       | 9.5616      | $[-18.9712, 44.9082]$      | 0.832      |
| $\xi_{92,30}$                                                               | $-81.0404 \pm 79.0240$      | $-106.2280$ | $[-153.3719, -70.3684]$    | 0.762      |
| $\xi_{30,0}$                                                                | $377.5806 \pm 351.5645$     | 508.7230    | $[354.2702, 728.0568]$     | 0.210      |

Table 3: Best-fit results for base\_omegak\_CamSpecHM\_TT\_lowl\_lowE

## 2 base omegak plikHM TTTEEE lowl lowE

### 2.1 MCMC Analysis

| <b>Global tension (ACAT):</b> $T = -14.429$ , $p = 9.78e - 01$ , $0.03\sigma$ |                             |             |                            |            |
|-------------------------------------------------------------------------------|-----------------------------|-------------|----------------------------|------------|
| Statistic                                                                     | Experimental                | MCMC Median | 68% CI                     | $p$ -value |
| $C_{180}$                                                                     | $-354.1497 \pm 171.2834$    | 199.8608    | $[-57.8501, 515.3777]$     | 0.009      |
| $S_{180,60}$                                                                  | $6694.0882 \pm 8822.2915$   | 16593.2759  | $[5925.5692, 59966.6153]$  | 0.184      |
| $S_{180,154}$                                                                 | $2739.9435 \pm 3018.8131$   | 2712.8269   | $[395.1361, 14323.5511]$   | 0.500      |
| $S_{154,92}$                                                                  | $2298.0174 \pm 3103.8229$   | 4984.4145   | $[1606.4512, 20980.0595]$  | 0.257      |
| $S_{92,30}$                                                                   | $8229.1759 \pm 10643.1270$  | 11467.3829  | $[4581.3730, 33051.1754]$  | 0.360      |
| $S_{30,0}$                                                                    | $39257.1300 \pm 48919.8333$ | 42300.9829  | $[24501.7768, 82246.4234]$ | 0.432      |
| $\xi_{180,60}$                                                                | $-2.1052 \pm 12.1260$       | -25.4085    | $[-56.4253, -9.2764]$      | 0.956      |
| $\xi_{180,154}$                                                               | $-138.6536 \pm 57.5605$     | 144.6603    | $[-13.2784, 372.6272]$     | 0.036      |
| $\xi_{154,92}$                                                                | $42.0072 \pm 34.6449$       | 6.5448      | $[-21.3855, 37.3271]$      | 0.868      |
| $\xi_{92,30}$                                                                 | $-81.0404 \pm 79.0240$      | -91.3770    | $[-137.0195, -58.4067]$    | 0.608      |
| $\xi_{30,0}$                                                                  | $377.5806 \pm 351.5645$     | 438.1760    | $[292.0772, 664.3975]$     | 0.359      |

Table 4: MCMC results for base\_omegak\_plikHM-TTTEEE\_lowl\_lowE

### 2.2 Best-Fit Analysis

| <b>Global tension (ACAT):</b> $T = 1.994$ , $p = 1.48e - 01$ , $1.45\sigma$ |                             |             |                            |            |
|-----------------------------------------------------------------------------|-----------------------------|-------------|----------------------------|------------|
| Statistic                                                                   | Experimental                | MCMC Median | 68% CI                     | $p$ -value |
| $C_{180}$                                                                   | $-354.1497 \pm 171.2834$    | 212.6820    | $[-25.2920, 490.0392]$     | 0.012      |
| $S_{180,60}$                                                                | $6694.0882 \pm 8822.2915$   | 25394.8389  | $[8787.8021, 78659.3857]$  | 0.119      |
| $S_{180,154}$                                                               | $2739.9435 \pm 3018.8131$   | 3549.8743   | $[457.6403, 16461.0157]$   | 0.447      |
| $S_{154,92}$                                                                | $2298.0174 \pm 3103.8229$   | 7376.8696   | $[1965.6947, 26730.0635]$  | 0.186      |
| $S_{92,30}$                                                                 | $8229.1759 \pm 10643.1270$  | 17968.0118  | $[7046.3563, 46103.6044]$  | 0.192      |
| $S_{30,0}$                                                                  | $39257.1300 \pm 48919.8333$ | 54732.1038  | $[31862.7949, 98558.5968]$ | 0.273      |
| $\xi_{180,60}$                                                              | $-2.1052 \pm 12.1260$       | -32.8711    | $[-66.8558, -12.8862]$     | 0.959      |
| $\xi_{180,154}$                                                             | $-138.6536 \pm 57.5605$     | 173.3010    | $[1.4828, 402.2035]$       | 0.031      |
| $\xi_{154,92}$                                                              | $42.0072 \pm 34.6449$       | 8.5683      | $[-20.6487, 44.5123]$      | 0.823      |
| $\xi_{92,30}$                                                               | $-81.0404 \pm 79.0240$      | -110.5168   | $[-158.5480, -72.0123]$    | 0.771      |
| $\xi_{30,0}$                                                                | $377.5806 \pm 351.5645$     | 523.0943    | $[360.5448, 761.1803]$     | 0.196      |

Table 5: Best-fit results for base\_omegak\_plikHM-TTTEEE\_lowl\_lowE

### 3 base CamSpecHM TT lowl lowE

#### 3.1 MCMC Analysis

| <b>Global tension (ACAT):</b> $T = 1.192$ , $p = 2.22e - 01$ , $1.22\sigma$ |                             |             |                            |            |
|-----------------------------------------------------------------------------|-----------------------------|-------------|----------------------------|------------|
| Statistic                                                                   | Experimental                | MCMC Median | 68% CI                     | $p$ -value |
| $C_{180}$                                                                   | $-354.1497 \pm 171.2834$    | 209.2733    | $[-65.6072, 553.5082]$     | 0.018      |
| $S_{180,60}$                                                                | $6694.0882 \pm 8822.2915$   | 22191.0231  | $[7498.0502, 70042.2860]$  | 0.141      |
| $S_{180,154}$                                                               | $2739.9435 \pm 3018.8131$   | 3531.3200   | $[489.2405, 17268.9352]$   | 0.449      |
| $S_{154,92}$                                                                | $2298.0174 \pm 3103.8229$   | 6748.9094   | $[2040.2136, 22033.0658]$  | 0.188      |
| $S_{92,30}$                                                                 | $8229.1759 \pm 10643.1270$  | 15434.3994  | $[6027.6074, 41202.6277]$  | 0.247      |
| $S_{30,0}$                                                                  | $39257.1300 \pm 48919.8333$ | 55538.0866  | $[32172.5438, 98644.8444]$ | 0.249      |
| $\xi_{180,60}$                                                              | $-2.1052 \pm 12.1260$       | $-28.8364$  | $[-62.6405, -9.5397]$      | 0.942      |
| $\xi_{180,154}$                                                             | $-138.6536 \pm 57.5605$     | 164.8831    | $[-23.5457, 410.7049]$     | 0.053      |
| $\xi_{154,92}$                                                              | $42.0072 \pm 34.6449$       | 8.1156      | $[-22.0744, 42.4683]$      | 0.838      |
| $\xi_{92,30}$                                                               | $-81.0404 \pm 79.0240$      | $-103.9353$ | $[-155.0293, -67.9296]$    | 0.725      |
| $\xi_{30,0}$                                                                | $377.5806 \pm 351.5645$     | 500.7642    | $[341.1599, 735.6853]$     | 0.222      |

Table 6: MCMC results for base\_CamSpecHM\_TT\_lowl\_lowE

#### 3.2 Best-Fit Analysis

| <b>Global tension (ACAT):</b> $T = 1.571$ , $p = 1.80e - 01$ , $1.34\sigma$ |                             |             |                             |            |
|-----------------------------------------------------------------------------|-----------------------------|-------------|-----------------------------|------------|
| Statistic                                                                   | Experimental                | MCMC Median | 68% CI                      | $p$ -value |
| $C_{180}$                                                                   | $-354.1497 \pm 171.2834$    | 228.9743    | $[-77.1235, 569.8644]$      | 0.030      |
| $S_{180,60}$                                                                | $6694.0882 \pm 8822.2915$   | 31361.4882  | $[10116.2255, 96924.5911]$  | 0.075      |
| $S_{180,154}$                                                               | $2739.9435 \pm 3018.8131$   | 4310.6855   | $[544.3793, 20297.8267]$    | 0.395      |
| $S_{154,92}$                                                                | $2298.0174 \pm 3103.8229$   | 9607.5475   | $[2794.3258, 33170.8590]$   | 0.131      |
| $S_{92,30}$                                                                 | $8229.1759 \pm 10643.1270$  | 22100.5066  | $[9007.8049, 58382.5797]$   | 0.134      |
| $S_{30,0}$                                                                  | $39257.1300 \pm 48919.8333$ | 71270.3735  | $[40999.0171, 122378.3392]$ | 0.137      |
| $\xi_{180,60}$                                                              | $-2.1052 \pm 12.1260$       | $-36.3302$  | $[-73.1074, -12.5635]$      | 0.959      |
| $\xi_{180,154}$                                                             | $-138.6536 \pm 57.5605$     | 189.4388    | $[-16.8394, 449.9425]$      | 0.053      |
| $\xi_{154,92}$                                                              | $42.0072 \pm 34.6449$       | 12.1474     | $[-22.0844, 49.8122]$       | 0.791      |
| $\xi_{92,30}$                                                               | $-81.0404 \pm 79.0240$      | $-124.3477$ | $[-180.5482, -82.2266]$     | 0.846      |
| $\xi_{30,0}$                                                                | $377.5806 \pm 351.5645$     | 600.4884    | $[406.3843, 838.7787]$      | 0.121      |

Table 7: Best-fit results for base\_CamSpecHM\_TT\_lowl\_lowE

## 4 base plikHM TT lowl lowE

### 4.1 MCMC Analysis

| <b>Global tension (ACAT): <math>T = 1.451</math>, <math>p = 1.92e - 01</math>, <math>1.30\sigma</math></b> |                             |             |                             |            |
|------------------------------------------------------------------------------------------------------------|-----------------------------|-------------|-----------------------------|------------|
| Statistic                                                                                                  | Experimental                | MCMC Median | 68% CI                      | $p$ -value |
| $C_{180}$                                                                                                  | $-354.1497 \pm 171.2834$    | 255.8210    | $[-34.0357, 574.3206]$      | 0.019      |
| $S_{180,60}$                                                                                               | $6694.0882 \pm 8822.2915$   | 24428.7972  | $[7160.3979, 75568.3813]$   | 0.140      |
| $S_{180,154}$                                                                                              | $2739.9435 \pm 3018.8131$   | 4264.0742   | $[600.7927, 18537.1859]$    | 0.411      |
| $S_{154,92}$                                                                                               | $2298.0174 \pm 3103.8229$   | 7386.9923   | $[1882.9673, 27192.8826]$   | 0.195      |
| $S_{92,30}$                                                                                                | $8229.1759 \pm 10643.1270$  | 15784.9025  | $[6265.5411, 42504.2238]$   | 0.254      |
| $S_{30,0}$                                                                                                 | $39257.1300 \pm 48919.8333$ | 57785.5564  | $[32425.9781, 102339.8993]$ | 0.265      |
| $\xi_{180,60}$                                                                                             | $-2.1052 \pm 12.1260$       | $-31.1565$  | $[-64.8753, -10.9072]$      | 0.952      |
| $\xi_{180,154}$                                                                                            | $-138.6536 \pm 57.5605$     | 193.0745    | $[-11.1902, 423.3870]$      | 0.035      |
| $\xi_{154,92}$                                                                                             | $42.0072 \pm 34.6449$       | 2.7388      | $[-24.4791, 38.4260]$       | 0.861      |
| $\xi_{92,30}$                                                                                              | $-81.0404 \pm 79.0240$      | $-104.7700$ | $[-153.6838, -67.9876]$     | 0.721      |
| $\xi_{30,0}$                                                                                               | $377.5806 \pm 351.5645$     | 518.2036    | $[341.8661, 753.5033]$      | 0.237      |

Table 8: MCMC results for base\_plikHM\_TT\_lowl\_lowE

### 4.2 Best-Fit Analysis

| <b>Global tension (ACAT): <math>T = 1.514</math>, <math>p = 1.86e - 01</math>, <math>1.32\sigma</math></b> |                             |             |                             |            |
|------------------------------------------------------------------------------------------------------------|-----------------------------|-------------|-----------------------------|------------|
| Statistic                                                                                                  | Experimental                | MCMC Median | 68% CI                      | $p$ -value |
| $C_{180}$                                                                                                  | $-354.1497 \pm 171.2834$    | 254.0165    | $[-57.7919, 599.5686]$      | 0.029      |
| $S_{180,60}$                                                                                               | $6694.0882 \pm 8822.2915$   | 34593.5714  | $[10088.9573, 111833.4205]$ | 0.080      |
| $S_{180,154}$                                                                                              | $2739.9435 \pm 3018.8131$   | 4900.0824   | $[502.4912, 24705.7040]$    | 0.385      |
| $S_{154,92}$                                                                                               | $2298.0174 \pm 3103.8229$   | 10371.5434  | $[2657.1151, 37976.5366]$   | 0.125      |
| $S_{92,30}$                                                                                                | $8229.1759 \pm 10643.1270$  | 24682.8465  | $[9481.7740, 60772.7988]$   | 0.129      |
| $S_{30,0}$                                                                                                 | $39257.1300 \pm 48919.8333$ | 74324.0228  | $[41106.8071, 133065.9893]$ | 0.134      |
| $\xi_{180,60}$                                                                                             | $-2.1052 \pm 12.1260$       | $-38.8856$  | $[-78.0890, -12.0506]$      | 0.954      |
| $\xi_{180,154}$                                                                                            | $-138.6536 \pm 57.5605$     | 199.6402    | $[-12.0597, 491.4029]$      | 0.064      |
| $\xi_{154,92}$                                                                                             | $42.0072 \pm 34.6449$       | 11.0220     | $[-27.0571, 50.5278]$       | 0.784      |
| $\xi_{92,30}$                                                                                              | $-81.0404 \pm 79.0240$      | $-128.7764$ | $[-183.1245, -83.6251]$     | 0.852      |
| $\xi_{30,0}$                                                                                               | $377.5806 \pm 351.5645$     | 611.1632    | $[404.4041, 870.6564]$      | 0.123      |

Table 9: Best-fit results for base\_plikHM\_TT\_lowl\_lowE