

CMB Analysis Results - GetDist Tables

September 28, 2026

Table 1: CMB Analysis Configuration

Configuration Parameter	Value
analysis: mode	all
analysis: lmax	30
analysis: n samples	1000
Interval 1	[-1.0000, 0.5000]
Interval 2	[-1.0000, -0.9011]
Interval 3	[-0.9011, -0.0389]
Interval 4	[-0.0389, 0.8655]
Interval 5	[0.8655, 1.0000]
Interval 6	[-1.0000, 1.0000]
pipeline: nside in	2048
pipeline: fwhm in arcmin	40.000000
pipeline: noise Cl	0.000045
pipeline: mask	NaN
pipeline: num workers	8
statistics: enabled	True
statistics: skip simulation	False
plotting: enabled	True
plotting: format	pdf
plotting: colors: experimental	red
plotting: colors: simulation	blue
plotting: colors: theory	black
output: base dir	runs
output: save on param change	True

1 base omegak CamSpecHM TT lowl lowE

Global tension (ACAT). MCMC: $p = 0.079$ (1.41σ) Best-fit: $p = 0.144$ (1.06σ)					
Statistic	Experimental	MCMC ($T = 3.964$)		Best-fit ($T = 2.051$)	
		Value	p -value	Value	p -value
ξ_{180}	-354.1497	211.3724 ^{510.1557} _{-26.8229}	0.008 (2.41σ)	215.8451 ^{497.4143} _{-47.0754}	0.016 (2.14σ)
$\langle \xi^2 \rangle_{60}^{180}$	4462.7255	16056.3752 ^{46644.8495} _{4907.5352}	0.147 (1.05σ)	15580.0771 ^{50020.2584} _{5020.4956}	0.142 (1.07σ)
$\langle \xi^2 \rangle_{154}^{180}$	27691.9008	32614.4907 ^{169783.5724} _{4133.1898}	0.464 (0.09σ)	34129.0273 ^{156820.9442} _{4551.3787}	0.451 (0.12σ)
$\langle \xi^2 \rangle_{92}^{154}$	2665.3885	8415.6653 ^{27866.8486} _{2293.2600}	0.186 (0.89σ)	8277.2649 ^{29675.3576} _{2429.7764}	0.182 (0.91σ)
$\langle \xi^2 \rangle_{30}^{92}$	9099.3745	18367.8621 ^{48055.0140} _{6678.6620}	0.243 (0.70σ)	17864.2232 ^{47279.0085} _{6625.1903}	0.254 (0.66σ)
$\langle \xi^2 \rangle_0^{30}$	291832.9621	381848.5902 ^{679217.0718} _{214064.7271}	0.291 (0.55σ)	368209.8156 ^{677673.4877} _{220367.2749}	0.329 (0.44σ)
$\langle \xi^2 \rangle_0^{180}$	26262.1333	40886.7811 ^{85870.8783} _{20119.3429}	0.261 (0.64σ)	38711.4831 ^{85833.0622} _{20931.9746}	0.269 (0.62σ)
$\langle \xi \rangle_{60}^{180}$	-2.1052	-33.1099 ^{-11.1960} _{-62.0514}	0.951 (-1.65σ)	-31.8461 ^{-10.8452} _{-65.2713}	0.962 (-1.77σ)
$\langle \xi \rangle_{154}^{180}$	-138.6536	166.7164 ^{406.1033} _{1.2682}	0.028 (1.91σ)	172.6489 ^{392.4370} _{-10.3336}	0.038 (1.77σ)
$\langle \xi \rangle_{92}^{154}$	42.0072	8.3142 ^{40.4086} _{-20.4058}	0.853 (-1.05σ)	7.2889 ^{42.1768} _{-20.3575}	0.838 (-0.99σ)
$\langle \xi \rangle_{30}^{92}$	-81.0404	-104.3240 ^{-66.2353} _{-154.9641}	0.739 (-0.64σ)	-103.4273 ^{-67.6640} _{-150.3846}	0.715 (-0.57σ)
$\langle \xi \rangle_0^{30}$	377.5806	504.5285 ^{721.5812} _{334.2579}	0.235 (0.72σ)	490.9879 ^{730.1638} _{335.5946}	0.240 (0.71σ)
$\langle \xi \rangle_0^{180}$	-0.0000	-0.0000 ^{-0.0000} _{-0.0000}	—	-0.0000 ^{-0.0000} _{-0.0000}	—

Table 2: Statistical summary for base_omegak_CamSpecHM_TT_lowl_lowE: experimental value, MCMC, and best-fit ensembles.

2 base omegak plikHM TTTEEE lowl lowE

Global tension (ACAT). MCMC: $p = 0.123$ (1.16σ) Best-fit: $p = 0.127$ (1.14σ)					
Statistic	Experimental	MCMC ($T = 2.451$)		Best-fit ($T = 2.374$)	
		Value	p -value	Value	p -value
ξ_{180}	-354.1497	204.6610 ^{499.7218} _{-36.2991}	0.014 (2.20σ)	202.5118 ^{495.9494} _{-48.5957}	0.015 (2.17σ)
$\langle \xi^2 \rangle_{60}^{180}$	4462.7255	16915.9692 ^{48529.1990} _{-5258.4725}	0.122 (1.17σ)	14333.2096 ^{48351.1966} _{-4600.9966}	0.151 (1.03σ)
$\langle \xi^2 \rangle_{154}^{180}$	27691.9008	34863.8569 ^{172726.0523} _{-4910.6170}	0.454 (0.12σ)	32728.9536 ^{155157.5863} _{-3737.3954}	0.469 (0.08σ)
$\langle \xi^2 \rangle_{92}^{154}$	2665.3885	8985.4818 ^{29850.8378} _{-2622.5979}	0.161 (0.99σ)	7849.2287 ^{28705.1214} _{-2008.0054}	0.218 (0.78σ)
$\langle \xi^2 \rangle_{30}^{92}$	9099.3745	19372.3118 ^{48697.1797} _{-7843.5016}	0.205 (0.82σ)	17272.8785 ^{46265.3906} _{-6892.4623}	0.231 (0.74σ)
$\langle \xi^2 \rangle_0^{30}$	291832.9621	410428.4280 ^{732220.7016} _{-244901.2384}	0.263 (0.63σ)	387942.5591 ^{697636.5453} _{-224605.0775}	0.298 (0.53σ)
$\langle \xi^2 \rangle_0^{180}$	26262.1333	42779.6138 ^{87027.8606} _{-23323.9969}	0.220 (0.77σ)	39823.8212 ^{86620.8513} _{-20881.5089}	0.261 (0.64σ)
$\langle \xi \rangle_{60}^{180}$	-2.1052	-33.1635 ^{-11.2247} _{-63.8120}	0.955 (-1.70σ)	-30.2595 ^{-9.1217} _{-64.2656}	0.938 (-1.54σ)
$\langle \xi \rangle_{154}^{180}$	-138.6536	168.7078 ^{409.4085} _{-8.2170}	0.042 (1.73σ)	162.6057 ^{391.1164} _{-7.8509}	0.040 (1.75σ)
$\langle \xi \rangle_{92}^{154}$	42.0072	7.2819 ^{44.6438} _{-20.0412}	0.820 (-0.92σ)	8.3621 ^{42.0546} _{-18.7459}	0.839 (-0.99σ)
$\langle \xi \rangle_{30}^{92}$	-81.0404	-108.8318 ^{-73.3379} _{-157.3776}	0.769 (-0.74σ)	-104.3910 ^{-68.3696} _{-152.9386}	0.744 (-0.66σ)
$\langle \xi \rangle_0^{30}$	377.5806	515.2121 ^{750.0748} _{-364.5262}	0.180 (0.92σ)	500.1786 ^{732.2770} _{-334.6211}	0.230 (0.74σ)
$\langle \xi \rangle_0^{180}$	-0.0000	-0.0000 ^{-0.0000} _{-0.0000}	—	-0.0000 ^{-0.0000} _{-0.0000}	—

Table 3: Statistical summary for base_omegak_plikHM_TTTEEE_lowl_lowE: experimental value, MCMC, and best-fit ensembles.

3 base CamSpecHM TT lowl lowE

Global tension (ACAT). MCMC: $p = 0.142$ (1.07σ) Best-fit: $p = 0.139$ (1.09σ)					
Statistic	Experimental	MCMC ($T = 2.096$)		Best-fit ($T = 2.148$)	
		Value	p -value	Value	p -value
ξ_{180}	-354.1497	251.0652 ^{607.3857} _{-56.2886}	0.024 (1.98σ)	260.0665 ^{620.8562} _{-62.5862}	0.025 (1.96σ)
$\langle \xi^2 \rangle_{60}^{180}$	4462.7255	22917.4801 ^{69730.5997} _{7526.2129}	0.080 (1.41σ)	24708.0789 ^{75236.3230} _{7612.0714}	0.078 (1.42σ)
$\langle \xi^2 \rangle_{154}^{180}$	27691.9008	46726.6719 ^{242681.7938} _{6646.0999}	0.393 (0.27σ)	49817.2296 ^{250852.4626} _{6740.9149}	0.377 (0.31σ)
$\langle \xi^2 \rangle_{92}^{154}$	2665.3885	12119.3377 ^{43061.2829} _{3144.8720}	0.136 (1.10σ)	12942.8175 ^{43964.0096} _{3237.5026}	0.119 (1.18σ)
$\langle \xi^2 \rangle_{30}^{92}$	9099.3745	26693.1513 ^{66160.9462} _{9933.3611}	0.137 (1.09σ)	26337.5337 ^{74338.4956} _{10449.3894}	0.130 (1.13σ)
$\langle \xi^2 \rangle_0^{30}$	291832.9621	531740.1528 ^{948181.6960} _{300445.1917}	0.145 (1.06σ)	529397.9912 ^{994132.3826} _{309451.2871}	0.130 (1.13σ)
$\langle \xi^2 \rangle_0^{180}$	26262.1333	57062.0577 ^{116142.8264} _{29429.1913}	0.127 (1.14σ)	59703.4034 ^{131897.0929} _{30461.8519}	0.105 (1.25σ)
$\langle \xi \rangle_{60}^{180}$	-2.1052	-38.3954 ^{-14.0274} _{-77.2472}	0.958 (-1.73σ)	-39.7381 ^{-13.7240} _{-80.1959}	0.954 (-1.68σ)
$\langle \xi \rangle_{154}^{180}$	-138.6536	200.2108 ^{483.4017} _{-7.9755}	0.042 (1.73σ)	207.9737 ^{497.8865} _{-10.3416}	0.051 (1.64σ)
$\langle \xi \rangle_{92}^{154}$	42.0072	9.6376 ^{49.6032} _{-26.5065}	0.792 (-0.81σ)	7.9063 ^{49.4409} _{-26.0207}	0.793 (-0.82σ)
$\langle \xi \rangle_{30}^{92}$	-81.0404	-126.0347 ^{-80.8287} _{-180.4727}	0.839 (-0.99σ)	-125.5178 ^{-84.1172} _{-186.3994}	0.863 (-1.09σ)
$\langle \xi \rangle_0^{30}$	377.5806	603.3254 ^{856.6876} _{403.9309}	0.119 (1.18σ)	600.8346 ^{887.6683} _{417.8534}	0.111 (1.22σ)
$\langle \xi \rangle_0^{180}$	-0.0000	-0.0000 ^{-0.0000} _{-0.0000}	—	-0.0000 ^{-0.0000} _{-0.0000}	—

Table 4: Statistical summary for base.CamSpecHM.TT.lowl.lowE: experimental value, MCMC, and best-fit ensembles.

4 base plikHM TT lowl lowE

Global tension (ACAT). MCMC: $p = 0.158$ (1.00σ) Best-fit: $p = 0.148$ (1.05σ)					
Statistic	Experimental	MCMC ($T = 1.853$)		Best-fit ($T = 2.001$)	
		Value	p -value	Value	p -value
ξ_{180}	-354.1497	239.6073 ^{592.0541} _{-63.8155}	0.028 (1.91σ)	246.7787 ^{614.5848} _{-47.7674}	0.024 (1.98σ)
$\langle \xi^2 \rangle_{60}^{180}$	4462.7255	23712.0882 ^{74046.9414} _{7376.4596}	0.080 (1.41σ)	23515.2739 ^{74680.3538} _{7623.9122}	0.081 (1.40σ)
$\langle \xi^2 \rangle_{154}^{180}$	27691.9008	45719.5553 ^{232575.2331} _{5968.9221}	0.384 (0.29σ)	54569.8423 ^{252246.6471} _{5621.5247}	0.381 (0.30σ)
$\langle \xi^2 \rangle_{92}^{154}$	2665.3885	12545.4512 ^{45021.5554} _{3351.8308}	0.122 (1.17σ)	13141.2623 ^{46260.2483} _{3186.1050}	0.134 (1.11σ)
$\langle \xi^2 \rangle_{30}^{92}$	9099.3745	27407.4585 ^{71091.1716} _{10775.0035}	0.121 (1.17σ)	26956.5761 ^{71300.5289} _{10046.2420}	0.137 (1.09σ)
$\langle \xi^2 \rangle_0^{30}$	291832.9621	545394.4939 ^{981986.2221} _{315659.1667}	0.120 (1.17σ)	551289.3679 ^{990432.8042} _{307725.2220}	0.141 (1.08σ)
$\langle \xi^2 \rangle_0^{180}$	26262.1333	57927.5917 ^{130462.8238} _{30605.7613}	0.103 (1.26σ)	59094.1591 ^{127764.3907} _{30319.4852}	0.123 (1.16σ)
$\langle \xi \rangle_{60}^{180}$	-2.1052	-39.0428 ^{-13.4281} _{-79.0739}	0.961 (-1.76σ)	-39.3165 ^{-14.2435} _{-80.0544}	0.961 (-1.76σ)
$\langle \xi \rangle_{154}^{180}$	-138.6536	193.9865 ^{477.7088} _{-27.2207}	0.060 (1.55σ)	210.6041 ^{497.0036} _{-2.9934}	0.052 (1.63σ)
$\langle \xi \rangle_{92}^{154}$	42.0072	11.1458 ^{55.3157} _{-23.9496}	0.766 (-0.73σ)	7.4157 ^{51.9277} _{-24.9396}	0.792 (-0.81σ)
$\langle \xi \rangle_{30}^{92}$	-81.0404	-127.2702 ^{-84.6534} _{-185.9526}	0.859 (-1.08σ)	-127.1144 ^{-81.5784} _{-185.9391}	0.843 (-1.01σ)
$\langle \xi \rangle_0^{30}$	377.5806	605.8121 ^{880.8862} _{416.6593}	0.114 (1.21σ)	609.6357 ^{878.3284} _{408.8386}	0.110 (1.23σ)
$\langle \xi \rangle_0^{180}$	-0.0000	-0.0000 ^{-0.0000} _{-0.0000}	—	-0.0000 ^{-0.0000} _{-0.0000}	—

Table 5: Statistical summary for base_plikHM_TT_lowl_lowE: experimental value, MCMC, and best-fit ensembles.