
title: "Dynamic Model"
author: "Antonio Huerta Montellano"
date: "April 3, 2023"
output:
pdf_document: default
html_document: default

Exploración de los paneles

Importemos los paneles donde un panel corresponde a los bateadores y, el otro, a los fielderos.

```
setwd("~/Documentos/Github/Proyectos/MLB_HN/")  
hitters_panel <- read.csv('ETL_Data/Panel/General/Dynamic_model/dynamic_model_hitter_pca.csv')  
fielders_panel <- read.csv('ETL_Data/Panel/General/Dynamic_model/dynamic_model_fielder_pca.csv')
```

Por otro lado, se mostrarán las dimensiones de cada panel

```
print("Bateadores: ")
```

```
[1] "Bateadores: "
```

```
print(dim(hitters_panel))
```

```
[1] 570 207
```

```
print("")
```

```
[1] ""
```

```
print("Fildeadores: ")
```

```
[1] "Fildeadores: "
```

```
print(dim(fielders_panel))
```

```
[1] 542 226
```

Como la posición del jugador es un control, necesitaremos pasar de columna categórica a columna numérica.

```
# Convert categorical column to numerical  
hitters_panel$position_num_t <- as.numeric(factor(hitters_panel$Posicion_t))  
fielders_panel$position_num_t <- as.numeric(factor(fielders_panel$Posicion_t))  
hitters_panel$team_num_t <- as.numeric(factor(hitters_panel$Acronimo_t))  
fielders_panel$team_num_t <- as.numeric(factor(fielders_panel$Acronimo_t))
```

Como adelanto, se descartaron los controles por posición puesto que no son significativos para los modelos y afectan los resultados. Tal vez por el hecho de que los jugadores tienden a rotar de posición en un mismo partido e incluso a lo largo de la temporada. Agreguemos una columna de 1's que represente la dummy de ser agente libre

```
# add a column of 1s to the panel data
hitters_panel <- cbind(hitters_panel,
                      fa = rep(1, nrow(hitters_panel)))
fielders_panel <- cbind(fielders_panel,
                       fa = rep(1, nrow(fielders_panel)))
```

Debido a que en las estadísticas descriptivas se observó un shock en el año de la pandemia COVID-19, se obtendrán las estimaciones quitando el año 2020.

Segmentación por grupo

Lo que haremos es dividir los paneles en ciertas categorías. Primero, veamos todas las posiciones en los paneles

```
print("Bateadores:")
```

```
[1] "Bateadores:"
```

```
print(unique(hitters_panel$Posicion_t))
```

```
[1] SP C  CF RF DH 1B 2B SS 3B LF RP OF
Levels: 1B 2B 3B C CF DH LF OF RF RP SP SS
```

```
print("")
```

```
[1] ""
```

```
print("Fildeadores:")
```

```
[1] "Fildeadores:"
```

```
print(unique(fielders_panel$Posicion_t))
```

```
[1] SP    RP    RP/CL RF    SS
Levels: RF RP RP/CL SP SS
```

Arriba se muestran las posiciones de los jugadores en nuestras bases de datos. A pesar de que en los bateadores aparezcan posiciones defensivas se debe a que estos juegan tanto como ofensivos como defensivos. Estando en la ofensiva se juega en la misma posición que todos por lo que no es necesario especificar que ocupaba la posición de bateador (**H**). Sin embargo, cuando se dice que es un bateador designado (**DH**) ya que este solo juega en la ofensiva para sustituir a un lanzador/pitcher.

Por otro lado, veamos cuantas observaciones hay por posición.

```
hitters_panel %>% count(Posicion_t, sort = TRUE)
```

	Posicion_t	n
1	SP	112
2	C	76
3	LF	60
4	RF	59
5	2B	53
6	RP	47
7	1B	45
8	3B	31
9	DH	31
10	CF	28
11	SS	27
12	OF	1

```
fielders_panel %>% count(Posicion_t, sort = TRUE)
```

	Posicion_t	n
1	RP	299
2	SP	206
3	RP/CL	22
4	SS	12
5	RF	3

Continuemos con la segmentación de acuerdo a categorías. Primero, obtendremos el split de todas las posiciones y luego concatenaremos de acuerdo a los grupos de interés:

Ofensivos:

- **Bateador designado (DH).**
- **No bateador designado (H).**

Debido a la falta de observaciones para los *outfielders* es que se omitirá su estimación. Por otro lado, debido a que la mayoría de los datos para los fildeadores son de los lanzadores, podemos agruparlos de la siguiente manera

Defensivos:

- **Starting pitcher:** Lanzador inicial (SP).
- **Relief pitcher:** Lanzador de relevo (RP) y lanzador de cierre (RP/CL)
- **Campo corto (SS).**

Segundo, crearemos las categorías de acuerdo a la especificación mencionada arriba

Tercero, concatenaremos estas bases de datos de acuerdo a los grupos señalados anteriormente

Veamos las dimensiones de cada una de los paneles sin el shock de la COVID-19:

```
print("Regular hitter: ")
```

```
[1] "Regular hitter: "
```

```
print(dim(hitter_cov_data))
```

```
[1] 501 210
```

```
print("")
```

```
[1] ""
```

```
print("Designated hitter: ")
```

```
[1] "Designated hitter: "
```

```
print(dim(d_hitter_cov_data))
```

```
[1] 30 210
```

```
print("")
```

```
[1] ""
```

```
print("Relief pitchers: ")
```

```
[1] "Relief pitchers: "
```

```
print(dim(relief_pitcher_cov_data))
```

```
[1] 296 229
```

```
print("")
```

```
[1] ""
```

```
print("Starting pitchers: ")
```

```
[1] "Starting pitchers: "
```

```
print(dim(starting_cov_data))
```

```
[1] 185 229
```

```
print("")
```

```
[1] ""
```

```
print("Short stops: ")
```

```
[1] "Short stops: "
```

```
print(dim(shorts_cov_data))
```

```
[1] 12 229
```

Estimaciones y regresiones

Lo que resta hacer es implementar un algoritmo donde se pueda hacer el siguiente modelo para todas las estadísticas deportiva de acuerdo a si el jugador es defensivo u ofensivo:

$$Y_t(\cdot) = \alpha + \beta_0 X_t + \beta_1 \text{Controles}_t + u_t$$

donde

- Controles_t :
 - Equipo.
 - Edad.
 - Año.
- α : Heterogeneidad del jugador.

Creemos la lista de variables sobre las cuáles se va a iterar el clico

Variables para los fildeadores

Las variables base para ambos tipos de jugadores son los controles

```
# Controles:
```

```
vars <- 'Y_Sueldo_regular_norm_t ~ Edad_t + Anios_de_contrato_t + team_num_t'
```

```
hitter_stats_1 = c("$Edad_{t}$" , "Años contrato_{t}$", "Equipo_{t}$",
  "$X_{AB_{t}}$", "$X_{AB_{t-1}}$", "$X_{AB^{2}_{t}}$", "$X_{AB^{2}_{t-1}}$",
  "$X_{H_{t}}$", "$X_{H_{t-1}}$", "$X_{H^{2}_{t}}$", "$X_{H^{2}_{t-1}}$",
  "$X_{BA_{t}}$", "$X_{BA_{t-1}}$", "$X_{BA^{2}_{t}}$", "$X_{BA^{2}_{t-1}}$",
  "Intercepto")
hitter_stats_2 = c("$Edad_{t}$" , "Años contrato_{t}$", "Equipo_{t}$",
  "$X_{D_{t}}$", "$X_{D_{t-1}}$", "$X_{D^{2}_{t}}$", "$X_{D^{2}_{t-1}}$",
  "$X_{HR_{t}}$", "$X_{HR_{t-1}}$", "$X_{HR^{2}_{t}}$", "$X_{HR^{2}_{t-1}}$",
  "$X_{GS_{t}}$", "$X_{GS_{t-1}}$", "$X_{GS^{2}_{t}}$", "$X_{GS^{2}_{t-1}}$",
  "Intercepto")
hitter_stats_3 = c("$Edad_{t}$" , "Años contrato_{t}$", "Equipo_{t}$",
  "$X_{OPS_{t}}$", "$X_{OPS_{t-1}}$", "$X_{OPS^{2}_{t}}$", "$X_{OPS^{2}_{t-1}}$",
  "$X_{OBP_{t}}$", "$X_{OBP_{t-1}}$", "$X_{OBP^{2}_{t}}$", "$X_{OBP^{2}_{t-1}}$",
  "$X_{SLG_{t}}$", "$X_{SLG_{t-1}}$", "$X_{SLG^{2}_{t}}$", "$X_{SLG^{2}_{t-1}}$",
  "Intercepto")
hitter_stats_4 = c("$Edad_{t}$" , "Años contrato_{t}$", "Equipo_{t}$",
  "$X_{RBI_{t}}$", "$X_{RBI_{t-1}}$", "$X_{RBI^{2}_{t}}$", "$X_{RBI^{2}_{t-1}}$",
  "$X_{T_{t}}$", "$X_{T_{t-1}}$", "$X_{T^{2}_{t}}$", "$X_{T^{2}_{t-1}}$",
```

```

"$X_{WAR_{t}}$", "$X_{WAR_{t-1}}$", "$X_{WAR^{2}_{t}}$", "$X_{WAR^{2}_{t-1}}$",
"Intercepto")
hitter_stats <- list(hitter_stats_1,
                    hitter_stats_2,
                    hitter_stats_3,
                    hitter_stats_4)

# Cycles for loop
hitter_rep <- 4
# Stats to show
hitter_stat_num <- 6

```

```

fielder_stats_1 = c("$Edad_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
"$X_{H^{2}_{t}}$", "$X_{H^{2}_{t-1}}$", "$X_{H_{t}}$", "$X_{H_{t-1}}$",
"$X_{R^{2}_{t}}$", "$X_{R^{2}_{t-1}}$", "$X_{ER^{2}_{t}}$", "$X_{ER^{2}_{t-1}}$",
"$X_{ER_{t}}$", "$X_{ER_{t-1}}$", "$X_{R_{t}}$", "$X_{R_{t-1}}$",
"Intercepto")
fielder_stats_2 = c("$Edad_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
"$X_{Comando^{2}_{t}}$", "$X_{Comando^{2}_{t-1}}$", "$X_{Comando_{t}}$", "$X_{Comando_{t-1}}$",
"$X_{Control^{2}_{t}}$", "$X_{Control^{2}_{t-1}}$", "$X_{Control_{H_{t}}}$", "$X_{Control_{H_{t-1}}}$",
"$X_{Dominio^{2}_{t}}$", "$X_{Dominio^{2}_{t-1}}$", "$X_{Dominio_{t}}$", "$X_{Dominio_{t-1}}$",
"Intercepto")
fielder_stats_3 = c("$Edad_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
"$X_{ERA^{2}_{t}}$", "$X_{ERA^{2}_{t-1}}$", "$X_{ERA_{t}}$", "$X_{ERA_{t-1}}$",
"$X_{IP^{2}_{t}}$", "$X_{IP^{2}_{t-1}}$", "$X_{IP_{t}}$", "$X_{IP_{t-1}}$",
"$X_{L^{2}_{t}}$", "$X_{L^{2}_{t-1}}$", "$X_{L_{t}}$", "$X_{L_{t-1}}$",
"Intercepto")
fielder_stats_4 = c("$Edad_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
"$X_{S^{2}_{t}}$", "$X_{S^{2}_{t-1}}$", "$X_{S_{t}}$", "$X_{S_{t-1}}$",
"$X_{SO^{2}_{t}}$", "$X_{SO^{2}_{t-1}}$", "$X_{SO_{t}}$", "$X_{SO_{t-1}}$",
"$X_{WAR^{2}_{t}}$", "$X_{WAR^{2}_{t-1}}$", "$X_{WAR_{t}}$", "$X_{WAR_{t-1}}$",
"Intercepto")
fielder_stats_5 = c("$Edad_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
"$X_{WHIP^{2}_{t}}$", "$X_{WHIP^{2}_{t-1}}$", "$X_{WHIP_{t}}$", "$X_{WHIP_{t-1}}$",
"$X_{BB^{2}_{t}}$", "$X_{BB^{2}_{t-1}}$", "$X_{BB_{t}}$", "$X_{BB_{t-1}}$",
"$X_{W^{2}_{t}}$", "$X_{W^{2}_{t-1}}$", "$X_{W_{t}}$", "$X_{W_{t-1}}$",
"Intercepto")
fielder_stats <- list(fielder_stats_1,
                    fielder_stats_2,
                    fielder_stats_3,
                    fielder_stats_4,
                    fielder_stats_5)

# Cycles for loop
fielder_rep <- 5
# Stats to show
fielder_stat_num <- 6

```

Estimaciones directas

Pooling

Bateadores

Se obtendrán las estimaciones de las variables referentes a estadísticas deportivas sin controles

```
# Create a model to store the results
hitter_simple_pooling <- list()

# To store the results
hitter_results_simple_pooling_1 <- list()
hitter_results_simple_pooling_2 <- list()
hitter_results_simple_pooling_3 <- list()
hitter_results_simple_pooling_4 <- list()
hitter_results_simple_pooling <- list(result_1 = hitter_results_simple_pooling_1,
                                     result_2 = hitter_results_simple_pooling_2,
                                     result_3 = hitter_results_simple_pooling_3,
                                     result_4 = hitter_results_simple_pooling_4)

# Loop over the variables in var_hitter_list
for (j in 1:hitter_rep){

  for (i in 1:hitter_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars, stat_hitter_t[[i + hitter_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                    stat_hitter_t_1[[i + hitter_stat_num*(j - 1)]],
                    sep = " + ")

    hitter_simple_pooling[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = hitter_data,
                                                                model = "pooling",
                                                                index = c("id", "Anio_ref"))

    hitter_results_simple_pooling[[j]][[i]] <- coeftest(hitter_simple_pooling[[i + hitter_stat_num*(j - 1)]],
                                                        vcov = vcovHC(hitter_simple_pooling[[i + hitter_stat_num*(j - 1)]],
                                                                    type = "HC1",
                                                                    cluster = "group"))
  }

  # Print the third block of results
  stargazer(hitter_results_simple_pooling[[j]],
            no.space = TRUE,
            type = "text",
            title = "Bateadores: Modelo Pooling",
            covariate.labels = hitter_stats[[j]])
}
```

Bateadores: Modelo Pooling

=====

Dependent variable:

	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.006** (0.003)	-0.006** (0.003)	-0.006** (0.002)	-0.006** (0.003)	-0.006** (0.003)	-0.006** (0.003)
Años contratot	0.001 (0.004)	-0.001 (0.004)	0.001 (0.004)	-0.001 (0.004)	-0.0003 (0.003)	-0.001 (0.003)
Equipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)
XABt	-0.001 (0.001)					
XABt-1	-0.001 (0.001)					
XAB2t		-0.00002 (0.00004)				
XAB2t-1		-0.00000 (0.00003)				
XHt			-0.002* (0.001)			
XHt-1			0.0003 (0.001)			
XH2t				-0.0001 (0.0001)		
XH2t-1				0.0001 (0.0001)		
XBAt					-0.031 (0.020)	
XBAt-1					0.020 (0.017)	
XBA2t						-0.046 (0.029)
XBA2t-1						0.005 (0.017)
Intercepto	0.162* (0.085)	0.157* (0.081)	0.149* (0.081)	0.153* (0.086)	0.152* (0.085)	0.149* (0.085)

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.006** (0.002)	-0.006** (0.003)	-0.006** (0.003)	-0.006** (0.003)	-0.006** (0.003)	-0.006** (0.003)
Años contratot	0.001 (0.004)	-0.001 (0.004)	-0.002 (0.003)	-0.001 (0.003)	0.001 (0.004)	-0.001 (0.004)
Equipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)
XDt	-0.004					

	(0.003)					
XDt-1	-0.001					
	(0.003)					
XD2t	-0.0004					
	(0.001)					
XD2t-1	0.001					
	(0.001)					
XHRt	-0.001					
	(0.004)					
XHRt-1	0.003					
	(0.002)					
XHR2t	-0.001					
	(0.001)					
XHR2t-1	-0.0001					
	(0.0004)					
XGSt	-0.002					
	(0.001)					
XGSt-1	-0.001					
	(0.001)					
XGS2t	-0.0001					
	(0.0002)					
XGS2t-1	0.00005					
	(0.0001)					
Intercepto	0.150*	0.155*	0.158*	0.160*	0.161*	0.158*
	(0.080)	(0.083)	(0.083)	(0.083)	(0.084)	(0.081)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.006**	-0.005**	-0.006**	-0.005**	-0.006**	-0.006**
	(0.003)	(0.003)	(0.003)	(0.003)	(0.003)	(0.003)
Años contratot	-0.0004	0.0001	-0.001	-0.0002	0.0002	0.0002
	(0.003)	(0.004)	(0.003)	(0.003)	(0.003)	(0.004)
Equipot	0.001	0.001	0.001	0.001	0.001	0.001
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XOPSt	-0.021					
	(0.014)					
XOPSt-1	-0.001					
	(0.013)					
XOPS2t	-0.026**					
	(0.013)					
XOPS2t-1	0.008					
	(0.011)					
XOBPt	-0.043**					
	(0.022)					
XOBPt-1	0.020					
	(0.019)					

XOBP2t				-0.049*		
				(0.028)		
XOBP2t-1				0.006		
				(0.020)		
XSLGt				-0.018		
				(0.019)		
XSLGt-1				-0.023		
				(0.017)		
XSLG2t					-0.040*	
					(0.022)	
XSLG2t-1					0.014	
					(0.018)	
Intercepto	0.160*	0.142*	0.156*	0.144*	0.167**	0.148*
	(0.085)	(0.086)	(0.083)	(0.083)	(0.082)	(0.085)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.006**	-0.006**	-0.006**	-0.006**	-0.007***	-0.006**
	(0.003)	(0.003)	(0.003)	(0.003)	(0.002)	(0.002)
Años contratot	0.0004	-0.002	-0.001	-0.001	-0.005	-0.002
	(0.004)	(0.004)	(0.003)	(0.003)	(0.004)	(0.003)
Equipot	0.001	0.001	0.001	0.001	0.001	0.001
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XRBI	-0.003**					
	(0.001)					
XRBI-1	0.001					
	(0.002)					
XRBI2t		0.0001				
		(0.0002)				
XRBI2t-1		0.0001				
		(0.0002)				
XTt			-0.010			
			(0.008)			
XTt-1			0.011**			
			(0.005)			
XT2t				-0.003		
				(0.004)		
XT2t-1				0.001		
				(0.001)		
XWARt					0.016**	
					(0.007)	
XWARt-1					0.013**	
					(0.006)	
XWAR2t						0.005
						(0.004)
XWAR2t-1						0.005**

						(0.002)
Intercepto	0.149*	0.165*	0.156*	0.156*	0.205**	0.180**
	(0.082)	(0.084)	(0.084)	(0.084)	(0.081)	(0.079)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Starting pitcher

```
# Create a model to store the results
fielder_simple_pooling <- list()

# To store the results
fielder_results_simple_pooling_1 <- list()
fielder_results_simple_pooling_2 <- list()
fielder_results_simple_pooling_3 <- list()
fielder_results_simple_pooling_4 <- list()
fielder_results_simple_pooling_5 <- list()
fielder_results_simple_pooling <- list(result_1 = fielder_results_simple_pooling_1,
                                       result_2 = fielder_results_simple_pooling_2,
                                       result_3 = fielder_results_simple_pooling_3,
                                       result_4 = fielder_results_simple_pooling_4,
                                       result_5 = fielder_results_simple_pooling_5)

# Loop over the variables in var_hitter_list
for (j in 1:fielder_rep){

  for (i in 1:fielder_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars, stat_fielder_t[[i + fielder_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                    stat_fielder_t_1[[i + fielder_stat_num*(j - 1)]],
                    sep = " + ")

    fielder_simple_pooling[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = starting_data,
                                                                model = "pooling",
                                                                index = c("id", "Anio_ref"))

    fielder_results_simple_pooling[[j]][[i]] <- coeftest(fielder_simple_pooling[[i + fielder_stat_num*(j - 1)]],
                                                         vcov = vcovHC(fielder_simple_pooling[[i + fielder_stat_num*(j - 1)]],
                                                         type = "HC1",
                                                         cluster = "group"))
  }

# Print the third block of results
stargazer(fielder_results_simple_pooling[[j]],
          no.space = TRUE,
          type = "text",
          title = "Lanzadores Iniciales: Modelo Pooling",
          covariate.labels = fielder_stats[[j]])
}
```

Lanzadores Iniciales: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.008*	-0.009**	-0.009**	-0.009**	-0.008**	-0.008**
	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)
Años contratot	-0.007	-0.010	-0.011	-0.011	-0.009	-0.010
	(0.007)	(0.007)	(0.007)	(0.007)	(0.007)	(0.008)
Eqipot	0.003*	0.003*	0.003*	0.003*	0.003*	0.003*
	(0.001)	(0.002)	(0.001)	(0.002)	(0.001)	(0.002)
XH2t	-0.0001					
	(0.0001)					
XH2t-1	-0.00005					
	(0.0001)					
XHt		-0.0005				
		(0.002)				
XHt-1		0.00002				
		(0.001)				
XR2t			0.00002			
			(0.0002)			
XR2t-1			-0.0001			
			(0.0001)			
XER2t				0.0001		
				(0.0002)		
XER2t-1				-0.0002		
				(0.0001)		
XERt					-0.002	
					(0.002)	
XERt-1					-0.001	
					(0.001)	
XRt						-0.001
						(0.002)
XRt-1						-0.001
						(0.001)
Intercepto	0.227*	0.252**	0.257**	0.261**	0.243*	0.247**
	(0.121)	(0.123)	(0.124)	(0.129)	(0.125)	(0.124)

Note:

*p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.008**	-0.009**	-0.009**	-0.008**	-0.007*	-0.006
	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)
Años contratot	-0.010	-0.010	-0.010	-0.011	-0.011	-0.011
	(0.007)	(0.008)	(0.007)	(0.007)	(0.007)	(0.007)

Equipot	0.003*	0.003*	0.003**	0.003*	0.003**	0.003*
	(0.002)	(0.002)	(0.001)	(0.001)	(0.001)	(0.001)
XComando2t	-0.001					
	(0.006)					
XComando2t-1	-0.00001					
	(0.00001)					
XComandot		-0.002				
		(0.012)				
XComandot-1		-0.001				
		(0.001)				
XControl2t			-0.061			
			(0.043)			
XControl2t-1			-0.122***			
			(0.033)			
ControlHt				0.042		
				(0.030)		
XControlt-1				-0.076**		
				(0.031)		
XDominio2t					-0.009	
					(0.023)	
XDominio2t-1					0.048**	
					(0.020)	
XDominiot						-0.015
						(0.019)
XDominiot-1						0.052***
						(0.018)
Intercepto	0.244**	0.245**	0.241**	0.218*	0.191	0.195
	(0.119)	(0.120)	(0.119)	(0.118)	(0.122)	(0.126)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.008**	-0.008**	-0.008**	-0.008**	-0.008*	-0.008**
	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)
Años contratot	-0.010	-0.012	-0.007	-0.010	-0.011	-0.010
	(0.008)	(0.008)	(0.007)	(0.008)	(0.007)	(0.007)
Equipot	0.003*	0.003*	0.003*	0.003*	0.003*	0.003*
	(0.002)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XERA2t	-0.001					
	(0.003)					
XERA2t-1	-0.006**					
	(0.003)					
XERAt		-0.012*				
		(0.006)				
XERAt-1		-0.020***				
		(0.006)				
XIP2t			-0.0001			

				(0.0001)		
XIP2t-1				-0.00001		
				(0.0001)		
XIPt				-0.0005		
				(0.001)		
XIPt-1				-0.0002		
				(0.001)		
XL2t				-0.002		
				(0.002)		
XL2t-1				-0.001		
				(0.001)		
XLt					-0.004	
					(0.006)	
XLt-1					-0.004	
					(0.004)	
Intercepto	0.236*	0.234**	0.234*	0.247*	0.241*	0.248**
	(0.125)	(0.113)	(0.120)	(0.130)	(0.127)	(0.125)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Modelo Pooling

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.010**	-0.010**	-0.009**	-0.009**	-0.009**	-0.010**
	(0.005)	(0.005)	(0.004)	(0.004)	(0.004)	(0.004)
Años contratot	-0.012	-0.012	-0.009	-0.012	-0.011	-0.015**
	(0.008)	(0.008)	(0.008)	(0.008)	(0.007)	(0.007)
Equipot	0.003*	0.003*	0.003*	0.003*	0.003*	0.003*
	(0.002)	(0.002)	(0.002)	(0.002)	(0.002)	(0.002)
XS2t	0.087					
	(0.080)					
XS2t-1	0.023**					
	(0.009)					
XSt		0.051				
		(0.051)				
XSt-1		0.064**				
		(0.030)				
XS02t			-0.0001			
			(0.0001)			
XS02t-1			0.0001			
			(0.0001)			
XS0t				0.0004		
				(0.001)		
XS0t-1				-0.00002		
				(0.001)		
XWAR2t					0.003	
					(0.004)	
XWAR2t-1					-0.001	
					(0.005)	

XWArt						0.013
						(0.009)
XWArt-1						0.008
						(0.011)
Intercepto	0.288**	0.303**	0.257**	0.263**	0.262**	0.290**
	(0.144)	(0.146)	(0.119)	(0.126)	(0.119)	(0.124)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Modelo Pooling

=====

Dependent variable:

	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.007*	-0.009**	-0.009**	-0.009**	-0.009**	-0.008*
	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)
Años contratot	-0.013	-0.014*	-0.011	-0.012	-0.012	-0.008
	(0.008)	(0.008)	(0.007)	(0.007)	(0.007)	(0.007)
Equipot	0.003**	0.003**	0.003*	0.003*	0.003*	0.003*
	(0.001)	(0.001)	(0.002)	(0.001)	(0.002)	(0.001)
XWHIP2t	-0.008					
	(0.011)					
XWHIP2t-1	-0.043***					
	(0.011)					
XWHIPt		-0.007				
		(0.010)				
XWHIPt-1		-0.036***				
		(0.011)				
XBB2t			-0.0002			
			(0.0004)			
XBB2t-1			0.0001			
			(0.0003)			
XBBt				0.001		
				(0.003)		
XBBt-1				-0.002		
				(0.002)		
XW2t					0.001	
					(0.001)	
XW2t-1					0.0001	
					(0.001)	
XWt						-0.005
						(0.006)
XWt-1						0.0002
						(0.005)
Intercepto	0.174	0.266**	0.256**	0.265**	0.262**	0.233*
	(0.112)	(0.115)	(0.122)	(0.130)	(0.122)	(0.130)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Efectos fijos

Bateadores

Se obtendrán las estimaciones de las variables referentes a estadísticas deportivas sin controles

```
# Create a model to store the results
hitter_simple_within <- list()

# To store the results
hitter_results_simple_within_1 <- list()
hitter_results_simple_within_2 <- list()
hitter_results_simple_within_3 <- list()
hitter_results_simple_within_4 <- list()
hitter_results_simple_within <- list(result_1 = hitter_results_simple_within_1,
                                     result_2 = hitter_results_simple_within_2,
                                     result_3 = hitter_results_simple_within_3,
                                     result_4 = hitter_results_simple_within_4)

# Loop over the variables in var_hitter_list
for (j in 1:hitter_rep){

  for (i in 1:hitter_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars, stat_hitter_t[[i + hitter_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                    stat_hitter_t_1[[i + hitter_stat_num*(j - 1)]],
                    sep = " + ")

    hitter_simple_within[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = hitter_data,
                                                                model = "within",
                                                                index = c("id", "Anio_ref"))

    hitter_results_simple_within[[j]][[i]] <- coeftest(hitter_simple_within[[i + hitter_stat_num*(j - 1)]],
                                                        vcov = vcovHC(hitter_simple_within[[i + hitter_stat_num*(j - 1)]],
                                                                    type = "HC1",
                                                                    cluster = "group"))
  }

  # Print the third block of results
  stargazer(hitter_results_simple_pooling[[j]],
            no.space = TRUE,
            type = "text",
            title = "Bateadores: Estimador Within",
            covariate.labels = hitter_stats[[j]])
}
```

Bateadores: Estimador Within

```
=====
Dependent variable:
-----
(1)      (2)      (3)      (4)      (5)      (6)
```


Edadt	-0.006**	-0.006**	-0.006**	-0.006**	-0.006**	-0.006**
	(0.003)	(0.003)	(0.002)	(0.003)	(0.003)	(0.003)
Años contratot	0.001	-0.001	0.001	-0.001	-0.0003	-0.001
	(0.004)	(0.004)	(0.004)	(0.004)	(0.003)	(0.003)
Eqipot	0.001	0.001	0.001	0.001	0.001	0.001
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XABt	-0.001					
	(0.001)					
XABt-1	-0.001					
	(0.001)					
XAB2t		-0.00002				
		(0.00004)				
XAB2t-1		-0.00000				
		(0.00003)				
XHt			-0.002*			
			(0.001)			
XHt-1			0.0003			
			(0.001)			
XH2t				-0.0001		
				(0.0001)		
XH2t-1				0.0001		
				(0.0001)		
XBAt					-0.031	
					(0.020)	
XBAt-1					0.020	
					(0.017)	
XBA2t						-0.046
						(0.029)
XBA2t-1						0.005
						(0.017)
Intercepto	0.162*	0.157*	0.149*	0.153*	0.152*	0.149*
	(0.085)	(0.081)	(0.081)	(0.086)	(0.085)	(0.085)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Estimador Within

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.006**	-0.006**	-0.006**	-0.006**	-0.006**	-0.006**
	(0.002)	(0.003)	(0.003)	(0.003)	(0.003)	(0.003)
Años contratot	0.001	-0.001	-0.002	-0.001	0.001	-0.001
	(0.004)	(0.004)	(0.003)	(0.003)	(0.004)	(0.004)
Eqipot	0.001	0.001	0.001	0.001	0.001	0.001
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XDt	-0.004					
	(0.003)					
XDt-1	-0.001					
	(0.003)					

XD2t							-0.0004 (0.001)
XD2t-1							0.001 (0.001)
XHRt							-0.001 (0.004)
XHRt-1							0.003 (0.002)
XHR2t							-0.001 (0.001)
XHR2t-1							-0.0001 (0.0004)
XGSt							-0.002 (0.001)
XGSt-1							-0.001 (0.001)
XGS2t							-0.0001 (0.0002)
XGS2t-1							0.00005 (0.0001)
Intercepto	0.150*	0.155*	0.158*	0.160*	0.161*	0.158*	
	(0.080)	(0.083)	(0.083)	(0.083)	(0.084)	(0.081)	

Note:

*p<0.1; **p<0.05; ***p<0.01

Bateadores: Estimador Within

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.006** (0.003)	-0.005** (0.003)	-0.006** (0.003)	-0.005** (0.003)	-0.006** (0.003)	-0.006** (0.003)
Años contratot	-0.0004 (0.003)	0.0001 (0.004)	-0.001 (0.003)	-0.0002 (0.003)	0.0002 (0.003)	0.0002 (0.004)
Equipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)
XOPSt	-0.021 (0.014)					
XOPSt-1	-0.001 (0.013)					
XOPS2t		-0.026** (0.013)				
XOPS2t-1		0.008 (0.011)				
XOBPt			-0.043** (0.022)			
XOBPt-1			0.020 (0.019)			
XOBP2t				-0.049* (0.028)		
XOBP2t-1				0.006		

				(0.020)		
XSLGt					-0.018	
					(0.019)	
XSLGt-1					-0.023	
					(0.017)	
XSLG2t						-0.040*
						(0.022)
XSLG2t-1						0.014
						(0.018)
Intercepto	0.160*	0.142*	0.156*	0.144*	0.167**	0.148*
	(0.085)	(0.086)	(0.083)	(0.083)	(0.082)	(0.085)

=====

Note:

*p<0.1; **p<0.05; ***p<0.01

Bateadores: Estimador Within

	Dependent variable:					
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.006**	-0.006**	-0.006**	-0.006**	-0.007***	-0.006**
	(0.003)	(0.003)	(0.003)	(0.003)	(0.002)	(0.002)
Años contratot	0.0004	-0.002	-0.001	-0.001	-0.005	-0.002
	(0.004)	(0.004)	(0.003)	(0.003)	(0.004)	(0.003)
Equipot	0.001	0.001	0.001	0.001	0.001	0.001
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XRBI	-0.003**					
	(0.001)					
XRBI-1	0.001					
	(0.002)					
XRBI2t		0.0001				
		(0.0002)				
XRBI2t-1		0.0001				
		(0.0002)				
XTt			-0.010			
			(0.008)			
XTt-1			0.011**			
			(0.005)			
XT2t				-0.003		
				(0.004)		
XT2t-1				0.001		
				(0.001)		
XWArt					0.016**	
					(0.007)	
XWArt-1					0.013**	
					(0.006)	
XWAR2t						0.005
						(0.004)
XWAR2t-1						0.005**
						(0.002)
Intercepto	0.149*	0.165*	0.156*	0.156*	0.205**	0.180**
	(0.082)	(0.084)	(0.084)	(0.084)	(0.081)	(0.079)

=====
=====
Note:

*p<0.1; **p<0.05; ***p<0.01

Starting pitcher

```
# Create a model to store the results
fielder_simple_within <- list()

# To store the results
fielder_results_simple_within_1 <- list()
fielder_results_simple_within_2 <- list()
fielder_results_simple_within_3 <- list()
fielder_results_simple_within_4 <- list()
fielder_results_simple_within_5 <- list()
fielder_results_simple_within <- list(result_1 = fielder_results_simple_within_1,
                                     result_2 = fielder_results_simple_within_2,
                                     result_3 = fielder_results_simple_within_3,
                                     result_4 = fielder_results_simple_within_4,
                                     result_5 = fielder_results_simple_within_5)

# Loop over the variables in var_hitter_list
for (j in 1:fielder_rep){

  for (i in 1:fielder_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars, stat_fielder_t[[i + fielder_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                     stat_fielder_t_1[[i + fielder_stat_num*(j - 1)]],
                     sep = " + ")

    fielder_simple_within[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = starting_data,
                                                                model = "within",
                                                                index = c("id", "Anio_ref"))

    fielder_results_simple_within[[j]][[i]] <- coeftest(fielder_simple_within[[i + fielder_stat_num*(j - 1)]],
                                                        vcov = vcovHC(fielder_simple_within[[i + fielder_stat_num*(j - 1)]],
                                                                    type = "HC1",
                                                                    cluster = "group"))
  }

  # Print the third block of results
  stargazer(fielder_results_simple_within[[j]],
            no.space = TRUE,
            type = "text",
            title = "Lanzadores Iniciales: Estimador Within",
            covariate.labels = fielder_stats[[j]])
}
```

Lanzadores Iniciales: Estimador Within

=====

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.031** (0.015)	-0.030** (0.014)	-0.031* (0.015)	-0.031** (0.015)	-0.028* (0.015)	-0.028* (0.014)
Años contratot	-0.021 (0.019)	-0.037* (0.020)	-0.028 (0.019)	-0.025 (0.017)	-0.032 (0.020)	-0.034* (0.020)
Equipot	0.003 (0.002)	0.004* (0.002)	0.004* (0.002)	0.004 (0.002)	0.004* (0.002)	0.004* (0.002)
XH2t	-0.0001 (0.0002)					
XH2t-1	-0.0001 (0.0001)					
XHt		0.004 (0.002)				
XHt-1		-0.001 (0.002)				
XR2t			0.0002 (0.0003)			
XR2t-1			-0.0003 (0.0002)			
XER2t				-0.0002 (0.0004)		
XER2t-1				-0.0004 (0.0002)		
XERt					0.003 (0.002)	
XERt-1					-0.0003 (0.002)	
XRt						0.004* (0.002)
XRt-1						0.001 (0.002)

=====
 Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Estimador Within

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.029** (0.014)	-0.029** (0.014)	-0.027* (0.016)	-0.025* (0.015)	-0.029* (0.015)	-0.028* (0.014)
Años contratot	-0.026 (0.020)	-0.027 (0.022)	-0.025 (0.020)	-0.027 (0.020)	-0.024 (0.020)	-0.028 (0.019)
Equipot	0.004* (0.002)	0.004 (0.003)	0.004 (0.002)	0.004** (0.002)	0.004* (0.003)	0.003 (0.002)
XComando2t	-0.013* (0.008)					

XComando2t-1	0.00001** (0.00000)		
XComandot	-0.004 (0.022)		
XComandot-1	0.001 (0.001)		
XControl2t	0.004 (0.088)		
XControl2t-1	-0.027 (0.050)		
ControlHt	0.025 (0.063)		
XControlt-1	-0.061 (0.053)		
XDominio2t	-0.025 (0.029)		
XDominio2t-1	0.010 (0.030)		
XDominiot	0.011 (0.025)		
XDominiot-1	0.009 (0.030)		

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Estimador Within

=====

Dependent variable:

	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.023 (0.015)	-0.022 (0.013)	-0.029* (0.015)	-0.030* (0.015)	-0.030** (0.015)	-0.029** (0.014)
Años contratot	-0.018 (0.019)	-0.023 (0.019)	-0.024 (0.018)	-0.030 (0.022)	-0.027 (0.018)	-0.028 (0.019)
Equipot	0.003 (0.002)	0.003 (0.002)	0.004 (0.002)	0.004 (0.002)	0.004* (0.002)	0.004* (0.002)
XERA2t	0.006 (0.005)					
XERA2t-1	-0.003 (0.005)					
XERAt		0.003 (0.013)				
XERAt-1		-0.023** (0.011)				
XIP2t			-0.00003 (0.0002)			
XIP2t-1			-0.0001 (0.0001)			
XIPt				0.001 (0.002)		
XIPt-1				-0.001		

	(0.002)	
XL2t	-0.001	
	(0.003)	
XL2t-1	-0.001	
	(0.001)	
XLt	0.004	
	(0.009)	
XLt-1	-0.008	
	(0.006)	

=====
 Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Estimador Within

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.029**	-0.029**	-0.028**	-0.028*	-0.027**	-0.029*
	(0.015)	(0.015)	(0.014)	(0.015)	(0.014)	(0.015)
Años contratot	-0.027	-0.027	-0.030	-0.035*	-0.022	-0.026
	(0.019)	(0.020)	(0.019)	(0.021)	(0.022)	(0.023)
Equipot	0.004	0.004*	0.004*	0.004	0.004*	0.004
	(0.002)	(0.002)	(0.002)	(0.003)	(0.002)	(0.002)
XS2t	0.098***					
	(0.004)					
XS2t-1	0.040**					
	(0.018)					
XSt		0.069***				
		(0.010)				
XSt-1		0.057				
		(0.035)				
XS02t			-0.00003			
			(0.0001)			
XS02t-1			0.0003*			
			(0.0002)			
XS0t				0.002		
				(0.002)		
XS0t-1				0.001		
				(0.002)		
XWAR2t					-0.001	
					(0.003)	
XWAR2t-1					-0.007**	
					(0.003)	
XWArt						0.001
						(0.012)
XWArt-1						-0.004
						(0.018)

=====
 Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Estimador Within

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.022 (0.014)	-0.026* (0.015)	-0.028** (0.014)	-0.027* (0.014)	-0.030* (0.016)	-0.029* (0.015)
Años contratot	-0.018 (0.018)	-0.021 (0.018)	-0.028 (0.018)	-0.027 (0.018)	-0.029 (0.020)	-0.024 (0.018)
Eqipot	0.004 (0.002)	0.004 (0.002)	0.004 (0.002)	0.004* (0.002)	0.004 (0.002)	0.004 (0.002)
XWHIP2t	0.024 (0.019)					
XWHIP2t-1	-0.017 (0.015)					
XWHIPt		0.020 (0.021)				
XWHIPt-1		-0.015 (0.020)				
XBB2t			0.0002 (0.001)			
XBB2t-1			0.0002 (0.0004)			
XBBt				0.0002 (0.003)		
XBBt-1				0.002 (0.003)		
XW2t					0.001 (0.002)	
XW2t-1					-0.001 (0.001)	
XWt						-0.002 (0.006)
XWt-1						-0.003 (0.006)

Note: *p<0.1; **p<0.05; ***p<0.01

Efectos aleatorios

Bateadores

Se obtendrán las estimaciones de las variables referentes a estadísticas deportivas sin controles

```
# Create a model to store the results
hitter_simple_random <- list()

# To store the results
hitter_results_simple_random_1 <- list()
hitter_results_simple_random_2 <- list()
```



```

hitter_results_simple_random_3 <- list()
hitter_results_simple_random_4 <- list()
hitter_results_simple_random <- list(result_1 = hitter_results_simple_random_1,
                                     result_2 = hitter_results_simple_random_2,
                                     result_3 = hitter_results_simple_random_3,
                                     result_4 = hitter_results_simple_random_4)

# Loop over the variables in var_hitter_list
for (j in 1:hitter_rep){

  for (i in 1:hitter_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars, stat_hitter_t[[i + hitter_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                    stat_hitter_t_1[[i + hitter_stat_num*(j - 1)]],
                    sep = " + ")

    hitter_simple_random[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = hitter_data,
                                                              model = "random",
                                                              index = c("id", "Anio_ref"))

    hitter_results_simple_random[[j]][[i]] <- coeftest(hitter_simple_random[[i + hitter_stat_num*(j - 1)]],
                                                       vcov = vcovHC(hitter_simple_random[[i + hitter_stat_num*(j - 1)]],
                                                                    type = "HC1",
                                                                    cluster = "group"))
  }

  # Print the third block of results
  stargazer(hitter_results_simple_random[[j]],
            no.space = TRUE,
            type = "text",
            title = "Bateadores: Efectos Aleatorios",
            covariate.labels = hitter_stats[[j]])
}

```

Bateadores: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.006** (0.003)	-0.005** (0.003)	-0.005** (0.003)	-0.005** (0.003)	-0.005** (0.003)	-0.005** (0.003)
Años contratot	-0.002 (0.004)	-0.003 (0.004)	-0.002 (0.004)	-0.003 (0.004)	-0.003 (0.004)	-0.003 (0.004)
Equipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)
XABt	-0.0002 (0.001)					
XABt-1	-0.0004 (0.001)					

XAB2t							-0.00001 (0.00003)
XAB2t-1							-0.00000 (0.00002)
XHt							-0.001 (0.001)
XHt-1							0.0002 (0.001)
XH2t							-0.0001 (0.0001)
XH2t-1							0.00005 (0.0001)
XBA2t							-0.024 (0.018)
XBA2t-1							0.019 (0.016)
XBA2t							-0.036 (0.027)
XBA2t-1							0.005 (0.016)
Intercepto	0.155*	0.148*	0.145*	0.142*	0.142*	0.140*	
	(0.087)	(0.083)	(0.083)	(0.085)	(0.086)	(0.084)	

Note:

*p<0.1; **p<0.05; ***p<0.01

Bateadores: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.005** (0.003)	-0.005** (0.003)	-0.005** (0.003)	-0.005** (0.003)	-0.006** (0.003)	-0.005** (0.003)
Años contratot	-0.002 (0.004)	-0.003 (0.004)	-0.004 (0.004)	-0.003 (0.004)	-0.002 (0.004)	-0.004 (0.004)
Equipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)
XDt	-0.003 (0.003)					
XDt-1	-0.001 (0.002)					
XD2t		-0.0003 (0.0005)				
XD2t-1		0.0003 (0.0004)				
XHRt			0.0003 (0.003)			
XHRt-1			0.002 (0.002)			
XHR2t				-0.0004 (0.001)		
XHR2t-1				-0.00001		

				(0.0003)		
XGSt				-0.001		
				(0.001)		
XGSt-1				-0.001		
				(0.001)		
XGS2t					-0.00001	
					(0.0001)	
XGS2t-1					0.00004	
					(0.0001)	
Intercepto	0.143*	0.146*	0.145*	0.147*	0.155*	0.147*
	(0.081)	(0.084)	(0.084)	(0.084)	(0.086)	(0.083)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Efectos Aleatorios

	Dependent variable:					
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.005**	-0.005*	-0.005**	-0.005**	-0.005**	-0.005*
	(0.003)	(0.003)	(0.003)	(0.003)	(0.003)	(0.003)
Años contratot	-0.003	-0.002	-0.003	-0.003	-0.002	-0.002
	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)	(0.004)
Equipot	0.001	0.001	0.001	0.001	0.001	0.001
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XOPSt	-0.019					
	(0.013)					
XOPSt-1	-0.002					
	(0.012)					
XOPS2t		-0.019*				
		(0.011)				
XOPS2t-1		0.006				
		(0.010)				
XOBPt			-0.034			
			(0.021)			
XOBPt-1			0.018			
			(0.018)			
XOBP2t				-0.030		
				(0.026)		
XOBP2t-1				0.006		
				(0.018)		
XSLGt					-0.015	
					(0.016)	
XSLGt-1					-0.024	
					(0.015)	
XSLG2t						-0.026
						(0.019)
XSLG2t-1						0.008
						(0.017)
Intercepto	0.152*	0.135	0.148*	0.140*	0.159*	0.143*
	(0.086)	(0.086)	(0.084)	(0.083)	(0.083)	(0.086)

=====
 Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Efectos Aleatorios

Dependent variable:

	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.005** (0.003)	-0.005** (0.003)	-0.005** (0.003)	-0.005** (0.003)	-0.006** (0.003)	-0.006** (0.002)
Años contratot	-0.002 (0.004)	-0.004 (0.004)	-0.004 (0.004)	-0.003 (0.004)	-0.008** (0.004)	-0.004 (0.004)
Eqipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)
XRBI _t	-0.002 (0.001)					
XRBI _{t-1}	0.001 (0.002)					
XRBI _{2t}		0.0001 (0.0002)				
XRBI _{2t-1}		0.00005 (0.0002)				
XT _t			-0.010 (0.008)			
XT _{t-1}			0.010* (0.005)			
XT _{2t}				-0.002 (0.003)		
XT _{2t-1}				0.001 (0.001)		
XWAR _t					0.019*** (0.006)	
XWAR _{t-1}					0.010* (0.005)	
XWAR _{2t}						0.005 (0.003)
XWAR _{2t-1}						0.003* (0.002)
Intercepto	0.145* (0.084)	0.152* (0.083)	0.144* (0.084)	0.145* (0.085)	0.197** (0.084)	0.165** (0.080)

=====
 Note: *p<0.1; **p<0.05; ***p<0.01

Starting pitcher

```
# Create a model to store the results
fielder_simple_random <- list()
```

```

# To store the results
fielder_results_simple_random_1 <- list()
fielder_results_simple_random_2 <- list()
fielder_results_simple_random_3 <- list()
fielder_results_simple_random_4 <- list()
fielder_results_simple_random_5 <- list()
fielder_results_simple_random <- list(result_1 = fielder_results_simple_random_1,
                                     result_2 = fielder_results_simple_random_2,
                                     result_3 = fielder_results_simple_random_3,
                                     result_4 = fielder_results_simple_random_4,
                                     result_5 = fielder_results_simple_random_5)

# Loop over the variables in var_hitter_list
for (j in 1:fielder_rep){

  for (i in 1:fielder_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars, stat_fielder_t[[i + fielder_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                    stat_fielder_t_1[[i + fielder_stat_num*(j - 1)]],
                    sep = " + ")

    fielder_simple_random[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = starting_data,
                                                                model = "random",
                                                                index = c("id", "Anio_ref"))

    fielder_results_simple_random[[j]][[i]] <- coeftest(fielder_simple_random[[i + fielder_stat_num*(j - 1)]],
                                                        vcov = vcovHC(fielder_simple_random[[i + fielder_stat_num*(j - 1)]],
                                                                    type = "HC1",
                                                                    cluster = "group"))
  }

  # Print the third block of results
  stargazer(fielder_results_simple_random[[j]],
            no.space = TRUE,
            type = "text",
            title = "Lanzadores Iniciales: Efectos Aleatorios",
            covariate.labels = fielder_stats[[j]])
}

```

Lanzadores Iniciales: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.010** (0.005)	-0.011** (0.005)	-0.011** (0.005)	-0.011** (0.005)	-0.010** (0.005)	-0.011** (0.005)
Años contratot	-0.007 (0.007)	-0.012 (0.007)	-0.011 (0.007)	-0.011 (0.007)	-0.010 (0.007)	-0.011 (0.007)
Equipot	0.003* (0.003)	0.003** (0.003)	0.003** (0.003)	0.003* (0.003)	0.003** (0.003)	0.003** (0.003)

	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XH2t	-0.0001					
	(0.0001)					
XH2t-1	-0.00003					
	(0.0001)					
XHt		0.0004				
		(0.002)				
XHt-1		-0.0001				
		(0.001)				
XR2t			0.0001			
			(0.0002)			
XR2t-1			-0.0001			
			(0.0001)			
XER2t				0.0001		
				(0.0002)		
XER2t-1				-0.0002		
				(0.0001)		
XERt					-0.001	
					(0.002)	
XERt-1					-0.001	
					(0.001)	
XRt						0.0001
						(0.002)
XRt-1						-0.001
						(0.001)
Intercepto	0.290*	0.328**	0.324**	0.327**	0.311**	0.316**
	(0.150)	(0.152)	(0.153)	(0.160)	(0.154)	(0.154)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.010**	-0.010**	-0.010**	-0.009**	-0.009**	-0.009*
	(0.005)	(0.005)	(0.005)	(0.005)	(0.005)	(0.005)
Años contratot	-0.010	-0.010	-0.010	-0.012*	-0.011	-0.012
	(0.007)	(0.008)	(0.007)	(0.007)	(0.007)	(0.007)
Equipot	0.003*	0.003*	0.003**	0.003*	0.003**	0.003*
	(0.001)	(0.002)	(0.001)	(0.001)	(0.001)	(0.001)
XComando2t	-0.002					
	(0.006)					
XComando2t-1	-0.00000					
	(0.00000)					
XComandot		-0.003				
		(0.013)				
XComandot-1		-0.0004				
		(0.001)				
XControl2t			-0.057			
			(0.042)			

XControl2t-1							-0.106*** (0.030)
ControlHt							0.030 (0.028)
XControl1t-1							-0.072** (0.032)
XDominio2t							-0.012 (0.020)
XDominio2t-1							0.042** (0.019)
XDominiot							-0.010 (0.018)
XDominiot-1							0.044*** (0.017)
Intercepto	0.306** (0.147)	0.307** (0.145)	0.279* (0.147)	0.268* (0.145)	0.277* (0.143)	0.272* (0.145)	

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.010** (0.005)	-0.010** (0.004)	-0.010** (0.005)	-0.011** (0.005)	-0.010** (0.005)	-0.010** (0.005)
Años contratot	-0.010 (0.008)	-0.012 (0.008)	-0.008 (0.007)	-0.011 (0.008)	-0.011 (0.007)	-0.010 (0.007)
Equipot	0.003* (0.001)	0.003* (0.001)	0.003* (0.001)	0.003** (0.001)	0.003** (0.001)	0.003** (0.001)
XERA2t	-0.0004 (0.002)					
XERA2t-1	-0.006** (0.003)					
XERAt		-0.009 (0.007)				
XERAt-1		-0.021*** (0.006)				
XIP2t			-0.0001 (0.0001)			
XIP2t-1			-0.00000 (0.0001)			
XIPt				-0.0002 (0.001)		
XIPt-1				-0.0001 (0.001)		
XL2t					-0.001 (0.002)	
XL2t-1					-0.001 (0.001)	
XLt						-0.003

						(0.006)
XLt-1						-0.005
						(0.004)
Intercepto	0.291*	0.292**	0.294**	0.315*	0.309**	0.309**
	(0.152)	(0.139)	(0.148)	(0.163)	(0.154)	(0.155)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.011**	-0.012**	-0.011**	-0.011**	-0.011**	-0.011**
	(0.005)	(0.005)	(0.005)	(0.005)	(0.005)	(0.005)
Años contratot	-0.012	-0.012*	-0.009	-0.013*	-0.011	-0.014*
	(0.007)	(0.007)	(0.007)	(0.008)	(0.007)	(0.008)
Equipot	0.003**	0.003**	0.003**	0.003*	0.003**	0.003**
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XS2t	0.104***					
	(0.033)					
XS2t-1	0.024***					
	(0.008)					
XSt		0.067***				
		(0.025)				
XSt-1		0.060**				
		(0.026)				
XS02t			-0.0001			
			(0.0001)			
XS02t-1			0.0001			
			(0.0001)			
XS0t				0.001		
				(0.001)		
XS0t-1				0.0002		
				(0.001)		
XWAR2t					0.001	
					(0.004)	
XWAR2t-1					-0.002	
					(0.004)	
XWArt						0.010
						(0.009)
XWArt-1						0.007
						(0.011)
Intercepto	0.342**	0.353**	0.317**	0.335**	0.319**	0.351**
	(0.155)	(0.157)	(0.148)	(0.156)	(0.143)	(0.146)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.008* (0.004)	-0.011** (0.004)	-0.011** (0.005)	-0.011** (0.005)	-0.011** (0.005)	-0.010** (0.005)
Años contratot	-0.013 (0.008)	-0.013* (0.008)	-0.010 (0.007)	-0.012 (0.007)	-0.012* (0.007)	-0.009 (0.007)
Equipot	0.003** (0.001)	0.003** (0.001)	0.003** (0.001)	0.003* (0.001)	0.003** (0.001)	0.003** (0.001)
XWHIP2t	-0.006 (0.011)					
XWHIP2t-1	-0.039*** (0.010)					
XWHIPt		-0.005 (0.010)				
XWHIPt-1		-0.032*** (0.011)				
XBB2t			-0.0002 (0.0003)			
XBB2t-1			0.0001 (0.0003)			
XBBt				0.001 (0.002)		
XBBt-1				-0.001 (0.002)		
XW2t					0.001 (0.001)	
XW2t-1					0.0002 (0.001)	
XWt						-0.004 (0.005)
XWt-1						0.001 (0.004)
Intercepto	0.222 (0.136)	0.317** (0.141)	0.314** (0.149)	0.326** (0.156)	0.326** (0.150)	0.295* (0.161)
=====						
=====						
Note:	*p<0.1; **p<0.05; ***p<0.01					

First Differences

Bateadores

Se obtendrán las estimaciones de las variables referentes a estadísticas deportivas sin controles

```
# Create a model to store the results
hitter_simple_fd <- list()

# To store the results
hitter_results_simple_fd_1 <- list()
hitter_results_simple_fd_2 <- list()
```

```

hitter_results_simple_fd_3 <- list()
hitter_results_simple_fd_4 <- list()
hitter_results_simple_fd <- list(result_1 = hitter_results_simple_fd_1,
                                result_2 = hitter_results_simple_fd_2,
                                result_3 = hitter_results_simple_fd_3,
                                result_4 = hitter_results_simple_fd_4)

# Loop over the variables in var_hitter_list
for (j in 1:hitter_rep){

  for (i in 1:hitter_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars, stat_hitter_t[[i + hitter_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                    stat_hitter_t_1[[i + hitter_stat_num*(j - 1)]],
                    sep = " + ")

    hitter_simple_fd[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = hitter_data,
                    model = "fd",
                    index = c("id", "Anio_ref"))

    hitter_results_simple_fd[[j]][[i]] <- coeftest(hitter_simple_fd[[i + hitter_stat_num*(j - 1)]],
                    vcov = vcovHC(hitter_simple_fd[[i + hitter_stat_num*(j - 1)]],
                                type = "HC1",
                                cluster = "group"))
  }

  # Print the third block of results
  stargazer(hitter_results_simple_fd[[j]],
            no.space = TRUE,
            type = "text",
            title = "Bateadores: Primeras Diferencias",
            covariate.labels = hitter_stats[[j]])
}

```

Bateadores: Primeras Diferencias

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.015*** (0.002)	-0.015*** (0.002)	-0.015*** (0.002)	-0.015*** (0.002)	-0.015*** (0.002)	-0.015*** (0.002)
Años contratot	-0.047*** (0.009)	-0.047*** (0.009)	-0.047*** (0.009)	-0.044*** (0.009)	-0.045*** (0.009)	-0.046*** (0.009)
Equipot	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)
XABt	0.00004 (0.0004)					
XABt-1	0.001*** (0.0003)					

XAB2t							-0.00002 (0.00001)
XAB2t-1							0.00002 (0.00003)
XHt							-0.001* (0.001)
XHt-1							0.001* (0.001)
XH2t							-0.0001*** (0.0001)
XH2t-1							-0.0002* (0.0001)
XBA t							-0.001 (0.012)
XBA t-1							0.039*** (0.010)
XBA2t							-0.005 (0.021)
XBA2t-1							0.032*** (0.009)
Intercepto	0.027*** (0.003)	0.024*** (0.003)	0.025*** (0.003)	0.024*** (0.003)	0.024*** (0.003)	0.024*** (0.003)	

Note:

*p<0.1; **p<0.05; ***p<0.01

Bateadores: Primeras Diferencias

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.015*** (0.002)	-0.015*** (0.002)	-0.015*** (0.002)	-0.015*** (0.002)	-0.015*** (0.002)	-0.015*** (0.002)
Años contratot	-0.046*** (0.009)	-0.046*** (0.009)	-0.049*** (0.009)	-0.049*** (0.009)	-0.048*** (0.009)	-0.047*** (0.009)
Equipot	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)
XDt	-0.002 (0.002)					
XDt-1	-0.00000 (0.002)					
XD2t		0.0001 (0.0004)				
XD2t-1		-0.0005 (0.0003)				
XHRt			0.006* (0.004)			
XHRt-1			0.002 (0.002)			
XHR2t				0.001** (0.0004)		
XHR2t-1				0.0004		

				(0.0003)		
XGSt					-0.0002	
					(0.001)	
XGSt-1					0.003***	
					(0.001)	
XGS2t						-0.00002
						(0.0001)
XGS2t-1						0.0001
						(0.0001)
Intercepto	0.023***	0.023***	0.024***	0.023***	0.027***	0.025***
	(0.003)	(0.003)	(0.004)	(0.004)	(0.003)	(0.003)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Bateadores: Primeras Diferencias

	Dependent variable:					
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.015***	-0.015***	-0.015***	-0.016***	-0.015***	-0.015***
	(0.002)	(0.002)	(0.002)	(0.002)	(0.002)	(0.002)
Años contratot	-0.046***	-0.044***	-0.046***	-0.047***	-0.045***	-0.045***
	(0.009)	(0.009)	(0.008)	(0.009)	(0.009)	(0.009)
Equipot	0.002***	0.002***	0.002***	0.002***	0.002***	0.002***
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XOPSt	-0.007					
	(0.009)					
XOPSt-1	0.015**					
	(0.007)					
XOPS2t		-0.016**				
		(0.008)				
XOPS2t-1		-0.002				
		(0.006)				
XOBPt			0.018			
			(0.022)			
XOBPt-1			0.050***			
			(0.015)			
XOBP2t				0.052**		
				(0.026)		
XOBP2t-1				0.033***		
				(0.011)		
XSLGt					-0.011	
					(0.012)	
XSLGt-1					-0.003	
					(0.014)	
XSLG2t						-0.016
						(0.015)
XSLG2t-1						-0.016
						(0.013)
Intercepto	0.024***	0.025***	0.025***	0.024***	0.023***	0.023***
	(0.003)	(0.004)	(0.003)	(0.003)	(0.003)	(0.004)

Note:

*p<0.1; **p<0.05; ***p<0.01

Bateadores: Primeras Diferencias

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.015*** (0.002)	-0.015*** (0.002)	-0.013*** (0.002)	-0.015*** (0.002)	-0.017*** (0.002)	-0.015*** (0.002)
Años contratot	-0.048*** (0.009)	-0.047*** (0.009)	-0.047*** (0.009)	-0.046*** (0.009)	-0.052*** (0.009)	-0.051*** (0.009)
Eqipot	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)	0.002*** (0.001)
XRBI _t	0.0004 (0.001)					
XRBI _{t-1}	0.002* (0.001)					
XRBI _{2t}		0.0002 (0.0003)				
XRBI _{2t-1}		-0.0001 (0.0001)				
XT _t			-0.029*** (0.007)			
XT _{t-1}			0.005 (0.009)			
XT _{2t}				-0.003 (0.003)		
XT _{2t-1}				0.003** (0.002)		
XWAR _t					0.029*** (0.003)	
XWAR _{t-1}					0.006 (0.005)	
XWAR _{2t}						0.013*** (0.004)
XWAR _{2t-1}						-0.0001 (0.001)
Intercepto	0.025*** (0.003)	0.023*** (0.004)	0.025*** (0.003)	0.026*** (0.003)	0.022*** (0.003)	0.021*** (0.003)

Note:

*p<0.1; **p<0.05; ***p<0.01

Starting pitcher

```
# Create a model to store the results
fielder_simple_fd <- list()
```

```

# To store the results
fielder_results_simple_fd_1 <- list()
fielder_results_simple_fd_2 <- list()
fielder_results_simple_fd_3 <- list()
fielder_results_simple_fd_4 <- list()
fielder_results_simple_fd_5 <- list()
fielder_results_simple_fd <- list(result_1 = fielder_results_simple_fd_1,
                                result_2 = fielder_results_simple_fd_2,
                                result_3 = fielder_results_simple_fd_3,
                                result_4 = fielder_results_simple_fd_4,
                                result_5 = fielder_results_simple_fd_5)

# Loop over the variables in var_hitter_list
for (j in 1:fielder_rep){

  for (i in 1:fielder_stat_num){
    # Run linear regression with grouped errors by country and robust errors
    base_vars_h <- paste(vars, stat_fielder_t[[i + fielder_stat_num*(j - 1)]],
                        sep = '+')
    formula <- paste(base_vars_h,
                    stat_fielder_t_1[[i + fielder_stat_num*(j - 1)]],
                    sep = " + ")

    fielder_simple_fd[[i + hitter_stat_num*(j - 1)]] <- plm(formula, data = starting_data,
                    model = "fd",
                    index = c("id", "Anio_ref"))

    fielder_results_simple_fd[[j]][[i]] <- coeftest(fielder_simple_fd[[i + fielder_stat_num*(j - 1)]],
                    vcov = vcovHC(fielder_simple_fd[[i + fielder_stat_num*(j - 1)]],
                                type = "HC1",
                                cluster = "group"))
  }

  # Print the third block of results
  stargazer(fielder_results_simple_fd[[j]],
            no.space = TRUE,
            type = "text",
            title = "Lanzadores Iniciales: Efectos Aleatorios",
            covariate.labels = fielder_stats[[j]])
}

```

Lanzadores Iniciales: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.015 (0.014)	-0.017 (0.011)	-0.016 (0.014)	-0.013 (0.014)	-0.014 (0.013)	-0.014 (0.013)
Años contratot	-0.023** (0.010)	-0.043*** (0.006)	-0.033*** (0.008)	-0.030*** (0.008)	-0.032*** (0.009)	-0.034*** (0.009)
Equipot	0.002**	0.004***	0.003***	0.003***	0.003***	0.003***

	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XH2t	-0.0003***					
	(0.0001)					
XH2t-1	0.00002					
	(0.0001)					
XHt		0.003*				
		(0.001)				
XHt-1		0.0005				
		(0.001)				
XR2t			-0.0002			
			(0.0002)			
XR2t-1			0.00002			
			(0.0001)			
XER2t				-0.0005***		
				(0.0002)		
XER2t-1				-0.00005		
				(0.0001)		
XERt					-0.001	
					(0.001)	
XERt-1					0.003***	
					(0.001)	
XRt						-0.0002
						(0.001)
XRt-1						0.003**
						(0.001)
Intercepto	-0.007	-0.002	-0.007	-0.010	-0.004	-0.004
	(0.015)	(0.013)	(0.015)	(0.016)	(0.015)	(0.015)

=====

Note:

*p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.018	-0.016	-0.015	-0.013	-0.016	-0.018
	(0.015)	(0.013)	(0.013)	(0.013)	(0.013)	(0.014)
Años contratot	-0.036***	-0.040***	-0.032***	-0.035***	-0.033***	-0.040***
	(0.009)	(0.008)	(0.009)	(0.009)	(0.009)	(0.009)
Equipot	0.004***	0.003***	0.004***	0.003***	0.004***	0.003***
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XComando2t	-0.002					
	(0.003)					
XComando2t-1	0.00001***					
	(0.00000)					
XComandot		0.017*				
		(0.009)				
XComandot-1		0.001***				
		(0.0003)				
XControl2t			-0.070***			
			(0.020)			

XControl2t-1				-0.025***		
				(0.005)		
ControlHt				0.009		
				(0.035)		
XControl1t-1				-0.058***		
				(0.016)		
XDominio2t				-0.010***		
				(0.003)		
XDominio2t-1				0.008**		
				(0.003)		
XDominiot					0.030***	
					(0.006)	
XDominiot-1					0.012*	
					(0.007)	
Intercepto	-0.005	-0.005	-0.006	-0.006	-0.005	-0.002
	(0.016)	(0.015)	(0.016)	(0.015)	(0.015)	(0.016)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Efectos Aleatorios

	Dependent variable:					
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.014	-0.013	-0.014	-0.015	-0.016	-0.014
	(0.013)	(0.013)	(0.014)	(0.013)	(0.013)	(0.014)
Años contratot	-0.032***	-0.035***	-0.027***	-0.028***	-0.032***	-0.030***
	(0.011)	(0.011)	(0.010)	(0.010)	(0.009)	(0.009)
Equipot	0.003***	0.003***	0.003***	0.003***	0.003***	0.003***
	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)	(0.001)
XERA2t	0.001					
	(0.002)					
XERA2t-1	-0.002					
	(0.002)					
XERAt		-0.003				
		(0.009)				
XERAt-1		-0.021***				
		(0.004)				
XIP2t			-0.0002***			
			(0.0001)			
XIP2t-1			0.00003			
			(0.0001)			
XIPt				-0.002**		
				(0.001)		
XIPt-1				0.002*		
				(0.001)		
XL2t					-0.003*	
					(0.002)	
XL2t-1					-0.0001	
					(0.001)	
XLt						-0.007

XLt-1						(0.005)
						-0.001
						(0.003)
Intercepto	-0.004	-0.002	-0.007	-0.002	-0.009	-0.008
	(0.015)	(0.014)	(0.015)	(0.014)	(0.016)	(0.016)

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.017 (0.013)	-0.016 (0.014)	-0.018 (0.013)	-0.016 (0.013)	-0.015 (0.013)	-0.015 (0.014)
Años contratot	-0.034*** (0.009)	-0.034*** (0.009)	-0.035*** (0.011)	-0.041*** (0.010)	-0.028*** (0.010)	-0.034*** (0.010)
Equipot	0.003*** (0.001)	0.003*** (0.001)	0.004*** (0.001)	0.004*** (0.001)	0.003*** (0.001)	0.003*** (0.001)
XS2t	0.100*** (0.002)					
XS2t-1	0.020*** (0.006)					
XSt		0.074*** (0.007)				
XSt-1		-0.015 (0.023)				
XS02t			-0.0001*** (0.00003)			
XS02t-1			0.0003*** (0.0001)			
XS0t				0.001* (0.0005)		
XS0t-1				0.002*** (0.001)		
XWAR2t					-0.002 (0.002)	
XWAR2t-1					-0.004*** (0.001)	
XWArt						-0.005 (0.005)
XWArt-1						0.005 (0.008)
Intercepto	-0.005 (0.015)	-0.006 (0.015)	-0.0004 (0.015)	-0.003 (0.014)	-0.007 (0.015)	-0.005 (0.014)

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores Iniciales: Efectos Aleatorios

Dependent variable:						
	(1)	(2)	(3)	(4)	(5)	(6)
Edadt	-0.014 (0.013)	-0.015 (0.012)	-0.015 (0.013)	-0.014 (0.013)	-0.015 (0.015)	-0.012 (0.014)
Años contratot	-0.033*** (0.009)	-0.036*** (0.008)	-0.033*** (0.009)	-0.024** (0.010)	-0.032*** (0.012)	-0.024** (0.011)
Equipot	0.003*** (0.001)	0.004*** (0.001)	0.003*** (0.001)	0.004*** (0.001)	0.003*** (0.001)	0.003*** (0.001)
XWHIP2t	0.003 (0.004)					
XWHIP2t-1	-0.021*** (0.006)					
XWHIPt		-0.004 (0.007)				
XWHIPt-1		-0.034*** (0.013)				
XBB2t			-0.0002 (0.0002)			
XBB2t-1			0.0005** (0.0002)			
XBBt				-0.005*** (0.001)		
XBBt-1				0.004*** (0.001)		
XW2t					-0.001 (0.001)	
XW2t-1					0.0002 (0.001)	
XWt						-0.010*** (0.004)
XWt-1						0.003 (0.003)
Intercepto	0.002 (0.016)	0.003 (0.012)	-0.003 (0.015)	-0.003 (0.015)	-0.006 (0.015)	-0.007 (0.015)

=====

Note: *p<0.1; **p<0.05; ***p<0.01

```

hitter_vars_1 <- c("X_Bateos",
                  "X_Porcentaje_On_base_plus_slugging_2",
                  "X_Porcentaje_on_base",
                  "X_Porcentaje_on_base_2",
                  "X_Porcentaje_slugging_2",
                  "X_Runs_batted_in",
                  "X_Triples",
                  "X_WAR",
                  "X_WAR_2")
hitter_vars_1 <- paste(hitter_vars_1,
                      collapse = " + ")

```

Estimaciones conjuntas

Lo que se hará ahora es volver a estimar los modelos anteriores, pero con todas las variables que fueron significativas para un nivel del 5%.

Bateadores

Para los bateadores las variables significativas son:

```
# Significant variables:
# Pooling:
hitter_vars_1 <- c("X_Bateos",
                  "X_Porcentaje_On_base_plus_slugging_2",
                  "X_Porcentaje_on_base",
                  "X_Porcentaje_on_base_2",
                  "X_Porcentaje_slugging_2",
                  "X_Runs_batted_in",
                  "X_Triples",
                  "X_WAR",
                  "X_WAR_2")

# Add suffix "_t" to each name
stat_hitter_t <- paste0(hitter_vars_1, "_t")
stat_hitter_t_1 <- paste0(hitter_vars_1, "_t_1")
# Lista
hitter_vars_1 <- c(paste(stat_hitter_t, collapse = " + "),
                  paste(stat_hitter_t_1, collapse = " + "))

# Within
hitter_vars_2 <- c("X_Bateos",
                  "X_Porcentaje_On_base_plus_slugging_2",
                  "X_Porcentaje_on_base",
                  "X_Porcentaje_on_base_2",
                  "X_Porcentaje_slugging_2",
                  "X_Runs_batted_in",
                  "X_Triples",
                  "X_WAR",
                  "X_WAR_2")

# Add suffix "_t" to each name
stat_hitter_t <- paste0(hitter_vars_2, "_t")
stat_hitter_t_1 <- paste0(hitter_vars_2, "_t_1")
# Lista
hitter_vars_2 <- c(paste(stat_hitter_t, collapse = " + "),
                  paste(stat_hitter_t_1, collapse = " + "))

# Random effects
hitter_vars_3 <- c("X_Porcentaje_On_base_plus_slugging_2",
                  "X_Triples",
                  "X_WAR",
                  "X_WAR_2")

# Add suffix "_t" to each name
stat_hitter_t <- paste0(hitter_vars_3, "_t")
stat_hitter_t_1 <- paste0(hitter_vars_3, "_t_1")
# Lista
hitter_vars_3 <- c(paste(stat_hitter_t, collapse = " + "),
                  paste(stat_hitter_t_1, collapse = " + "))
```

```

# First Differences
hitter_vars_4 <- c("X_At_bats",
                  "X_Bateos_2",
                  "X_Bateos",
                  "X_Bateos_promedio",
                  "X_Bateos_promedio_2",
                  "X_Home_runs",
                  "X_Home_runs_2",
                  "X_Juegos_iniciados",
                  "X_Porcentaje_On_base_plus_slugging",
                  "X_Porcentaje_On_base_plus_slugging_2",
                  "X_Porcentaje_on_base",
                  "X_Porcentaje_on_base_2",
                  "X_Runs_batted_in",
                  "X_Triples",
                  "X_Triples_2",
                  "X_WAR",
                  "X_WAR_2")

# Add suffix "_t" to each name
stat_hitter_t <- paste0(hitter_vars_4, "_t")
stat_hitter_t_1 <- paste0(hitter_vars_4, "_t_1")
# Lista
hitter_vars_4 <- c(paste(stat_hitter_t, collapse = " + "),
                  paste(stat_hitter_t_1, collapse = " + "))

# Pooling:
formula <- paste(vars,
                 hitter_vars_1[[1]],
                 sep = " + ")
formula <- paste(formula,
                 hitter_vars_1[[2]],
                 sep = " + ")
# Create a model to store the results
hitter_stimation_1 <- plm(formula, data = hitter_data,
                         model = "pooling",
                         index = c("id", "Anio_ref"))

# To store the results
hitter_results_stimation_1 <- coeftest(hitter_stimation_1,
                                     vcov = vcovHC(hitter_stimation_1,
                                                  type = "HC1",
                                                  cluster = "group"))

# Within:
formula <- paste(vars,
                 hitter_vars_2[[1]],
                 sep = " + ")
formula <- paste(formula,
                 hitter_vars_2[[2]],
                 sep = " + ")
# Create a model to store the results
hitter_stimation_2 <- plm(formula, data = hitter_data,
                         model = "within",
                         index = c("id", "Anio_ref"))

```

```

# To store the results
hitter_results_stimulation_2 <- coeftest(hitter_stimulation_2,
                                         vcov = vcovHC(hitter_stimulation_2,
                                                         type = "HC1",
                                                         cluster = "group"))

# Random:
formula <- paste(vars,
                 hitter_vars_3[[1]],
                 sep = " + ")
formula <- paste(formula,
                 hitter_vars_3[[2]],
                 sep = " + ")
# Create a model to store the results
hitter_stimulation_3 <- plm(formula, data = hitter_data,
                           model = "random",
                           index = c("id", "Anio_ref"))

# To store the results
hitter_results_stimulation_3 <- coeftest(hitter_stimulation_3,
                                         vcov = vcovHC(hitter_stimulation_3,
                                                         type = "HC1",
                                                         cluster = "group"))

# First Differences:
formula <- paste(vars,
                 hitter_vars_4[[1]],
                 sep = " + ")
formula <- paste(formula,
                 hitter_vars_4[[2]],
                 sep = " + ")
# Create a model to store the results
hitter_stimulation_4 <- plm(formula, data = hitter_data,
                           model = "fd",
                           index = c("id", "Anio_ref"))

# To store the results
hitter_results_stimulation_4 <- coeftest(hitter_stimulation_4,
                                         vcov = vcovHC(hitter_stimulation_4,
                                                         type = "HC1",
                                                         cluster = "group"))

# Modelos
hitter_models <- list(pooling = hitter_results_stimulation_1,
                     within = hitter_results_stimulation_2,
                     random = hitter_results_stimulation_3,
                     fd = hitter_results_stimulation_4)

# Print the third block of results
stargazer(hitter_models,
          no.space = TRUE,
          align = TRUE,
          type = "text",
          title = "Bateadores: Comparación de los modelos",
          covariate.labels = c("$Edad_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
                              "$X_{AB_{t}}$", "$X_{AB_{t-1}}$",

```

```
"$X_{H_{t}}$", "$X_{H_{t-1}}$", "$X_{H^{2}_{t}}$", "$X_{H^{2}_{t-1}}$",
"$X_{BA_{t}}$", "$X_{BA_{t-1}}$", "$X_{BA^{2}_{t}}$", "$X_{BA^{2}_{t-1}}$",
"$X_{HR_{t}}$", "$X_{HR_{t-1}}$", "$X_{HR^{2}_{t}}$", "$X_{HR^{2}_{t-1}}$",
"$X_{GS_{t}}$", "$X_{GS_{t-1}}$",
"$X_{OPS_{t}}$", "$X_{OPS_{t-1}}$", "$X_{OPS^{2}_{t}}$", "$X_{OPS^{2}_{t-1}}$",
"$X_{OBP_{t}}$", "$X_{OBP_{t-1}}$", "$X_{OBP^{2}_{t}}$", "$X_{OBP^{2}_{t-1}}$",
"$X_{SLG^{2}_{t}}$", "$X_{SLG^{2}_{t-1}}$",
"$X_{RBI_{t}}$", "$X_{RBI_{t-1}}$",
"$X_{T_{t}}$", "$X_{T_{t-1}}$", "$X_{T^{2}_{t}}$", "$X_{T^{2}_{t-1}}$",
"$X_{WAR_{t}}$", "$X_{WAR_{t-1}}$", "$X_{WAR^{2}_{t}}$", "$X_{WAR^{2}_{t-1}}$",
"Intercepto"))
```

Bateadores: Comparación de los modelos

=====

Dependent variable:

	(1)	(2)	(3)	(4)
Edadt	-0.006** (0.003)	-0.005 (0.005)	-0.006** (0.003)	-0.015*** (0.002)
Años contratot	-0.003 (0.005)	-0.042*** (0.014)	-0.006 (0.005)	-0.047*** (0.010)
Eqipot	0.001 (0.001)	0.001 (0.001)	0.001 (0.001)	0.001* (0.001)
XABt				0.004*** (0.001)
XABt-1				-0.0002*** (0.0001)
XHt	-0.0002 (0.001)	-0.001 (0.003)		-0.003** (0.001)
XHt-1				-0.022 (0.021)
XH2t				0.001 (0.027)
XH2t-1				0.006 (0.004)
XBAt				-0.0001 (0.001)
XBAt-1				-0.006** (0.003)
XBA2t				-0.029 (0.020)
XBA2t-1	-0.007 (0.023)	-0.030 (0.033)	-0.017* (0.010)	-0.046*** (0.016)
XHRt	-0.028 (0.025)	-0.017 (0.039)		0.050 (0.040)
XHRt-1	-0.017 (0.036)	0.077 (0.049)		0.111*** (0.032)
XHR2t	0.004 (0.036)	0.033 (0.035)		
XHR2t-1	-0.003 (0.002)	0.001 (0.004)		0.002 (0.002)

XGSt	-0.005 (0.008)	-0.015 (0.012)	-0.006 (0.008)	-0.050*** (0.008)
XGSt-1				0.015*** (0.003)
XOPSt	0.017** (0.008)	0.037*** (0.013)	0.019** (0.007)	0.013*** (0.005)
XOPSt-1	-0.001 (0.004)	-0.002 (0.010)	-0.002 (0.004)	0.010** (0.005)
XOPS2t				-0.001** (0.0004)
XOPS2t-1				-0.0004*** (0.0001)
XOBPt	-0.001 (0.002)	-0.001 (0.002)		-0.0004 (0.002)
XOBPt-1				0.049* (0.026)
XOBP2t				0.071** (0.027)
XOBP2t-1				-0.006*** (0.002)
XSLG2t				0.0001 (0.0004)
XSLG2t-1				0.004*** (0.001)
XRBI t				-0.052*** (0.018)
XRBI t-1	0.015 (0.022)	-0.041 (0.025)	0.004 (0.010)	-0.069*** (0.015)
XTt	0.030 (0.026)	0.066* (0.039)		0.100*** (0.028)
XTt-1	-0.033 (0.029)	0.059 (0.047)		-0.0003 (0.030)
XT2t	-0.005 (0.028)	-0.037 (0.028)		
XT2t-1	0.001 (0.003)	0.004 (0.003)		0.006*** (0.002)
XWArt	0.012** (0.006)	0.001 (0.011)	0.009* (0.005)	0.005 (0.004)
XWArt-1				-0.001 (0.001)
XWAR2t	0.010 (0.007)	-0.003 (0.011)	0.007 (0.006)	0.011** (0.005)
XWAR2t-1	0.003 (0.002)	-0.001 (0.003)	0.002 (0.002)	-0.003* (0.002)
Intercepto	0.166** (0.081)		0.177** (0.086)	0.021*** (0.005)

=====
=====

Note: *p<0.1; **p<0.05; ***p<0.01

Lanzadores

```
# Significant variables:
fielder_vars_1 <- c('X_Control_2',
                   'X_Control',
                   'X_Dominio_2',
                   'X_Dominio',
                   'X_ERA_2',
                   'X_ERA',
                   'X_Saves_2',
                   'X_Saves',
                   'X_WHIP_2',
                   'X_WHIP')

# Add suffix "_t" to each name
stat_fielder_t <- paste0(fielder_vars_1, "_t")
stat_fielder_t_1 <- paste0(fielder_vars_1, "_t_1")

# Lista
fielder_vars_1 <- c(paste(stat_fielder_t, collapse = " + "),
                   paste(stat_fielder_t_1, collapse = " + "))

# Within
fielder_vars_2 <- c('X_Carreras',
                   'X_Comando_2',
                   'X_ERA',
                   'X_Saves_2',
                   'X_Saves',
                   'X_Strike_outs_2',
                   'X_WAR_2')

# Add suffix "_t" to each name
stat_fielder_t <- paste0(fielder_vars_2, "_t")
stat_fielder_t_1 <- paste0(fielder_vars_2, "_t_1")

# Lista
fielder_vars_2 <- c(paste(stat_fielder_t, collapse = " + "),
                   paste(stat_fielder_t_1, collapse = " + "))

# Random effects
fielder_vars_3 <- c('X_Control_2',
                   'X_Control',
                   'X_Dominio_2',
                   'X_Dominio',
                   'X_ERA_2',
                   'X_ERA',
                   'X_Saves_2',
                   'X_Saves',
                   'X_WHIP_2',
                   'X_WHIP')

# Add suffix "_t" to each name
stat_fielder_t <- paste0(fielder_vars_3, "_t")
stat_fielder_t_1 <- paste0(fielder_vars_3, "_t_1")

# Lista
fielder_vars_3 <- c(paste(stat_fielder_t, collapse = " + "),
                   paste(stat_fielder_t_1, collapse = " + "))

# First Differences
fielder_vars_4 <- c('X_Bateos_2',
                   'X_Bateos',
```



```

        'X_Carreras_ganadas_2',
        'X_Carreras_ganadas',
        'X_ERA',
        'X_Carreras',
        'X_Comando_2',
        'X_Comando',
        'X_Control_2',
        'X_Control',
        'X_Dominio_2',
        'X_Dominio',
        'X_Inning_pitched_2',
        'X_Inning_pitched',
        'X_Losses_2',
        'X_Saves_2',
        'X_Saves',
        'X_Strike_outs_2',
        'X_Strike_outs',
        'X_WAR_2',
        'X_WHIP_2',
        'X_WHIP',
        'X_Walks_2',
        'X_Walks',
        'X_Wins')
# Add suffix "_t" to each name
stat_fielder_t <- paste0(fielder_vars_4, "_t")
stat_fielder_t_1 <- paste0(fielder_vars_4, "_t_1")
# Lista
fielder_vars_4 <- c(paste(stat_fielder_t, collapse = " + "),
                    paste(stat_fielder_t_1, collapse = " + "))

# Pooling:
formula <- paste(vars,
                 fielder_vars_1[[1]],
                 sep = " + ")
formula <- paste(formula,
                 fielder_vars_1[[2]],
                 sep = " + ")
# Create a model to store the results
fielder_stimation_1 <- plm(formula, data = starting_data,
                          model = "pooling",
                          index = c("id", "Anio_ref"))
# To store the results
fielder_results_stimation_1 <- coeftest(fielder_stimation_1,
                                       vcov = vcovHC(fielder_stimation_1,
                                                     type = "HC1",
                                                     cluster = "group"))
# Within:
formula <- paste(vars,
                 fielder_vars_2[[1]],
                 sep = " + ")
formula <- paste(formula,
                 fielder_vars_2[[2]],

```

```

        sep = " + ")
# Create a model to store the results
fielder_stimation_2 <- plm(formula, data = starting_data,
                           model = "within",
                           index = c("id", "Anio_ref"))
# To store the results
fielder_results_stimation_2 <- coeftest(fielder_stimation_2,
                                       vcov = vcovHC(fielder_stimation_2,
                                                       type = "HC1",
                                                       cluster = "group"))

# Random:
formula <- paste(vars,
                 fielder_vars_3[[1]],
                 sep = " + ")
formula <- paste(formula,
                 fielder_vars_3[[2]],
                 sep = " + ")
# Create a model to store the results
fielder_stimation_3 <- plm(formula, data = starting_data,
                           model = "random",
                           index = c("id", "Anio_ref"))
# To store the results
fielder_results_stimation_3 <- coeftest(fielder_stimation_3,
                                       vcov = vcovHC(fielder_stimation_3,
                                                       type = "HC1",
                                                       cluster = "group"))

# First Differences:
formula <- paste(vars,
                 fielder_vars_4[[1]],
                 sep = " + ")
formula <- paste(formula,
                 fielder_vars_4[[2]],
                 sep = " + ")
# Create a model to store the results
fielder_stimation_4 <- plm(formula, data = starting_data ,
                           model = "fd",
                           index = c("id", "Anio_ref"))
# To store the results
fielder_results_stimation_4 <- coeftest(fielder_stimation_4,
                                       vcov = vcovHC(fielder_stimation_4,
                                                       type = "HC1",
                                                       cluster = "group"))

# Modelos
fielder_models <- list(pooling = fielder_results_stimation_1,
                      within = fielder_results_stimation_2,
                      random = fielder_results_stimation_3,
                      fd = fielder_results_stimation_4)

# Print the third block of results
stargazer(fielder_models,
          no.space = TRUE,

```

```

align = TRUE,
type = "text",
title = "Lanzadores Iniciales: Comparación de los modelos")

```

Lanzadores Iniciales: Comparación de los modelos

=====				
	Dependent variable:			

	(1)	(2)	(3)	(4)

Edad_t	-0.008** (0.004)	-0.023* (0.012)	-0.009** (0.004)	-0.022** (0.009)
Anios_de_contrato_t	-0.015* (0.009)	-0.025 (0.023)	-0.015* (0.009)	-0.038*** (0.013)
team_num_t	0.003** (0.001)	0.005** (0.002)	0.003** (0.001)	0.001 (0.002)
X_Bateos_2_t				0.001*** (0.0004)
X_Bateos_t				0.022*** (0.003)
X_Carreras_ganadas_2_t				-0.001*** (0.0004)
X_Carreras_ganadas_t				0.008 (0.006)
X_Control_2_t	-0.181** (0.074)		-0.176** (0.075)	-0.064 (0.095)
X_Control_t	0.082* (0.045)		0.076* (0.046)	-0.008 (0.044)
X_Dominio_2_t	-0.045 (0.029)		-0.047 (0.030)	-0.198*** (0.054)
X_Dominio_t	0.008 (0.023)		0.010 (0.023)	0.163*** (0.051)
X_ERA_2_t	0.001 (0.003)		0.001 (0.003)	
X_Inning_pitched_2_t				-0.001*** (0.0003)
X_Inning_pitched_t				-0.008** (0.003)
X_Losses_2_t				-0.003 (0.002)
X_Carreras_t		0.003 (0.003)		-0.038*** (0.009)
X_Comando_2_t		-0.005 (0.008)		-0.012 (0.010)
X_Comando_t				0.034** (0.014)
X_ERA_t	-0.017* (0.009)	0.0004 (0.013)	-0.016* (0.009)	-0.067*** (0.016)
X_Saves_2_t	-0.253 (0.874)	-1.291* (0.708)	-0.284 (0.864)	-4.150** (1.804)
X_Saves_t	0.261 (0.579)	0.975** (0.482)	0.291 (0.573)	3.016** (1.227)

X_WHIP_2_t	0.006 (0.020)	0.007 (0.020)	0.115*** (0.023)	
X_WHIP_t	0.005 (0.020)	0.004 (0.019)	0.032 (0.020)	
X_Walks_2_t			0.001* (0.001)	
X_Walks_t			0.013* (0.007)	
X_Wins_t			-0.010 (0.012)	
X_Bateos_2_t_1			-0.001** (0.0004)	
X_Bateos_t_1			0.011 (0.007)	
X_Carreras_ganadas_2_t_1			0.001 (0.0003)	
X_Carreras_ganadas_t_1			0.007 (0.007)	
X_Control_2_t_1	-0.019 (0.036)	-0.021 (0.037)	-0.093*** (0.031)	
X_Control_t_1	-0.027 (0.037)	-0.028 (0.037)	-0.046* (0.026)	
X_Dominio_2_t_1	0.009 (0.037)	0.008 (0.037)	-0.129*** (0.027)	
X_Dominio_t_1	0.044* (0.024)	0.041* (0.024)	0.043* (0.023)	
X_ERA_2_t_1	0.006 (0.005)	0.005 (0.004)		
X_Inning_pitched_2_t_1			0.0002 (0.0003)	
X_Inning_pitched_t_1			-0.011*** (0.002)	
X_Losses_2_t_1			-0.007*** (0.002)	
X_Strike_outs_2_t	-0.0001 (0.0001)		0.0001 (0.0001)	
X_Strike_outs_t			0.011*** (0.003)	
X_WAR_2_t	0.002 (0.004)		-0.002 (0.005)	
X_Carreras_t_1	-0.002 (0.003)		0.002 (0.003)	
X_Comando_2_t_1	0.00001 (0.00000)		0.0004*** (0.0001)	
X_Comando_t_1			-0.053*** (0.013)	
X_ERA_t_1	-0.016* (0.009)	-0.029** (0.012)	-0.017* (0.009)	-0.044*** (0.010)
X_Saves_2_t_1	-0.217** (0.106)	0.166* (0.097)	-0.214** (0.104)	0.037 (0.149)
X_Saves_t_1	0.419** (0.182)	-0.168 (0.163)	0.412** (0.179)	0.138 (0.288)
X_WHIP_2_t_1	-0.020 (0.021)	-0.017 (0.021)	0.014 (0.033)	

=====

Note: *p<0.1; **p<0.05; ***p<0.01

```

type = "text",
title = "Bateadores: Modelo Pooling con PCA",
covariate.labels = c("$Edad_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
                     "PCA$_{1_{t}}$", "PCA$_{1_{t-1}}$",
                     "Intercepto"))

```

Bateadores: Modelo Pooling con PCA

```

=====
                        Dependent variable:
-----

-----
Edadt                    -0.006**
                        (0.003)
Años contratot          -0.001
                        (0.004)
Equipot                  0.001
                        (0.001)
PCA1t                    0.00002
                        (0.00003)
PCA1t-1                  -0.00000
                        (0.00002)
Intercepto              0.157*
                        (0.081)
=====
=====
Note:                    *p<0.1; **p<0.05; ***p<0.01

```

Starting pitcher

```

# run linear regression with grouped errors by country and robust errors
pca_vars <- 'pca1_t + pca2_t + pca1_t_1 + pca2_t_1'
formula <- paste(vars,
                 pca_vars,
                 sep = " + ")

# Create a model to store the results
fielder_simple_poooling_pca <- plm(formula, data = starting_data,
                                   model = "pooling",
                                   index = c("id", "Anio_ref"))

# To store the results
fielder_results_simple_pooling_pca <- coeftest(fielder_simple_poooling_pca,
                                              vcov = vcovHC(fielder_simple_poooling_pca,
                                                            type = "HC1",
                                                            cluster = "group"))

# Print the third block of results
stargazer(fielder_results_simple_pooling_pca,
          no.space = TRUE,
          type = "text",

```

```

title = "Lanzadores Iniciales: Modelo Pooling con PCA",
covariate.labels = c("$Edad_{t}$" , "Años contrato_{t}$", "Equipo_{t}$",
                     "PCA$_{1}_{t}$", "PCA$_{2}_{t}$", "PCA$_{1}_{t-1}$", "PCA$_{2}_{t-1}$",
                     "Intercepto"))

```

Lanzadores Iniciales: Modelo Pooling con PCA

=====

Dependent variable:

```

-----
Edadt          -0.008**
                (0.004)
Años contratot -0.006
                (0.007)
Equipot        0.003*
                (0.002)
PCA1t          -0.002
                (0.006)
PCA2t          -0.0001
                (0.0001)
PCA1t-1        0.00001
                (0.00001)
PCA2t-1       -0.00000
                (0.00005)
Intercepto     0.242*
                (0.142)

```

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

Efectos fijos

Bateadores

```

# run linear regression with grouped errors by country and robust errors
pca_vars <- 'pca1_t + pca1_t_1'
formula <- paste(vars,
                 pca_vars,
                 sep = " + ")

# Create a model to store the results
hitter_simple_within_pca <- plm(formula, data = hitter_data,
                                model = "within",
                                index = c("id", "Anio_ref"))

# To store the results
hitter_results_simple_within_pca <- coeftest(hitter_simple_within_pca,
                                             vcov = vcovHC(hitter_simple_within_pca,
                                                             type = "HC1",
                                                             cluster = "group"))

```

```
# Print the third block of results
stargazer(hitter_results_simple_within_pca,
  no.space = TRUE,
  type = "text",
  title = "Bateadores: Estimador Within con PCA",
  covariate.labels = c("$Edad_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
    "PCA$_{1_{t}}$", "PCA$_{1_{t-1}}$",
    "Intercepto"))
```

Bateadores: Estimador Within con PCA

```
=====
Dependent variable:
-----
```

Edadt	-0.004
	(0.006)
Años contratot	-0.032**
	(0.012)
Equipot	0.001
	(0.001)
PCA1t	-0.00000
	(0.00004)
PCA1t-1	-0.00000
	(0.00004)

```
=====
Note: *p<0.1; **p<0.05; ***p<0.01
```

Starting pitcher

```
# run linear regression with grouped errors by country and robust errors
pca_vars <- 'pca1_t + pca2_t + pca1_t_1 + pca2_t_1'
formula <- paste(vars,
  pca_vars,
  sep = " + ")

# Create a model to store the results
fielder_simple_within_pca <- plm(formula, data = starting_data,
  model = "within",
  index = c("id", "Anio_ref"))

# To store the results
fielder_results_simple_within_pca <- coeftest(fielder_simple_within_pca,
  vcov = vcovHC(fielder_simple_within_pca,
    type = "HC1",
    cluster = "group"))

# Print the third block of results
stargazer(fielder_results_simple_within_pca,
```



```

no.space = TRUE,
type = "text",
title = "Lanzadores Iniciales: Estimador Within con PCA",
covariate.labels = c("$Edad_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
                     "PCA$_{1_{t}}$)", "PCA$_{2_{t}}$)", "PCA$_{1_{t-1}}$)", "PCA$_{2_{t-1}}$)",
                     "Intercepto"))

```

Lanzadores Iniciales: Estimador Within con PCA

```

=====
                        Dependent variable:
-----

-----
Edadt                    -0.030**
                        (0.015)
Años contratot          -0.025
                        (0.019)
Equipot                  0.004
                        (0.002)
PCA1t                    -0.013
                        (0.008)
PCA2t                    -0.00001
                        (0.0001)
PCA1t-1                  -0.00001**
                        (0.00000)
PCA2t-1                  0.00001
                        (0.0001)
=====
=====
Note:                    *p<0.1; **p<0.05; ***p<0.01

```

Efectos aleatorios

Bateadores

```

# run linear regression with grouped errors by country and robust errors
pca_vars <- 'pca1_t + pca1_t_1'
formula <- paste(vars,
                 pca_vars,
                 sep = " + ")

# Create a model to store the results
hitter_simple_random_pca <- plm(formula, data = hitter_data,
                                model = "random",
                                index = c("id", "Anio_ref"))

# To store the results
hitter_results_simple_random_pca <- coeftest(hitter_simple_random_pca,
                                             vcov = vcovHC(hitter_simple_random_pca,
                                                             type = "HC1",
                                                             cluster = "group"))

```

```
# Print the third block of results
stargazer(hitter_results_simple_random_pca,
  no.space = TRUE,
  type = "text",
  title = "Bateadores: Efectos Aleatorios con PCA",
  covariate.labels = c("Edad$_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
    "PCA$_{1_{t}}$", "PCA$_{1_{t-1}}$",
    "Intercepto"))
```

Bateadores: Efectos Aleatorios con PCA

```
=====
Dependent variable:
-----

-----
Edadt                -0.005**
                    (0.003)
Años contratot       -0.003
                    (0.004)
Equipot              0.001
                    (0.001)
PCA1t                0.00001
                    (0.00003)
PCA1t-1              -0.00000
                    (0.00002)
Intercepto           0.148*
                    (0.083)
=====
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
```

Starting pitcher

```
# run linear regression with grouped errors by country and robust errors
pca_vars <- 'pca1_t + pca2_t + pca1_t_1 + pca2_t_1'
formula <- paste(vars,
  pca_vars,
  sep = " + ")

# Create a model to store the results
fielder_simple_random_pca <- plm(formula, data = starting_data,
  model = "random",
  index = c("id", "Anio_ref"))

# To store the results
fielder_results_simple_random_pca <- coeftest(fielder_simple_random_pca,
  vcov = vcovHC(fielder_simple_random_pca,
    type = "HC1",
    cluster = "group"))

# Print the third block of results
```

```
stargazer(fielder_results_simple_random_pca,
  no.space = TRUE,
  type = "text",
  title = "Lanzadores Iniciales: Efectos Aleatorios con PCA",
  covariate.labels = c("Edad$_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
    "PCA$_{1_{t}}$)", "PCA$_{2_{t}}$)", "PCA$_{1_{t-1}}$)", "PCA$_{2_{t-1}}$)",
    "Intercepto"))
```

Lanzadores Iniciales: Efectos Aleatorios con PCA

=====

Dependent variable:

Edadt	-0.010**
	(0.005)
Años contratot	-0.006
	(0.007)
Equipot	0.003*
	(0.001)
PCA1t	-0.003
	(0.006)
PCA2t	-0.0001
	(0.0001)
PCA1t-1	0.00000
	(0.00000)
PCA2t-1	-0.00001
	(0.00004)
Intercepto	0.310*
	(0.173)

=====

=====

Note: *p<0.1; **p<0.05; ***p<0.01

First Differences

Bateadores

```
# run linear regression with grouped errors by country and robust errors
pca_vars <- 'pca1_t+ pca1_t_1'
formula <- paste(vars,
  pca_vars,
  sep = " + ")

hitter_simple_fd_pca <- plm(formula, data = hitter_data,
  model = "fd",
  index = c("id", "Anio_ref"))

# To store the results
hitter_results_simple_fd_pca <- coeftest(hitter_simple_fd_pca,
  vcov = vcovHC(hitter_simple_fd_pca,
```

```

type = "HC1",
cluster = "group"))

# Print the third block of results
stargazer(hitter_results_simple_fd_pca,
  no.space = TRUE,
  type = "text",
  title = "Bateadores: Primeras Diferencias con PCA",
  covariate.labels = c("Edad${t}$" , "Años contrato${t}$", "Equipo${t}$",
    "PCA${1_{t}}$", "PCA${1_{t-1}}$",
    "Intercepto"))

```

```

Bateadores: Primeras Diferencias con PCA
=====
Dependent variable:
-----

-----
Edadt                -0.015***
                    (0.002)
Años contratot       -0.047***
                    (0.009)
Equipot              0.002***
                    (0.001)
PCA1t                0.00002
                    (0.00001)
PCA1t-1              -0.00001
                    (0.00002)
Intercepto           0.024***
                    (0.003)
=====
=====
Note:                *p<0.1; **p<0.05; ***p<0.01

```

Starting pitcher

```

# run linear regression with grouped errors by country and robust errors
pca_vars <- 'pca1_t + pca2_t + pca1_t_1 + pca2_t_1'
formula <- paste(vars,
  pca_vars,
  sep = " + ")

fielder_simple_fd_pca <- plm(formula, data = starting_data,
  model = "fd",
  index = c("id", "Anio_ref"))

# To store the results
fielder_results_simple_fd_pca <- coeftest(fielder_simple_fd_pca,
  vcov = vcovHC(fielder_simple_fd_pca,
    type = "HC1",
    cluster = "group"))

```

```
# Print the third block of results
stargazer(fielder_results_simple_fd_pca,
  no.space = TRUE,
  type = "text",
  title = "Lanzadores Iniciales: Primeras Diferencias con PCA",
  covariate.labels = c("Edad$_{t}$" , "Años contrato$_{t}$", "Equipo$_{t}$",
    "PCA$_{1_{t}}$)", "PCA$_{2_{t}}$)", "PCA$_{1_{t-1}}$)", "PCA$_{2_{t-1}}$)",
    "Intercepto"))
```

Lanzadores Iniciales: Primeras Diferencias con PCA

```
=====
Dependent variable:
-----

-----
Edadt                -0.015
                    (0.015)
Años contratot      -0.028***
                    (0.010)
Equipot             0.003***
                    (0.001)
PCA1t               -0.001
                    (0.003)
PCA2t              -0.0001***
                    (0.00004)
PCA1t-1            -0.00001**
                    (0.00000)
PCA2t-1            -0.0001*
                    (0.00004)
Intercepto          -0.005
                    (0.016)
=====
=====
Note:                *p<0.1; **p<0.05; ***p<0.01
```

Comparación entre periodos

Obtendremos los estimadores para los primeros dos años de observación para luego compararlos con los estimadores para el resto de años. Primero, aseguremos que los paneles estén ordenados por nombre y año de referencia

```
# Sort dataframe by player name and year_ref
hitter_data <- hitter_data %>% arrange(Jugador, Anio_ref)
# Sort dataframe by player name and year_ref
starting_data <- starting_data %>% arrange(Jugador, Anio_ref)
```

Haremos las estimaciones con todos los modelos para obtener un análisis robusto

Primeros dos años

Pooling

Bateadores

```
# loop over the variables in var_hitter_list
for (i in 1:length(stat_hitter_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_h <- paste(vars, stat_hitter_t[[i]],
                        sep = '+')
  formula <- paste(base_vars_h,
                   stat_hitter_t_1[[i]],
                   sep = " + ")

  print("First two years")
  h_m_pooled_i <- plm(formula, data = hitter_first_two,
                      model = "pooling",
                      index = c("id", "Anio_ref"))

  my_lm_cluster_i <- coeftest(h_m_pooled_i,
                             vcov = vcovHC(h_m_pooled_i,
                                             type = "HC1",
                                             cluster = "group"))

  print(my_lm_cluster_i)

  print("Remaining years")
  h_m_pooled_f <- plm(formula, data = hitter_remaining,
                      model = "pooling",
                      index = c("id", "Anio_ref"))

  my_lm_cluster_f <- coeftest(h_m_pooled_f,
                             vcov = vcovHC(h_m_pooled_f,
                                             type = "HC1",
                                             cluster = "group"))

  print(my_lm_cluster_f)

  print("Test")
  print(phtest(h_m_pooled_i, h_m_pooled_f))
}
```

[1] "First two years"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.31987144	0.14523097	2.2025	0.02851 *
Edad_t	-0.01142930	0.00458768	-2.4913	0.01335 *
Anios_de_contrato_t	0.00027683	0.01010340	0.0274	0.97816
team_num_t	0.00072107	0.00105077	0.6862	0.49318
X_At_bats_t	-0.00154096	0.00102712	-1.5003	0.13476

```
X_At_bats_t_1      -0.00081375  0.00099950 -0.8142  0.41630
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.14730014	0.15070693	0.9774	0.33112
Edad_t	-0.00599500	0.00420692	-1.4250	0.15777
Anios_de_contrato_t	-0.00404358	0.02639353	-0.1532	0.87860
team_num_t	0.00327754	0.00194174	1.6879	0.09505 .
X_At_bats_t	0.00267821	0.00197190	1.3582	0.17796
X_At_bats_t_1	0.00020167	0.00172089	0.1172	0.90698

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test"
```

```
Hausman Test
```

```
data: formula
chisq = 291.74, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.30188822	0.15285998	1.9749	0.04933 *
Edad_t	-0.01082992	0.00471676	-2.2960	0.02247 *
Anios_de_contrato_t	-0.00101770	0.01050160	-0.0969	0.92287
team_num_t	0.00041028	0.00107700	0.3809	0.70356
X_Bateos_2_t	-0.00030350	0.00021461	-1.4142	0.15849
X_Bateos_2_t_1	0.00020514	0.00015597	1.3153	0.18958

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.17828073	0.13120176	1.3588	0.17775
Edad_t	-0.00672895	0.00358246	-1.8783	0.06373 .
Anios_de_contrato_t	-0.00586647	0.02462441	-0.2382	0.81226
team_num_t	0.00300668	0.00191489	1.5702	0.12005
X_Bateos_2_t	0.00075574	0.00045153	1.6737	0.09782 .
X_Bateos_2_t_1	-0.00043892	0.00033419	-1.3134	0.19254

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test"
```

Hausman Test

data: formula

chisq = 38.797, df = 5, p-value = 2.609e-07

alternative hypothesis: one model is inconsistent

```
[1] "First two years"
```

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.31347372	0.14430813	2.1723	0.03074 *
Edad_t	-0.01126375	0.00454911	-2.4760	0.01392 *
Anios_de_contrato_t	-0.00063349	0.00982888	-0.0645	0.94866
team_num_t	0.00068738	0.00103293	0.6655	0.50634
X_Bateos_t	-0.00429642	0.00207194	-2.0736	0.03910 *
X_Bateos_t_1	0.00055317	0.00152007	0.3639	0.71622

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Remaining years"
```

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.13635211	0.14934646	0.9130	0.3638
Edad_t	-0.00548465	0.00412963	-1.3281	0.1877
Anios_de_contrato_t	-0.00504398	0.02649388	-0.1904	0.8495
team_num_t	0.00315986	0.00188384	1.6774	0.0971 .
X_Bateos_t	0.00447501	0.00437194	1.0236	0.3089
X_Bateos_t_1	0.00067516	0.00384992	0.1754	0.8612

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Test"
```

Hausman Test

data: formula

chisq = 122.07, df = 5, p-value < 2.2e-16

alternative hypothesis: one model is inconsistent

```
[1] "First two years"
```

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.29321655	0.15683284	1.8696	0.06266 .
Edad_t	-0.01064808	0.00485561	-2.1929	0.02920 *
Anios_de_contrato_t	-0.00260374	0.00977477	-0.2664	0.79016
team_num_t	0.00062791	0.00116740	0.5379	0.59113
X_Bateos_promedio_t	-0.03837923	0.03289819	-1.1666	0.24444


```
X_Bateos_promedio_t_1 0.02445148 0.03446263 0.7095 0.47865
```

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.0852613	0.1238838	0.6882	0.4932
Edad_t	-0.0042655	0.0031361	-1.3601	0.1773
Anios_de_contrato_t	0.0014179	0.0268797	0.0527	0.9581
team_num_t	0.0028365	0.0020149	1.4078	0.1628
X_Bateos_promedio_t	-0.0580572	0.0539308	-1.0765	0.2847
X_Bateos_promedio_t_1	0.0521408	0.0497778	1.0475	0.2978

```
[1] "Test"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 18.388, df = 5, p-value = 0.002498
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.29606464	0.15641101	1.8929	0.05949 .
Edad_t	-0.01064780	0.00488197	-2.1810	0.03008 *
Anios_de_contrato_t	-0.00386690	0.00953759	-0.4054	0.68549
team_num_t	0.00054558	0.00111551	0.4891	0.62519
X_Bateos_promedio_2_t	-0.05446068	0.04055500	-1.3429	0.18048
X_Bateos_promedio_2_t_1	0.03124875	0.03115844	1.0029	0.31684

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.0288122	0.1414892	0.2036	0.8391
Edad_t	-0.0028164	0.0036460	-0.7725	0.4420
Anios_de_contrato_t	0.0031189	0.0275668	0.1131	0.9102
team_num_t	0.0032685	0.0020243	1.6147	0.1100
X_Bateos_promedio_2_t	-0.0980410	0.0926342	-1.0584	0.2929
X_Bateos_promedio_2_t_1	-0.0205729	0.0320940	-0.6410	0.5232

```
[1] "Test"
```

```
Hausman Test
```

```
data: formula
chisq = 6.2366, df = 5, p-value = 0.2839
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.31632007	0.14684827	2.1541	0.03215 *
Edad_t	-0.01119962	0.00466310	-2.4018	0.01702 *
Anios_de_contrato_t	-0.00356675	0.00963777	-0.3701	0.71162
team_num_t	0.00047343	0.00105694	0.4479	0.65458
X_Home_runs_t	-0.00307117	0.00606612	-0.5063	0.61309
X_Home_runs_t_1	0.00277227	0.00363087	0.7635	0.44584

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Remaining years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.1410351	0.1419252	0.9937	0.32314
Edad_t	-0.0047094	0.0034914	-1.3489	0.18092
Anios_de_contrato_t	-0.0140764	0.0258543	-0.5445	0.58754
team_num_t	0.0026970	0.0020214	1.3342	0.18566
X_Home_runs_t	0.0165957	0.0112863	1.4704	0.14509
X_Home_runs_t_1	0.0148981	0.0072890	2.0439	0.04402 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Test"
```

Hausman Test

```
data: formula
chisq = 51.721, df = 5, p-value = 6.155e-10
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.31994221	0.14729924	2.1721	0.03076 *
Edad_t	-0.01132553	0.00463143	-2.4454	0.01513 *
Anios_de_contrato_t	-0.00380035	0.00978071	-0.3886	0.69792
team_num_t	0.00045396	0.00108151	0.4197	0.67502
X_Home_runs_2_t	-0.00084105	0.00125084	-0.6724	0.50193
X_Home_runs_2_t_1	0.00036018	0.00065770	0.5476	0.58441

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Remaining years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.0681184	0.1378340	0.4942	0.62242
Edad_t	-0.0039232	0.0034592	-1.1341	0.25989
Anios_de_contrato_t	-0.0093067	0.0292648	-0.3180	0.75124
team_num_t	0.0032417	0.0020168	1.6073	0.11165
X_Home_runs_2_t	-0.0033026	0.0057435	-0.5750	0.56679
X_Home_runs_2_t_1	-0.0024618	0.0014074	-1.7492	0.08383 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Test"
```

Hausman Test

data: formula
chisq = 23.4, df = 5, p-value = 0.000283
alternative hypothesis: one model is inconsistent

```
[1] "First two years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.32471700	0.14467138	2.2445	0.02564 *
Edad_t	-0.01153767	0.00457387	-2.5225	0.01225 *
Anios_de_contrato_t	-0.00051619	0.01003378	-0.0514	0.95901
team_num_t	0.00055115	0.00105836	0.5208	0.60298
X_Juegos_iniciados_t	-0.00331356	0.00185426	-1.7870	0.07510 .
X_Juegos_iniciados_t_1	-0.00146243	0.00193400	-0.7562	0.45023

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Remaining years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	1.3865e-01	1.5646e-01	0.8862	0.3780
Edad_t	-5.5405e-03	4.1618e-03	-1.3313	0.1866
Anios_de_contrato_t	-4.1911e-03	2.6990e-02	-0.1553	0.8770
team_num_t	3.1455e-03	1.9086e-03	1.6480	0.1030
X_Juegos_iniciados_t	4.2954e-03	4.2490e-03	1.0109	0.3149
X_Juegos_iniciados_t_1	-6.0371e-05	3.3546e-03	-0.0180	0.9857

```
[1] "Test"
```

Hausman Test

data: formula
chisq = 104.15, df = 5, p-value < 2.2e-16

alternative hypothesis: one model is inconsistent

[1] "First two years"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.30149351	0.15690249	1.9215	0.05576
Edad_t	-0.01066315	0.00488554	-2.1826	0.02996
Anios_de_contrato_t	-0.00341236	0.00979889	-0.3482	0.72794
team_num_t	0.00061337	0.00111641	0.5494	0.58320
X_Porcentaje_On_base_plus_slugging_t	-0.03298685	0.02323284	-1.4198	0.15685
X_Porcentaje_On_base_plus_slugging_t_1	0.01184361	0.02672083	0.4432	0.65796

(Intercept) .
Edad_t *
Anios_de_contrato_t
team_num_t
X_Porcentaje_On_base_plus_slugging_t
X_Porcentaje_On_base_plus_slugging_t_1

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.07117156	0.13304896	0.5349	0.59408
Edad_t	-0.00361898	0.00355288	-1.0186	0.31125
Anios_de_contrato_t	-0.00049689	0.02714227	-0.0183	0.98544
team_num_t	0.00334621	0.00183787	1.8207	0.07213
X_Porcentaje_On_base_plus_slugging_t	-0.00617295	0.03776486	-0.1635	0.87054
X_Porcentaje_On_base_plus_slugging_t_1	-0.02584499	0.03010099	-0.8586	0.39294

(Intercept)
Edad_t
Anios_de_contrato_t
team_num_t .
X_Porcentaje_On_base_plus_slugging_t
X_Porcentaje_On_base_plus_slugging_t_1

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test"

Hausman Test

data: formula

chisq = 14.838, df = 5, p-value = 0.01108

alternative hypothesis: one model is inconsistent

[1] "First two years"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2684011	0.1544540	1.7377	0.08344
Edad_t	-0.0097977	0.0048424	-2.0233	0.04407
Anios_de_contrato_t	-0.0018433	0.0095123	-0.1938	0.84650
team_num_t	0.0003521	0.0010848	0.3246	0.74576
X_Porcentaje_On_base_plus_slugging_2_t	-0.0355895	0.0175920	-2.0231	0.04409
X_Porcentaje_On_base_plus_slugging_2_t_1	0.0173304	0.0181510	0.9548	0.34057

(Intercept)	.
Edad_t	*
Anios_de_contrato_t	
team_num_t	
X_Porcentaje_On_base_plus_slugging_2_t	*
X_Porcentaje_On_base_plus_slugging_2_t_1	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years"

t test of coefficients:

	Estimate	Std. Error	t value
(Intercept)	0.06838681	0.13565817	0.5041
Edad_t	-0.00371040	0.00362710	-1.0230
Anios_de_contrato_t	0.00048664	0.02686852	0.0181
team_num_t	0.00308247	0.00198960	1.5493
X_Porcentaje_On_base_plus_slugging_2_t	-0.02477077	0.03286874	-0.7536
X_Porcentaje_On_base_plus_slugging_2_t_1	0.00234311	0.02453717	0.0955

	Pr(> t)
(Intercept)	0.6155
Edad_t	0.3092
Anios_de_contrato_t	0.9856
team_num_t	0.1250
X_Porcentaje_On_base_plus_slugging_2_t	0.4531
X_Porcentaje_On_base_plus_slugging_2_t_1	0.9241

[1] "Test"

Hausman Test

data: formula

chisq = 11.515, df = 5, p-value = 0.04207

alternative hypothesis: one model is inconsistent

[1] "First two years"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.30232327	0.15470149	1.9542	0.05175 .
Edad_t	-0.01072314	0.00483320	-2.2186	0.02737 *
Anios_de_contrato_t	-0.00388515	0.00973040	-0.3993	0.69001

```

team_num_t          0.00061313  0.00113579  0.5398  0.58978
X_Porcentaje_on_base_t  -0.04470377  0.03665127 -1.2197  0.22368
X_Porcentaje_on_base_t_1  0.02294832  0.03561703  0.6443  0.51994
---
```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.0818900	0.1272504	0.6435	0.5216
Edad_t	-0.0039586	0.0031959	-1.2387	0.2188
Anios_de_contrato_t	0.0024471	0.0271205	0.0902	0.9283
team_num_t	0.0027073	0.0019520	1.3870	0.1690
X_Porcentaje_on_base_t	-0.0775607	0.0531740	-1.4586	0.1483
X_Porcentaje_on_base_t_1	0.0415942	0.0461152	0.9020	0.3696

[1] "Test"

Hausman Test

data: formula

chisq = 18.536, df = 5, p-value = 0.002345

alternative hypothesis: one model is inconsistent

[1] "First two years"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.28918773	0.15087207	1.9168	0.05636 .
Edad_t	-0.01037902	0.00472822	-2.1951	0.02904 *
Anios_de_contrato_t	-0.00366093	0.00951904	-0.3846	0.70086
team_num_t	0.00046207	0.00109248	0.4230	0.67268
X_Porcentaje_on_base_2_t	-0.06093972	0.03823522	-1.5938	0.11219
X_Porcentaje_on_base_2_t_1	0.02394015	0.03694036	0.6481	0.51751

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.03741362	0.13881392	0.2695	0.7882
Edad_t	-0.00286543	0.00351604	-0.8150	0.4173
Anios_de_contrato_t	0.00046358	0.02651302	0.0175	0.9861
team_num_t	0.00331134	0.00202245	1.6373	0.1052
X_Porcentaje_on_base_2_t	-0.08504227	0.07208600	-1.1797	0.2414
X_Porcentaje_on_base_2_t_1	-0.01830338	0.04193248	-0.4365	0.6636

[1] "Test"

Hausman Test

```
data: formula
chisq = 20.184, df = 5, p-value = 0.001154
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.31634378	0.14505258	2.1809	0.03009 *
Edad_t	-0.01135265	0.00461255	-2.4613	0.01450 *
Anios_de_contrato_t	-0.00048132	0.00986264	-0.0488	0.96111
team_num_t	0.00073130	0.00105239	0.6949	0.48774
X_Runs_batted_in_t	-0.00605259	0.00262587	-2.3050	0.02196 *
X_Runs_batted_in_t_1	0.00094812	0.00241121	0.3932	0.69448

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.1703360	0.1419949	1.1996	0.2336
Edad_t	-0.0057854	0.0038653	-1.4968	0.1381
Anios_de_contrato_t	-0.0128000	0.0286612	-0.4466	0.6563
team_num_t	0.0026426	0.0019818	1.3334	0.1859
X_Runs_batted_in_t	0.0079366	0.0048786	1.6268	0.1074
X_Runs_batted_in_t_1	0.0034340	0.0047955	0.7161	0.4759

```
[1] "Test"
```

Hausman Test

```
data: formula
chisq = 85.854, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	3.0982e-01	1.4592e-01	2.1232	0.03468 *
Edad_t	-1.0758e-02	4.5752e-03	-2.3513	0.01946 *
Anios_de_contrato_t	-6.1774e-03	9.6828e-03	-0.6380	0.52405
team_num_t	9.3989e-05	1.1015e-03	0.0853	0.93206
X_Triples_t	-1.8993e-02	1.2810e-02	-1.4826	0.13938
X_Triples_t_1	2.0595e-02	8.1569e-03	2.5249	0.01217 *

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.06916899	0.13771173	0.5023	0.6168
Edad_t	-0.00380961	0.00312500	-1.2191	0.2261
Anios_de_contrato_t	-0.00077724	0.02803263	-0.0277	0.9779
team_num_t	0.00314647	0.00238553	1.3190	0.1907
X_Triples_t	-0.00232887	0.04067589	-0.0573	0.9545
X_Triples_t_1	-0.00082021	0.04017898	-0.0204	0.9838

```
[1] "Test"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 14.274, df = 5, p-value = 0.01396
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.30816783	0.14934341	2.0635	0.04006 *
Edad_t	-0.01097404	0.00468418	-2.3428	0.01989 *
Anios_de_contrato_t	-0.00370276	0.00980100	-0.3778	0.70589
team_num_t	0.00045251	0.00107554	0.4207	0.67430
X_Triples_2_t	-0.00437951	0.00583587	-0.7504	0.45366
X_Triples_2_t_1	0.00089294	0.00101355	0.8810	0.37913

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.0967328	0.1344780	0.7193	0.47389
Edad_t	-0.0046118	0.0036579	-1.2608	0.21080
Anios_de_contrato_t	0.0020857	0.0240599	0.0867	0.93112
team_num_t	0.0038358	0.0020453	1.8755	0.06412 .
X_Triples_2_t	0.0238109	0.0244576	0.9736	0.33301
X_Triples_2_t_1	0.0137121	0.0158782	0.8636	0.39022

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 26.818, df = 5, p-value = 6.189e-05
```


alternative hypothesis: one model is inconsistent

[1] "First two years"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	0.37207262	0.14542401	2.5585	0.011079	*
Edad_t	-0.01235171	0.00452315	-2.7308	0.006751	**
Anios_de_contrato_t	-0.00779076	0.00979659	-0.7953	0.427192	
team_num_t	0.00061654	0.00107343	0.5744	0.566218	
X_WAR_t	0.01990356	0.01055225	1.8862	0.060384	.
X_WAR_t_1	0.02808942	0.01059157	2.6521	0.008492	**

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	0.2242695	0.1094238	2.0495	0.043455	*
Edad_t	-0.0069861	0.0029707	-2.3516	0.020977	*
Anios_de_contrato_t	-0.0220169	0.0263060	-0.8370	0.404940	
team_num_t	0.0031784	0.0018988	1.6739	0.097790	.
X_WAR_t	0.0611496	0.0208039	2.9393	0.004223	**
X_WAR_t_1	0.0123763	0.0234185	0.5285	0.598524	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test"

Hausman Test

data: formula

chisq = 28.192, df = 5, p-value = 3.339e-05

alternative hypothesis: one model is inconsistent

[1] "First two years"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	0.35258571	0.14322677	2.4617	0.014477	*
Edad_t	-0.01201630	0.00448379	-2.6799	0.007834	**
Anios_de_contrato_t	-0.00072880	0.00980848	-0.0743	0.940826	
team_num_t	0.00022896	0.00109831	0.2085	0.835028	
X_WAR_2_t	0.00787258	0.00567263	1.3878	0.166381	
X_WAR_2_t_1	0.01120367	0.00629310	1.7803	0.076193	.

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.1253285	0.1236539	1.0135	0.31364
Edad_t	-0.0039160	0.0030775	-1.2725	0.20663
Anios_de_contrato_t	-0.0224424	0.0248070	-0.9047	0.36816
team_num_t	0.0036112	0.0020755	1.7399	0.08545 .
X_WAR_2_t	0.0538542	0.0261271	2.0612	0.04230 *
X_WAR_2_t_1	0.0080703	0.0040447	1.9953	0.04918 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test"

Hausman Test

data: formula
chisq = 43.473, df = 5, p-value = 2.963e-08
alternative hypothesis: one model is inconsistent

Starting pitcher

```
# loop over the variables in var_hitter_list
for (i in 1:length(stat_fielder_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_s <- paste(vars, stat_fielder_t[[i]],
                        sep = '+')
  formula <- paste(base_vars_s,
                    stat_fielder_t_1[[i]],
                    sep = " + ")

  print("First two years:")
  s_m_pooled_i <- plm(formula, data = starting_first_two,
                       model = "pooling",
                       index = c("id", "Anio_ref"))

  my_lm_cluster_i <- coeftest(s_m_pooled_i,
                              vcov = vcovHC(s_m_pooled_i,
                                              type = "HC1",
                                              cluster = "group"))

  print(my_lm_cluster_i)

  print("Remaining years:")
  s_m_pooled_f <- plm(formula, data = starting_remaining,
                       model = "pooling",
                       index = c("id", "Anio_ref"))

  my_lm_cluster_f <- coeftest(s_m_pooled_f,
                              vcov = vcovHC(s_m_pooled_f,
                                              type = "HC1",
                                              cluster = "group"))

  print(my_lm_cluster_f)
```

```

print("Wu-Haussman test:")
print(phtest(s_m_pooled_i,s_m_pooled_f))
}

```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	2.8700e-01	2.7206e-01	1.0549	0.2940
Edad_t	-9.5022e-03	8.4705e-03	-1.1218	0.2646
Anios_de_contrato_t	-5.1416e-03	2.0713e-02	-0.2482	0.8045
team_num_t	3.4229e-03	2.1789e-03	1.5709	0.1193
X_Bateos_2_t	-2.7050e-04	1.8511e-04	-1.4612	0.1470
X_Bateos_2_t_1	-5.5642e-05	1.4467e-04	-0.3846	0.7013

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.24506764	0.17847002	1.3732	0.1806
Edad_t	-0.01071122	0.00850852	-1.2589	0.2185
Anios_de_contrato_t	-0.04344803	0.02714451	-1.6006	0.1207
team_num_t	0.00709261	0.00666537	1.0641	0.2964
X_Bateos_2_t	0.00029518	0.00026846	1.0995	0.2809
X_Bateos_2_t_1	-0.00034180	0.00028532	-1.1979	0.2410

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 5.3622, df = 5, p-value = 0.3733
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.35756475	0.26448113	1.3519	0.1794
Edad_t	-0.01123367	0.00839260	-1.3385	0.1837
Anios_de_contrato_t	-0.01466934	0.02016518	-0.7275	0.4686
team_num_t	0.00330336	0.00230232	1.4348	0.1544
X_Bateos_t	-0.00162418	0.00322588	-0.5035	0.6157
X_Bateos_t_1	0.00027733	0.00209133	0.1326	0.8948

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
--	----------	------------	---------	----------

(Intercept)	0.25884051	0.16321100	1.5859	0.1240
Edad_t	-0.01008568	0.00775768	-1.3001	0.2042
Anios_de_contrato_t	-0.04081608	0.03070478	-1.3293	0.1945
team_num_t	0.00524180	0.00630233	0.8317	0.4126
X_Bateos_t	0.00086418	0.00259494	0.3330	0.7416
X_Bateos_t_1	-0.00160787	0.00441174	-0.3645	0.7183

[1] "Wu-Haussman test:"

Hausman Test

data: formula
chisq = 1.9892, df = 5, p-value = 0.8506
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	3.7803e-01	2.7771e-01	1.3612	0.1764
Edad_t	-1.2109e-02	8.5668e-03	-1.4135	0.1606
Anios_de_contrato_t	-1.6226e-02	1.9589e-02	-0.8283	0.4094
team_num_t	3.7115e-03	2.2694e-03	1.6354	0.1050
X_Carreras_ganadas_2_t	8.7976e-06	3.9772e-04	0.0221	0.9824
X_Carreras_ganadas_2_t_1	-2.7851e-04	2.3990e-04	-1.1609	0.2484

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.24757770	0.18041774	1.3722	0.18088
Edad_t	-0.01123425	0.00862307	-1.3028	0.20325
Anios_de_contrato_t	-0.03456701	0.03073905	-1.1245	0.27034
team_num_t	0.00743269	0.00671475	1.1069	0.27775
X_Carreras_ganadas_2_t	0.00094620	0.00042645	2.2188	0.03478 *
X_Carreras_ganadas_2_t_1	-0.00049648	0.00056196	-0.8835	0.38451

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu-Haussman test:"

Hausman Test

data: formula
chisq = 4.2456, df = 5, p-value = 0.5146
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

Estimate	Std. Error	t value	Pr(> t)
----------	------------	---------	----------

(Intercept)	0.32371231	0.26371602	1.2275	0.2225
Edad_t	-0.01006413	0.00827407	-1.2163	0.2267
Anios_de_contrato_t	-0.01094201	0.02003156	-0.5462	0.5861
team_num_t	0.00324539	0.00220397	1.4725	0.1440
X_Carreras_ganadas_t	-0.00515865	0.00319668	-1.6138	0.1097
X_Carreras_ganadas_t_1	-0.00047697	0.00246844	-0.1932	0.8472

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2525330	0.1802734	1.4008	0.1722
Edad_t	-0.0100882	0.0083611	-1.2066	0.2377
Anios_de_contrato_t	-0.0370176	0.0307167	-1.2051	0.2382
team_num_t	0.0051114	0.0062714	0.8150	0.4219
X_Carreras_ganadas_t	0.0050281	0.0031391	1.6018	0.1204
X_Carreras_ganadas_t_1	-0.0024455	0.0061097	-0.4003	0.6920

[1] "Wu-Haussman test:"

Hausman Test

data: formula
chisq = 8.3969, df = 5, p-value = 0.1357
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.3109878	0.2458543	1.2649	0.20878
Edad_t	-0.0100277	0.0077598	-1.2923	0.19918
Anios_de_contrato_t	-0.0194643	0.0190659	-1.0209	0.30972
team_num_t	0.0032197	0.0022675	1.4200	0.15867
X_ERA_t	-0.0178296	0.0116631	-1.5287	0.12943
X_ERA_t_1	-0.0276995	0.0117426	-2.3589	0.02024 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2222896	0.1639536	1.3558	0.1860
Edad_t	-0.0099037	0.0071280	-1.3894	0.1757
Anios_de_contrato_t	-0.0406506	0.0325337	-1.2495	0.2218
team_num_t	0.0068966	0.0063571	1.0849	0.2872
X_ERA_t	-0.0170586	0.0174091	-0.9799	0.3355
X_ERA_t_1	-0.0038484	0.0160073	-0.2404	0.8118

[1] "Wu-Haussman test:"

Hausman Test

data: formula
 chisq = 3.526, df = 5, p-value = 0.6195
 alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.3420787	0.2630701	1.3003	0.1964
Edad_t	-0.0107122	0.0082662	-1.2959	0.1979
Anios_de_contrato_t	-0.0119069	0.0199617	-0.5965	0.5522
team_num_t	0.0034751	0.0022419	1.5501	0.1242
X_Carreras_t	-0.0038676	0.0033474	-1.1554	0.2506
X_Carreras_t_1	-0.0010640	0.0025845	-0.4117	0.6814

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2546994	0.1776313	1.4339	0.1627
Edad_t	-0.0102919	0.0081083	-1.2693	0.2148
Anios_de_contrato_t	-0.0370621	0.0309779	-1.1964	0.2416
team_num_t	0.0053639	0.0060238	0.8904	0.3808
X_Carreras_t	0.0050315	0.0032169	1.5641	0.1290
X_Carreras_t_1	-0.0023200	0.0057803	-0.4014	0.6912

[1] "Wu-Haassman test:"

Hausman Test

data: formula
 chisq = 7.7693, df = 5, p-value = 0.1694
 alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	3.6120e-01	2.6481e-01	1.3640	0.17557
Edad_t	-1.0968e-02	8.5098e-03	-1.2888	0.20037
Anios_de_contrato_t	-2.1539e-02	1.8783e-02	-1.1467	0.25418
team_num_t	3.0952e-03	2.2334e-03	1.3859	0.16880
X_Comando_2_t	7.1962e-03	9.4561e-03	0.7610	0.44841
X_Comando_2_t_1	-8.3582e-06	4.1078e-06	-2.0347	0.04447 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.0998183	0.1777046	0.5617	0.578783
Edad_t	-0.0050429	0.0072536	-0.6952	0.492648
Anios_de_contrato_t	-0.0620103	0.0328279	-1.8890	0.069297 .
team_num_t	0.0045198	0.0053485	0.8451	0.405237
X_Comando_2_t	-0.0638854	0.0198964	-3.2109	0.003312 **
X_Comando_2_t_1	0.0267105	0.0170556	1.5661	0.128563

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu-Haussman test:"

Hausman Test

data: formula
chisq = 15.214, df = 5, p-value = 0.009487
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.36127171	0.26301884	1.3736	0.1726
Edad_t	-0.01122234	0.00851124	-1.3185	0.1903
Anios_de_contrato_t	-0.01836422	0.01947405	-0.9430	0.3479
team_num_t	0.00310724	0.00235631	1.3187	0.1902
X_Comando_t	0.00604963	0.01866001	0.3242	0.7464
X_Comando_t_1	-0.00097940	0.00052463	-1.8668	0.0648 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.1188744	0.2239091	0.5309	0.5997
Edad_t	-0.0071638	0.0080700	-0.8877	0.3823
Anios_de_contrato_t	-0.0229956	0.0310355	-0.7409	0.4649
team_num_t	0.0044333	0.0068493	0.6473	0.5227
X_Comando_t	-0.0097219	0.0456972	-0.2127	0.8331
X_Comando_t_1	-0.0372180	0.0461817	-0.8059	0.4271

[1] "Wu-Haussman test:"

Hausman Test

data: formula
chisq = 3.4502, df = 5, p-value = 0.6309
alternative hypothesis: one model is inconsistent

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.3845436	0.2536226	1.5162	0.13256
Edad_t	-0.0137685	0.0077753	-1.7708	0.07958 .
Anios_de_contrato_t	-0.0144392	0.0193903	-0.7447	0.45819
team_num_t	0.0039754	0.0020008	1.9869	0.04961 *
X_Control_2_t	-0.1457517	0.0811549	-1.7960	0.07546 .
X_Control_2_t_1	-0.1417980	0.0348448	-4.0694	9.311e-05 ***

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2401011	0.1593083	1.5071	0.14297
Edad_t	-0.0115478	0.0072510	-1.5926	0.12248
Anios_de_contrato_t	-0.0363650	0.0334394	-1.0875	0.28609
team_num_t	0.0086593	0.0072026	1.2023	0.23933
X_Control_2_t	0.3252313	0.1835700	1.7717	0.08733 .
X_Control_2_t_1	-0.3956826	0.3101286	-1.2759	0.21249

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 14.551, df = 5, p-value = 0.01246
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.3425496	0.2390511	1.4330	0.154929
Edad_t	-0.0106132	0.0073004	-1.4538	0.149078
Anios_de_contrato_t	-0.0218050	0.0203734	-1.0703	0.287024
team_num_t	0.0024380	0.0020893	1.1669	0.245976
X_Control_t	0.0592158	0.0549202	1.0782	0.283480
X_Control_t_1	-0.1090724	0.0404579	-2.6959	0.008212 **

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```


	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2147681	0.2028675	1.0587	0.298802
Edad_t	-0.0113061	0.0071720	-1.5764	0.126161
Anios_de_contrato_t	-0.0315799	0.0331134	-0.9537	0.348402
team_num_t	0.0100935	0.0063879	1.5801	0.125317
X_Control_t	0.1943127	0.0614534	3.1620	0.003749 **
X_Control_t_1	-0.2052493	0.0826865	-2.4823	0.019321 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu-Haussman test:"

Hausman Test

data: formula
chisq = 12, df = 5, p-value = 0.03479
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.3121725	0.2449260	1.2746	0.205362
Edad_t	-0.0085098	0.0076236	-1.1163	0.266936
Anios_de_contrato_t	-0.0215719	0.0190553	-1.1321	0.260260
team_num_t	0.0027516	0.0019719	1.3954	0.165940
X_Dominio_2_t	0.0270780	0.0457841	0.5914	0.555541
X_Dominio_2_t_1	0.0841709	0.0309297	2.7214	0.007646 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.1053775	0.1488725	0.7078	0.4849
Edad_t	-0.0075183	0.0046884	-1.6036	0.1200
Anios_de_contrato_t	-0.0324852	0.0305797	-1.0623	0.2972
team_num_t	0.0083579	0.0073294	1.1403	0.2638
X_Dominio_2_t	-0.0689065	0.0650370	-1.0595	0.2984
X_Dominio_2_t_1	0.0723046	0.0695769	1.0392	0.3076

[1] "Wu-Haussman test:"

Hausman Test

data: formula
chisq = 5.7603, df = 5, p-value = 0.3302
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2660304	0.2459368	1.0817	0.281935
Edad_t	-0.0068633	0.0076810	-0.8935	0.373673
Anios_de_contrato_t	-0.0209829	0.0187701	-1.1179	0.266241
team_num_t	0.0023338	0.0020911	1.1161	0.267007
X_Dominio_t	0.0074817	0.0328299	0.2279	0.820186
X_Dominio_t_1	0.0900548	0.0286905	3.1388	0.002218 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2273119	0.1608647	1.4131	0.1687
Edad_t	-0.0097930	0.0066193	-1.4794	0.1502
Anios_de_contrato_t	-0.0383652	0.0284673	-1.3477	0.1886
team_num_t	0.0066644	0.0067549	0.9866	0.3323
X_Dominio_t	-0.0433258	0.1168704	-0.3707	0.7136
X_Dominio_t_1	0.0581360	0.1089741	0.5335	0.5979

[1] "Wu-Haussman test:"

Hausman Test

data: formula
chisq = 0.70579, df = 5, p-value = 0.9826
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	2.8411e-01	2.7108e-01	1.0481	0.2971
Edad_t	-9.6592e-03	8.3555e-03	-1.1560	0.2504
Anios_de_contrato_t	-6.4909e-03	2.0975e-02	-0.3095	0.7576
team_num_t	3.5265e-03	2.1707e-03	1.6246	0.1073
X_Inning_pitched_2_t	-2.7214e-04	1.7909e-04	-1.5196	0.1317
X_Inning_pitched_2_t_1	6.6549e-05	1.2454e-04	0.5343	0.5943

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.26292284	0.19155425	1.3726	0.1808
Edad_t	-0.01134186	0.00886877	-1.2789	0.2114
Anios_de_contrato_t	-0.03914017	0.03826813	-1.0228	0.3152
team_num_t	0.00744410	0.00676984	1.0996	0.2809

X_Inning_pitched_2_t	0.00031012	0.00028244	1.0980	0.2816
X_Inning_pitched_2_t_1	-0.00010829	0.00035320	-0.3066	0.7614

[1] "Wu-Haassman test:"

Hausman Test

data: formula
chisq = 5.2359, df = 5, p-value = 0.3878
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.34790273	0.27849210	1.2492	0.2144
Edad_t	-0.01120603	0.00858943	-1.3046	0.1950
Anios_de_contrato_t	-0.01432717	0.02094771	-0.6839	0.4956
team_num_t	0.00344752	0.00218109	1.5806	0.1171
X_Inning_pitched_t	-0.00158432	0.00219486	-0.7218	0.4720
X_Inning_pitched_t_1	0.00076806	0.00203825	0.3768	0.7071

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2567539	0.1588624	1.6162	0.1173
Edad_t	-0.0100548	0.0073229	-1.3731	0.1806
Anios_de_contrato_t	-0.0371838	0.0304678	-1.2204	0.2325
team_num_t	0.0049790	0.0058914	0.8451	0.4052
X_Inning_pitched_t	0.0020510	0.0025117	0.8166	0.4211
X_Inning_pitched_t_1	-0.0037076	0.0041913	-0.8846	0.3839

[1] "Wu-Haassman test:"

Hausman Test

data: formula
chisq = 6.246, df = 5, p-value = 0.283
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.34330108	0.25666116	1.3376	0.18401
Edad_t	-0.01060707	0.00805915	-1.3162	0.19107
Anios_de_contrato_t	-0.01739701	0.01729305	-1.0060	0.31679
team_num_t	0.00292657	0.00209494	1.3970	0.16546
X_Losses_2_t	-0.00417773	0.00217864	-1.9176	0.05796
X_Losses_2_t_1	0.00092831	0.00188984	0.4912	0.62433

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2956222	0.1936657	1.5265	0.1381
Edad_t	-0.0117559	0.0082560	-1.4239	0.1655
Anios_de_contrato_t	-0.0400027	0.0267759	-1.4940	0.1464
team_num_t	0.0070254	0.0057691	1.2178	0.2335
X_Losses_2_t	0.0088556	0.0062219	1.4233	0.1657
X_Losses_2_t_1	-0.0035174	0.0048725	-0.7219	0.4764

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
chisq = 8.1094, df = 5, p-value = 0.1503
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.4185101	0.2752613	1.5204	0.131502
Edad_t	-0.0133141	0.0085094	-1.5646	0.120764
Anios_de_contrato_t	-0.0176682	0.0197342	-0.8953	0.372731
team_num_t	0.0036838	0.0022588	1.6309	0.105997
X_Saves_2_t	0.2407646	0.1540063	1.5633	0.121069
X_Saves_2_t_1	0.0378239	0.0140393	2.6941	0.008253 **

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.1979642	0.2851109	0.6943	0.4932
Edad_t	-0.0091439	0.0096265	-0.9499	0.3503
Anios_de_contrato_t	-0.0353951	0.0338311	-1.0462	0.3044
team_num_t	0.0062945	0.0063606	0.9896	0.3308
X_Saves_2_t	-0.0499886	0.1291587	-0.3870	0.7017
X_Saves_2_t_1	-0.2178503	0.5125806	-0.4250	0.6741

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
```

chisq = 6.7347, df = 5, p-value = 0.2411
 alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.4245852	0.2715588	1.5635	0.12103
Edad_t	-0.0135067	0.0084020	-1.6075	0.11103
Anios_de_contrato_t	-0.0176935	0.0197102	-0.8977	0.37147
team_num_t	0.0037844	0.0022498	1.6821	0.09562 .
X_Saves_t	0.1207412	0.1022728	1.1806	0.24052
X_Saves_t_1	0.0966776	0.0435298	2.2209	0.02857 *

 Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.1759483	0.2932423	0.6000	0.5533
Edad_t	-0.0086455	0.0096748	-0.8936	0.3791
Anios_de_contrato_t	-0.0340626	0.0342357	-0.9949	0.3283
team_num_t	0.0063772	0.0063610	1.0025	0.3247
X_Saves_t	-0.0353169	0.0859117	-0.4111	0.6841
X_Saves_t_1	-0.1179294	0.2117992	-0.5568	0.5821

[1] "Wu-Haussman test:"

Hausman Test

data: formula
 chisq = 3.6711, df = 5, p-value = 0.5977
 alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.38314618	0.25021241	1.5313	0.1288
Edad_t	-0.01224097	0.00780162	-1.5690	0.1197
Anios_de_contrato_t	-0.02033472	0.01790085	-1.1360	0.2586
team_num_t	0.00350877	0.00218498	1.6059	0.1114
X_Strike_outs_2_t	-0.00020183	0.00013785	-1.4641	0.1462
X_Strike_outs_2_t_1	0.00040162	0.00019627	2.0462	0.0433 *

 Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	2.4598e-01	1.9002e-01	1.2945	0.2061
Edad_t	-1.0276e-02	8.5162e-03	-1.2067	0.2376
Anios_de_contrato_t	-4.5431e-02	4.0304e-02	-1.1272	0.2692
team_num_t	7.0936e-03	6.8747e-03	1.0318	0.3110
X_Strike_outs_2_t	3.0483e-04	2.5737e-04	1.1844	0.2462
X_Strike_outs_2_t_1	8.8342e-05	3.4235e-04	0.2580	0.7983

[1] "Wu-Haassman test:"

Hausman Test

data: formula
chisq = 5.469, df = 5, p-value = 0.3614
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	3.8608e-01	2.6452e-01	1.4596	0.1475
Edad_t	-1.2304e-02	8.2137e-03	-1.4979	0.1372
Anios_de_contrato_t	-2.0909e-02	2.0165e-02	-1.0369	0.3022
team_num_t	3.5946e-03	2.2998e-03	1.5630	0.1212
X_Strike_outs_t	-8.6573e-06	1.9662e-03	-0.0044	0.9965
X_Strike_outs_t_1	1.3601e-03	2.3782e-03	0.5719	0.5687

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.26487846	0.16965637	1.5613	0.1297
Edad_t	-0.01067003	0.00794304	-1.3433	0.1900
Anios_de_contrato_t	-0.03995241	0.03924234	-1.0181	0.3173
team_num_t	0.00591650	0.00650791	0.9091	0.3710
X_Strike_outs_t	0.00081453	0.00299080	0.2723	0.7874
X_Strike_outs_t_1	-0.00040035	0.00423823	-0.0945	0.9254

[1] "Wu-Haassman test:"

Hausman Test

data: formula
chisq = 2.0286, df = 5, p-value = 0.8452
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

Estimate	Std. Error	t value	Pr(> t)
----------	------------	---------	----------

(Intercept)	0.43993460	0.25965658	1.6943	0.09326 .
Edad_t	-0.01334032	0.00806978	-1.6531	0.10138
Anios_de_contrato_t	-0.02183295	0.01926176	-1.1335	0.25967
team_num_t	0.00277953	0.00227072	1.2241	0.22374
X_WAR_2_t	0.00027018	0.00563602	0.0479	0.96186
X_WAR_2_t_1	0.01064501	0.00502023	2.1204	0.03640 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.1495296	0.1413088	1.0582	0.29902
Edad_t	-0.0093254	0.0071873	-1.2975	0.20505
Anios_de_contrato_t	0.0140768	0.0502983	0.2799	0.78164
team_num_t	0.0065544	0.0069463	0.9436	0.35346
X_WAR_2_t	0.0276989	0.0144129	1.9218	0.06486 .
X_WAR_2_t_1	-0.0154431	0.0081031	-1.9058	0.06699 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu-Haussman test:"

Hausman Test

data: formula

chisq = 25.4, df = 5, p-value = 0.0001166

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2492606	0.2404703	1.0366	0.302395
Edad_t	-0.0085538	0.0074068	-1.1549	0.250844
Anios_de_contrato_t	-0.0203693	0.0211715	-0.9621	0.338271
team_num_t	0.0030743	0.0022470	1.3682	0.174262
X_WHIP_2_t	-0.0155421	0.0192075	-0.8092	0.420300
X_WHIP_2_t_1	-0.0540349	0.0165251	-3.2699	0.001468 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.1940267	0.1493237	1.2994	0.2044
Edad_t	-0.0090588	0.0064391	-1.4068	0.1705
Anios_de_contrato_t	-0.0375536	0.0335175	-1.1204	0.2721
team_num_t	0.0066606	0.0083649	0.7963	0.4326

X_WHIP_2_t	0.0166529	0.0272495	0.6111	0.5460
X_WHIP_2_t_1	-0.0425480	0.0417654	-1.0187	0.3170

[1] "Wu-Haassman test:"

Hausman Test

data: formula
chisq = 4.6179, df = 5, p-value = 0.4643
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.3562805	0.2406199	1.4807	0.14177
Edad_t	-0.0112944	0.0074794	-1.5101	0.13412
Anios_de_contrato_t	-0.0257566	0.0209654	-1.2285	0.22207
team_num_t	0.0036450	0.0020686	1.7620	0.08106 .
X_WHIP_t	-0.0114641	0.0181012	-0.6333	0.52794
X_WHIP_t_1	-0.0506375	0.0177836	-2.8474	0.00533 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2305513	0.1636400	1.4089	0.1699
Edad_t	-0.0101316	0.0071516	-1.4167	0.1676
Anios_de_contrato_t	-0.0421933	0.0306032	-1.3787	0.1789
team_num_t	0.0074763	0.0078837	0.9483	0.3511
X_WHIP_t	-0.0121683	0.0333407	-0.3650	0.7179
X_WHIP_t_1	-0.0347182	0.0317709	-1.0928	0.2838

[1] "Wu-Haassman test:"

Hausman Test

data: formula
chisq = 2.2259, df = 5, p-value = 0.8171
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	3.7901e-01	2.6361e-01	1.4378	0.1536
Edad_t	-1.2171e-02	8.2776e-03	-1.4704	0.1445
Anios_de_contrato_t	-1.6200e-02	1.9285e-02	-0.8400	0.4029
team_num_t	3.6310e-03	2.2674e-03	1.6014	0.1124

X_Walks_2_t	-3.6354e-04	4.7899e-04	-0.7590	0.4496
X_Walks_2_t_1	5.2934e-05	4.6664e-04	0.1134	0.9099

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.23485965	0.18750014	1.2526	0.2207
Edad_t	-0.01006421	0.00822222	-1.2240	0.2311
Anios_de_contrato_t	-0.04242335	0.03423245	-1.2393	0.2255
team_num_t	0.00764847	0.00631735	1.2107	0.2361
X_Walks_2_t	0.00127982	0.00080762	1.5847	0.1243
X_Walks_2_t_1	0.00042009	0.00069887	0.6011	0.5526

[1] "Wu-Haussman test:"

Hausman Test

data: formula

chisq = 4.2365, df = 5, p-value = 0.5159

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.39946294	0.28258827	1.4136	0.1605
Edad_t	-0.01261794	0.00866479	-1.4562	0.1484
Anios_de_contrato_t	-0.01735528	0.02056791	-0.8438	0.4008
team_num_t	0.00354513	0.00226580	1.5646	0.1208
X_Walks_t	-0.00021116	0.00469537	-0.0450	0.9642
X_Walks_t_1	-0.00249438	0.00444571	-0.5611	0.5760

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2769330	0.1800891	1.5378	0.13533
Edad_t	-0.0115725	0.0078929	-1.4662	0.15374
Anios_de_contrato_t	-0.0540353	0.0421120	-1.2831	0.20997
team_num_t	0.0080545	0.0057687	1.3963	0.17361
X_Walks_t	0.0094141	0.0054377	1.7313	0.09441
X_Walks_t_1	0.0031620	0.0073146	0.4323	0.66884

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu-Haussman test:"

Hausman Test

data: formula

```
chisq = 4.8494, df = 5, p-value = 0.4345
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.29489142	0.28051251	1.0513	0.29562
Edad_t	-0.00996618	0.00862314	-1.1557	0.25048
Anios_de_contrato_t	-0.00670600	0.02137735	-0.3137	0.75439
team_num_t	0.00371036	0.00214342	1.7310	0.08647
X_Wins_t	-0.01252106	0.00858055	-1.4592	0.14757
X_Wins_t_1	0.00079702	0.00823950	0.0967	0.92313

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2684682	0.1807025	1.4857	0.1485
Edad_t	-0.0107746	0.0085463	-1.2607	0.2178
Anios_de_contrato_t	-0.0432803	0.0367862	-1.1765	0.2493
team_num_t	0.0061292	0.0068060	0.9005	0.3755
X_Wins_t	0.0114629	0.0110883	1.0338	0.3101
X_Wins_t_1	-0.0056089	0.0163424	-0.3432	0.7340

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
chisq = 5.4521, df = 5, p-value = 0.3632
alternative hypothesis: one model is inconsistent
```

Efectos fijos

Bateadores

```
# loop over the variables in var_hitter_list
for (i in 1:length(stat_hitter_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_h <- paste(vars, stat_hitter_t[[i]],
                        sep = '+')
  formula <- paste(base_vars_h,
                    stat_hitter_t_1[[i]],
                    sep = " + ")

  print("First two years:")
  h_m_fix_ef_i <- plm(formula, data = hitter_first_two,
```

```

        model = "within",
        index = c("id", "Anio_ref"))

my_lm_cluster_i <- coeftest(h_m_fix_ef_i,
                           vcov = vcovHC(h_m_fix_ef_i,
                                           type = "HC1",
                                           cluster = "group"))

print(my_lm_cluster_i)

print("Remaining years:")
h_m_fix_ef_f <- plm(formula, data = hitter_remaining,
                    model = "within",
                    index = c("id", "Anio_ref"))

my_lm_cluster_f <- coeftest(h_m_fix_ef_f,
                           vcov = vcovHC(h_m_fix_ef_f,
                                           type = "HC1",
                                           cluster = "group"))

print(my_lm_cluster_f)

print("Test:")
print(phtest(h_m_fix_ef_i, h_m_fix_ef_f))
}

```

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.01085210	0.01275683	0.8507	0.3965
Anios_de_contrato_t	-0.01926958	0.01183855	-1.6277	0.1060
team_num_t	0.00113269	0.00104013	1.0890	0.2782
X_At_bats_t	0.00076573	0.00099089	0.7728	0.4411
X_At_bats_t_1	0.00083397	0.00111096	0.7507	0.4542

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0061771	0.0022714	-2.7195	0.009467 **
Anios_de_contrato_t	-0.0538952	0.0056508	-9.5376	4.522e-12 ***
team_num_t	0.0041073	0.0029077	1.4125	0.165157
X_At_bats_t	0.0033884	0.0027023	1.2539	0.216807
X_At_bats_t_1	0.0015177	0.0019596	0.7745	0.442962

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 1.5754, df = 5, p-value = 0.9042
 alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	6.5176e-03	1.1524e-02	0.5656	0.5727
Anios_de_contrato_t	-1.8267e-02	1.2335e-02	-1.4808	0.1411
team_num_t	1.1068e-03	1.1016e-03	1.0047	0.3169
X_Bateos_2_t	-1.1909e-04	1.3425e-04	-0.8871	0.3767
X_Bateos_2_t_1	2.1914e-05	8.0046e-05	0.2738	0.7847

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-7.1621e-03	2.3544e-03	-3.0420	0.00404 **
Anios_de_contrato_t	-5.2005e-02	5.5234e-03	-9.4154	6.567e-12 ***
team_num_t	4.4210e-03	2.6643e-03	1.6594	0.10449
X_Bateos_2_t	5.0535e-04	4.6651e-04	1.0833	0.28487
X_Bateos_2_t_1	-4.1416e-05	6.0839e-04	-0.0681	0.94605

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 2.5791, df = 5, p-value = 0.7645
 alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.00769492	0.01309665	0.5875	0.5579
Anios_de_contrato_t	-0.01917402	0.01224564	-1.5658	0.1199
team_num_t	0.00112475	0.00103572	1.0860	0.2795
X_Bateos_t	-0.00021502	0.00124761	-0.1723	0.8634
X_Bateos_t_1	0.00089591	0.00186460	0.4805	0.6317

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0068213	0.0019624	-3.4759	0.001196 **
Anios_de_contrato_t	-0.0546364	0.0062602	-8.7276	5.537e-11 ***
team_num_t	0.0046123	0.0022962	2.0087	0.051030 .

```

X_Bateos_t          0.0049094  0.0051047  0.9617  0.341683
X_Bateos_t_1        0.0020265  0.0049268  0.4113  0.682926
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
[1] "Test:"
```

```
Hausman Test
```

```

data: formula
chisq = 2.3761, df = 5, p-value = 0.795
alternative hypothesis: one model is inconsistent

```

```
[1] "First two years:"
```

```
t test of coefficients:
```

```

              Estimate Std. Error t value Pr(>|t|)
Edad_t        0.0065041  0.0114368  0.5687  0.57055
Anios_de_contrato_t -0.0206511  0.0127842 -1.6154  0.10870
team_num_t     0.0019730  0.0011079  1.7808  0.07731 .
X_Bateos_promedio_t  0.0499903  0.0270188  1.8502  0.06659 .
X_Bateos_promedio_t_1 0.0711151  0.0353618  2.0111  0.04642 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

```

              Estimate Std. Error t value Pr(>|t|)
Edad_t       -0.0072268  0.0013824 -5.2278 5.066e-06 ***
Anios_de_contrato_t -0.0488923  0.0042269 -11.5670 1.222e-14 ***
team_num_t     0.0049191  0.0022065  2.2293  0.0312 *
X_Bateos_promedio_t -0.0404609  0.0655607 -0.6172  0.5405
X_Bateos_promedio_t_1 0.0586468  0.0285614  2.0534  0.0463 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
[1] "Test:"
```

```
Hausman Test
```

```

data: formula
chisq = 7.3955, df = 5, p-value = 0.1928
alternative hypothesis: one model is inconsistent

```

```
[1] "First two years:"
```

```
t test of coefficients:
```

```

              Estimate Std. Error t value Pr(>|t|)
Edad_t        0.0069857  0.0112622  0.6203  0.5362
Anios_de_contrato_t -0.0177184  0.0117087 -1.5133  0.1327

```

team_num_t	0.0010647	0.0010756	0.9899	0.3241
X_Bateos_promedio_2_t	-0.0203830	0.0702868	-0.2900	0.7723
X_Bateos_promedio_2_t_1	0.0411169	0.0323768	1.2699	0.2064

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0065528	0.0017909	-3.6590	0.0007007 ***
Anios_de_contrato_t	-0.0490806	0.0096875	-5.0664	8.579e-06 ***
team_num_t	0.0049377	0.0018500	2.6691	0.0107660 *
X_Bateos_promedio_2_t	-0.0281172	0.1113632	-0.2525	0.8019004
X_Bateos_promedio_2_t_1	0.0638705	0.0309458	2.0639	0.0452366 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 0.77608, df = 5, p-value = 0.9785

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.00736978	0.01360984	0.5415	0.5891
Anios_de_contrato_t	-0.01997187	0.01243181	-1.6065	0.1106
team_num_t	0.00097675	0.00102962	0.9487	0.3446
X_Home_runs_t	0.00305716	0.00607316	0.5034	0.6156
X_Home_runs_t_1	0.00186447	0.00466767	0.3994	0.6902

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0067542	0.0016830	-4.0131	0.0002417 ***
Anios_de_contrato_t	-0.0581530	0.0069811	-8.3300	1.946e-10 ***
team_num_t	0.0043575	0.0021128	2.0624	0.0453908 *
X_Home_runs_t	0.0241512	0.0094934	2.5440	0.0147269 *
X_Home_runs_t_1	0.0158679	0.0136097	1.1659	0.2502239

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 5.0269, df = 5, p-value = 0.4126
 alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.00870964	0.01210481	0.7195	0.4731
Anios_de_contrato_t	-0.01815836	0.01406736	-1.2908	0.1991
team_num_t	0.00113326	0.00105830	1.0708	0.2863
X_Home_runs_2_t	-0.00047063	0.00109103	-0.4314	0.6669
X_Home_runs_2_t_1	0.00081816	0.00095369	0.8579	0.3926

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0072779	0.0016876	-4.3125	9.569e-05 ***
Anios_de_contrato_t	-0.0515826	0.0083106	-6.2069	2.001e-07 ***
team_num_t	0.0054254	0.0020270	2.6766	0.01056 *
X_Home_runs_2_t	0.0057640	0.0033738	1.7084	0.09493 .
X_Home_runs_2_t_1	0.0065624	0.0042741	1.5354	0.13219

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 3.0863, df = 5, p-value = 0.6867
 alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.0113113	0.0128882	0.8776	0.3818
Anios_de_contrato_t	-0.0193416	0.0118193	-1.6364	0.1042
team_num_t	0.0011585	0.0010479	1.1055	0.2710
X_Juegos_iniciados_t	0.0017839	0.0019468	0.9163	0.3612
X_Juegos_iniciados_t_1	0.0016693	0.0020368	0.8195	0.4140

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0060432	0.0019156	-3.1547	0.002967 **
Anios_de_contrato_t	-0.0575710	0.0078353	-7.3476	4.645e-09 ***
team_num_t	0.0048217	0.0026330	1.8312	0.074168 .

```
X_Juegos_iniciados_t    0.0058445  0.0066141  0.8836  0.381923
X_Juegos_iniciados_t_1  0.0041391  0.0043852  0.9439  0.350626
```

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 0.2255, df = 5, p-value = 0.9988
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.0071578	0.0113666	0.6297	0.53000
Anios_de_contrato_t	-0.0229829	0.0129745	-1.7714	0.07888 .
team_num_t	0.0015471	0.0010557	1.4655	0.14524
X_Porcentaje_On_base_plus_slugging_t	0.0183822	0.0129198	1.4228	0.15723
X_Porcentaje_On_base_plus_slugging_t_1	0.0566358	0.0313944	1.8040	0.07358 .

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0068714	0.0016038	-4.2844	0.0001045
Anios_de_contrato_t	-0.0504347	0.0035655	-14.1452	< 2.2e-16
team_num_t	0.0054020	0.0019747	2.7355	0.0090850
X_Porcentaje_On_base_plus_slugging_t	0.0070696	0.0443403	0.1594	0.8740861
X_Porcentaje_On_base_plus_slugging_t_1	-0.0297127	0.0120993	-2.4557	0.0182787

```
Edad_t ***
```

```
Anios_de_contrato_t ***
```

```
team_num_t **
```

```
X_Porcentaje_On_base_plus_slugging_t
```

```
X_Porcentaje_On_base_plus_slugging_t_1 *
```

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 42.17, df = 5, p-value = 5.443e-08
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```


t test of coefficients:

	Estimate	Std. Error	t value
Edad_t	0.00653833	0.01137889	0.5746
Anios_de_contrato_t	-0.01705958	0.01220047	-1.3983
team_num_t	0.00092737	0.00101592	0.9128
X_Porcentaje_On_base_plus_slugging_2_t	-0.01568707	0.03054817	-0.5135
X_Porcentaje_On_base_plus_slugging_2_t_1	0.01660688	0.01430663	1.1608
Pr(> t)			
Edad_t	0.5666		
Anios_de_contrato_t	0.1644		
team_num_t	0.3630		
X_Porcentaje_On_base_plus_slugging_2_t	0.6085		
X_Porcentaje_On_base_plus_slugging_2_t_1	0.2479		

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value
Edad_t	-0.0072557	0.0015260	-4.7549
Anios_de_contrato_t	-0.0489519	0.0088279	-5.5452
team_num_t	0.0050024	0.0017629	2.8375
X_Porcentaje_On_base_plus_slugging_2_t	-0.0136979	0.0525383	-0.2607
X_Porcentaje_On_base_plus_slugging_2_t_1	0.0185039	0.0162667	1.1375
Pr(> t)			
Edad_t	2.350e-05	***	
Anios_de_contrato_t	1.787e-06	***	
team_num_t	0.006971	**	
X_Porcentaje_On_base_plus_slugging_2_t	0.795581		
X_Porcentaje_On_base_plus_slugging_2_t_1	0.261764		

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 0.18998, df = 5, p-value = 0.9992

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.00810853	0.01125323	0.7206	0.47250
Anios_de_contrato_t	-0.02332577	0.01262713	-1.8473	0.06702 .
team_num_t	0.00156920	0.00098563	1.5921	0.11383
X_Porcentaje_on_base_t	0.06063254	0.05003981	1.2117	0.22786
X_Porcentaje_on_base_t_1	0.09891093	0.04368450	2.2642	0.02524 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0069906	0.0011144	-6.2727	1.609e-07 ***
Anios_de_contrato_t	-0.0500779	0.0060298	-8.3051	2.107e-10 ***
team_num_t	0.0049944	0.0017467	2.8593	0.006584 **
X_Porcentaje_on_base_t	-0.0219686	0.0796496	-0.2758	0.784042
X_Porcentaje_on_base_t_1	0.0121768	0.0425289	0.2863	0.776041

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 24.867, df = 5, p-value = 0.0001478

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.0093657	0.0113027	0.8286	0.40886
Anios_de_contrato_t	-0.0215180	0.0135503	-1.5880	0.11475
team_num_t	0.0021767	0.0011741	1.8540	0.06604 .
X_Porcentaje_on_base_2_t	0.1583094	0.0754722	2.0976	0.03791 *
X_Porcentaje_on_base_2_t_1	0.0239370	0.0330092	0.7252	0.46968

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0062158	0.0020040	-3.1017	0.003433 **
Anios_de_contrato_t	-0.0494899	0.0060845	-8.1337	3.643e-10 ***
team_num_t	0.0050542	0.0018919	2.6715	0.010698 *
X_Porcentaje_on_base_2_t	-0.0581268	0.0905666	-0.6418	0.524482
X_Porcentaje_on_base_2_t_1	0.0793163	0.0456661	1.7369	0.089739 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

```
chisq = 16.947, df = 5, p-value = 0.004601
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.00826290	0.01198635	0.6894	0.4918
Anios_de_contrato_t	-0.01796502	0.01235164	-1.4545	0.1483
team_num_t	0.00099354	0.00109381	0.9083	0.3654
X_Runs_batted_in_t	-0.00050641	0.00210475	-0.2406	0.8102
X_Runs_batted_in_t_1	0.00257853	0.00199247	1.2941	0.1979

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0065060	0.0016628	-3.9127	0.0003281 ***
Anios_de_contrato_t	-0.0639936	0.0103444	-6.1863	2.142e-07 ***
team_num_t	0.0049049	0.0030188	1.6248	0.1116827
X_Runs_batted_in_t	0.0059317	0.0075660	0.7840	0.4374387
X_Runs_batted_in_t_1	0.0057225	0.0059122	0.9679	0.3386329

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 2.2705, df = 5, p-value = 0.8106
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.0064253	0.0120445	0.5335	0.5946
Anios_de_contrato_t	-0.0179654	0.0123143	-1.4589	0.1470
team_num_t	0.0010629	0.0010749	0.9888	0.3246
X_Triples_t	0.0009743	0.0188512	0.0517	0.9589
X_Triples_t_1	0.0050622	0.0186038	0.2721	0.7860

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0095720	0.0032110	-2.9810	0.004764 **
Anios_de_contrato_t	-0.0663976	0.0123780	-5.3641	3.241e-06 ***
team_num_t	0.0027657	0.0015927	1.7364	0.089818 .

```

X_Triples_t      -0.0302100  0.0349322 -0.8648  0.392051
X_Triples_t_1    0.0488009  0.0240656  2.0278  0.048953 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
[1] "Test:"
```

Hausman Test

```

data: formula
chisq = 9.6581, df = 5, p-value = 0.08552
alternative hypothesis: one model is inconsistent

```

```
[1] "First two years:"
```

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.0064708	0.0120917	0.5351	0.5935
Anios_de_contrato_t	-0.0173641	0.0121441	-1.4298	0.1552
team_num_t	0.0011127	0.0010719	1.0381	0.3012
X_Triples_2_t	0.0022922	0.0055760	0.4111	0.6817
X_Triples_2_t_1	0.0037993	0.0070515	0.5388	0.5910

```
[1] "Remaining years:"
```

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.00984641	0.00186891	-5.2685	4.434e-06 ***
Anios_de_contrato_t	0.00086173	0.01425215	0.0605	0.9521
team_num_t	0.00503669	0.00096429	5.2232	5.143e-06 ***
X_Triples_2_t	0.09655190	0.02005371	4.8147	1.939e-05 ***
X_Triples_2_t_1	0.03044178	0.00426720	7.1339	9.359e-09 ***

```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
[1] "Test:"
```

Hausman Test

```

data: formula
chisq = 43.387, df = 5, p-value = 3.085e-08
alternative hypothesis: one model is inconsistent

```

```
[1] "First two years:"
```

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.0032737	0.0107933	0.3033	0.76215
Anios_de_contrato_t	-0.0241583	0.0132027	-1.8298	0.06961 .
team_num_t	0.0011902	0.0010145	1.1732	0.24289
X_WAR_t	0.0202092	0.0103946	1.9442	0.05406 .

```
X_WAR_t_1          0.0085343  0.0129989  0.6565  0.51266
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)	
Edad_t	-0.0083968	0.0011707	-7.1728	8.237e-09	***
Anios_de_contrato_t	-0.0598277	0.0069111	-8.6567	6.920e-11	***
team_num_t	0.0058438	0.0017590	3.3223	0.001857	**
X_WAR_t	0.0484740	0.0139297	3.4799	0.001183	**
X_WAR_t_1	-0.0044059	0.0155238	-0.2838	0.777947	

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
chisq = 4.1343, df = 5, p-value = 0.5302
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)	
Edad_t	0.0052106	0.0099118	0.5257	0.6000	
Anios_de_contrato_t	-0.0196568	0.0147682	-1.3310	0.1855	
team_num_t	0.0010460	0.0010962	0.9542	0.3418	
X_WAR_2_t	0.0035656	0.0068616	0.5196	0.6042	
X_WAR_2_t_1	0.0081163	0.0087898	0.9234	0.3575	

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)	
Edad_t	-0.0072651	0.0028342	-2.5634	0.014036	*
Anios_de_contrato_t	-0.0633684	0.0080538	-7.8682	8.557e-10	***
team_num_t	0.0048844	0.0021972	2.2230	0.031651	*
X_WAR_2_t	0.0507261	0.0184401	2.7509	0.008734	**
X_WAR_2_t_1	-0.0382331	0.0209460	-1.8253	0.075070	.

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

chisq = 11.99, df = 5, p-value = 0.03493
 alternative hypothesis: one model is inconsistent

Starting pitcher

```
# loop over the variables in var_hitter_list
for (i in 1:length(stat_fielder_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_s <- paste(vars, stat_fielder_t[[i]],
                        sep = '+')
  formula <- paste(base_vars_s,
                    stat_fielder_t_1[[i]],
                    sep = " + ")

  print("First two years:")
  s_m_fix_ef_i <- plm(formula, data = starting_first_two,
                      model = "within",
                      index = c("id", "Anio_ref"))

  my_lm_cluster_i <- coeftest(s_m_fix_ef_i,
                             vcov = vcovHC(s_m_fix_ef_i,
                                             type = "HC1",
                                             cluster = "group"))

  print(my_lm_cluster_i)

  print("Remaining years:")
  s_m_fix_ef_f <- plm(formula, data = starting_remaining,
                      model = "within",
                      index = c("id", "Anio_ref"))

  my_lm_cluster_f <- coeftest(s_m_fix_ef_f,
                             vcov = vcovHC(s_m_fix_ef_f,
                                             type = "HC1",
                                             cluster = "group"))

  print(my_lm_cluster_f)

  print("Test:")
  print(phtest(s_m_fix_ef_i, s_m_fix_ef_f))
}
```

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-3.9309e-03	2.2108e-02	-0.1778	0.85961
Anios_de_contrato_t	7.4626e-04	7.9620e-03	0.0937	0.92571
team_num_t	1.9394e-03	1.0598e-03	1.8299	0.07334
X_Bateos_2_t	-3.9965e-05	1.2141e-04	-0.3292	0.74342
X_Bateos_2_t_1	1.0082e-06	1.2309e-04	0.0082	0.99350

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.10815350	0.04161363	2.5990	0.02327 *
Anios_de_contrato_t	0.13965819	0.05611564	2.4888	0.02850 *
team_num_t	0.00251750	0.00420883	0.5981	0.56086
X_Bateos_2_t	0.00021275	0.00016662	1.2769	0.22580
X_Bateos_2_t_1	-0.00014767	0.00016629	-0.8880	0.39198

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 1.5334, df = 5, p-value = 0.9092
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.00519214	0.01686372	-0.3079	0.75947
Anios_de_contrato_t	-0.02010688	0.01110259	-1.8110	0.07627 .
team_num_t	0.00289588	0.00139917	2.0697	0.04377 *
X_Bateos_t	0.00575078	0.00296877	1.9371	0.05851 .
X_Bateos_t_1	-0.00013738	0.00155795	-0.0882	0.93009

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.0899411	0.0404328	2.2245	0.046068 *
Anios_de_contrato_t	0.1164616	0.0584362	1.9930	0.069507 .
team_num_t	0.0060914	0.0030076	2.0254	0.065663 .
X_Bateos_t	0.0023560	0.0013698	1.7200	0.111095
X_Bateos_t_1	0.0046256	0.0011524	4.0140	0.001718 **

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 3.0464, df = 5, p-value = 0.6928
```

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.00156220	0.02028282	-0.0770	0.93892
Anios_de_contrato_t	-0.00114373	0.00821026	-0.1393	0.88978
team_num_t	0.00198340	0.00106171	1.8681	0.06773 .
X_Carreras_ganadas_2_t	-0.00016747	0.00019988	-0.8378	0.40619
X_Carreras_ganadas_2_t_1	0.00015200	0.00020923	0.7265	0.47100

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.10669785	0.04597618	2.3207	0.03872 *
Anios_de_contrato_t	0.14306819	0.06191528	2.3107	0.03943 *
team_num_t	0.00207442	0.00465753	0.4454	0.66397
X_Carreras_ganadas_2_t	0.00047547	0.00033739	1.4093	0.18414
X_Carreras_ganadas_2_t_1	-0.00027580	0.00036935	-0.7467	0.46962

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 61.753, df = 5, p-value = 5.275e-12

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.00182061	0.02050322	0.0888	0.9296
Anios_de_contrato_t	-0.00225087	0.00842306	-0.2672	0.7904
team_num_t	0.00154940	0.00108484	1.4282	0.1596
X_Carreras_ganadas_t	0.00091299	0.00196880	0.4637	0.6449
X_Carreras_ganadas_t_1	0.00349721	0.00208894	1.6742	0.1005

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.1021075	0.0500920	2.0384	0.06417 .
Anios_de_contrato_t	0.1364507	0.0687923	1.9835	0.07067 .


```

team_num_t          0.0049277  0.0042568  1.1576  0.26954
X_Carreras_ganadas_t  0.0023612  0.0025984  0.9087  0.38140
X_Carreras_ganadas_t_1 0.0050062  0.0036983  1.3537  0.20079
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
[1] "Test:"
```

Hausman Test

```

data: formula
chisq = 3.936, df = 5, p-value = 0.5587
alternative hypothesis: one model is inconsistent

```

```
[1] "First two years:"
```

t test of coefficients:

```

              Estimate Std. Error t value Pr(>|t|)
Edad_t        -0.0019723  0.0171241  -0.1152  0.90878
Anios_de_contrato_t  0.0084636  0.0102158   0.8285  0.41142
team_num_t      0.0012465  0.0011088   1.1242  0.26640
X_ERA_t         0.0204660  0.0111707   1.8321  0.07301 .
X_ERA_t_1       -0.0120897  0.0094026  -1.2858  0.20456
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
[1] "Remaining years:"
```

t test of coefficients:

```

              Estimate Std. Error t value Pr(>|t|)
Edad_t         0.1265084  0.0359913   3.5150  0.004263 **
Anios_de_contrato_t  0.1601742  0.0503137   3.1835  0.007870 **
team_num_t      0.0043731  0.0022522   1.9417  0.076018 .
X_ERA_t         -0.0249684  0.0130268  -1.9167  0.079395 .
X_ERA_t_1        0.0042584  0.0041763   1.0196  0.328012
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
[1] "Test:"
```

Hausman Test

```

data: formula
chisq = 23.981, df = 5, p-value = 0.000219
alternative hypothesis: one model is inconsistent

```

```
[1] "First two years:"
```

t test of coefficients:

```

              Estimate Std. Error t value Pr(>|t|)
Edad_t         0.0026922  0.0195093   0.1380  0.8908

```

```

Anios_de_contrato_t -0.0081282  0.0101622 -0.7999  0.4277
team_num_t          0.0017903  0.0011233  1.5937  0.1174
X_Carreras_t        0.0031456  0.0020392  1.5425  0.1294
X_Carreras_t_1      0.0034193  0.0020532  1.6654  0.1022

```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

```

                Estimate Std. Error t value Pr(>|t|)
Edad_t          0.0948795  0.0505490  1.8770  0.08504 .
Anios_de_contrato_t 0.1240433  0.0680554  1.8227  0.09335 .
team_num_t       0.0026234  0.0039921  0.6571  0.52349
X_Carreras_t     0.0020747  0.0021318  0.9732  0.34966
X_Carreras_t_1   0.0019695  0.0041412  0.4756  0.64291
---

```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 5.0658, df = 5, p-value = 0.4079
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

```

                Estimate Std. Error t value Pr(>|t|)
Edad_t          -5.4959e-03  2.2148e-02 -0.2481  0.80506
Anios_de_contrato_t -8.3084e-05  7.5595e-03 -0.0110  0.99128
team_num_t        2.2943e-03  1.1769e-03  1.9495  0.05697 .
X_Comando_2_t     -3.3842e-03  6.9457e-03 -0.4872  0.62827
X_Comando_2_t_1    2.1171e-06  2.8585e-06  0.7406  0.46245
---

```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

```

                Estimate Std. Error t value Pr(>|t|)
Edad_t          0.1027362  0.0574572  1.7880  0.09903 .
Anios_de_contrato_t 0.1122396  0.0908005  1.2361  0.24007
team_num_t       0.0031764  0.0037990  0.8361  0.41943
X_Comando_2_t    -0.0156315  0.0228484 -0.6841  0.50688
X_Comando_2_t_1   0.0108659  0.0108060  1.0055  0.33448
---

```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

Hausman Test

```
data: formula
chisq = 5.1623, df = 5, p-value = 0.3964
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.00139242	0.02207948	-0.0631	0.9500
Anios_de_contrato_t	-0.00666729	0.00616610	-1.0813	0.2849
team_num_t	0.00170102	0.00123618	1.3760	0.1751
X_Comando_t	0.01675275	0.02808459	0.5965	0.5536
X_Comando_t_1	0.00030972	0.00025800	1.2005	0.2357

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.11486873	0.04181886	2.7468	0.01771 *
Anios_de_contrato_t	0.14356493	0.05442652	2.6378	0.02166 *
team_num_t	0.00355510	0.00624652	0.5691	0.57976
X_Comando_t	-0.03570048	0.01457841	-2.4489	0.03066 *
X_Comando_t_1	0.00089091	0.04558300	0.0195	0.98473

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

Hausman Test

```
data: formula
chisq = 6.733, df = 5, p-value = 0.2413
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0030324	0.0196351	-0.1544	0.87790
Anios_de_contrato_t	0.0014295	0.0097087	0.1472	0.88355
team_num_t	0.0023583	0.0011122	2.1204	0.03906 *
X_Control_2_t	-0.0727305	0.0614896	-1.1828	0.24259
X_Control_2_t_1	-0.0436746	0.0230442	-1.8953	0.06397 .

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.1017068	0.0271801	3.7420	0.0028119 **
Anios_de_contrato_t	0.1340844	0.0393846	3.4045	0.0052262 **
team_num_t	0.0052182	0.0027529	1.8955	0.0823626 .
X_Control_2_t	0.2665906	0.0572568	4.6561	0.0005546 ***
X_Control_2_t_1	-0.4566227	0.0410470	-11.1244	1.12e-07 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 569.39, df = 5, p-value < 2.2e-16

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.00058648	0.01750797	-0.0335	0.97341
Anios_de_contrato_t	-0.00282521	0.00980674	-0.2881	0.77449
team_num_t	0.00214507	0.00108612	1.9750	0.05392 .
X_Control_t	-0.01769364	0.04050636	-0.4368	0.66417
X_Control_t_1	-0.06535029	0.04926847	-1.3264	0.19085

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.0581387	0.0229668	2.5314	0.026350 *
Anios_de_contrato_t	0.0905063	0.0307469	2.9436	0.012290 *
team_num_t	0.0095284	0.0030399	3.1344	0.008621 **
X_Control_t	-0.0144748	0.0466647	-0.3102	0.761739
X_Control_t_1	-0.2595032	0.0437455	-5.9321	6.902e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 0.67473, df = 5, p-value = 0.9843

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0034780	0.0181805	-0.1913	0.84908
Anios_de_contrato_t	0.0041404	0.0096472	0.4292	0.66967
team_num_t	0.0025939	0.0013655	1.8996	0.06339 .
X_Dominio_2_t	-0.0201561	0.0372374	-0.5413	0.59076
X_Dominio_2_t_1	0.0282012	0.0148512	1.8989	0.06347 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.01617020	0.01679816	0.9626	0.35474
Anios_de_contrato_t	0.00926354	0.02189206	0.4231	0.67967
team_num_t	-0.00082783	0.00148231	-0.5585	0.58679
X_Dominio_2_t	0.01299648	0.00718642	1.8085	0.09564 .
X_Dominio_2_t_1	-0.13518872	0.01106973	-12.2125	3.976e-08 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula
chisq = 146.83, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0045126	0.0192850	-0.2340	0.81597
Anios_de_contrato_t	-0.0014610	0.0102332	-0.1428	0.88706
team_num_t	0.0021406	0.0012435	1.7214	0.09148 .
X_Dominio_t	0.0024601	0.0162843	0.1511	0.88054
X_Dominio_t_1	0.0169576	0.0201438	0.8418	0.40397

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.01474616	0.00509724	-2.8930	0.013501 *
Anios_de_contrato_t	-0.02008282	0.00673200	-2.9832	0.011418 *
team_num_t	0.00166902	0.00090309	1.8481	0.089369 .
X_Dominio_t	-0.06433797	0.01961102	-3.2807	0.006572 **

```
X_Dominio_t_1      -0.12168723  0.01347455 -9.0309 1.065e-06 ***
```

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 17.189, df = 5, p-value = 0.004155
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-2.5887e-03	2.0655e-02	-0.1253	0.90077
Anios_de_contrato_t	6.2317e-04	8.3473e-03	0.0747	0.94079
team_num_t	2.0047e-03	1.0775e-03	1.8605	0.06882 .
X_Inning_pitched_2_t	-5.1394e-05	1.0459e-04	-0.4914	0.62535
X_Inning_pitched_2_t_1	5.1415e-05	1.1433e-04	0.4497	0.65489

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.10692009	0.05068721	2.1094	0.05659 .
Anios_de_contrato_t	0.12347670	0.07011279	1.7611	0.10365
team_num_t	0.00485320	0.00381735	1.2714	0.22769
X_Inning_pitched_2_t	0.00020812	0.00013542	1.5368	0.15029
X_Inning_pitched_2_t_1	0.00016391	0.00014962	1.0955	0.29478

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 2.8544, df = 5, p-value = 0.7224
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.00019827	0.01913106	-0.0104	0.99177
Anios_de_contrato_t	0.00151865	0.01100914	0.1379	0.89085
team_num_t	0.00214150	0.00109045	1.9639	0.05523 .

```
X_Inning_pitched_t    -0.00062855  0.00131084 -0.4795  0.63372
X_Inning_pitched_t_1  0.00241406  0.00141856  1.7018  0.09514 .
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.1228531	0.0565617	2.1720	0.05061 .
Anios_de_contrato_t	0.1496925	0.0761086	1.9668	0.07276 .
team_num_t	0.0048783	0.0042963	1.1355	0.27835
X_Inning_pitched_t	0.0023865	0.0011131	2.1441	0.05320 .
X_Inning_pitched_t_1	0.0025773	0.0015971	1.6137	0.13256

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 66.645, df = 5, p-value = 5.106e-13
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.00269711	0.01981983	-0.1361	0.89231
Anios_de_contrato_t	-0.00062525	0.00939585	-0.0665	0.94721
team_num_t	0.00215900	0.00108521	1.9895	0.05224 .
X_Losses_2_t	0.00099054	0.00112267	0.8823	0.38192
X_Losses_2_t_1	0.00035639	0.00125195	0.2847	0.77710

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.11116120	0.05181250	2.1455	0.05307 .
Anios_de_contrato_t	0.14262292	0.07453681	1.9135	0.07984 .
team_num_t	0.00251046	0.00378382	0.6635	0.51957
X_Losses_2_t	0.00054811	0.00376627	0.1455	0.88671
X_Losses_2_t_1	-0.00209087	0.00442569	-0.4724	0.64509

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

Hausman Test

```
data: formula
chisq = 11.931, df = 5, p-value = 0.03574
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.00429667	0.01966381	-0.2185	0.82794
Anios_de_contrato_t	-0.00079581	0.00884885	-0.0899	0.92871
team_num_t	0.00219829	0.00114798	1.9149	0.06135 .
X_Saves_2_t	0.30106038	0.00544129	55.3288	< 2e-16 ***
X_Saves_2_t_1	0.01397887	0.01807287	0.7735	0.44296

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.1050581	0.0468112	2.2443	0.044452 *
Anios_de_contrato_t	0.1321916	0.0648975	2.0369	0.064338 .
team_num_t	0.0019514	0.0028729	0.6792	0.509885
X_Saves_2_t	0.0672595	0.0033512	20.0705	1.339e-10 ***
X_Saves_2_t_1	0.2355337	0.0556533	4.2322	0.001164 **

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

Hausman Test

```
data: formula
chisq = 15.505, df = 5, p-value = 0.00841
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.00412418	0.01998451	-0.2064	0.83736
Anios_de_contrato_t	-0.00083126	0.00886983	-0.0937	0.92572
team_num_t	0.00215811	0.00114588	1.8834	0.06559 .
X_Saves_t	0.19066845	0.02134825	8.9313	7.464e-12 ***
X_Saves_t_1	0.01672501	0.03890673	0.4299	0.66917

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```


t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.1042710	0.0473861	2.2005	0.04810 *
Anios_de_contrato_t	0.1310634	0.0656455	1.9965	0.06907 .
team_num_t	0.0018814	0.0029130	0.6459	0.53052
X_Saves_t	0.0419781	0.0049245	8.5243	1.952e-06 ***
X_Saves_t_1	0.0658935	0.0448744	1.4684	0.16772

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 17.197, df = 5, p-value = 0.00414

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-1.3894e-03	1.8969e-02	-0.0732	0.94191
Anios_de_contrato_t	5.9092e-03	1.1885e-02	0.4972	0.62128
team_num_t	2.0619e-03	1.0316e-03	1.9987	0.05121 .
X_Strike_outs_2_t	-9.7220e-05	6.8651e-05	-1.4161	0.16306
X_Strike_outs_2_t_1	-3.5883e-05	1.2766e-04	-0.2811	0.77983

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.10838344	0.05273135	2.0554	0.06228 .
Anios_de_contrato_t	0.12721641	0.07413476	1.7160	0.11184
team_num_t	0.00432242	0.00343805	1.2572	0.23259
X_Strike_outs_2_t	0.00022265	0.00012183	1.8276	0.09257 .
X_Strike_outs_2_t_1	0.00015932	0.00010210	1.5605	0.14462

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 17.555, df = 5, p-value = 0.00356

alternative hypothesis: one model is inconsistent

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0029788	0.0191112	-0.1559	0.87678
Anios_de_contrato_t	-0.0087386	0.0122627	-0.7126	0.47947
team_num_t	0.0024396	0.0012518	1.9488	0.05705 .
X_Strike_outs_t	0.0015216	0.0013505	1.1267	0.26536
X_Strike_outs_t_1	0.0022655	0.0014572	1.5547	0.12645

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.12107603	0.05616024	2.1559	0.05209 .
Anios_de_contrato_t	0.13766446	0.07321252	1.8803	0.08455 .
team_num_t	0.00534182	0.00425621	1.2551	0.23335
X_Strike_outs_t	0.00248679	0.00092903	2.6768	0.02016 *
X_Strike_outs_t_1	0.00285245	0.00109618	2.6022	0.02313 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Test:"
```

Hausman Test

data: formula

chisq = 5.6217, df = 5, p-value = 0.3448

alternative hypothesis: one model is inconsistent

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	-0.0027500	0.0190677	-0.1442	0.8859
Anios_de_contrato_t	0.0014060	0.0103083	0.1364	0.8921
team_num_t	0.0021698	0.0011047	1.9641	0.0552 .
X_WAR_2_t	-0.0027869	0.0026353	-1.0575	0.2955
X_WAR_2_t_1	-0.0012710	0.0023414	-0.5428	0.5897

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.10053299	0.05129159	1.9600	0.0736287 .
Anios_de_contrato_t	0.14776511	0.08467021	1.7452	0.1064815

team_num_t	0.00073354	0.00242965	0.3019	0.7678868
X_WAR_2_t	0.04601652	0.00967787	4.7548	0.0004682 ***
X_WAR_2_t_1	-0.00887697	0.00387942	-2.2882	0.0410635 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 13.086, df = 5, p-value = 0.02259

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.0065210	0.0181033	0.3602	0.72024
Anios_de_contrato_t	0.0079806	0.0098865	0.8072	0.42344
team_num_t	0.0019813	0.0011370	1.7426	0.08767 .
X_WHIP_2_t	0.0127789	0.0150110	0.8513	0.39874
X_WHIP_2_t_1	-0.0303827	0.0157399	-1.9303	0.05937 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.1198397	0.0353578	3.3893	0.005375 **
Anios_de_contrato_t	0.1531156	0.0477372	3.2075	0.007528 **
team_num_t	0.0036227	0.0031629	1.1454	0.274375
X_WHIP_2_t	-0.0052428	0.0482358	-0.1087	0.915245
X_WHIP_2_t_1	-0.0135992	0.0224233	-0.6065	0.555498

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 9.2912, df = 5, p-value = 0.098

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.0027183	0.0180776	0.1504	0.88109

```

Anios_de_contrato_t  0.0034337  0.0079633  0.4312  0.66822
team_num_t           0.0018407  0.0011656  1.5792  0.12072
X_WHIP_t             0.0049603  0.0209288  0.2370  0.81364
X_WHIP_t_1          -0.0469906  0.0247700 -1.8971  0.06372 .

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.1114238	0.0369907	3.0122	0.01082 *
Anios_de_contrato_t	0.1402670	0.0520833	2.6931	0.01956 *
team_num_t	0.0026475	0.0028630	0.9247	0.37332
X_WHIP_t	-0.0051195	0.0396212	-0.1292	0.89933
X_WHIP_t_1	-0.0047093	0.0160699	-0.2930	0.77449

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 14.55, df = 5, p-value = 0.01247

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.00026036	0.01794732	0.0145	0.98848
Anios_de_contrato_t	-0.00091543	0.00908532	-0.1008	0.92015
team_num_t	0.00158008	0.00083385	1.8949	0.06401 .
X_Walks_2_t	0.00057358	0.00038128	1.5044	0.13891
X_Walks_2_t_1	0.00050504	0.00034736	1.4539	0.15234

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
Edad_t	0.09917616	0.05107590	1.9417	0.07601 .
Anios_de_contrato_t	0.12573861	0.07032799	1.7879	0.09905 .
team_num_t	0.00184608	0.00604267	0.3055	0.76521
X_Walks_2_t	0.00047044	0.00132261	0.3557	0.72824
X_Walks_2_t_1	-0.00024248	0.00113556	-0.2135	0.83450

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Test:"

Hausman Test

data: formula
chisq = 17.659, df = 5, p-value = 0.003405
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

              Estimate Std. Error t value Pr(>|t|)
Edad_t        0.0028340  0.0193843  0.1462  0.88436
Anios_de_contrato_t 0.0014204  0.0119999  0.1184  0.90626
team_num_t     0.0014666  0.0011223  1.3068  0.19737
X_Walks_t      0.0048443  0.0032872  1.4737  0.14696
X_Walks_t_1    0.0059169  0.0030935  1.9127  0.06164 .
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

              Estimate Std. Error t value Pr(>|t|)
Edad_t        0.0944747  0.0486194  1.9431  0.075827 .
Anios_de_contrato_t 0.1039598  0.0660490  1.5740  0.141475
team_num_t     0.0066720  0.0037837  1.7634  0.103259
X_Walks_t      0.0018972  0.0038921  0.4874  0.634729
X_Walks_t_1    0.0086595  0.0020387  4.2475  0.001132 **
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula
chisq = 22.669, df = 5, p-value = 0.0003904
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

              Estimate Std. Error t value Pr(>|t|)
Edad_t       -0.00251259  0.01986704 -0.1265  0.89988
Anios_de_contrato_t 0.00267724  0.01237909  0.2163  0.82967
team_num_t     0.00211117  0.00112475  1.8770  0.06648 .
X_Wins_t       -0.00381068  0.00648892 -0.5873  0.55973
X_Wins_t_1     0.00067196  0.00487952  0.1377  0.89103
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

```
              Estimate Std. Error t value Pr(>|t|)
Edad_t        0.1232421  0.0576084  2.1393 0.053657 .
Anios_de_contrato_t 0.1411987  0.0752565  1.8762 0.085149 .
team_num_t     0.0047617  0.0043126  1.1041 0.291180
X_Wins_t       0.0087277  0.0022352  3.9046 0.002093 **
X_Wins_t_1     0.0082421  0.0071513  1.1525 0.271547
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
chisq = 8.3385, df = 5, p-value = 0.1385
alternative hypothesis: one model is inconsistent
```

Efectos aleatorios

Bateadores

```
# loop over the variables in var_hitter_list
for (i in 1:length(stat_hitter_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_h <- paste(vars, stat_hitter_t[[i]],
                        sep = '+')
  formula <- paste(base_vars_h,
                   stat_hitter_t_1[[i]],
                   sep = " + ")

  print("First two years:")
  h_m_random_i <- plm(formula, data = hitter_first_two,
                      model = "random",
                      index = c("id", "Anio_ref"))

  my_lm_cluster_i <- coeftest(h_m_random_i,
                             vcov = vcovHC(h_m_random_i,
                                             type = "HC1",
                                             cluster = "group"))

  print(my_lm_cluster_i)

  print("Remaining years:")
  h_m_random_f <- plm(formula, data = hitter_remaining,
                      model = "random",
                      index = c("id", "Anio_ref"))

  my_lm_cluster_f <- coeftest(h_m_random_f,
```

```

                                vcov = vcovHC(h_m_random_f,
                                                type = "HC1",
                                                cluster = "group"))

print(my_lm_cluster_f)

print("Test:")
print(phtest(h_m_random_i,h_m_random_f))
}

```

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.23298165	0.15218253	1.5309	0.1270
Edad_t	-0.00813961	0.00514685	-1.5815	0.1150
Anios_de_contrato_t	-0.01206878	0.01080499	-1.1170	0.2650
team_num_t	0.00067624	0.00091388	0.7400	0.4600
X_At_bats_t	-0.00042638	0.00080174	-0.5318	0.5953
X_At_bats_t_1	-0.00020215	0.00085886	-0.2354	0.8141

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.25050200	0.11562682	2.1665	0.03304 *
Edad_t	-0.00818253	0.00304220	-2.6897	0.00859 **
Anios_de_contrato_t	-0.01492353	0.02511172	-0.5943	0.55388
team_num_t	0.00331201	0.00190457	1.7390	0.08562 .
X_At_bats_t	0.00343564	0.00193223	1.7781	0.07893 .
X_At_bats_t_1	0.00033756	0.00166119	0.2032	0.83946

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 11.713, df = 5, p-value = 0.03893

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	2.0874e-01	1.4596e-01	1.4300	0.1539
Edad_t	-7.4153e-03	4.9172e-03	-1.5080	0.1328
Anios_de_contrato_t	-1.1520e-02	1.0859e-02	-1.0609	0.2897
team_num_t	5.9238e-04	9.1027e-04	0.6508	0.5158
X_Bateos_2_t	-1.9080e-04	1.2966e-04	-1.4715	0.1424

```
X_Bateos_2_t_1      9.0507e-05  8.2322e-05  1.0994  0.2726
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	0.27844012	0.10705623	2.6009	0.010945	*
Edad_t	-0.00892127	0.00267959	-3.3293	0.001283	**
Anios_de_contrato_t	-0.01481318	0.02354263	-0.6292	0.530881	
team_num_t	0.00309104	0.00182718	1.6917	0.094323	.
X_Bateos_2_t	0.00080453	0.00038413	2.0944	0.039167	*
X_Bateos_2_t_1	-0.00036280	0.00034080	-1.0645	0.290061	

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 10.299, df = 5, p-value = 0.06719
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	0.22586645	0.14642803	1.5425	0.12417	
Edad_t	-0.00797190	0.00499472	-1.5961	0.11169	
Anios_de_contrato_t	-0.01171523	0.01088329	-1.0764	0.28273	
team_num_t	0.00076325	0.00087588	0.8714	0.38433	
X_Bateos_t	-0.00217031	0.00125416	-1.7305	0.08473	.
X_Bateos_t_1	0.00011938	0.00123219	0.0969	0.92290	

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	0.25091187	0.11158718	2.2486	0.027096	*
Edad_t	-0.00815732	0.00281099	-2.9019	0.004709	**
Anios_de_contrato_t	-0.01610060	0.02645528	-0.6086	0.544396	
team_num_t	0.00348081	0.00173743	2.0034	0.048281	*
X_Bateos_t	0.00554250	0.00370158	1.4973	0.137969	
X_Bateos_t_1	0.00071739	0.00369151	0.1943	0.846372	

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```


Hausman Test

```
data: formula
chisq = 10.047, df = 5, p-value = 0.07392
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.19959126	0.15026720	1.3282	0.18526
Edad_t	-0.00743447	0.00506452	-1.4680	0.14333
Anios_de_contrato_t	-0.01282847	0.01055348	-1.2156	0.22525
team_num_t	0.00083052	0.00091388	0.9088	0.36431
X_Bateos_promedio_t	-0.01259034	0.02230496	-0.5645	0.57293
X_Bateos_promedio_t_1	0.04419900	0.02574526	1.7168	0.08721

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2356676	0.1033183	2.2810	0.025021 *
Edad_t	-0.0082029	0.0027076	-3.0296	0.003233 **
Anios_de_contrato_t	-0.0094759	0.0264610	-0.3581	0.721140
team_num_t	0.0036072	0.0018723	1.9267	0.057324 .
X_Bateos_promedio_t	-0.0449181	0.0560044	-0.8020	0.424737
X_Bateos_promedio_t_1	0.0508528	0.0395132	1.2870	0.201554

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Test:"
```

Hausman Test

```
data: formula
chisq = 3.1669, df = 5, p-value = 0.6743
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.19395369	0.15121231	1.2827	0.2008
Edad_t	-0.00698411	0.00509814	-1.3699	0.1719
Anios_de_contrato_t	-0.01216901	0.01040435	-1.1696	0.2432
team_num_t	0.00057337	0.00088821	0.6455	0.5191
X_Bateos_promedio_2_t	-0.04677970	0.03727052	-1.2551	0.2106
X_Bateos_promedio_2_t_1	0.03977767	0.02564118	1.5513	0.1220

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.1953177	0.1114268	1.7529	0.08319 .
Edad_t	-0.0069866	0.0026377	-2.6488	0.00961 **
Anios_de_contrato_t	-0.0067409	0.0276005	-0.2442	0.80763
team_num_t	0.0035982	0.0019426	1.8522	0.06742 .
X_Bateos_promedio_2_t	-0.0829857	0.0880234	-0.9428	0.34844
X_Bateos_promedio_2_t_1	-0.0056861	0.0342203	-0.1662	0.86842

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 0.09251, df = 5, p-value = 0.9999
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.21650421	0.14983908	1.4449	0.1497
Edad_t	-0.00756270	0.00510894	-1.4803	0.1400
Anios_de_contrato_t	-0.01335935	0.01079912	-1.2371	0.2172
team_num_t	0.00060141	0.00088033	0.6832	0.4951
X_Home_runs_t	0.00107807	0.00487178	0.2213	0.8250
X_Home_runs_t_1	0.00068088	0.00314656	0.2164	0.8289

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2482476	0.1133277	2.1905	0.031192 *
Edad_t	-0.0073901	0.0026480	-2.7908	0.006476 **
Anios_de_contrato_t	-0.0254458	0.0248770	-1.0229	0.309241
team_num_t	0.0033454	0.0018744	1.7848	0.077815 .
X_Home_runs_t	0.0213344	0.0098833	2.1586	0.033665 *
X_Home_runs_t_1	0.0162391	0.0073647	2.2050	0.030123 *

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 12.381, df = 5, p-value = 0.02993
```

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.20709968	0.14436921	1.4345	0.1526
Edad_t	-0.00732079	0.00497698	-1.4709	0.1425
Anios_de_contrato_t	-0.01279084	0.01192645	-1.0725	0.2845
team_num_t	0.00065570	0.00089956	0.7289	0.4667
X_Home_runs_2_t	-0.00044148	0.00091705	-0.4814	0.6306
X_Home_runs_2_t_1	0.00044396	0.00067863	0.6542	0.5136

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.1973482	0.1182266	1.6692	0.09871 .
Edad_t	-0.0072232	0.0029096	-2.4825	0.01499 *
Anios_de_contrato_t	-0.0168761	0.0282322	-0.5978	0.55157
team_num_t	0.0039060	0.0019118	2.0431	0.04410 *
X_Home_runs_2_t	-0.0020279	0.0051413	-0.3944	0.69424
X_Home_runs_2_t_1	-0.0020387	0.0017745	-1.1489	0.25380

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 2.9793, df = 5, p-value = 0.7032

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.23446318	0.15269634	1.5355	0.1259
Edad_t	-0.00819320	0.00517467	-1.5833	0.1146
Anios_de_contrato_t	-0.01213999	0.01080593	-1.1235	0.2623
team_num_t	0.00066360	0.00091514	0.7251	0.4690
X_Juegos_iniciados_t	-0.00103273	0.00148343	-0.6962	0.4869
X_Juegos_iniciados_t_1	-0.00029708	0.00161726	-0.1837	0.8544

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.24345493	0.11907898	2.0445	0.043964 *

```

Edad_t            -0.00787881  0.00287394 -2.7415 0.007439 **
Anios_de_contrato_t -0.01619025  0.02724055 -0.5943 0.553842
team_num_t        0.00354737  0.00190092  1.8661 0.065431 .
X_Juegos_iniciados_t 0.00495134  0.00407877  1.2139 0.228097
X_Juegos_iniciados_t_1 0.00080901  0.00365323  0.2215 0.825266

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 7.749, df = 5, p-value = 0.1706

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.20674545	0.15160192	1.3637	0.1738
Edad_t	-0.00749602	0.00504404	-1.4861	0.1385
Anios_de_contrato_t	-0.01388757	0.01082147	-1.2833	0.2005
team_num_t	0.00074447	0.00089566	0.8312	0.4066
X_Porcentaje_On_base_plus_slugging_t	-0.01537803	0.01295373	-1.1872	0.2363
X_Porcentaje_On_base_plus_slugging_t_1	0.02366300	0.02173902	1.0885	0.2774

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.22663996	0.10799491	2.0986	0.038783
Edad_t	-0.00765892	0.00289467	-2.6459	0.009687
Anios_de_contrato_t	-0.01006025	0.02649465	-0.3797	0.705098
team_num_t	0.00397962	0.00166609	2.3886	0.019101
X_Porcentaje_On_base_plus_slugging_t	-0.00061341	0.04085726	-0.0150	0.988056
X_Porcentaje_On_base_plus_slugging_t_1	-0.02762097	0.02320985	-1.1901	0.237300

```

(Intercept)      *
Edad_t           **
Anios_de_contrato_t
team_num_t       *
X_Porcentaje_On_base_plus_slugging_t
X_Porcentaje_On_base_plus_slugging_t_1

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

```
chisq = 6.6296, df = 5, p-value = 0.2497
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value
(Intercept)	0.18015608	0.14627278	1.2316
Edad_t	-0.00656388	0.00495635	-1.3243
Anios_de_contrato_t	-0.01038429	0.01035528	-1.0028
team_num_t	0.00039920	0.00087392	0.4568
X_Porcentaje_On_base_plus_slugging_2_t	-0.03090681	0.01675290	-1.8449
X_Porcentaje_On_base_plus_slugging_2_t_1	0.01879531	0.01249307	1.5045

	Pr(> t)
(Intercept)	0.21919
Edad_t	0.18655
Anios_de_contrato_t	0.31689
team_num_t	0.64820
X_Porcentaje_On_base_plus_slugging_2_t	0.06619 .
X_Porcentaje_On_base_plus_slugging_2_t_1	0.13368

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2304173	0.1086349	2.1210	0.036798
Edad_t	-0.0078257	0.0028766	-2.7204	0.007888
Anios_de_contrato_t	-0.0088390	0.0272496	-0.3244	0.746444
team_num_t	0.0035814	0.0018307	1.9563	0.053670
X_Porcentaje_On_base_plus_slugging_2_t	-0.0297954	0.0390121	-0.7637	0.447109
X_Porcentaje_On_base_plus_slugging_2_t_1	0.0062828	0.0204440	0.3073	0.759346

(Intercept)	*
Edad_t	**
Anios_de_contrato_t	
team_num_t	.
X_Porcentaje_On_base_plus_slugging_2_t	
X_Porcentaje_On_base_plus_slugging_2_t_1	

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 2.4575, df = 5, p-value = 0.7829
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.20236622	0.15054290	1.3442	0.1800
Edad_t	-0.00743461	0.00503614	-1.4763	0.1411
Anios_de_contrato_t	-0.01447512	0.01078147	-1.3426	0.1806
team_num_t	0.00076208	0.00087652	0.8694	0.3854
X_Porcentaje_on_base_t	-0.01205993	0.03264452	-0.3694	0.7121
X_Porcentaje_on_base_t_1	0.04307916	0.03031819	1.4209	0.1565

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2362143	0.1081901	2.1833	0.031736 *
Edad_t	-0.0080416	0.0028164	-2.8553	0.005388 **
Anios_de_contrato_t	-0.0071849	0.0269498	-0.2666	0.790413
team_num_t	0.0033704	0.0017528	1.9229	0.057808 .
X_Porcentaje_on_base_t	-0.0583678	0.0599116	-0.9742	0.332674
X_Porcentaje_on_base_t_1	0.0362063	0.0398787	0.9079	0.366462

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 5.8881, df = 5, p-value = 0.3173

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.20697302	0.14829998	1.3956	0.1640
Edad_t	-0.00739562	0.00502007	-1.4732	0.1419
Anios_de_contrato_t	-0.01316244	0.01074052	-1.2255	0.2215
team_num_t	0.00066985	0.00091060	0.7356	0.4626
X_Porcentaje_on_base_2_t	-0.00713576	0.03926458	-0.1817	0.8559
X_Porcentaje_on_base_2_t_1	0.03476448	0.02761710	1.2588	0.2092

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	1.9788e-01	1.1245e-01	1.7597	0.082022 .
Edad_t	-6.9966e-03	2.6264e-03	-2.6640	0.009218 **
Anios_de_contrato_t	-9.4402e-03	2.6667e-02	-0.3540	0.724205
team_num_t	3.8562e-03	1.8938e-03	2.0363	0.044801 *

```
X_Porcentaje_on_base_2_t    -7.6211e-02  7.5279e-02 -1.0124 0.314191
X_Porcentaje_on_base_2_t_1  1.2753e-05  4.1556e-02  0.0003 0.999756
```

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 2.8848, df = 5, p-value = 0.7177
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.21483978	0.14710882	1.4604	0.1454
Edad_t	-0.00765543	0.00502615	-1.5231	0.1289
Anios_de_contrato_t	-0.01091281	0.01089617	-1.0015	0.3175
team_num_t	0.00079001	0.00091411	0.8642	0.3883
X_Runs_batted_in_t	-0.00307049	0.00180209	-1.7038	0.0896
X_Runs_batted_in_t_1	0.00142636	0.00171407	0.8321	0.4061

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2668596	0.1116997	2.3891	0.019077 *
Edad_t	-0.0080923	0.0028090	-2.8808	0.005006 **
Anios_de_contrato_t	-0.0236671	0.0284562	-0.8317	0.407878
team_num_t	0.0031976	0.0020604	1.5520	0.124345
X_Runs_batted_in_t	0.0080202	0.0049401	1.6235	0.108144
X_Runs_batted_in_t_1	0.0039048	0.0047095	0.8291	0.409319

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 10.464, df = 5, p-value = 0.0631
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
--	----------	------------	---------	----------

(Intercept)	0.21000686	0.14657253	1.4328	0.1531
Edad_t	-0.00734867	0.00495372	-1.4835	0.1392
Anios_de_contrato_t	-0.01242060	0.01043153	-1.1907	0.2349
team_num_t	0.00043664	0.00092884	0.4701	0.6387
X_Triples_t	-0.00750583	0.01087465	-0.6902	0.4907
X_Triples_t_1	0.01553773	0.00895467	1.7352	0.0839 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	0.2512234	0.1233389	2.0369	0.044740	*
Edad_t	-0.0081782	0.0027117	-3.0159	0.003368	**
Anios_de_contrato_t	-0.0149924	0.0273491	-0.5482	0.584984	
team_num_t	0.0035394	0.0020601	1.7181	0.089377	.
X_Triples_t	-0.0053220	0.0403132	-0.1320	0.895280	
X_Triples_t_1	0.0109455	0.0349144	0.3135	0.754664	

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 2.126, df = 5, p-value = 0.8315

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	0.21065261	0.14921438	1.4117	0.1592	
Edad_t	-0.00743279	0.00503890	-1.4751	0.1414	
Anios_de_contrato_t	-0.01255542	0.01060511	-1.1839	0.2375	
team_num_t	0.00062495	0.00088858	0.7033	0.4825	
X_Triples_2_t	-0.00033286	0.00424605	-0.0784	0.9376	
X_Triples_2_t_1	0.00111222	0.00133640	0.8323	0.4060	

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)	
(Intercept)	0.2473945	0.0830216	2.9799	0.003748	**
Edad_t	-0.0083607	0.0020501	-4.0782	0.000101	***
Anios_de_contrato_t	-0.0051562	0.0196652	-0.2622	0.793793	
team_num_t	0.0042857	0.0014748	2.9059	0.004655	**
X_Triples_2_t	0.0388295	0.0311036	1.2484	0.215276	
X_Triples_2_t_1	0.0195293	0.0100708	1.9392	0.055755	.


```

---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

      Hausman Test

data:  formula
chisq = 13.049, df = 5, p-value = 0.02292
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

              Estimate Std. Error t value Pr(>|t|)
(Intercept)    0.27988134  0.13937756   2.0081 0.045669 *
Edad_t         -0.00908894  0.00470776  -1.9306 0.054616 .
Anios_de_contrato_t -0.01696385  0.01068681  -1.5874 0.113646
team_num_t      0.00079385  0.00086411   0.9187 0.359107
X_WAR_t         0.02089586  0.00787592   2.6531 0.008466 **
X_WAR_t_1       0.01875031  0.00922125   2.0334 0.043030 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

              Estimate Std. Error t value Pr(>|t|)
(Intercept)    0.3940975  0.1001990   3.9331 0.0001693 ***
Edad_t         -0.0116171  0.0024215  -4.7976 6.692e-06 ***
Anios_de_contrato_t -0.0314891  0.0241166  -1.3057 0.1951355
team_num_t      0.0041474  0.0017360   2.3891 0.0190753 *
X_WAR_t         0.0603608  0.0155416   3.8838 0.0002013 ***
X_WAR_t_1       0.0145506  0.0199859   0.7280 0.4685664
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

      Hausman Test

data:  formula
chisq = 7.1932, df = 5, p-value = 0.2067
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

              Estimate Std. Error t value Pr(>|t|)
(Intercept)    0.25661151  0.13458928   1.9066 0.05767 .
Edad_t         -0.00856865  0.00455832  -1.8798 0.06126 .

```

```
Anios_de_contrato_t -0.01262751  0.01118863 -1.1286  0.26011
team_num_t          0.00053418  0.00090818  0.5882  0.55692
X_WAR_2_t           0.00561430  0.00510592  1.0996  0.27254
X_WAR_2_t_1         0.00832851  0.00579709  1.4367  0.15201
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

```
              Estimate Std. Error t value Pr(>|t|)
(Intercept)    0.2192234  0.0963280   2.2758 0.025343 *
Edad_t         -0.0062897  0.0024598  -2.5570 0.012312 *
Anios_de_contrato_t -0.0306556  0.0219250  -1.3982 0.165647
team_num_t      0.0042529  0.0019270   2.2070 0.029977 *
X_WAR_2_t       0.0595168  0.0208206   2.8586 0.005338 **
X_WAR_2_t_1     0.0077843  0.0044673   1.7425 0.084996 .
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
chisq = 11.987, df = 5, p-value = 0.03497
alternative hypothesis: one model is inconsistent
```

Starting pitcher

```
# loop over the variables in var_hitter_list
for (i in 1:length(stat_field_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_s <- paste(vars, stat_field_t_1[[i]],
                      sep = '+')
  formula <- paste(base_vars_s,
                  stat_field_t_1[[i]],
                  sep = " + ")

  print("First two years:")
  s_m_random_i <- plm(formula, data = starting_first_two,
                      model = "random",
                      index = c("id", "Anio_ref"))

  my_lm_cluster_i <- coeftest(s_m_random_i,
                             vcov = vcovHC(s_m_random_i,
                                             type = "HC1",
                                             cluster = "group"))

  print(my_lm_cluster_i)

  print("Remaining years:")
}
```

```

s_m_random_f <- plm(formula, data = starting_remaining,
                     model = "random",
                     index = c("id", "Anio_ref"))

my_lm_cluster_f <- coeftest(s_m_random_f,
                           vcov = vcovHC(s_m_random_f,
                                           type = "HC1",
                                           cluster = "group"))

print(my_lm_cluster_f)

print("Wu-Haussman test:")
print(phtest(s_m_random_i, s_m_random_f))
}

```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	2.9083e-01	2.9130e-01	0.9984	0.32046
Edad_t	-9.4321e-03	8.9449e-03	-1.0545	0.29416
Anios_de_contrato_t	-1.8822e-03	1.1976e-02	-0.1572	0.87542
team_num_t	2.4923e-03	1.3581e-03	1.8352	0.06939
X_Bateos_2_t	-1.7937e-04	1.1344e-04	-1.5811	0.11694
X_Bateos_2_t_1	-5.7782e-05	8.7447e-05	-0.6608	0.51025

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.12740417	0.33971980	0.3750	0.7105
Edad_t	-0.00539820	0.01143295	-0.4722	0.6405
Anios_de_contrato_t	-0.02250401	0.01393610	-1.6148	0.1176
team_num_t	0.00116744	0.00379314	0.3078	0.7605
X_Bateos_2_t	0.00024459	0.00014532	1.6832	0.1035
X_Bateos_2_t_1	-0.00016185	0.00021667	-0.7470	0.4613

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```

data: formula
chisq = 10.023, df = 5, p-value = 0.07458
alternative hypothesis: one model is inconsistent

```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
--	----------	------------	---------	----------

(Intercept)	0.35364857	0.27480445	1.2869	0.20104
Edad_t	-0.01148074	0.00845273	-1.3582	0.17739
Anios_de_contrato_t	-0.01683587	0.01170903	-1.4379	0.15354
team_num_t	0.00310017	0.00141394	2.1926	0.03061 *
X_Bateos_t	0.00261964	0.00271599	0.9645	0.33706
X_Bateos_t_1	-0.00049773	0.00125054	-0.3980	0.69145

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.06438421	0.39804880	0.1617	0.87266
Edad_t	-0.00482332	0.01231116	-0.3918	0.69818
Anios_de_contrato_t	-0.01826224	0.01314557	-1.3892	0.17571
team_num_t	0.00287600	0.00261471	1.0999	0.28073
X_Bateos_t	0.00207631	0.00092793	2.2376	0.03339 *
X_Bateos_t_1	0.00329216	0.00255068	1.2907	0.20737

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu-Haussman test:"

Hausman Test

data: formula

chisq = 8.1801, df = 5, p-value = 0.1466

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	3.0772e-01	2.9628e-01	1.0386	0.3014
Edad_t	-9.9109e-03	9.0856e-03	-1.0908	0.2779
Anios_de_contrato_t	-9.6532e-03	1.0458e-02	-0.9230	0.3582
team_num_t	2.8401e-03	1.3023e-03	2.1808	0.0315 *
X_Carreras_ganadas_2_t	-9.9975e-05	2.5219e-04	-0.3964	0.6926
X_Carreras_ganadas_2_t_1	-4.5532e-05	1.4221e-04	-0.3202	0.7495

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.09803705	0.31241136	0.3138	0.75599
Edad_t	-0.00490251	0.01078129	-0.4547	0.65281
Anios_de_contrato_t	-0.01447539	0.01370706	-1.0561	0.29997
team_num_t	0.00118864	0.00374800	0.3171	0.75349

```
X_Carreras_ganadas_2_t      0.00065153  0.00027202  2.3951  0.02355 *
X_Carreras_ganadas_2_t_1 -0.00027952  0.00044189 -0.6326  0.53215
```

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 6.7425, df = 5, p-value = 0.2405
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2945590	0.2876937	1.0239	0.30832
Edad_t	-0.0093311	0.0088271	-1.0571	0.29297
Anios_de_contrato_t	-0.0074116	0.0110420	-0.6712	0.50359
team_num_t	0.0024180	0.0013562	1.7829	0.07758 .
X_Carreras_ganadas_t	-0.0025166	0.0020175	-1.2474	0.21511
X_Carreras_ganadas_t_1	0.0010512	0.0016381	0.6417	0.52250

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.0592131	0.3728933	0.1588	0.874971
Edad_t	-0.0043059	0.0120318	-0.3579	0.723120
Anios_de_contrato_t	-0.0130981	0.0127109	-1.0305	0.311612
team_num_t	0.0016913	0.0028044	0.6031	0.551310
X_Carreras_ganadas_t	0.0041426	0.0013379	3.0964	0.004419 **
X_Carreras_ganadas_t_1	0.0027565	0.0032579	0.8461	0.404680

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 22.724, df = 5, p-value = 0.0003812
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
--	----------	------------	---------	----------

(Intercept)	0.25581687	0.27364801	0.9348	0.35208
Edad_t	-0.00837841	0.00843276	-0.9936	0.32279
Anios_de_contrato_t	-0.01042876	0.01228667	-0.8488	0.39799
team_num_t	0.00233478	0.00136409	1.7116	0.09001 .
X_ERA_t	0.00036333	0.01063994	0.0341	0.97283
X_ERA_t_1	-0.02288914	0.00973114	-2.3522	0.02059 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.10079587	0.37238150	0.2707	0.78862
Edad_t	-0.00391903	0.01167551	-0.3357	0.73963
Anios_de_contrato_t	-0.02136716	0.01225012	-1.7442	0.09209 .
team_num_t	0.00011134	0.00286350	0.0389	0.96926
X_ERA_t	-0.00421680	0.01049804	-0.4017	0.69097
X_ERA_t_1	0.00441346	0.00669325	0.6594	0.51503

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu-Haussman test:"

Hausman Test

data: formula

chisq = 8.6474, df = 5, p-value = 0.124

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.30973190	0.28859931	1.0732	0.2857
Edad_t	-0.00988061	0.00888427	-1.1121	0.2687
Anios_de_contrato_t	-0.00991217	0.01150203	-0.8618	0.3908
team_num_t	0.00258943	0.00132951	1.9477	0.0542 .
X_Carreras_t	-0.00073019	0.00211440	-0.3453	0.7305
X_Carreras_t_1	0.00070457	0.00154466	0.4561	0.6493

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.0907326	0.3742646	0.2424	0.81021
Edad_t	-0.0053599	0.0117412	-0.4565	0.65155
Anios_de_contrato_t	-0.0132547	0.0137391	-0.9647	0.34293
team_num_t	0.0018148	0.0023134	0.7845	0.43936

```

X_Carreras_t      0.0034827  0.0014339  2.4288  0.02182 *
X_Carreras_t_1    0.0034042  0.0031231  1.0900  0.28500
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
[1] "Wu-Haussman test:"
```

Hausman Test

```

data: formula
chisq = 22.589, df = 5, p-value = 0.0004045
alternative hypothesis: one model is inconsistent

```

```
[1] "First two years:"
```

```
t test of coefficients:
```

```

              Estimate Std. Error t value Pr(>|t|)
(Intercept)   3.0967e-01  2.9802e-01  1.0391  0.30121
Edad_t        -9.8631e-03  9.3372e-03 -1.0563  0.29332
Anios_de_contrato_t -1.0772e-02  1.0073e-02 -1.0694  0.28742
team_num_t     2.6863e-03  1.3405e-03  2.0039  0.04773 *
X_Comando_2_t   9.1699e-04  4.7547e-03  0.1929  0.84745
X_Comando_2_t_1 -1.5011e-06  2.5563e-06 -0.5872  0.55835
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

```

              Estimate Std. Error t value Pr(>|t|)
(Intercept)   0.1394588  0.3010114  0.4633  0.64673
Edad_t        -0.0048781  0.0091294 -0.5343  0.59734
Anios_de_contrato_t -0.0556902  0.0369071 -1.5089  0.14252
team_num_t     0.0016856  0.0031696  0.5318  0.59905
X_Comando_2_t  -0.0441736  0.0235026 -1.8795  0.07062 .
X_Comando_2_t_1  0.0239730  0.0187397  1.2793  0.21130
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
[1] "Wu-Haussman test:"
```

Hausman Test

```

data: formula
chisq = 7.0527, df = 5, p-value = 0.2168
alternative hypothesis: one model is inconsistent

```

```
[1] "First two years:"
```

```
t test of coefficients:
```

```

              Estimate Std. Error t value Pr(>|t|)

```

(Intercept)	0.30577117	0.29646684	1.0314	0.30480
Edad_t	-0.00933345	0.00953568	-0.9788	0.33000
Anios_de_contrato_t	-0.01326127	0.01042254	-1.2724	0.20614
team_num_t	0.00243065	0.00133152	1.8255	0.07086
X_Comando_t	0.01028637	0.01632036	0.6303	0.52992
X_Comando_t_1	-0.00013645	0.00030370	-0.4493	0.65418

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00859750	0.33003269	-0.0261	0.9794
Edad_t	-0.00089979	0.01034380	-0.0870	0.9313
Anios_de_contrato_t	-0.01476843	0.01379750	-1.0704	0.2936
team_num_t	-0.00110996	0.00407155	-0.2726	0.7872
X_Comando_t	-0.01794355	0.03022546	-0.5937	0.5575
X_Comando_t_1	-0.01993542	0.03882359	-0.5135	0.6116

[1] "Wu-Haussman test:"

Hausman Test

data: formula

chisq = 2.4307, df = 5, p-value = 0.7869

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2996347	0.2822868	1.0615	0.29099
Edad_t	-0.0107365	0.0086403	-1.2426	0.21686
Anios_de_contrato_t	-0.0080032	0.0107205	-0.7465	0.45706
team_num_t	0.0032351	0.0012566	2.5744	0.01148 *
X_Control_2_t	-0.1140091	0.0536673	-2.1244	0.03606 *
X_Control_2_t_1	-0.0858535	0.0185561	-4.6267	1.095e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.20172764	0.27985098	0.7208	0.4769840
Edad_t	-0.00664142	0.00905624	-0.7334	0.4694391
Anios_de_contrato_t	-0.02423370	0.01324426	-1.8298	0.0779542
team_num_t	-0.00047543	0.00314334	-0.1513	0.8808626
X_Control_2_t	0.38501932	0.08901013	4.3256	0.0001746 ***
X_Control_2_t_1	-0.37449441	0.08448690	-4.4326	0.0001305 ***


```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
chisq = 34.08, df = 5, p-value = 2.295e-06
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2738591	0.2698926	1.0147	0.31265
Edad_t	-0.0087678	0.0081895	-1.0706	0.28687
Anios_de_contrato_t	-0.0140278	0.0122271	-1.1473	0.25396
team_num_t	0.0023317	0.0012449	1.8729	0.06394 .
X_Control_t	0.0280528	0.0395274	0.7097	0.47951
X_Control_t_1	-0.0773272	0.0392677	-1.9692	0.05164 .

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.0139744	0.2991649	0.0467	0.963075
Edad_t	-0.0052242	0.0085915	-0.6081	0.548045
Anios_de_contrato_t	-0.0054768	0.0177302	-0.3089	0.759688
team_num_t	0.0069816	0.0030145	2.3160	0.028102 *
X_Control_t	0.1000056	0.0664446	1.5051	0.143497
X_Control_t_1	-0.2320199	0.0813652	-2.8516	0.008082 **

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
chisq = 3.9098, df = 5, p-value = 0.5625
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2850303	0.2686372	1.0610	0.291185
Edad_t	-0.0086735	0.0083422	-1.0397	0.300935

```

Anios_de_contrato_t -0.0105805  0.0121131 -0.8735 0.384455
team_num_t          0.0027653  0.0013055  2.1182 0.036586 *
X_Dominio_2_t       0.0063265  0.0336840  0.1878 0.851391
X_Dominio_2_t_1     0.0555042  0.0189118  2.9349 0.004123 **
---

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.3138030	0.3561357	0.8811	0.3857
Edad_t	-0.0113793	0.0103392	-1.1006	0.2804
Anios_de_contrato_t	-0.0269684	0.0196776	-1.3705	0.1814
team_num_t	0.0012797	0.0034021	0.3761	0.7096
X_Dominio_2_t	-0.0218932	0.0389106	-0.5627	0.5781
X_Dominio_2_t_1	-0.0752095	0.0532496	-1.4124	0.1689

[1] "Wu-Haussman test:"

Hausman Test

data: formula
chisq = 624.66, df = 5, p-value < 2.2e-16
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2886205	0.2704852	1.0670	0.28847
Edad_t	-0.0083057	0.0083008	-1.0006	0.31939
Anios_de_contrato_t	-0.0132617	0.0113222	-1.1713	0.24421
team_num_t	0.0024821	0.0013545	1.8325	0.06980 .
X_Dominio_t	0.0106743	0.0217725	0.4903	0.62500
X_Dominio_t_1	0.0619521	0.0221332	2.7991	0.00613 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.5501591	0.4558525	1.2069	0.2376
Edad_t	-0.0200203	0.0139802	-1.4320	0.1632
Anios_de_contrato_t	-0.0284814	0.0177290	-1.6065	0.1194
team_num_t	0.0035977	0.0044639	0.8059	0.4271
X_Dominio_t	-0.0887822	0.0984350	-0.9019	0.3748
X_Dominio_t_1	-0.0587268	0.0803713	-0.7307	0.4710

[1] "Wu-Haussman test:"

Hausman Test

```
data: formula
chisq = 43.099, df = 5, p-value = 3.528e-08
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	2.6370e-01	2.9654e-01	0.8893	0.37596
Edad_t	-8.7866e-03	9.0705e-03	-0.9687	0.33499
Anios_de_contrato_t	-2.9603e-03	1.1241e-02	-0.2633	0.79281
team_num_t	2.6322e-03	1.3107e-03	2.0082	0.04727 *
X_Inning_pitched_2_t	-1.7538e-04	1.1148e-04	-1.5731	0.11879
X_Inning_pitched_2_t_1	3.4326e-05	8.1238e-05	0.4225	0.67352

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	8.8215e-02	3.6078e-01	0.2445	0.80862
Edad_t	-4.6300e-03	1.2033e-02	-0.3848	0.70330
Anios_de_contrato_t	-2.6382e-02	2.4210e-02	-1.0897	0.28513
team_num_t	2.2830e-03	4.0065e-03	0.5698	0.57334
X_Inning_pitched_2_t	2.7178e-04	1.0942e-04	2.4838	0.01925 *
X_Inning_pitched_2_t_1	6.7461e-05	2.2510e-04	0.2997	0.76663

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```
[1] "Wu-Haussionsman test:"
```

Hausman Test

```
data: formula
chisq = 17.181, df = 5, p-value = 0.004169
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2801264	0.2986658	0.9379	0.3505
Edad_t	-0.0092552	0.0090920	-1.0179	0.3111
Anios_de_contrato_t	-0.0083810	0.0117787	-0.7115	0.4784
team_num_t	0.0027496	0.0012773	2.1527	0.0337 *
X_Inning_pitched_t	-0.0010388	0.0013650	-0.7610	0.4484
X_Inning_pitched_t_1	0.0014123	0.0013094	1.0786	0.2833

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.09926841	0.34488802	0.2878	0.7756
Edad_t	-0.00396953	0.01140523	-0.3480	0.7304
Anios_de_contrato_t	-0.02358224	0.01528283	-1.5431	0.1340
team_num_t	0.00021710	0.00357431	0.0607	0.9520
X_Inning_pitched_t	0.00150449	0.00154832	0.9717	0.3395
X_Inning_pitched_t_1	-0.00033826	0.00271260	-0.1247	0.9017

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
chisq = 4.6392, df = 5, p-value = 0.4615
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.30913998	0.28884589	1.0703	0.28703
Edad_t	-0.00976473	0.00888990	-1.0984	0.27461
Anios_de_contrato_t	-0.01035618	0.00934177	-1.1086	0.27021
team_num_t	0.00252870	0.00131994	1.9158	0.05819 .
X_Losses_2_t	-0.00202746	0.00159794	-1.2688	0.20740
X_Losses_2_t_1	0.00026492	0.00102408	0.2587	0.79639

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.1139629	0.3599278	0.3166	0.75388
Edad_t	-0.0051291	0.0113987	-0.4500	0.65619
Anios_de_contrato_t	-0.0214904	0.0131935	-1.6289	0.11454
team_num_t	0.0021511	0.0030711	0.7004	0.48945
X_Losses_2_t	0.0063299	0.0032715	1.9349	0.06317 .
X_Losses_2_t_1	-0.0017368	0.0042244	-0.4111	0.68411

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
chisq = 4.9287, df = 5, p-value = 0.4246
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.3527717	0.2965025	1.1898	0.236896
Edad_t	-0.0113015	0.0091120	-1.2403	0.217715
Anios_de_contrato_t	-0.0104298	0.0100387	-1.0390	0.301277
team_num_t	0.0029421	0.0013290	2.2138	0.029072 *
X_Saves_2_t	0.2605714	0.0622718	4.1844	6.069e-05 ***
X_Saves_2_t_1	0.0272880	0.0096343	2.8324	0.005568 **

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.17666813	0.37749212	0.4680	0.64340
Edad_t	-0.00582767	0.01189405	-0.4900	0.62798
Anios_de_contrato_t	-0.02428047	0.01441867	-1.6840	0.10331
team_num_t	-0.00018194	0.00330028	-0.0551	0.95643
X_Saves_2_t	0.05632582	0.01901614	2.9620	0.00617 **
X_Saves_2_t_1	0.21180097	0.08062959	2.6268	0.01382 *

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
chisq = 2.1524, df = 5, p-value = 0.8277
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.3578862	0.2965757	1.2067	0.230328
Edad_t	-0.0114523	0.0091198	-1.2558	0.212067
Anios_de_contrato_t	-0.0105381	0.0100629	-1.0472	0.297472
team_num_t	0.0029989	0.0013342	2.2477	0.026747 *
X_Saves_t	0.1419114	0.0430833	3.2939	0.001359 **
X_Saves_t_1	0.0572260	0.0218769	2.6158	0.010252 *

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.17710863	0.37857397	0.4678	0.64353
Edad_t	-0.00583329	0.01188865	-0.4907	0.62749
Anios_de_contrato_t	-0.02433332	0.01452227	-1.6756	0.10495
team_num_t	-0.00017984	0.00331267	-0.0543	0.95709
X_Saves_t	0.03574245	0.01328930	2.6896	0.01192 *
X_Saves_t_1	0.06355804	0.04272786	1.4875	0.14806

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 2.3385, df = 5, p-value = 0.8006
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	3.0815e-01	2.7791e-01	1.1088	0.27012
Edad_t	-1.0263e-02	8.4985e-03	-1.2076	0.22999
Anios_de_contrato_t	-8.5812e-03	1.1331e-02	-0.7573	0.45062
team_num_t	3.1019e-03	1.3858e-03	2.2384	0.02737 *
X_Strike_outs_2_t	-1.3116e-04	7.5829e-05	-1.7296	0.08672 .
X_Strike_outs_2_t_1	1.8263e-04	1.5244e-04	1.1980	0.23368

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	2.5928e-02	3.7924e-01	0.0684	0.945977
Edad_t	-2.2800e-03	1.2353e-02	-0.1846	0.854904
Anios_de_contrato_t	-2.6497e-02	1.9989e-02	-1.3256	0.195698
team_num_t	1.7390e-03	4.4338e-03	0.3922	0.697868
X_Strike_outs_2_t	3.0730e-04	9.0193e-05	3.4071	0.002005 **
X_Strike_outs_2_t_1	1.0990e-04	1.7715e-04	0.6204	0.540007

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
chisq = 13.204, df = 5, p-value = 0.02154
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.32407410	0.29384432	1.1029	0.27268
Edad_t	-0.01039453	0.00892141	-1.1651	0.24669
Anios_de_contrato_t	-0.01658637	0.01141536	-1.4530	0.14930
team_num_t	0.00294581	0.00138952	2.1200	0.03643 *
X_Strike_outs_t	0.00099554	0.00122142	0.8151	0.41693
X_Strike_outs_t_1	0.00163376	0.00139704	1.1694	0.24495

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.0438290	0.3511302	0.1248	0.9016
Edad_t	-0.0024182	0.0115219	-0.2099	0.8353
Anios_de_contrato_t	-0.0265022	0.0204885	-1.2935	0.2064
team_num_t	0.0006483	0.0040662	0.1594	0.8745
X_Strike_outs_t	0.0013166	0.0017085	0.7706	0.4474
X_Strike_outs_t_1	0.0013398	0.0022729	0.5895	0.5603

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
chisq = 3.188, df = 5, p-value = 0.671
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.3298908	0.2901909	1.1368	0.25828
Edad_t	-0.0103067	0.0088411	-1.1658	0.24643
Anios_de_contrato_t	-0.0122476	0.0109647	-1.1170	0.26662
team_num_t	0.0024286	0.0013249	1.8330	0.06972 .
X_WAR_2_t	-0.0011867	0.0029573	-0.4013	0.68907
X_WAR_2_t_1	0.0044328	0.0035720	1.2410	0.21746

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2020072	0.2822417	0.7157	0.48009
Edad_t	-0.0075064	0.0096288	-0.7796	0.44218
Anios_de_contrato_t	-0.0068457	0.0336801	-0.2033	0.84041
team_num_t	0.0013960	0.0040064	0.3485	0.73011
X_WAR_2_t	0.0291187	0.0167201	1.7415	0.09257 .
X_WAR_2_t_1	-0.0071061	0.0059722	-1.1899	0.24409

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu-Haussman test:"

Hausman Test

data: formula
chisq = 2.1496, df = 5, p-value = 0.8281
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.1692696	0.2718154	0.6227	0.534847
Edad_t	-0.0061084	0.0082655	-0.7390	0.461589
Anios_de_contrato_t	-0.0108249	0.0129729	-0.8344	0.405995
team_num_t	0.0026342	0.0013601	1.9368	0.055531 .
X_WHIP_2_t	-0.0056578	0.0149373	-0.3788	0.705644
X_WHIP_2_t_1	-0.0410124	0.0131864	-3.1102	0.002424 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2439387	0.2772025	0.8800	0.3863
Edad_t	-0.0071153	0.0086531	-0.8223	0.4179
Anios_de_contrato_t	-0.0255727	0.0184183	-1.3884	0.1760
team_num_t	-0.0018443	0.0057679	-0.3198	0.7515
X_WHIP_2_t	0.0375564	0.0329820	1.1387	0.2645
X_WHIP_2_t_1	0.0020684	0.0292772	0.0706	0.9442

[1] "Wu-Haussman test:"

Hausman Test

data: formula
chisq = 4.7346, df = 5, p-value = 0.4491
alternative hypothesis: one model is inconsistent


```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.2496877	0.2725991	0.9160	0.36185
Edad_t	-0.0081178	0.0083590	-0.9711	0.33377
Anios_de_contrato_t	-0.0135307	0.0121148	-1.1169	0.26667
team_num_t	0.0026537	0.0012423	2.1360	0.03507 *
X_WHIP_t	-0.0042767	0.0167159	-0.2558	0.79859
X_WHIP_t_1	-0.0466298	0.0182003	-2.5620	0.01187 *

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.19209383	0.30481456	0.6302	0.5337
Edad_t	-0.00623510	0.00970530	-0.6424	0.5258
Anios_de_contrato_t	-0.02143366	0.01544239	-1.3880	0.1761
team_num_t	-0.00069996	0.00534624	-0.1309	0.8968
X_WHIP_t	0.02331513	0.03418317	0.6821	0.5008
X_WHIP_t_1	-0.00067714	0.02617002	-0.0259	0.9795

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 5.7543, df = 5, p-value = 0.3309
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	2.9035e-01	2.8799e-01	1.0082	0.31574
Edad_t	-9.2638e-03	8.8114e-03	-1.0513	0.29559
Anios_de_contrato_t	-1.0299e-02	1.0315e-02	-0.9985	0.32042
team_num_t	2.5958e-03	1.2665e-03	2.0496	0.04297 *
X_Walks_2_t	5.3333e-05	3.4607e-04	0.1541	0.87783
X_Walks_2_t_1	2.3489e-04	2.7725e-04	0.8472	0.39885

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
--	----------	------------	---------	----------

(Intercept)	0.02736483	0.29946918	0.0914	0.92784
Edad_t	-0.00266864	0.01004142	-0.2658	0.79237
Anios_de_contrato_t	-0.01905403	0.01326205	-1.4367	0.16187
team_num_t	0.00220348	0.00457660	0.4815	0.63393
X_Walks_2_t	0.00121276	0.00069617	1.7421	0.09248
X_Walks_2_t_1	0.00024402	0.00083717	0.2915	0.77284

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu-Haussman test:"

Hausman Test

data: formula

chisq = 6.3346, df = 5, p-value = 0.275

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.3128821	0.3070285	1.0191	0.31058
Edad_t	-0.0100138	0.0092950	-1.0773	0.28388
Anios_de_contrato_t	-0.0112778	0.0119382	-0.9447	0.34706
team_num_t	0.0025797	0.0013319	1.9369	0.05553
X_Walks_t	0.0014346	0.0030296	0.4735	0.63685
X_Walks_t_1	0.0007159	0.0027118	0.2640	0.79231

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.0458236	0.3687754	0.1243	0.9020
Edad_t	-0.0039092	0.0113033	-0.3458	0.7320
Anios_de_contrato_t	-0.0356431	0.0210844	-1.6905	0.1020
team_num_t	0.0042560	0.0032260	1.3193	0.1978
X_Walks_t	0.0044426	0.0029826	1.4895	0.1475
X_Walks_t_1	0.0077066	0.0047958	1.6070	0.1193

[1] "Wu-Haussman test:"

Hausman Test

data: formula

chisq = 6.3998, df = 5, p-value = 0.2692

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

```

              Estimate Std. Error t value Pr(>|t|)
(Intercept)    0.25676445  0.30070791  0.8539  0.39518
Edad_t         -0.00861842  0.00917457 -0.9394  0.34975
Anios_de_contrato_t -0.00328412  0.01181812 -0.2779  0.78166
team_num_t      0.00291231  0.00130886  2.2251  0.02828 *
X_Wins_t        -0.00781871  0.00549331 -1.4233  0.15770
X_Wins_t_1      -0.00013077  0.00494841 -0.0264  0.97897
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

```

              Estimate Std. Error t value Pr(>|t|)
(Intercept)    0.09584652  0.33984480  0.2820  0.7800
Edad_t         -0.00379896  0.01130634 -0.3360  0.7394
Anios_de_contrato_t -0.02759813  0.02231473 -1.2368  0.2264
team_num_t      0.00058679  0.00442380  0.1326  0.8954
X_Wins_t        0.00541825  0.00700594  0.7734  0.4458
X_Wins_t_1      0.00261104  0.01016652  0.2568  0.7992

```

```
[1] "Wu-Haussman test:"
```

```
Hausman Test
```

```

data: formula
chisq = 9.2149, df = 5, p-value = 0.1008
alternative hypothesis: one model is inconsistent

```

First Differences

Bateadores

Se obtendrán las estimaciones de las variables referentes a estadísticas deportivas sin controles

```

# loop over the variables in var_hitter_list
for (i in 1:length(stat_hitter_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_h <- paste(vars, stat_hitter_t[[i]],
                        sep = '+')
  formula <- paste(base_vars_h,
                   stat_hitter_t_1[[i]],
                   sep = " + ")

  print("First two years:")
  h_m_first_d_i <- plm(formula, data = hitter_first_two,
                       model = "fd",
                       index = c("id", "Anio_ref"))

  my_lm_cluster_i <- coeftest(h_m_first_d_i,
                             vcov = vcovHC(h_m_first_d_i,

```

```

                                type = "HC1",
                                cluster = "group"))

print(my_lm_cluster_i)

print("Remaining years:")
h_m_first_d_f <- plm(formula, data = hitter_remaining,
                      model = "fd",
                      index = c("id", "Anio_ref"))

my_lm_cluster_f <- coeftest(h_m_first_d_f,
                           vcov = vcovHC(h_m_first_d_f,
                                           type = "HC1",
                                           cluster = "group"))

print(my_lm_cluster_f)

print("Test:")
print(phtest(h_m_first_d_i, h_m_first_d_f))
}

```

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00024361	0.01333708	-0.0183	0.9855
Edad_t	0.01096705	0.01207639	0.9081	0.3655
Anios_de_contrato_t	-0.01922212	0.00790322	-2.4322	0.0164 *
team_num_t	0.00113250	0.00073666	1.5373	0.1267
X_At_bats_t	0.00076615	0.00070523	1.0864	0.2794
X_At_bats_t_1	0.00083306	0.00078504	1.0612	0.2906

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.00952441	0.00789299	1.2067	0.234467
Edad_t	-0.01663231	0.00033300	-49.9469	< 2.2e-16 ***
Anios_de_contrato_t	-0.05760694	0.00581814	-9.9013	1.962e-12 ***
team_num_t	0.00554863	0.00080795	6.8675	2.536e-08 ***
X_At_bats_t	0.00291508	0.00097738	2.9825	0.004796 **
X_At_bats_t_1	0.00203556	0.00109936	1.8516	0.071297 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula
chisq = 10.51, df = 5, p-value = 0.06201

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-4.5648e-04	1.3559e-02	-0.0337	0.97320
Edad_t	6.7360e-03	1.1494e-02	0.5860	0.55890
Anios_de_contrato_t	-1.8179e-02	8.2194e-03	-2.2117	0.02877 *
team_num_t	1.1067e-03	7.8029e-04	1.4183	0.15856
X_Bateos_2_t	-1.1879e-04	9.6464e-05	-1.2315	0.22042
X_Bateos_2_t_1	2.1845e-05	5.6686e-05	0.3854	0.70062

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.00029670	0.00874407	0.0339	0.973096
Edad_t	-0.01527905	0.00049648	-30.7746	< 2.2e-16 ***
Anios_de_contrato_t	-0.08205673	0.00675812	-12.1420	3.673e-15 ***
team_num_t	0.00505799	0.00124518	4.0621	0.000214 ***
X_Bateos_2_t	0.00050132	0.00031231	1.6052	0.116132
X_Bateos_2_t_1	0.00013731	0.00025491	0.5387	0.593029

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 8.0543, df = 5, p-value = 0.1533

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00031727	0.01342034	-0.0236	0.98118
Edad_t	0.00784270	0.01208887	0.6488	0.51767
Anios_de_contrato_t	-0.01911126	0.00821439	-2.3266	0.02157 *
team_num_t	0.00112449	0.00073286	1.5344	0.12742
X_Bateos_t	-0.00021347	0.00088962	-0.2400	0.81075
X_Bateos_t_1	0.00089267	0.00131423	0.6792	0.49823

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.00020846	0.00959380	0.0217	0.9828
Edad_t	-0.01573213	0.00059621	-26.3871	< 2.2e-16 ***
Anios_de_contrato_t	-0.07654258	0.01417617	-5.3994	3.079e-06 ***
team_num_t	0.00525284	0.00071498	7.3469	5.360e-09 ***
X_Bateos_t	0.00398249	0.00250379	1.5906	0.1194
X_Bateos_t_1	0.00151900	0.00356047	0.4266	0.6719

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 7.2465, df = 5, p-value = 0.2029

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00230923	0.01357369	-0.1701	0.865182
Edad_t	0.00761067	0.01156721	0.6580	0.511760
Anios_de_contrato_t	-0.02020124	0.00858895	-2.3520	0.020210 *
team_num_t	0.00197360	0.00078549	2.5126	0.013238 *
X_Bateos_promedio_t	0.05001580	0.01921405	2.6031	0.010338 *
X_Bateos_promedio_t_1	0.07128837	0.02515390	2.8341	0.005348 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00157836	0.00935365	-0.1687	0.8668
Edad_t	-0.01493703	0.00048009	-31.1131	< 2.2e-16 ***
Anios_de_contrato_t	-0.07551207	0.00996423	-7.5783	2.546e-09 ***
team_num_t	0.00607701	0.00060620	10.0248	1.364e-12 ***
X_Bateos_promedio_t	-0.01428493	0.02468127	-0.5788	0.5659
X_Bateos_promedio_t_1	-0.03954034	0.00581795	-6.7963	3.198e-08 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 5.2433, df = 5, p-value = 0.3869

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00243040	0.01367756	-0.1777	0.85925
Edad_t	0.00816004	0.01145064	0.7126	0.47738
Anios_de_contrato_t	-0.01722547	0.00778878	-2.2116	0.02878 *
team_num_t	0.00106197	0.00076242	1.3929	0.16609
X_Bateos_promedio_2_t	-0.02083599	0.05022040	-0.4149	0.67892
X_Bateos_promedio_2_t_1	0.04157355	0.02310788	1.7991	0.07438 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00093310	0.00968963	-0.0963	0.9238
Edad_t	-0.01448099	0.00033060	-43.8018	< 2.2e-16 ***
Anios_de_contrato_t	-0.07154385	0.01502916	-4.7603	2.416e-05 ***
team_num_t	0.00549536	0.00059838	9.1837	1.680e-11 ***
X_Bateos_promedio_2_t	-0.08359106	0.07072912	-1.1818	0.2441
X_Bateos_promedio_2_t_1	0.01276113	0.02466534	0.5174	0.6077

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 2.0994, df = 5, p-value = 0.8352

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00079720	0.01340966	-0.0594	0.95269
Edad_t	0.00774608	0.01237608	0.6259	0.53251
Anios_de_contrato_t	-0.01981818	0.00826692	-2.3973	0.01797 *
team_num_t	0.00097660	0.00072911	1.3394	0.18282
X_Home_runs_t	0.00305788	0.00430041	0.7111	0.47835
X_Home_runs_t_1	0.00185746	0.00330195	0.5625	0.57474

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.00607439	0.00907586	0.6693	0.50706
Edad_t	-0.01563605	0.00086018	-18.1776	< 2.2e-16 ***
Anios_de_contrato_t	-0.07879416	0.01355455	-5.8131	7.978e-07 ***
team_num_t	0.00474891	0.00087278	5.4412	2.688e-06 ***
X_Home_runs_t	0.03079518	0.00579296	5.3160	4.038e-06 ***
X_Home_runs_t_1	0.01937315	0.00890389	2.1758	0.03539 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 12.899, df = 5, p-value = 0.02435

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00158567	0.01347308	-0.1177	0.90650
Edad_t	0.00947708	0.01181897	0.8019	0.42414
Anios_de_contrato_t	-0.01784977	0.00939291	-1.9003	0.05965 .
team_num_t	0.00113291	0.00074919	1.5122	0.13297
X_Home_runs_2_t	-0.00047183	0.00077117	-0.6118	0.54174
X_Home_runs_2_t_1	0.00082138	0.00067852	1.2106	0.22831

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00457904	0.00990200	-0.4624	0.64621
Edad_t	-0.01595858	0.00054283	-29.3988	< 2.2e-16 ***
Anios_de_contrato_t	-0.07070320	0.01265033	-5.5890	1.660e-06 ***
team_num_t	0.00630343	0.00065273	9.6570	4.046e-12 ***
X_Home_runs_2_t	0.00753560	0.00327901	2.2981	0.02673 *
X_Home_runs_2_t_1	0.00706648	0.00274778	2.5717	0.01384 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 10.278, df = 5, p-value = 0.06772

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.00022133	0.01335606	0.0166	0.98680
Edad_t	0.01120742	0.01210152	0.9261	0.35614
Anios_de_contrato_t	-0.01938483	0.00791802	-2.4482	0.01572 *
team_num_t	0.00115880	0.00074244	1.5608	0.12106
X_Juegos_iniciados_t	0.00178291	0.00139142	1.2814	0.20240
X_Juegos_iniciados_t_1	0.00167158	0.00144287	1.1585	0.24883

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.00835208	0.01004923	0.8311	0.41072
Edad_t	-0.01500902	0.00056161	-26.7248	< 2.2e-16 ***
Anios_de_contrato_t	-0.07901844	0.01311029	-6.0272	3.958e-07 ***
team_num_t	0.00584608	0.00087006	6.7192	4.112e-08 ***
X_Juegos_iniciados_t	0.00813446	0.00409282	1.9875	0.05357 .
X_Juegos_iniciados_t_1	0.00514223	0.00300499	1.7112	0.09460 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 7.2232, df = 5, p-value = 0.2046

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00264490	0.01358905	-0.1946	0.84599
Edad_t	0.00843398	0.01152280	0.7319	0.46555
Anios_de_contrato_t	-0.02247865	0.00859585	-2.6151	0.01000
team_num_t	0.00154739	0.00074758	2.0699	0.04049
X_Porcentaje_On_base_plus_slugging_t	0.01860754	0.00939252	1.9811	0.04974
X_Porcentaje_On_base_plus_slugging_t_1	0.05668902	0.02225230	2.5476	0.01204

(Intercept)

Edad_t

Anios_de_contrato_t *

team_num_t *

```
X_Porcentaje_On_base_plus_slugging_t      *
X_Porcentaje_On_base_plus_slugging_t_1 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value
(Intercept)	-0.00480788	0.00893127	-0.5383
Edad_t	-0.01466895	0.00059902	-24.4884
Anios_de_contrato_t	-0.07979538	0.00930531	-8.5753
team_num_t	0.00589829	0.00045650	12.9207
X_Porcentaje_On_base_plus_slugging_t	0.01754075	0.01597992	1.0977
X_Porcentaje_On_base_plus_slugging_t_1	-0.05834841	0.00817441	-7.1379

Pr(>|t|)

(Intercept)	0.5933
Edad_t	< 2.2e-16 ***
Anios_de_contrato_t	1.090e-10 ***
team_num_t	4.811e-16 ***
X_Porcentaje_On_base_plus_slugging_t	0.2788
X_Porcentaje_On_base_plus_slugging_t_1	1.053e-08 ***

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
chisq = 4.466, df = 5, p-value = 0.4845
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value
(Intercept)	0.00005725	0.01360231	0.0042
Edad_t	0.00651103	0.01166131	0.5583
Anios_de_contrato_t	-0.01706969	0.00811485	-2.1035
team_num_t	0.00092722	0.00072130	1.2855
X_Porcentaje_On_base_plus_slugging_2_t	-0.01569738	0.02188412	-0.7173
X_Porcentaje_On_base_plus_slugging_2_t_1	0.01660768	0.01011173	1.6424

Pr(>|t|)

(Intercept)	0.99665
Edad_t	0.57759
Anios_de_contrato_t	0.03739 *
team_num_t	0.20096
X_Porcentaje_On_base_plus_slugging_2_t	0.47451
X_Porcentaje_On_base_plus_slugging_2_t_1	0.10298

```
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value
(Intercept)	-0.0037428	0.0104204	-0.3592
Edad_t	-0.0150231	0.0011478	-13.0880
Anios_de_contrato_t	-0.0699982	0.0185988	-3.7636
team_num_t	0.0053675	0.0006192	8.6684
X_Porcentaje_On_base_plus_slugging_2_t	-0.0268145	0.0255155	-1.0509
X_Porcentaje_On_base_plus_slugging_2_t_1	-0.0229497	0.0058686	-3.9106

Pr(>|t|)

(Intercept)	0.7213073
Edad_t	3.139e-16 ***
Anios_de_contrato_t	0.0005255 ***
team_num_t	8.166e-11 ***
X_Porcentaje_On_base_plus_slugging_2_t	0.2994548
X_Porcentaje_On_base_plus_slugging_2_t_1	0.0003386 ***

```
---  
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

Hausman Test

data: formula

chisq = 9.434, df = 5, p-value = 0.09296

alternative hypothesis: one model is inconsistent

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00311853	0.01367397	-0.2281	0.819964
Edad_t	0.00960929	0.01155976	0.8313	0.407381
Anios_de_contrato_t	-0.02272595	0.00840728	-2.7031	0.007810 **
team_num_t	0.00156909	0.00069779	2.2487	0.026257 *
X_Porcentaje_on_base_t	0.06118900	0.03595902	1.7016	0.091271 .
X_Porcentaje_on_base_t_1	0.09884436	0.03070296	3.2194	0.001631 **

```
---  
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00182295	0.00893375	-0.2041	0.8393222
Edad_t	-0.01461375	0.00072833	-20.0646	< 2.2e-16 ***
Anios_de_contrato_t	-0.07995611	0.01109365	-7.2074	8.412e-09 ***
team_num_t	0.00616020	0.00046028	13.3836	< 2.2e-16 ***
X_Porcentaje_on_base_t	0.00342900	0.03268619	0.1049	0.9169613

```
X_Porcentaje_on_base_t_1 -0.04774466 0.01285272 -3.7148 0.0006072 ***
```

```
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 5.7629, df = 5, p-value = 0.33
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00325191	0.01358609	-0.2394	0.811216
Edad_t	0.01093569	0.01153742	0.9478	0.345008
Anios_de_contrato_t	-0.02088883	0.00918293	-2.2747	0.024598 *
team_num_t	0.00217907	0.00083159	2.6204	0.009854 **
X_Porcentaje_on_base_2_t	0.15873250	0.05362165	2.9602	0.003669 **
X_Porcentaje_on_base_2_t_1	0.02414693	0.02321710	1.0400	0.300293

```
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00280075	0.00886162	-0.3161	0.7535647
Edad_t	-0.01508522	0.00031755	-47.5053	< 2.2e-16 ***
Anios_de_contrato_t	-0.07154822	0.01438777	-4.9729	1.224e-05 ***
team_num_t	0.00579536	0.00065429	8.8574	4.555e-11 ***
X_Porcentaje_on_base_2_t	-0.02953648	0.04985248	-0.5925	0.5567845
X_Porcentaje_on_base_2_t_1	-0.05269429	0.01250627	-4.2134	0.0001345 ***

```
---
```

```
Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 3.5644, df = 5, p-value = 0.6137
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00019269	0.01342926	-0.0143	0.98857

Edad_t	0.00835438	0.01168079	0.7152	0.47578
Anios_de_contrato_t	-0.01792855	0.00820607	-2.1848	0.03074 *
team_num_t	0.00099347	0.00077495	1.2820	0.20219
X_Runs_batted_in_t	-0.00050535	0.00150156	-0.3365	0.73701
X_Runs_batted_in_t_1	0.00257716	0.00140616	1.8328	0.06918 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.00475489	0.00633195	0.7509	0.45698
Edad_t	-0.01560085	0.00047563	-32.8002	< 2.2e-16 ***
Anios_de_contrato_t	-0.08654993	0.01155908	-7.4876	3.407e-09 ***
team_num_t	0.00551495	0.00099027	5.5691	1.771e-06 ***
X_Runs_batted_in_t	0.00789150	0.00483047	1.6337	0.10998
X_Runs_batted_in_t_1	0.00625505	0.00334160	1.8719	0.06837 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 11.781, df = 5, p-value = 0.03791

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00110076	0.01347554	-0.0817	0.9350
Edad_t	0.00695318	0.01180554	0.5890	0.5569
Anios_de_contrato_t	-0.01775080	0.00819636	-2.1657	0.0322 *
team_num_t	0.00106254	0.00076112	1.3960	0.1651
X_Triples_t	0.00097039	0.01334568	0.0727	0.9421
X_Triples_t_1	0.00506401	0.01316905	0.3845	0.7012

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00270645	0.00883408	-0.3064	0.7609
Edad_t	-0.01177145	0.00100070	-11.7633	1.015e-14 ***
Anios_de_contrato_t	-0.07322801	0.01584149	-4.6225	3.743e-05 ***
team_num_t	0.00444056	0.00041175	10.7846	1.526e-13 ***
X_Triples_t	-0.04481618	0.00800739	-5.5969	1.618e-06 ***

```
X_Triples_t_1      -0.01423256  0.01382454  -1.0295    0.3093
```

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 27.304, df = 5, p-value = 4.977e-05
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00121457	0.01345097	-0.0903	0.92819
Edad_t	0.00704974	0.01176820	0.5990	0.55021
Anios_de_contrato_t	-0.01712717	0.00809654	-2.1154	0.03635 *
team_num_t	0.00111235	0.00075884	1.4659	0.14516
X_Triples_2_t	0.00230282	0.00393520	0.5852	0.55946
X_Triples_2_t_1	0.00379575	0.00498803	0.7610	0.44808

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Remaining years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00424175	0.00847547	-0.5005	0.6194
Edad_t	-0.01477071	0.00031358	-47.1037	< 2.2e-16 ***
Anios_de_contrato_t	-0.03704976	0.00373519	-9.9191	1.861e-12 ***
team_num_t	0.00551371	0.00043452	12.6893	8.733e-16 ***
X_Triples_2_t	0.12004042	0.01043738	11.5010	2.073e-14 ***
X_Triples_2_t_1	0.02615302	0.00149774	17.4617	< 2.2e-16 ***

```
---
```

```
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

```
Hausman Test
```

```
data: formula
```

```
chisq = 44.178, df = 5, p-value = 2.132e-08
```

```
alternative hypothesis: one model is inconsistent
```

```
[1] "First two years:"
```

```
t test of coefficients:
```

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.0002069	0.0132712	-0.0156	0.987586

```

Edad_t            0.0033737  0.0107653  0.3134  0.754499
Anios_de_contrato_t -0.0241165  0.0087376 -2.7601  0.006634 **
team_num_t        0.0011902  0.0007186  1.6562  0.100145
X_WAR_t           0.0202041  0.0072727  2.7781  0.006298 **
X_WAR_t_1         0.0085371  0.0092174  0.9262  0.356102

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

```

              Estimate Std. Error  t value Pr(>|t|)
(Intercept)   0.00122436  0.00754681   0.1622   0.8719
Edad_t        -0.02524227  0.00041046 -61.4975 < 2.2e-16 ***
Anios_de_contrato_t -0.07564996  0.01017977  -7.4314 4.082e-09 ***
team_num_t     0.00663144  0.00092867   7.1408 1.043e-08 ***
X_WAR_t        0.05359723  0.00430835  12.4403 1.671e-15 ***
X_WAR_t_1      0.05848274  0.00371058  15.7611 < 2.2e-16 ***

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Test:"

Hausman Test

data: formula

chisq = 15.099, df = 5, p-value = 0.009948

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

```

              Estimate Std. Error  t value Pr(>|t|)
(Intercept)  -0.00039536  0.01329968  -0.0297  0.97633
Edad_t        0.00540420  0.01028784   0.5253  0.60029
Anios_de_contrato_t -0.01957467  0.01003864  -1.9499  0.05339
team_num_t     0.00104589  0.00077641   1.3471  0.18035
X_WAR_2_t      0.00355716  0.00482976   0.7365  0.46278
X_WAR_2_t_1    0.00811641  0.00622367   1.3041  0.19455

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

```

              Estimate Std. Error  t value Pr(>|t|)
(Intercept)   0.00928488  0.00736985   1.2598   0.2148
Edad_t        -0.01618550  0.00110335 -14.6695 < 2.2e-16 ***
Anios_de_contrato_t -0.05220291  0.00412112 -12.6672 9.249e-16 ***
team_num_t     0.00486600  0.00082027   5.9322 5.403e-07 ***
X_WAR_2_t      0.06371473  0.01349073   4.7229 2.723e-05 ***

```

```
X_WAR_2_t_1      -0.02005881  0.00837021  -2.3965    0.0212 *
---
Signif. codes:  0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1
```

```
[1] "Test:"
```

Hausman Test

```
data: formula
chisq = 29.722, df = 5, p-value = 1.673e-05
alternative hypothesis: one model is inconsistent
```

Starting pitcher

```
# loop over the variables in var_hitter_list
for (i in 1:length(stat_fielder_t_1)){
  # run linear regression with grouped errors by country and robust errors
  base_vars_s <- paste(vars, stat_fielder_t[[i]],
                        sep = '+')
  formula <- paste(base_vars_s,
                   stat_fielder_t_1[[i]],
                   sep = " + ")

  print("First two years:")
  s_m_first_d_i <- plm(formula, data = starting_first_two,
                       model = "fd",
                       index = c("id", "Anio_ref"))

  my_lm_cluster_i <- coeftest(s_m_first_d_i,
                             vcov = vcovHC(s_m_first_d_i,
                                             type = "HC1",
                                             cluster = "group"))

  print(my_lm_cluster_i)

  print("Remaining years:")
  s_m_first_d_f <- plm(formula, data = starting_remaining,
                       model = "fd",
                       index = c("id", "Anio_ref"))

  my_lm_cluster_f <- coeftest(s_m_first_d_f,
                             vcov = vcovHC(s_m_first_d_f,
                                             type = "HC1",
                                             cluster = "group"))

  print(my_lm_cluster_f)

  print("Wu Haussman test:")
  print(phtest(s_m_first_d_i, s_m_first_d_f))
}
```

```
[1] "First two years:"
```

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-2.4570e-02	2.9958e-02	-0.8201	0.41619
Edad_t	5.5854e-03	2.2329e-02	0.2501	0.80354
Anios_de_contrato_t	7.2752e-03	1.1000e-02	0.6614	0.51154
team_num_t	2.0382e-03	7.6768e-04	2.6551	0.01073 *
X_Bateos_2_t	-4.2182e-05	8.4317e-05	-0.5003	0.61916
X_Bateos_2_t_1	-1.6577e-05	8.1395e-05	-0.2037	0.83948

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-2.1546e-03	7.7259e-04	-2.7888	0.017623 *
Edad_t	7.2354e-02	2.1800e-02	3.3190	0.006843 **
Anios_de_contrato_t	9.7713e-02	2.8319e-02	3.4504	0.005424 **
team_num_t	1.6281e-03	1.5120e-03	1.0768	0.304628
X_Bateos_2_t	-5.0838e-05	3.0902e-05	-1.6451	0.128188
X_Bateos_2_t_1	-4.9073e-05	6.2042e-05	-0.7910	0.445680

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula
chisq = 0.44313, df = 5, p-value = 0.9941
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.02124957	0.02922380	-0.7271	0.470676
Edad_t	0.00311200	0.01810129	0.1719	0.864222
Anios_de_contrato_t	-0.01458114	0.01065243	-1.3688	0.177431
team_num_t	0.00297159	0.00099284	2.9930	0.004355 **
X_Bateos_t	0.00576288	0.00207796	2.7733	0.007878 **
X_Bateos_t_1	-0.00036324	0.00115481	-0.3145	0.754469

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00933383	0.00221185	-4.2199	0.0014366 **
Edad_t	0.06271241	0.02304115	2.7218	0.0198689 *

```

Anios_de_contrato_t  0.08594828  0.03079005  2.7914  0.0175416 *
team_num_t           0.00382115  0.00107895  3.5416  0.0046201 **
X_Bateos_t           -0.00176959  0.00075264 -2.3512  0.0384081 *
X_Bateos_t_1         0.00360468  0.00077359  4.6597  0.0006941 ***

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 12.183, df = 5, p-value = 0.03237

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.02290575	0.03063134	-0.7478	0.458236
Edad_t	0.00747494	0.02164954	0.3453	0.731400
Anios_de_contrato_t	0.00509409	0.01166751	0.4366	0.664356
team_num_t	0.00209235	0.00077372	2.7043	0.009442 **
X_Carreras_ganadas_2_t	-0.00018357	0.00015089	-1.2166	0.229708
X_Carreras_ganadas_2_t_1	0.00011834	0.00014260	0.8298	0.410735

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-2.2865e-03	8.0320e-04	-2.8467	0.01589 *
Edad_t	7.1793e-02	2.3260e-02	3.0866	0.01035 *
Anios_de_contrato_t	9.4720e-02	3.1302e-02	3.0261	0.01153 *
team_num_t	2.3750e-03	1.5942e-03	1.4898	0.16437
X_Carreras_ganadas_2_t	-4.2886e-05	7.5450e-05	-0.5684	0.58118
X_Carreras_ganadas_2_t_1	2.6079e-05	1.4452e-04	0.1805	0.86008

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 0.90266, df = 5, p-value = 0.97

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.01899845	0.02974940	-0.6386	0.52611
Edad_t	0.00928511	0.02179066	0.4261	0.67194
Anios_de_contrato_t	0.00269361	0.01115594	0.2415	0.81023
team_num_t	0.00164607	0.00078910	2.0860	0.04232 *
X_Carreras_ganadas_t	0.00093902	0.00143416	0.6548	0.51575
X_Carreras_ganadas_t_1	0.00330373	0.00144370	2.2884	0.02656 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00777074	0.0031128	-2.4760	0.03079 *
Edad_t	0.0746521	0.0274442	2.7201	0.01993 *
Anios_de_contrato_t	0.0982993	0.0353790	2.7785	0.01795 *
team_num_t	0.0047651	0.0018284	2.6062	0.02442 *
X_Carreras_ganadas_t	-0.0020483	0.0013363	-1.5328	0.15356
X_Carreras_ganadas_t_1	0.0044534	0.0020663	2.1552	0.05416 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 0.89014, df = 5, p-value = 0.9709

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.02024110	0.02937529	-0.6891	0.49411
Edad_t	0.00622551	0.01957601	0.3180	0.75185
Anios_de_contrato_t	0.01373246	0.01189478	1.1545	0.25401
team_num_t	0.00131836	0.00080602	1.6356	0.10846
X_ERA_t	0.02032932	0.00797212	2.5501	0.01402 *
X_ERA_t_1	-0.01188927	0.00654232	-1.8173	0.07542 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00310343	0.00018850	-16.4638	4.261e-09 ***
Edad_t	0.10916815	0.02758731	3.9572	0.002245 **

```

Anios_de_contrato_t  0.14155478  0.03533479  4.0061  0.002065 **
team_num_t          0.00458692  0.00106184  4.3198  0.001215 **
X_ERA_t             -0.02287376  0.00663547  -3.4472  0.005455 **
X_ERA_t_1           0.00272977  0.00085388  3.1969  0.008501 **

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 6.6594, df = 5, p-value = 0.2472

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.01999341	0.02975983	-0.6718	0.50492
Edad_t	0.01059855	0.02115741	0.5009	0.61870
Anios_de_contrato_t	-0.00291602	0.01199416	-0.2431	0.80895
team_num_t	0.00189961	0.00081339	2.3354	0.02375 *
X_Carreras_t	0.00321404	0.00147013	2.1862	0.03371 *
X_Carreras_t_1	0.00320849	0.00143639	2.2337	0.03020 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.0065029	0.0025187	-2.5819	0.02551 *
Edad_t	0.0605475	0.0205959	2.9398	0.01345 *
Anios_de_contrato_t	0.0792483	0.0277103	2.8599	0.01552 *
team_num_t	0.0030234	0.0013000	2.3257	0.04017 *
X_Carreras_t	-0.0020028	0.0012767	-1.5687	0.14501
X_Carreras_t_1	0.0027276	0.0013289	2.0526	0.06469 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 5.1808, df = 5, p-value = 0.3942

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-2.3379e-02	3.0848e-02	-0.7579	0.452230
Edad_t	4.1780e-03	2.3952e-02	0.1744	0.862263
Anios_de_contrato_t	5.8263e-03	1.1036e-02	0.5279	0.599977
team_num_t	2.3519e-03	8.2874e-04	2.8379	0.006636 **
X_Comando_2_t	-2.9497e-03	4.9876e-03	-0.5914	0.557032
X_Comando_2_t_1	2.2918e-06	1.9389e-06	1.1820	0.243023

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00056512	0.00054180	-1.0430	0.31931
Edad_t	0.08461421	0.02959126	2.8594	0.01553 *
Anios_de_contrato_t	0.11340034	0.03912381	2.8985	0.01448 *
team_num_t	0.00353216	0.00188038	1.8784	0.08707 .
X_Comando_2_t	-0.02079964	0.00743766	-2.7965	0.01738 *
X_Comando_2_t_1	-0.00164461	0.00071639	-2.2957	0.04235 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula
chisq = 1.9864, df = 5, p-value = 0.851
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.02590473	0.03112733	-0.8322	0.40941
Edad_t	0.00928430	0.02391275	0.3883	0.69954
Anios_de_contrato_t	-0.00025608	0.00905690	-0.0283	0.97756
team_num_t	0.00175841	0.00086133	2.0415	0.04672 *
X_Comando_t	0.01791415	0.02007555	0.8923	0.37666
X_Comando_t_1	0.00033070	0.00018013	1.8359	0.07257 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00056600	0.00083638	-0.6767	0.512556
Edad_t	0.08396728	0.02668697	3.1464	0.009302 **

```

Anios_de_contrato_t  0.10834353  0.03472067  3.1204  0.009742 **
team_num_t           0.00436311  0.00303890  1.4358  0.178893
X_Comando_t          -0.03732416  0.00563646 -6.6219 3.751e-05 ***
X_Comando_t_1        0.00980773  0.02031901  0.4827  0.638780

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 7.5493, df = 5, p-value = 0.1829

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.02939815	0.03246706	-0.9055	0.36974
Edad_t	0.00825468	0.02165844	0.3811	0.70479
Anios_de_contrato_t	0.00914616	0.01261710	0.7249	0.47203
team_num_t	0.00252642	0.00084634	2.9851	0.00445 **
X_Control_2_t	-0.09747761	0.05061033	-1.9260	0.06003 .
X_Control_2_t_1	-0.04183516	0.01530500	-2.7334	0.00875 **

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.00191736	0.00024296	7.8917	7.434e-06 ***
Edad_t	0.07671024	0.01601403	4.7902	0.0005621 ***
Anios_de_contrato_t	0.10148562	0.02269726	4.4713	0.0009449 ***
team_num_t	0.00367983	0.00141223	2.6057	0.0244445 *
X_Control_2_t	0.25782522	0.02069901	12.4559	7.922e-08 ***
X_Control_2_t_1	-0.39105857	0.03093346	-12.6419	6.797e-08 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 1.1584, df = 5, p-value = 0.9488

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.02778360	0.03100653	-0.8961	0.374695
Edad_t	0.01086610	0.02086320	0.5208	0.604882
Anios_de_contrato_t	0.00443530	0.01227445	0.3613	0.719428
team_num_t	0.00228700	0.00081973	2.7899	0.007539 **
X_Control_t	-0.02432422	0.02987474	-0.8142	0.419548
X_Control_t_1	-0.06804541	0.03475624	-1.9578	0.056082 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.00080689	0.00015899	5.0752	0.0003576 ***
Edad_t	0.04179212	0.01463300	2.8560	0.0156275 *
Anios_de_contrato_t	0.06981027	0.01875419	3.7224	0.0033678 **
team_num_t	0.00954558	0.00106521	8.9612	2.187e-06 ***
X_Control_t	-0.03397623	0.01359758	-2.4987	0.0295748 *
X_Control_t_1	-0.23550291	0.01074243	-21.9227	1.992e-10 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 4.104, df = 5, p-value = 0.5345

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.02342716	0.03057924	-0.7661	0.447360
Edad_t	0.00607596	0.02102702	0.2890	0.773857
Anios_de_contrato_t	0.01052118	0.01234799	0.8521	0.398414
team_num_t	0.00268858	0.00098519	2.7290	0.008852 **
X_Dominio_2_t	-0.02183115	0.02648794	-0.8242	0.413907
X_Dominio_2_t_1	0.02720267	0.01047039	2.5981	0.012413 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00384134	0.00012301	-31.2273	4.310e-12 ***
Edad_t	0.00717874	0.00538513	1.3331	0.2094607

```

Anios_de_contrato_t -0.00112003  0.00727050  -0.1541  0.8803591
team_num_t          -0.00048439  0.00018518  -2.6157  0.0240113 *
X_Dominio_2_t       -0.00334834  0.00057334  -5.8400  0.0001125 ***
X_Dominio_2_t_1      -0.12871407  0.00178776 -71.9976  4.612e-16 ***

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 9.2408, df = 5, p-value = 0.09984

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.02143925	0.03148148	-0.6810	0.49914
Edad_t	0.00438414	0.02257383	0.1942	0.84683
Anios_de_contrato_t	0.00445755	0.01360166	0.3277	0.74455
team_num_t	0.00221259	0.00090293	2.4505	0.01796 *
X_Dominio_t	0.00117272	0.01286363	0.0912	0.92774
X_Dominio_t_1	0.01393291	0.01509885	0.9228	0.36074

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-3.2642e-03	9.7146e-06	-336.0082	< 2.2e-16 ***
Edad_t	-1.3327e-02	1.9698e-03	-6.7657	3.092e-05 ***
Anios_de_contrato_t	-1.9293e-02	2.7580e-03	-6.9953	2.283e-05 ***
team_num_t	1.5425e-03	1.5564e-04	9.9109	8.084e-07 ***
X_Dominio_t	-6.2222e-02	1.5701e-03	-39.6280	3.204e-13 ***
X_Dominio_t_1	-1.2239e-01	1.8276e-03	-66.9681	1.021e-15 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 64.369, df = 5, p-value = 1.515e-12

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-2.3319e-02	3.0256e-02	-0.7707	0.44465
Edad_t	6.5019e-03	2.1559e-02	0.3016	0.76427
Anios_de_contrato_t	7.3235e-03	1.1831e-02	0.6190	0.53882
team_num_t	2.0636e-03	7.6953e-04	2.6816	0.01002 *
X_Inning_pitched_2_t	-5.7179e-05	7.3909e-05	-0.7736	0.44294
X_Inning_pitched_2_t_1	3.2698e-05	7.6001e-05	0.4302	0.66895

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-7.1585e-03	1.1331e-03	-6.3176	5.696e-05 ***
Edad_t	6.9198e-02	2.3651e-02	2.9257	0.0137950 *
Anios_de_contrato_t	8.0288e-02	3.0025e-02	2.6741	0.0216367 *
team_num_t	2.4037e-03	1.2587e-03	1.9097	0.0825790 .
X_Inning_pitched_2_t	-1.5737e-04	3.6087e-05	-4.3608	0.0011348 **
X_Inning_pitched_2_t_1	1.6210e-04	3.6136e-05	4.4859	0.0009223 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 0.13838, df = 5, p-value = 0.9996

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.01691119	0.03039830	-0.5563	0.580576
Edad_t	0.00638831	0.02108379	0.3030	0.763202
Anios_de_contrato_t	0.00552880	0.01232753	0.4485	0.655816
team_num_t	0.00218722	0.00078563	2.7840	0.007659 **
X_Inning_pitched_t	-0.00051821	0.00092516	-0.5601	0.577995
X_Inning_pitched_t_1	0.00222837	0.00099754	2.2339	0.030185 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00748909	0.00143809	-5.2077	0.000291 ***
Edad_t	0.07392285	0.02613488	2.8285	0.016416 *

```

Anios_de_contrato_t    0.09566953  0.03436839  2.7836 0.017787 *
team_num_t            0.00306605  0.00135223  2.2674 0.044510 *
X_Inning_pitched_t    -0.00090644  0.00052114 -1.7394 0.109840
X_Inning_pitched_t_1  0.00253662  0.00037530  6.7588 3.12e-05 ***

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 1.1481, df = 5, p-value = 0.9498

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-2.3457e-02	3.0635e-02	-0.7657	0.447616
Edad_t	6.4966e-03	2.1342e-02	0.3044	0.762130
Anios_de_contrato_t	5.3535e-03	1.1916e-02	0.4493	0.655256
team_num_t	2.2369e-03	7.8030e-04	2.8667	0.006141 **
X_Losses_2_t	1.0237e-03	8.2682e-04	1.2382	0.221682
X_Losses_2_t_1	5.4908e-05	8.4992e-04	0.0646	0.948758

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00210186	0.00188870	-1.1129	0.289496
Edad_t	0.06906925	0.02207330	3.1291	0.009593 **
Anios_de_contrato_t	0.09318448	0.02986948	3.1197	0.009755 **
team_num_t	0.00116925	0.00163949	0.7132	0.490587
X_Losses_2_t	-0.00276140	0.00182841	-1.5103	0.159154
X_Losses_2_t_1	-0.00076341	0.00275513	-0.2771	0.786852

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 1.4542, df = 5, p-value = 0.9183

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.0189788	0.0315744	-0.6011	0.5506144
Edad_t	0.0033800	0.0223070	0.1515	0.8801997
Anios_de_contrato_t	0.0041984	0.0121844	0.3446	0.7319216
team_num_t	0.0022652	0.0008224	2.7544	0.0082808 **
X_Saves_2_t	0.2565765	0.0728705	3.5210	0.0009535 ***
X_Saves_2_t_1	0.0146432	0.0123664	1.1841	0.2421975

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.01099637	0.00066058	-16.6467	3.790e-09 ***
Edad_t	0.08331117	0.02202545	3.7825	0.003034 **
Anios_de_contrato_t	0.10794448	0.02941276	3.6700	0.003690 **
team_num_t	0.00251415	0.00110742	2.2703	0.044287 *
X_Saves_2_t	0.10185787	0.00418365	24.3467	6.422e-11 ***
X_Saves_2_t_1	-0.29620844	0.03217948	-9.2049	1.681e-06 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 0.96979, df = 5, p-value = 0.965

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.0190333	0.0315304	-0.6037	0.548919
Edad_t	0.0035375	0.0223978	0.1579	0.875168
Anios_de_contrato_t	0.0041769	0.0121668	0.3433	0.732868
team_num_t	0.0022308	0.0008223	2.7128	0.009234 **
X_Saves_t	0.1604521	0.0471944	3.3998	0.001366 **
X_Saves_t_1	0.0188070	0.0262219	0.7172	0.476711

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.01234695	0.00130998	-9.4253	1.331e-06 ***
Edad_t	0.08841184	0.02067157	4.2770	0.0013053 **

```

Anios_de_contrato_t  0.11431296  0.02759254  4.1429  0.0016360 **
team_num_t          0.00272971  0.00099334  2.7480  0.0189577 *
X_Saves_t           0.07228129  0.00543137 13.3081  3.989e-08 ***
X_Saves_t_1         -0.13003444  0.02292296 -5.6727  0.0001439 ***

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 1.1496, df = 5, p-value = 0.9496

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-2.6430e-02	3.2275e-02	-0.8189	0.416883
Edad_t	9.5662e-03	2.2349e-02	0.4280	0.670543
Anios_de_contrato_t	1.3041e-02	1.4419e-02	0.9044	0.370293
team_num_t	2.0630e-03	7.1987e-04	2.8658	0.006157 **
X_Strike_outs_2_t	-9.0046e-05	4.8277e-05	-1.8652	0.068275 .
X_Strike_outs_2_t_1	-6.7258e-05	1.0175e-04	-0.6610	0.511777

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-9.6858e-03	4.4673e-04	-21.6815	2.244e-10 ***
Edad_t	7.5028e-02	2.2942e-02	3.2704	0.00746 **
Anios_de_contrato_t	9.2112e-02	3.0338e-02	3.0362	0.01132 *
team_num_t	2.8603e-03	1.2059e-03	2.3719	0.03703 *
X_Strike_outs_2_t	-2.1547e-04	1.9496e-05	-11.0522	2.697e-07 ***
X_Strike_outs_2_t_1	1.8131e-04	5.6927e-06	31.8502	3.476e-12 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 0.92769, df = 5, p-value = 0.9682

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.02120709	0.03022390	-0.7017	0.486276
Edad_t	0.00538166	0.02105944	0.2555	0.799393
Anios_de_contrato_t	-0.00344201	0.01340061	-0.2569	0.798389
team_num_t	0.00243234	0.00087239	2.7881	0.007575 **
X_Strike_outs_t	0.00166264	0.00092769	1.7922	0.079400 .
X_Strike_outs_t_1	0.00200460	0.00102675	1.9524	0.056739 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00799603	0.00106588	-7.5018	1.197e-05 ***
Edad_t	0.07375019	0.02463687	2.9935	0.01222 *
Anios_de_contrato_t	0.08835876	0.03222014	2.7423	0.01915 *
team_num_t	0.00326758	0.00135918	2.4041	0.03498 *
X_Strike_outs_t	-0.00095129	0.00045730	-2.0802	0.06167 .
X_Strike_outs_t_1	0.00243324	0.00015136	16.0758	5.485e-09 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula
chisq = 1.6541, df = 5, p-value = 0.8946
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.02303069	0.03024808	-0.7614	0.450147
Edad_t	0.00654346	0.02137105	0.3062	0.760789
Anios_de_contrato_t	0.00744601	0.01261782	0.5901	0.557879
team_num_t	0.00225938	0.00079199	2.8528	0.006376 **
X_WAR_2_t	-0.00257236	0.00175149	-1.4687	0.148446
X_WAR_2_t_1	-0.00147764	0.00162912	-0.9070	0.368930

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	0.00090313	0.00074211	1.2170	0.2490832
Edad_t	0.07933691	0.02559992	3.0991	0.0101202 *

```

Anios_de_contrato_t  0.12568714  0.03558881  3.5316 0.0047012 **
team_num_t          0.00157642  0.00118571  1.3295 0.2105890
X_WAR_2_t           0.00815960  0.00495299  1.6474 0.1277138
X_WAR_2_t_1         -0.00546376  0.00095909 -5.6968 0.0001388 ***

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 0.67939, df = 5, p-value = 0.9841

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00694715	0.03220057	-0.2157	0.83010
Edad_t	0.00904103	0.02043949	0.4423	0.66024
Anios_de_contrato_t	0.00950500	0.01116106	0.8516	0.39865
team_num_t	0.00200606	0.00082775	2.4235	0.01919 *
X_WHIP_2_t	0.01227524	0.01133313	1.0831	0.28416
X_WHIP_2_t_1	-0.02954821	0.01186907	-2.4895	0.01631 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-2.1920e-03	3.9801e-04	-5.5073	0.0001842 ***
Edad_t	4.5548e-02	8.9616e-03	5.0826	0.0003536 ***
Anios_de_contrato_t	5.8066e-02	1.0602e-02	5.4771	0.0001928 ***
team_num_t	-1.1565e-05	5.7549e-04	-0.0201	0.9843269
X_WHIP_2_t	3.4106e-02	2.2750e-02	1.4992	0.1619623
X_WHIP_2_t_1	-2.9876e-03	5.9056e-03	-0.5059	0.6229158

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 2.5298, df = 5, p-value = 0.772

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00109017	0.03021432	-0.0361	0.97137
Edad_t	0.00314204	0.01957019	0.1606	0.87312
Anios_de_contrato_t	0.00369587	0.00946350	0.3905	0.69787
team_num_t	0.00184488	0.00084053	2.1949	0.03304 *
X_WHIP_t	0.00491165	0.01529501	0.3211	0.74951
X_WHIP_t_1	-0.04684798	0.01790211	-2.6169	0.01183 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00264593	0.00056505	-4.6827	0.0006686 ***
Edad_t	0.05113480	0.02016315	2.5361	0.0276738 *
Anios_de_contrato_t	0.06974369	0.02718750	2.5653	0.0262701 *
team_num_t	0.00101939	0.00093611	1.0890	0.2994520
X_WHIP_t	0.02373870	0.01085567	2.1868	0.0512575 .
X_WHIP_t_1	-0.00312837	0.00334179	-0.9361	0.3693004

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula
chisq = 6.871, df = 5, p-value = 0.2304
alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.02156765	0.03035967	-0.7104	0.480891
Edad_t	0.00889237	0.02093926	0.4247	0.672971
Anios_de_contrato_t	0.00461290	0.01199643	0.3845	0.702289
team_num_t	0.00166631	0.00061315	2.7176	0.009119 **
X_Walks_2_t	0.00058729	0.00026794	2.1919	0.033270 *
X_Walks_2_t_1	0.00047589	0.00024594	1.9350	0.058899 .

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.00439767	0.00035301	-12.4575	7.912e-08 ***
Edad_t	0.07494294	0.01882301	3.9815	0.002153 **

```

Anios_de_contrato_t  0.09755648  0.02527488  3.8598  0.002654 **
team_num_t          0.00041329  0.00165639  0.2495  0.807564
X_Walks_2_t         -0.00076446  0.00017585  -4.3473  0.001161 **
X_Walks_2_t_1       -0.00035761  0.00021823  -1.6387  0.129538

```

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 3.1028, df = 5, p-value = 0.6841

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.0199883	0.0294919	-0.6778	0.50118
Edad_t	0.0106219	0.0208950	0.5083	0.61354
Anios_de_contrato_t	0.0061712	0.0128425	0.4805	0.63303
team_num_t	0.0015124	0.0008003	1.8898	0.06483 .
X_Walks_t	0.0050085	0.0022923	2.1849	0.03381 *
X_Walks_t_1	0.0056134	0.0021445	2.6176	0.01181 *

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.01181575	0.00207291	-5.7001	0.0001382 ***
Edad_t	0.07303970	0.02344685	3.1151	0.0098353 **
Anios_de_contrato_t	0.09402986	0.03129174	3.0049	0.0119736 *
team_num_t	0.00509511	0.00099076	5.1426	0.0003219 ***
X_Walks_t	-0.00450574	0.00134462	-3.3509	0.0064669 **
X_Walks_t_1	0.00757227	0.00108058	7.0076	2.247e-05 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula

chisq = 0.016364, df = 5, p-value = 1

alternative hypothesis: one model is inconsistent

[1] "First two years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.02464549	0.03052697	-0.8073	0.423456
Edad_t	0.00751652	0.02197507	0.3420	0.733808
Anios_de_contrato_t	0.00945370	0.01413384	0.6689	0.506783
team_num_t	0.00220651	0.00081227	2.7165	0.009147 **
X_Wins_t	-0.00403930	0.00456773	-0.8843	0.380936
X_Wins_t_1	0.00020119	0.00332549	0.0605	0.952010

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Remaining years:"

t test of coefficients:

	Estimate	Std. Error	t value	Pr(> t)
(Intercept)	-0.0058621	0.0020419	-2.8709	0.0152176 *
Edad_t	0.0692370	0.0254646	2.7189	0.0199690 *
Anios_de_contrato_t	0.0808037	0.0332139	2.4328	0.0332426 *
team_num_t	0.0038789	0.0013401	2.8945	0.0145877 *
X_Wins_t	-0.0011454	0.0023597	-0.4854	0.6369230
X_Wins_t_1	0.0094832	0.0018936	5.0079	0.0003975 ***

Signif. codes: 0 '***' 0.001 '**' 0.01 '*' 0.05 '.' 0.1 ' ' 1

[1] "Wu Haussman test:"

Hausman Test

data: formula
chisq = 2.1944, df = 5, p-value = 0.8216
alternative hypothesis: one model is inconsistent