

A modern conference room with large windows and a long table. The room is empty, with several office chairs arranged around the table. The view outside the windows shows a cityscape. The image has a blue tint and a stylized, torn-paper-like border.

# Stored Procedures with an Output Parameter

# Stored Procedures with an Output Parameter



SQL

```
DELIMITER $$
```

```
CREATE PROCEDURE procedure_name(in parameter, out parameter)
```

```
BEGIN
```

```
    SELECT * FROM employees
```

```
    LIMIT 1000;
```

```
END$$
```

```
DELIMITER ;
```

# Stored Procedures with an Output Parameter



SQL

```
DELIMITER $$
```

```
CREATE PROCEDURE procedure_name(in parameter, out parameter)
```

```
BEGIN
```

```
    SELECT * FROM employees
```

```
    LIMIT 1000;
```

```
END$$
```

```
DELIMITER ;
```

# Stored Procedures with an Output Parameter



SQL

```
DELIMITER $$
```

```
CREATE PROCEDURE procedure_name(in parameter, out parameter)
```

```
BEGIN
```

```
    SELECT * FROM employees
```

```
    LIMIT 1000;
```

```
END$$
```

```
DELIMITER ;
```



# Stored Procedures with an Output Parameter



SQL

```
DELIMITER $$
```

```
CREATE PROCEDURE procedure_name(in parameter, out parameter)
```

```
BEGIN
```

```
    SELECT * FROM employees
```

```
    LIMIT 1000;
```

```
END$$
```

```
DELIMITER ;
```



*it will represent the variable containing the output value of the operation executed by the query of the stored procedure*

# Stored Procedures with an Output Parameter

- every time you create a procedure containing both an IN and an OUT parameter, remember that you must use the SELECT-INTO structure in the query of this object's body!