

```
// < START >-  
// FILE NAME: : cspell-dictionary.txt  
// TYPE      : .TXT  
// PATH      : .vscode/cspell-dictionary.txt  
// PROCESSED: 2026-09-06T21:55:37.864Z  
// < START >-
```

```
# FILE-PATH: .vscode/cspell-dictionary.txt
```

```
#
```

```
# Custom CSpell Dictionary
```

```
#
```

```
# Add additional words to this file
```

```
#
```

```
# There should be one word per line
```

```
#
```

```
acss
```

```
adoc
```

```
alexcvzz
```

```
Allman
```

```
aouy
```

```
APGL
```

```
appconfig
```

```
ARGB
```

```
AUTOINCREMENT
```

```
background-color
```

```
bandaid
```

```
bierner
```

```
BLOCKEND
```

```
BLOCKNAME
```

```
BLOCKSTART
```

```
bradlc
```

```
brblack
```

```
brblue
```

```
brcyan
```

```
brgreen
```

```
brmagenta
```

```
browserslistrc
```

```
brred
```

```
brwhite
```

```
bryellow
```

```
bun
```

```
bunfig
```

```
Cheatsheet
```

```
Chrs
```

```
clike
```

```
clsx
```

```
crustjs
```

```
CTYPE
```

```
daisyui
```

```
darkgray
```

```
deconsolidate
```

```
Deconsolidation
```

```
deconsolidator
```

```
dotenv
```

```
dskwrk
```

```
ecmel
```

```
editorconfig
```

```
ehthumbs
```

```
end_of_line
```

```
endex
```

```
esdete
```

```
eslintcache
```

```
eslintrc
```

```
fabiospampinato
```

FILECONFIG
FILESCONFIG
Fira
fontkit
Frms
gulpfile
gydunhn
headlessly
HKCU
horiz
Howitworks
hyoban
IGNORECONFIG
IGNORELIST
indent_size
indent_style
insert_final_newline
Iosevka
ipynb
jspx
kamikillerto
LASTEXITCODE
Libertinus
lockfiles
maptz
max_line_length
mhtml
mshorthand
mtruecolor
MVVMC
NAMESLIST
native
njsproj
nodir
ntvs
ONEDRIVE
oxfmt
oxfmtc
oxlint
oxlintc
pcss
pendex
▣ endex
phyxashun
pkief
pmneo
prefersdark
prettierrc
Propo
pycache
quentiumyt
readbysearch
Rebuilder
Renderable
root_by_default
Segoe
serviceworker
smol
styl
sudoaugustin
tailwind
tailwindcss
tamasfe

TEARLINE
Terminess
thang
toml
tomoki
trim_trailing_whitespace
Truecolor
tsgo
tsgolint
tsimporter
UNICODE
UNICODE
unparseable
vbhtml
venv
vite
vitejs
vitest
WCAG
whichdir
wxss
wzulfikar
xabikos
yoavbls
yzhang
zalgo

```
// ██████████ < END > - ██████████  
// FILE NAME: : cspell-dictionary.txt  
// TYPE      : .TXT  
// PATH      : .vscode/cspell-dictionary.txt  
// PROCESSED: 2026-09-06T21:55:37.864Z  
// ██████████ < END > - ██████████
```

```
// ██████████ < START > - ██████████  
// FILE NAME: : cspell-dictionary-acronyms.txt  
// TYPE      : .TXT  
// PATH      : .vscode/cspell-dictionary-acronyms.txt  
// PROCESSED: 2026-09-06T21:55:37.864Z  
// ██████████ < START > - ██████████
```

Acronyms, and Initialisms specific to American English only

For acronyms that are valid for all English variants,
add them to en_shared/src/acronyms.txt
AITA # Am I the Asshole ?
ATF # Bureau of Alcohol, Tobacco, Firearms and Explosives
ATM # Automated Teller Machine
BATFE # Bureau of Alcohol, Tobacco, Firearms and Explosives
BFF # Best Friends Forever
BFFs # Best Friends Forever
CDT # Central Daylight Time
CIA # Central Intelligence Agency
CST # Central Standard Time
CTA # Counter-Terrorism Act (and other acronyms)
DEA # Drug Enforcement Administration
DHS # Department of Homeland Security
DNC # Democratic National Committee
DoD # Department of Defense
DOD # Department of Defense
DoJ # Department of Justice
DOJ # Department of Justice
DoT # Department of Transportation
DOT # Department of Transportation

DRM # Digital Rights Management
EDT # Eastern Daylight Time
EEA # European Economic Area
EPA # Environmental Protection Agency
ER # Emergency Room
EST # Eastern Standard Time
FAQ # Frequently Asked Questions
FBI # Federal Bureau of Investigation
FCC # Federal Communications Commission
FDA # Food and Drug Administration
FLOTUS # First Lady of the United States
FTC # Federal Trade Commission
GMT # Greenwich Mean Time
GOP # Grand Old Party (Republican Party)
HHS # Department of Health and Human Services
IFTTT # If This Then That (used in computing)
LPGA # Ladies Professional Golf Association
MDT # Mountain Daylight Time
MLB # Major League Baseball
MST # Mountain Standard Time
NAIA # National Association of Intercollegiate Athletics
NASA # National Aeronautics and Space Administration
NASCAR # National Association for Stock Car Auto Racing
NBA # National Basketball Association
NCAA # National Collegiate Athletic Association
NHL # National Hockey League
NPS # National Park Service
NRA # National Rifle Association
PDT # Pacific Daylight Time
PGA # Professional Golfers Association
POTUS # President of the United States
PST # Pacific Standard Time
PTO # Paid Time Off
ROI # Return On Investment
SCOTUS # Supreme Court of the United States
SEC # Securities and Exchange Commission
TSA # Transportation Security Administration
USOPC # United States Olympic & Paralympic Committee
USPS # United States Postal Service
USTA # United States Tennis Association
UTC # Coordinated Universal Time
VPPA # Video Privacy Protection Act
WNBA # Women's National Basketball Association
YMCA # Young Men's Christian Association
YWCA # Young Women's Christian Association

```
// < END >-  
// FILE NAME: : cspell-dictionary-acronyms.txt  
// TYPE      : .TXT  
// PATH      : .vscode/cspell-dictionary-acronyms.txt  
// PROCESSED: 2026-09-06T21:55:37.864Z  
// < END >-
```

```
// < START >-  
// FILE NAME: : cspell.json  
// TYPE      : .JSON  
// PATH      : .vscode/cspell.json  
// PROCESSED: 2026-09-06T21:55:37.864Z  
// < START >-
```

```
{  
  // FILE-PATH: .vscode/cspell.json  
  //  
  "enabled": true,  
  "version": "0.2",
```

```

"language": "en, en-GB",
"words": [
    // List of words to be considered correct
],
"flagWords": [
    // List of words to be always considered incorrect
    // Extracted into .vscode/cspell-flagwords.json via the import block below
],
"ignoreWords": [
    // Add any specific words you want to ignore here
],
"ignorePaths": [
    "**/ALL/**",
    "**/ALL_REBUILT/**",
    "**/node_modules/**",
    "**/dist/**",
    "**/build/**"
],
"maxNumberOfProblems": 10000,
"minWordLength": 4,
"allowCompoundWords": true,
"dictionaries": [
    // Local custom dictionaries
    // Extracted into .vscode/cspell-dictionary.json via the import block below
],
"dictionaryDefinitions": [
    // Local custom dictionary definition files
    // Extracted into .vscode/cspell-dictionary.json via the import block below
],
"ignoreRegExpList": [
    // List of patterns to be ignored
],
"includeRegExpList": [
    // (Advanced) limits the text checked to be only that matching the expressions in the list
],
"patterns": [
    // Define named patterns to be used with ignoreRegExpList and includeRegExpList
],
"languageSettings": [
    // Allow configuration to be based upon the programming language and/or the language locale
    // https://cspell.org/docs/Configuration/language-settings
],
"overrides": [
    // Apply settings for specific files in your project
    //
    // Force *.lock` and *.lockb` files to be treated as `cpp` files:
    {
        "filename": "**/{*.lock,*.lockb}",
        "languageId": "json"
    },
    {
        "filename": "**/images/**",
        "enabled": false // Disable spellchecking.
    }
],
"import": [
    // Import other cspell configuration files if necessary
    "./cspell-flagwords.json",
    "./cspell-dictionary.json"
]
}

```

```
// ██████████ < END > ██████████
```

```
// FILE NAME: : cspell.json
// TYPE : .JSON
// PATH : .vscode/cspell.json
// PROCESSED: 2026-09-06T21:55:37.864Z
// _____< END >_____

// _____< START >_____
// FILE NAME: : cspell-flagwords.json
// TYPE : .JSON
// PATH : .vscode/cspell-flagwords.json
// PROCESSED: 2026-09-06T21:55:37.864Z
// _____< START >_____
{
  // FILE-PATH: .vscode/cspell-flagwords.json
  //
  // @ CSpell flagword list to import into cspell.json configuration file
  //
  "version": "0.2",
  "flagWords": [
    /* Regional Spelling Clashes (US / GB Variant Expansion)
    "aluminium -> aluminum",
    "analyse -> analyze",
    "cancelled -> canceled",
    "catalogue -> catalog",
    "centre -> center",
    "colour -> color",
    "defence -> defense",
    "dialogue -> dialog",
    "favourite -> favorite",
    "initialise -> initialize",
    "labour -> labor",
    "licence -> license",
    "moulding -> molding",
    "neighbour -> neighbor",
    "offence -> offense",
    "organise -> organize",
    "programme -> program",
    "serialise -> serialize",
    "travelled -> traveled",

    /* Tech, Code Quality, & Inclusive Language Flagwords
    "blacklist -> denylist, blocklist",
    "dummy -> stub, mock, placeholder",
    "grandfathered -> legacy",
    "he_she -> they",
    "man_hours -> person-hours, effort-hours",
    "master -> main, primary",
    "native -> built-in, local",
    "sanity -> smoke, confidence-check",
    "slave -> replica, secondary",
    "whitelist -> allowlist",

    /* Database & HTTP State Terminology
    "authenticate -> authenticate",
    "authorisation -> authorization",
    "cashe -> cache",
    "clien -> client",
    "cookies -> cookie",
    "persistance -> persistence",
    "querystring -> query string",
    "statelessness -> stateless",

    /* Time, Scheduling, & Cron Formatting
```

```
"cronjob -> cron job",
"intervale -> interval",
"milisecond -> millisecond",
"nanosecond -> nanosecond",
"scheduale -> schedule",
"timestamped -> timestamp",
"timezone -> time zone",

/* Git Operations & DevOps Actions
"cherrypick -> cherry-pick",
"deploiment -> deployment",
"initilize -> initialize",
"merg -> merge",
"rebaseing -> rebasing",
"stach -> stash",
"upstream -> upstream",

/* API & Data Format Standards
"endipoint -> endpoint",
"graphql -> GraphQL",
"jason -> json",
"paylod -> payload",
"restfull -> restful",
"serializer -> serialiser",
"web_socket -> websocket",

/* UI Elements & Layout (Tailwind/CSS Specific)
"alignement -> alignment",
"background-color -> background",
"border-radius -> rounded",
"flexbox -> flex",
"font-stile -> font-style",
"padding -> padding",
"responsiv -> responsive",
"z-indes -> z-index",

/* Mathematical & Cryptographic Key Terms
"algoritm -> algorithm",
"asymetric -> asymmetric",
"decritp -> decrypt",
"encryp -> encrypt",
"indices -> indexes",
"integer -> integer",

/* Common Typo Corrections & Full-Stack Tech Misspellings
"asynchronus -> asynchronous",
"begining -> beginning",
"calender -> calendar",
"canot -> cannot",
"callack -> callback",
"comit -> commit",
"componente -> component",
"configuration -> configuration",
"creds -> credentials",
"definately -> definitely",
"dependancy -> dependency",
"depricated -> deprecated",
"deserialise -> deserialize",
"documet -> document",
"enviroment -> environment",
"environement -> environment",
"exced -> exceed",
"extention -> extension",
```

```

    "funtion -> function",
    "incase -> in case, encase",
    "interfece -> interface",
    "librery -> library",
    "lisener -> listener",
    "middelware -> middleware",
    "neccessary -> necessary",
    "occured -> occurred",
    "override -> override",
    "packege -> package",
    "paramater -> parameter",
    "promis -> promise",
    "recieve -> receive",
    "referral -> referral",
    "repository -> repository",
    "request -> request",
    "responce -> response",
    "seperate -> separate",
    "stiled -> styled",
    "submitted -> submitted",
    "successfull -> successful",
    "teh -> the",
    "tomorow -> tomorrow",
    "truely -> truly",
    "unhandeld -> unhandled",
    "untill -> until",
    "wether -> whether",
    "wich -> which"
  ]
}

// < END >-
// FILE NAME: : cspell-flagwords.json
// TYPE : .JSON
// PATH : .vscode/cspell-flagwords.json
// PROCESSED: 2026-09-06T21:55:37.864Z
// < END >-

// < START >-
// FILE NAME: : cspell-dictionary.json
// TYPE : .JSON
// PATH : .vscode/cspell-dictionary.json
// PROCESSED: 2026-09-06T21:55:37.864Z
// < START >-
{
  // FILE-PATH: .vscode/cspell-dictionary.json
  //
  // @ CSpell dictionary config to import into cspell.json configuration file
  //
  "version": "0.2",
  "dictionaries": [
    // Local custom dictionaries
    "cspell-dictionary",
    "cspell-acronyms",
    "cspell-dictionary-en_GB",
    "cspell-dictionary-en_US-A-D",
    "cspell-dictionary-en_US-E-L",
    "cspell-dictionary-en_US-M-R",
    "cspell-dictionary-en_US-S-Z",
    // CSpell built-in dictionaries
    "typescript",
    "javascript",
    "html",

```


