

# LAB REPORT

03

CSE416: Web Engineering Lab

Submitted To

Md. Ashraful Islam Talukder

Lecturer

Department of CSE

Daffodil International University

**Submitted By** 

Student ID: 221-15-5606

Student Name: Mahmudul Hasan Piash

Section: 61\_D1
Department of CSE


Daffodil International University


Date of Assignment Distribution: 13<sup>th</sup> July, 2025 Date of Assignment Submission: 13<sup>th</sup> July, 2025 Experiment No: 03

Experiment Name: Data Insertion from a static web page to database using PHP.

# **Obtained Output:**

This is a SS of the main Page.





# This is the SS of Register Page.




## After Giving Proper Information, it goes to next page.

Connection successfulConnection successful

#### Without giving Proper Info.



#### Database SS.



# **Source Code**

#### Main.html

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Game Library</title>
   <!-- upper part / navigation bar-->
<div class="nav">
          <h1>KnightFall</h1>
       <div class="search">
           <form action="">
               <input type="text" name="" id="" placeholder="search">
        <a href=""> Home </a>
<a href=""> Games </a>
           <a href=""> About </a>
<a href="<u>Register.html</u>"> Register</a>
    Here You can get your desired games.
           <button>Games
            <button>About</button>
```

```
div class="x">
div class="x">
div class="x">
dim src="control.jpeg" alt="">
div>control</h>
div>
div class="y">
div div class="y">
div class="y">
div class="y">
div class="y">
div div>
div class="y">
div div>
div class="y">
div class="y"
div class="y">
div class="y"
div class="y">
div class="y"
div class
```

# Register.html

```
♦ Register.html > ♦ html > ♦ body > ♦ form.bg
      <!DOCTYPE html>
      <html lang="en">
          <meta charset="UTF-8">
          <meta name="viewport" content="width=device-width, initial-scale=1.0">
          <title>Document</title>
           <form action="login.php" autocomplete="on" class="bg" method="post">
                  <legend>Registration</legend>
                  <label for="Name" >Name: </label>
<input type="text" id="Name" name="Name" >
                  <span id = "NameError"></span>
                  <label for="EMail">E-mail: </label>
                  <input type="email" id="EMail" name="EMail">
                  <label for="Password">Password: </label>
                  <input type="password" id="Password" name="Password" placeholder="password">
                   <span id = "PasswordError"></span>
                  <label for="ConfirmPassword">Confirm Password: </label>
                   <input type="password" id="ConfirmPassword" name="ConfirmPassword" placeholder="confirm password" >
                   <span id = "ConfirmPasswordError"></span>
```

```
<label for="DateOfBirth">Date of Birth: </label>
<input type="date">
<label for="Gender">Gender: </label>
<input type="radio" id="GenderM" name="Gender" value="M">
<label for="GenderM">Male</label>
<input type="radio" id="GenderF" name="Gender" value="F">
<label for="GenderF" >Female</label>
<span id = "GenderError"></span>
<br><br><br><
<label for="PL">Favourite Genres: </label>
<input type="checkbox" id="FGA" name="fg" value="Action">
<input type="checkbox" id="FGD" name="fg" value="Drama">
<label for="FGD" >Drama</label>
<input type="checkbox" id="FGAd" name="fg" value="Adventure">
<label for="FGAd" >Adventure</label>
<input type="checkbox" id="FGP" name="fg" value="Puzzle">
<label for="FGP" >Puzzle</label>
<input type="checkbox" id="FGF" name="fg" value="FPS">
<label for="FGF" >FPS</label>
```

```
<select name="Division" id="Division">
          <option value="Dhaka">Dhaka</option>
          <option value="Rajshahi">Rajshahi</option>
          <option value="Sylhet">Sylhet</option>
          <option value="Rangpur">Rangpur</option>
          <option value="Khulna">Khulna</option>
          <option value="Barisal">Barisal</option>
          <option value="Bogura" selected>Bogura</option>
       <br><br><br>>
       <label for="FavCol">Favourite Colour: </label>
      <input type="color" id="FavCol" name="FavCol">
       <label for="CountryName">Country Name: </label>
       <span id = "CountryError"></span>
      <input type="submit" value="Register" onclick="fun()">
<script src="Regapp.js"></script>
```

#### dbcon.php

```
😭 login.php 💢
               dbcon.php X
dbcon.php
       <?php
           $host = "localhost";
           $user = "root";
           $password = "";
           $db = "cls 5";
  5
           global $conn;
           $conn = mysqli_connect($host, $user, $password, $db);
           if(!$conn) {
               echo "Connrection failed: ";
 11
 12
           } else {
               echo "Connection successful";
```

- Here \$host is localhost, \$user is root, \$password is empty, and \$db is "cls 5".
- Then attempting to connecting to the MySQL database using mysqli\_connect() with these informations.
- Then we are checking if the connection was successful or not.

#### Login.php

```
login.php ×

login.php
1 </ph>
2 include "dbcon.php";

3
4 $un = $_POST['Name'];
5 $pass = md5($_POST['Password']);

6
7 $query = "INSERT INTO users(username, password) values('$un', '$pass')";

8
9 $run = mysqli_query($conn, $query);

10
11 if($run) {
12 echo "Connection successful";
13 } else {
14 echo "Connection failed";
15 }
16 ?>
```

This PHP file is for query run. Here,

- Got value of username and password from html file and stored it in \$un and \$pass.
- With \$run we are sending data to the database.
- By checking if we can see if the query is successful or failed.

# Style.css

```
# style.css X
  1 /* hide the upper part */
2 *{
           border: 0;
           margin: 0;
      .nav[] height: 50px;
           background-color: ■brown;
           display: flex;
          justify-content: space-around;
align-items: center;
       .logo{
width: 30%;
      .logo h1{
color: □black
      input{
          border-radius: 10px;
           font-size: 16px;
       .items{
           width: 20%;
           display: flex;
           justify-content: space-around;
           color: □black;
           text-decoration: none;
```

```
.img{
   height: 600px;
   background-image: url("call.jpg");
   background-repeat: no-repeat;
   background-position: center;
   background-size: cover;
   display: flex;
   justify-content: space-around;
   align-items: first baseline;
   flex-direction: column;
.img p{
   color: □black;
   text-align: justify;
   font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
.img button
   height: 40px;
   width: 70px;
   border-radius: 10px;
   background-color: ■brown;
.img button:hover
   background-color: ☐ green;
   color: □white;
```

```
margin-top: 20px;
         height: 60px;
         display: flex;
         flex-direction: column;
         justify-content: center;
         margin-bottom: 20px;
80 ∨ .au p{
         font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
         text-align: justify;
85 ∨ .card{
         margin-top: 50px;
         margin-bottom: 20px;
    .a, .b
         margin-top: 20px;
         height: 300px;
         display: flex;
         justify-content: space-around;
         align-items: center;
```

```
width: 30%;
   height: 300px;
   background-color: ■brown;
   border-radius: 20px;
   display: flex;
   flex-direction: column;
   align-items: center;
img
   border-radius: 50%;
   height: 150px;
   width: 35%;
.x h1, .y h1, .z h1
   color: □black;
.x p, .y p, .z p
   padding: 5px;
   color: ☐white;
   text-align: justify;
   font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
    height: 30px;
    background-color: □black;
    color: □white;
    display: flex;
    justify-content: center;
    align-items: center;
```

# LoginStyle.css