

LAB REPORT

05

CSE416: Web Engineering Lab

Submitted To

Md. Ashraful Islam Talukder

Lecturer

Department of CSE

Daffodil International University

Submitted By

Student ID: 221-15-5606

Student Name: Mahmudul Hasan Piash


Section: 61_D1
Department of CSE


Daffodil International University

Date of Assignment Distribution: 27th July, 2025 Date of Assignment Submission: 27th July, 2025 Experiment No: 05 Experiment Name: Use CRUD operation and Search on web page.

Obtained Output:

This is a SS of the main Page.





This is the SS of Register Page.




After Giving Proper Information, it goes to next page. C(Create)

Connection successfulConnection successful

Without giving Proper Info.




Database SS.




Retrieving and showing Data from database R(Read)



The Database:




Adding Update and Delete Option




After Update U(Update)


passs	passs
change	notchange
Change	Change


After Updating






After Delete Press D(Delete)








Search



Blank Search



Source Code

Main.html

```
<!DOCTYPE html>
<html lang="en">
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>Game Library</title>
   <!-- upper part / navigation bar-->
<div class="nav">
          <h1>KnightFall</h1>
       <div class="search">
           <form action="">
               <input type="text" name="" id="" placeholder="search">
        <a href=""> Home </a>
<a href=""> Games </a>
           <a href=""> About </a>
<a href="<u>Register.html</u>"> Register</a>
    Here You can get your desired games.
           <button>Games
            <button>About</button>
```

```
cdiv class="x">
cdiv class="x">
cdiv class="x">
cdiv spsrc="control.jpeg" alt="">
cdiv class="y">
cdiv c
```

Register.html

```
♦ Register.html > ♦ html > ♦ body > ♦ form.bg
      <!DOCTYPE html>
      <html lang="en">
          <meta charset="UTF-8">
          <meta name="viewport" content="width=device-width, initial-scale=1.0">
          <title>Document</title>
           <form action="login.php" autocomplete="on" class="bg" method="post">
                  <legend>Registration</legend>
                  <label for="Name" >Name: </label>
<input type="text" id="Name" name="Name" >
                  <span id = "NameError"></span>
                  <label for="EMail">E-mail: </label>
                  <input type="email" id="EMail" name="EMail">
                  <label for="Password">Password: </label>
                  <input type="password" id="Password" name="Password" placeholder="password">
                   <span id = "PasswordError"></span>
                  <label for="ConfirmPassword">Confirm Password: </label>
                   <input type="password" id="ConfirmPassword" name="ConfirmPassword" placeholder="confirm password" >
                   <span id = "ConfirmPasswordError"></span>
```

```
<label for="DateOfBirth">Date of Birth: </label>
        <input type="date">
        <label for="Gender">Gender: </label>
        <input type="radio" id="GenderM" name="Gender" value="M">
        <label for="GenderM">Male</label>
        <input type="radio" id="GenderF" name="Gender" value="F">
        <label for="GenderF" >Female</label>
        <span id = "GenderError"></span>
        <label for="PL">Favourite Genres: </label>
        <input type="checkbox" id="FGA" name="fg" value="Action">
        <label for="FGD" >Action</label>
        <input type="checkbox" id="FGD" name="fg" value="Drama">
        <label for="FGD" >Drama</label>
        <input type="checkbox" id="FGAd" name="fg" value="Adventure">
        <label for="FGAd" >Adventure</label>
        <input type="checkbox" id="FGP" name="fg" value="Puzzle">
        <label for="FGP" >Puzzle</label>
        <input type="checkbox" id="FGF" name="fg" value="FPS">
        <label for="FGF" >FPS</label>
        <label for="PL">Division: </label>
        <select name="Division" id="Division">
            <option value="Dhaka">Dhaka</option>
            <option value="Rajshahi">Rajshahi
           <option value="Sylhet">Sylhet</option>
<option value="Rangpur">Rangpur</option>
<option value="Khulna">Khulna</option>
            <option value="Barisal">Barisal</option>
            <option value="Bogura" selected>Bogura</option>
        <label for="FavCol">Favourite Colour: </label>
        <input type="color" id="FavCol" name="FavCol">
        <label for="CountryName">Country Name: </label>
        <input type="text" id="CountryName" name="CountryName" pattern="[A-Z]{3}">
        <input type="submit" value="Register" onclick="fun()">
<script src="Regapp.js"></script>
```

dbcon.php

```
dbcon.php X
👫 login.php 💢
dbcon.php
       <?php
           $host = "localhost";
           $user = "root";
           $password = "";
           $db = "cls 5";
  5
           global $conn;
           $conn = mysqli_connect($host, $user, $password, $db);
           if(!$conn) {
               echo "Connrection failed: ";
 12
           } else {
               echo "Connection successful";
```

- Here \$host is localhost, \$user is root, \$password is empty, and \$db is "cls 5".
- Then attempting to connecting to the MySQL database using mysqli_connect() with these informations.
- Then we are checking if the connection was successful or not.

Login.php

This PHP file is for query run. Here,

- Got value of username and password from html file and stored it in \$un and \$pass.
- With \$run we are sending data to the database.
- By checking if we can see if the query is successful or failed.
- Used header to go directly to list.php to fetch data

List.php

```
Lab Report 5 > 💝 list.php
            include 'dbcon.php';
           $query = "SELECT * FROM users";
            $run = mysqli_query($conn, $query);
            if(mysqli_num_rows($run)>0){
      <!DOCTYPE html>
       <html lang="en">
           <meta charset="UTF-8">
           <title>User Cards</title>
           <link rel="stylesheet" href="liststyle.css">
<link rel="stylesheet" href="style3.css">
                body {
                     font-family: Arial, sans-serif; background: ■#f2f2f2;
                     margin: 0;
                     padding: 20px;
                     display: flex;
                     flex-wrap: wrap;
```

```
.user-card {
                 background-color: #fff;
                 padding: 20px;
                 width: 200px;
                 box-shadow: 0 4px 8px □rgba(0,0,0,0.1);
                 border-radius: 10px;
              .user-card h3 {
                 margin: 0 0 10px;
                 font-size: 18px;
              .user-card p {
                 margin: 0;
                 color: #555;
             .footer {
                 text-align: center;
                 margin-top: 40px;
             table, tr, th, td{
                 border: 1px solid black;
                 border-collapse: collapse;
                 padding: 10px;
62
     </head>
```

```
| class="nav" | class="nav" | class="logo" | class="logo" | class="logo" | class="logo" | class="search" | cform action="search.php" method="get" | cform action="search.php" method="get" | cinput type="text" placeholder="search" | cinput type="text" placeholder="search" | cinput type="submit" value="search" | cinput type="submit" value="submit" val
```

Update.php

```
Lab Report 5 > 🐄 update.php
           $id = $ GET['id'];
           $query = "SELECT * FROM users WHERE id = '$id'";
           $run = mysqli_query($conn, $query);
           $row = mysqli_fetch_assoc($run);
       <!DOCTYPE html>
       <html lang="en">
           <meta charset="UTF-8">
           <meta http-equiv="X-UA-Compatible" content="IE=edge">
           <meta name="viewport" content="width=device-width, initial-scale=1.0">
           <title>Document</title>
           <form action="set.php" method="post" align="center" style="padding-top: 20px;">
               <input type="hidden" name="id" id="id" value="<?= $id ?>">
               <input type="text" name="Name" id="Name" value="<?= $row['username'] ?>">
               <input type="text" name="Password" id="Password" value="<?= $row['password'] ?>">
               <input type="submit" value="Change">
 30
```

Set.php

```
Lab Report 5 > 🐄 set.php
       <?php
           include 'dbcon.php';
           $id = $ POST['id'];
           $uname = $ POST['Name'];
           $post = $ POST['Password'];
           $query = "UPDATE users SET username='$uname',
                       password='$post' WHERE id='$id'";
           $run = mysqli_query($conn, $query);
 11
 12
           if(!$run){
               echo "submission failed!";
 15
           } else{
               header("location: list.php");
       <?
```

Delete.php

Search.php

```
Lab Report 5 > 💏 search.php
            include 'dbcon.php';
            $info = $_GET['info'];
            $query = "SELECT * FROM users WHERE username LIKE '%$info%' OR password LIKE '%$info%'";
            $run = mysqli_query($conn, $query);
            if(mysqli_num_rows($run)>0){
       <!DOCTYPE html>
       <html lang="en">
           <meta charset="UTF-8">
            <title>User Cards</title>
           k rel="stylesheet" href="liststyle.css">
k rel="stylesheet" href="style3.css">
                body {
                    font-family: Arial, sans-serif; background: ■#f2f2f2;
                    margin: 0;
                    padding: 20px;
                .user-container {
                    display: flex;
                     flex-wrap: wrap;
                    gap: 20px;
```

```
.user-container {
   display: flex;
    flex-wrap: wrap;
   gap: 20px;
.user-card {
   background-color: #fff;
    padding: 20px;
   width: 200px;
   box-shadow: 0 4px 8px □rgba(0,0,0,0.1);
   border-radius: 10px;
.user-card h3 {
   margin: 0 0 10px;
    font-size: 18px;
.user-card p {
   margin: 0;
   color: #555;
.footer {
   text-align: center;
   margin-top: 40px;
table, tr, th, td{
   border: 1px solid black;
   border-collapse: collapse;
   padding: 10px;
```

Style.css

```
# style.css X
# style.css > 😫 .nav
          border: 0;
          margin: 0;
      .nav{
          height: 50px;
          background-color: ■brown;
          display: flex;
justify-content: space-around;
          align-items: center;
       .logo{
          width: 30%;
      .logo h1{
          color: □black
      input{
          border-radius: 10px;
          font-size: 16px;
       .items{
          width: 20%;
          display: flex;
          justify-content: space-around;
          color: □black;
          text-decoration: none;
```

```
.img{
    height: 600px;
    background-image: url("call.jpg");
    background-repeat: no-repeat;
    background-position: center;
    background-size: cover;
    display: flex;
    justify-content: space-around;
    align-items: first baseline;
    flex-direction: column;
.img p{
   color: □black;
    text-align: justify;
    font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
.img button
    height: 40px;
    width: 70px;
    border-radius: 10px;
    background-color: ■brown;
.img button:hover
    background-color: ☐ green;
    color: □white;
```

```
margin-top: 20px;
         height: 60px;
         display: flex;
         flex-direction: column;
         justify-content: center;
         margin-bottom: 20px;
80 ∨ .au p{
         font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
         text-align: justify;
85 ∨ .card{
         margin-top: 50px;
         margin-bottom: 20px;
    .a, .b
         margin-top: 20px;
         height: 300px;
         display: flex;
         justify-content: space-around;
         align-items: center;
```

```
width: 30%;
   height: 300px;
   background-color: ■brown;
   border-radius: 20px;
   display: flex;
   flex-direction: column;
   align-items: center;
img
   border-radius: 50%;
   height: 150px;
   width: 35%;
.x h1, .y h1, .z h1
   color: □black;
.x p, .y p, .z p
   padding: 5px;
   color: ☐white;
   text-align: justify;
   font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;
    height: 30px;
    background-color: □black;
    color: □white;
    display: flex;
    justify-content: center;
    align-items: center;
```

LoginStyle.css

Style3.css

```
Lab Report 4 > # style3.css > 😭 .footer
               body {
                   font-family: Arial, sans-serif;
                   background: ■#f2f2f2;
                   margin: 0;
                   padding: 20px;
               .card {
                   display: flex;
                   flex-wrap: wrap;
                   gap: 20px;
               .a {
                   background-color: ■#fff;
                   padding: 20px;
                   width: 200px;
                   box-shadow: 0 4px 8px □rgba(0,0,0,0.1);
                   border-radius: 10px;
                   height: 250px;
                   display: flex;
                   flex-direction: column;
                   justify-content: center;
               .a h1 {
                   margin: 0 0 10px;
                   font-size: 18px;
               .a p {
                   margin: 0;
                   color: □#555;
```

Liststyle.css

```
Lab Report 5 > # liststyle.css > 💢
          margin: 0;
  5 ∨ .nav{
          height: 50px;
          background-color: □ black;
          display: flex;
          justify-content: space-between;
          align-items: center;
 11
 12
 13 ∨ .logo{
           padding-left: 10px;
 15
 17 ∨ .logo h1{
           color: □yellow;
 21 v .search input{
          border: none;
          border-radius: 10px;
          padding: 5px;
 27 × .links{
          width: 10%;
          display: flex;
          justify-content: space-between;
          padding-right: 20px;
```