Plot2DExercise

November 14, 2016

1 Simple plot of a 2D image

plot2D

- http://www.silx.org/doc/silx/dev/modules/gui/plot/plotwindow.html
- http://www.silx.org/doc/silx/dev/modules/gui/plot/getting_started.html

1.1 load data from data/lena.hdf5

```
In [ ]: import numpy
        from silx.gui.plot import Plot2D
```

```
import fabio
data=fabio.open('data/sinogram.edf').data
```

1.2 Plot the image

- using Plot2D class
    - addImage

```
In [ ]: ...
```

1.3 Change the color map

- using setDefaultColormap

    - a colormap id defined by a dictionnary :
    - colormap = {'name': 'inferno', 'normalization': 'linear', 'autoscale': True, 'vmin': 0.0, 'vmax': 1.0}

```
In [ ]: ...
```

1.4 origin keyword

- define the center of the image to (100, 100) during the call of addImage(..., origin=(...), ...)

```
In [ ]: ...
```

1.5 scale keyword

- scale the image of a factor (0.1, 0.1) during the call of addImage

```
In [ ]: ...
```

2 multiple image

create the lenas plot (data is in data/lena.hdf5) using only :

- data
- Plot2D functions

2.1 load data

```
In [ ]: # input using .hdf5
        import h5py
        dataPath='data/lena.hdf5'
        f=h5py.File(dataPath)
        data=data = numpy.array(f['lena'], dtype='float64')
```

lenas plot

2.2 plot data

```
In [ ]: ...
```

2.3 Control axes

- change title, X and Y labels
    - setGraphTitle
    - setGraphXLabel
    - setGraphYLabel

```
In [ ]: ...
```

## 2.4 x and y limits

get the following display: - using setGraphXLimits - using setGraphYLimits



lena

.

```
In [ ]: ...
```

Plot class diagram

plot class diagram

```
In [ ]:
```