PROJECT GNOSIS

CODE ARCHAEOLOGY SYSTEM

OPERATIONS HANDBOOK · SYSTEMS DATA

This handbook describes the Project Gnosis code-archaeology system as it exists in the working tree at commit 4135A25, dated 16 October 2026. It is written for the engineer who must operate, extend or review the system without prior knowledge of it.

The system accepts a public GitHub repository address and returns a grounded architectural document: a file manifest, symbol tables, an import graph, per-file complexity scores, a vector index of semantic code chunks, and natural-language explanations produced by a hosted language model. Seven deterministic stages surround one non-deterministic stage. A shared state object carries the work between them.

Every statement is classified. **OBSERVED** means read from executable source in this tree. **DOCUMENTED** means asserted by a repository document or commit and not independently exercised. **INFERRED** means a conclusion drawn from structure, with its basis named. Where a document and the code disagree, the code is described and the disagreement is recorded.

DOCUMENT	GN1A-03-BLOCK I-(1), Revision 1	BASIC DATE	25 July 2026
PROGRAM	Project Gnosis / Archaeon	CHANGE DATE	16 October 2026
BASIS	139 commits; four uncommitted application paths	PAGES	1-1 through 8.2-1
PREPARED BY	Handbook working group, from source inspection	LICENSE	AGPL-3.0 or commercial

Contents

1	General: scope, reading map, purpose, architecture	1-1 – 1-4
2	Computing equipment and software: declared and resolved stack	2.1-1 – 2.1-2
3	Subsystems 1–9: agents, API, store, queue, display	3.1-1 – 3.9-1
4	Operation: end-to-end flow, state, errors, retries	4.1-1 – 4.2-1
5	Equipment list: every repository-owned file	5.1-1 – 5.2-1
6	Design record: decisions, tradeoffs, documentation drift	6.1-1 – 6.2-1
7	Checkout: starting the system and running the tests	7.1-1 – 7.2-1
8	Appendix: defects, limitations, source verification, open items	8.1-1 – 8.2-1

NOTICE

This document is generated from a local working tree. It does not certify any deployed environment, credential, cloud setting or live service. Secret values are neither reproduced nor inferred. Figures are simplified; the source-verification appendix names the code behind each claim.