SECTION 5 · SUBSECTION 5.1 (CONT.)
FILE CATALOGUE: TESTS AND RECORDS

5.1.3 INTRODUCTION.

The repository's second half is evidence: 5,244 lines of tests and roughly 2,200 lines of tracked records and configuration. The test suite is the strongest description of intended behaviour in the tree, and it is more current than the README. It runs entirely offline: HTTP, Redis, Chroma and the hosted model are replaced by fakes, *TestClient*, *fakeredis* and monkeypatching. No test contacts GitHub, NVIDIA or a live Redis instance. The design and memory files marked *local, ignored* exist in this working tree but in no clone (figure 5.1-2).




Figure 5.1-2. Offline Test Boundary and Uncovered Surfaces

5.1.4 TEST FILES.

Counts are collected cases, not assertions. The four heaviest files cover document rendering, HTTP contracts, retrieval and explanations.

Table 5.1-2. Test Inventory, 476 Collected Cases (empty lines excluded)

File	Cases	Lines	Focus
test_doc_generator.py	78	641	Section presence, ordering, empty-state robustness, heading hierarchy
test_api.py	75	738	Routes, status codes, store lifecycle, health, validation, 409 duplicate
test_code_rag.py	56	653	Chunk identity, collection names, filters, embedder batching, results
test_complexity_scorer.py	50	377	Branch counting per language, thresholds, precedence, coupling
test_explainability.py	47	523	Selection order, context budget, prompt fields, sanitisation, failures
test_dependency_graph.py	38	421	Python/JS/Rust/C/Go resolution, cycles, order, PageRank fallback
test_ast_parser.py	34	291	Python and JS symbols, docstrings, relative imports, parse errors
test_active_index.py	31	519	Membership, contention, drift, reconciliation, migration refusal (untracked)
test_ingestion.py	22	61	URL forms, extension and directory rules, size ceiling, language labels
test_multi_language.py	15	430	Go, Rust, Java and C++ symbols and complexity; alias resolution
test_queue_and_store.py	15	192	Job round-trip, memory store, fakeredis store, enqueue, worker health
test_tiers.py	7	164	Full, warning and sampled modes; API rejection above 3,000
test_github_api_pat.py	3	47	Bearer header, private-repository message, raw-to-API fallback
test_incremental.py	3	125	Manifest diff classes and rehydration of symbols and scores
test_parallel_execution.py	2	62	Concurrent parse and score calls produce the same state

Table 5.1-3. Records and Repository Configuration (empty lines excluded)

File	Lines	Status	Content
README.md	498	tracked	User-facing overview; several claims now stale
PROJECT_SPEC.md	424	tracked	Original specification and phase plan
GLOSSARY.md	169	tracked	Domain and pipeline vocabulary
agent.md	166	tracked	Code-verified handoff; most reliable prose record
LICENSE	544	tracked	AGPL-3.0 with commercial option
DESIGN.md	1,244	local, ignored	Design system: colour, type, components, motion
Decisions.md	437	local, ignored	Numbered decision log; duplicate identifiers exist
ChangeLog.md	348	local, ignored	Release history; version order is not monotonic
Flow.md	105	local, ignored	Agent-oriented flow summary
ROADMAP.md	41	local, ignored	Candidate work, not commitments
SCRATCHPAD.md	46	local, ignored	Working notes and obstacles
GEMINI.md	16	local, ignored	Workspace rules for AI assistants
.env.example	37	tracked	Variable names only; no values
requirements.txt	26	tracked	Unpinned lower bounds; no hash lock
Dockerfile	17	tracked	Python 3.11-slim image
docker-compose.yml	45	tracked	API, worker and Redis services
.dockerignore	26	tracked	Build-context exclusions
.gitignore	38	tracked	Runtime, memory and secret exclusions
vercel.json	52	tracked	Root redirect and proxy rules
workflows/...-api.yml	76	tracked	Azure App Service deployment for the API
workflows/...-worker.yml	66	tracked	Azure deployment for the worker

CAT