SECTION 6 · SUBSECTION 6.2
DECISION LEDGER AND DOCUMENT DRIFT

6.2.1 INTRODUCTION.

The repository carries three layers of description: the public README, the original specification, and the decision and change logs. They were written at different times and are not regenerated. Where they disagree with the code, this handbook follows the code and records the disagreement. The README is the most visible and the most stale; *agent.md* is the most current prose record; the decision log is the richest rationale but contains numbering faults (figure 6.2-1).




Figure 6.2-1. Description Layers Ordered by Distance from Code

DEC

6.2.2 CLAIM-BY-CLAIM LEDGER.

The left column quotes or paraphrases the record. The right column states what the tree actually contains. Only disagreements are listed; agreements are omitted rather than padded.

Table 6.2-1. Documented Claims Checked Against the Working Tree

Record claim	Source	Working tree
"Sequential multi-agent pipeline"; parallel is "a v2 optimization"	README 65, 567	Graph, complexity and retrieval run in a three-thread pool; coupling is deferred to a post-join fix-up
Ingestion uses "max 15 threads"	README 198, 608	Pool size is *min(16, total files)*; delay 0.05 s; five retries per file
"407 tests" in CI	README 220	476 cases collected and passing on the local interpreter
Frontend is "React 18 + … shadcn/ui"	README 205, 346	Resolved React 19.2.8, Vite 8.2.0, Tailwind 4.3.3; no shadcn package or components
All job state is a module dict; Redis is a future upgrade	README 584	Redis store, RQ queue and worker are implemented; memory mode is only the fallback
Workflow lives at *.github/workflows/azure-deploy.yml*	README 459	Two files: *master_project-gnosis-api.yml* and *master_project-gnosis-worker.yml*
Test fixture repository at *tests/fixtures/sample_repo/*	README 364	The directory is empty and untracked; no test reads it, and tests build strings and fakes in memory
Seven phases run "in sequence" in the entry-point docstring	run.py header	Entry point is sequential; the orchestrator is partially parallel
Public release is v1.0.0; version string in the client is 1.1.0	ChangeLog / App.tsx	Two different *1.1.0* releases and an out-of-order *1.0.8*; no single source of version truth
"Deploys automatically on every push to master"	README 455	Workflows exist, but trigger paths and branch filters are defined per workflow and were not executed here
Python 3.11 in the manual Azure command	README 464	Container image uses 3.11-slim; both Azure workflows request 3.12; local interpreter is 3.11.15
Decision log identifiers are unique and ordered	Decisions.md	*DEC-008* appears twice with different subjects; entries are non-monotonic

6.2.3 Records That Remain Useful.

agent.md is the best starting point for a code-aware reader: it was written against the current pipeline and lists its own known drift. *Decisions.md* remains valuable for rationale even where identifiers are duplicated, because each entry names the problem it solved. *DESIGN.md* describes a visual system that is largely present in *index.css* and *App.tsx*, but it is ignored by git and therefore not part of a clone. *GLOSSARY.md* and *PROJECT_SPEC.md* describe the intended vocabulary and original scope; they should be read as history.

WARNING

The README's deployment section names a workflow file that does not exist. A reader following it will look for the wrong path and may conclude deployment is unconfigured. The actual workflows are present under different names; their live status was not tested and is not asserted here.

DRIFT CHECK	MAINTAINER
1 PICK - one checkable claim	
2 OPEN - the file that would prove it	
√ RECORD - code, test, doc, or absent	
3 FIX - the record, not the code, by default	
4 DATE - every correction	