



MONASH
University

MONASH
BUSINESS
SCHOOL

**Department of
Econometrics &
Business Statistics**

☎ (03) 9905 2478
✉ BusEco-Econometrics@monash.edu

ABN: 12 377 614 012

Are current sortition methods creating representative panels? A framework analysis

Daniel Leo Loza
B.Bus, AMusA

Dr Pierre Curie
Nobel Prize, PhD

Report for
Acme Corporation

28 April 2026



1 Introduction

1.1 Topic

This thesis aims to evaluate whether current sortition methods and ideologies lead to actually representative panels in practice. Through simulation and visualisation of algorithm performance, we will examine whether current tools are producing panels that are representative.

1.2 Background and Motivation

In a social landscape where the public is growing progressively disillusioned with its representation in politics (Landemore 2026), it is important to consider ways in which we can foster more inclusive decision-making practices. One way of achieving this, adopted recently by an increasing number of institutions, including the Parisian (*Paris Creates a Permanent Citizens' Council* 2026), Irish (Walsh & Elkind 2021), and British Columbian (Ward 2008) governments, is using sortition to create panels that are more representative of the population for political discussions and deliberations. As a result, the need for fair and representative methods of building panels is only growing, and progress is being made in the structure of selective algorithms. However, there are still many challenges to overcome in order to ensure that these panels consistently achieve the level of representation that they set out to.

Sortition is a method of selection that uses random sampling to create panels that should be descriptively representative of a population. It has been used in various contexts, reaching as far back as ancient Athens (where it was how jurors were selected), and now into modern times for citizens' assemblies, as mentioned prior. The idea is that by randomly selecting individuals from the population, we can create panels that are more representative and inclusive than those selected through traditional methods, like elections or open-ended surveys. Sortition also reduces dominance by elites or highly engaged groups, enabling broader participation across social classes (Giuliani 2025), making it more likely that decisions are in the relevant population's best interest.

According to Flanigan et al. (2021), sortition creates groups that are statistical "mini-publics" of society, reflecting demographics and perspectives more accurately than elected bodies. These sorts of panels enable more inclusive and representative decision-making processes, which can lead to better outcomes and increased public trust and engagement. They also encourage more diverse perspectives and can help to break down barriers between different groups in society, fostering greater understanding and collaboration.

One of the main roadblocks in sortition is ensuring that the selection process is transparent and fair, and that the panels are truly representative of the population in terms of demographics and perspectives. But this raises the questions of what it means to be fair, what it means to be representative, and how

these look from a systematic perspective.

As a process, sortition can be broken down into four stages: 1) defining the population and traits of interest, 2) surveying a random subset of the population, 3) selecting the panel from respondents, and 4) evaluation of the panel and deliberation. Each of these steps presents an opportunity for bias to be introduced, and for the panel to become less representative of the population. Making it crucial to evaluate how the level of representativeness (or *potential* representativeness) flows through each stage, and to understand how different factors may affect it.

Sortition methods have been evolving over time. Prior to algorithmic means, panel selection was carried out through simple self-selection (response to survey/advertising) and proportional sampling to meet panel size requirements. As sortition began to grow more robust, the Legacy (Flanigan et al. 2021) techniques started surfacing—these saw panels put together through simple choosing of respondents who met the most required “category” condition at any given moment, and would continue iterating until the required marginal counts were present in the selected panel. This led to situations of extreme selection likelihoods, if minorities existed—as members were selected indiscriminately of implied likelihood, meaning there were situations where an individual would potentially be selected 0% of the time. To counteract this, the more systematic algorithm “MaxiMin” was developed (Baharav & Flanigan 2024); seeking not only to meet panel quotas, but to raise the lowest individual’s selection likelihood, to eliminate the 0% selection case, in order to improve representativeness. This, however, now presented the risk of likelihood manipulation, as selection was based more directly on the combination of all category responses given by an individual, rather than pure counts needed for the panel to be filled. As a result, the inverse function “MiniMax” was employed to reduce extreme cases on the other end—eliminating the 100% selection chance case by minimising maximal selection likelihood of any given individual, providing an approach that was more resistant and robust to coercion, but simultaneously reintroducing the potential 0% likelihood problem. Though robustness itself lies beyond the scope of this paper’s aims, it is important to note the existence of MiniMax as an approach to the sortition problem, as it impacted further algorithmic development, and robustness as a goal presents an opportunity for further investigation.

More recently, and of direct relevance to the current study, further iterations of MiniMax and MaxiMin, in the forms of “LexiMin” (Flanigan et al. 2021) and “Goldilocks” (Baharav & Flanigan 2024), were established. These present more generally practical outcomes, with the former being used in industry at present. LexiMin takes the idea of MaxiMin and repeats it for every individual sequentially, maximising *all* individuals’ likelihoods, rather than just those who sit at the absolute bottom. Thus, raising the selection likelihood floor for the participant pool overall. It is, however, like MaxiMin, vulnerable to manipulation (which remains beyond the scope of this paper)—leading into the Goldilocks

algorithm solution. Goldilocks aims to simultaneously raise the selection likelihood floor (eliminating the 0% selection chance and improving representativeness), as well as lower the ceiling (eliminating the 100% selection case and making the process more robust against manipulation).

However, there is limited literature on what the outputs of these look like. Additionally, it appears that none of these directly address or validate the presence of any particular intersections within the panels they produce, which presents a risk for insufficient representation.

2 Contribution

This study hopes to visualise the LexiMin algorithm currently used for sortition, to demonstrate how it operates, the level of representation it achieves, and how it falls short when different issues are present in the data. There has been little done to showcase what this algorithm actually looks like, which limits transparency and interpretability of the process.

Additionally, we hope to assess the difference in effectiveness and performance across different sample sizes, population distributions, and extreme cases, as real-world communities can be complex, and optimal sortition should be able to capture this confidently. Within this, we also hope to observe the nature of intersections captured by the algorithm and how these are affected when certain trait groups are particularly small or large, or when response rates differ across groups.

2.1 Methodology

As the main focus of this paper is visualising algorithmic performance, we will follow a simulation study method. The study will construct an example “population”, from which a “survey sample” will be selected at random with different assumed response rates, at which point the sample will be fed into the publicly accessible Panelot sortition interface (based on Flanigan et al. (2021) LexiMin) to run selection lottery, select a specific panel with a set seed for reproducibility, then pulled back for comparison against the distributions at previous steps.

The population will be constructed with a set number of traits of interest

2.2 Expected results

As the algorithms are not defined to inspect presence of particular intersections, it is expected that there will be no way to ensure a certain “type” of person (beyond defined marginal categories) will be present within the selected panel. As such, it is expected that there will be some extreme case panel iterations with entirely missing population-observed intersections.

2.3 Small test case

To demonstrate the visualisation process, we will create a small test case with a population of 1000 individuals, with two traits of interest: age and gender. The age groups will be 18-29, 30-44, 45-64, and 65+, with proportions of 25%, 30%, 25%, and 20% respectively. The gender groups will be 48% male, 48% female, and 4% non-binary. These traits will be shuffled around and joined together to create individual observations. We will then simulate a survey with a response rate of 30% across all groups (for simplicity), and run the selection lottery to select a panel of 30 individuals, using the Panelot tool with a set seed for reproducibility. We will visualise the population, survey sample, and selected panel using mosaic plots and UpSet plots to show the distribution of traits and intersections at each stage.

Visualising population

Age Distribution of Population




Figure 1: *Pie chart showing the distribution of age groups in the simulated population dataset*

Gender Distribution of Population




Figure 2: Pie chart showing the distribution of genders in the simulated population dataset

Demographic Summary (Pie Charts) Industry practitioners often use pie charts to visualise the distribution of traits in the population, as they are simple and easy to understand. Figure 1 and Figure 2 show the distribution of age groups and genders in the simulated population dataset, respectively, as they would be shown to explain the population to a client or stakeholder.




Figure 3: Mosaic plot showing the distribution of age groups across gender in the simulated population dataset

Build Mosaic Plot Figure 3 shows the mosaic plot of the population dataset, which demonstrates the distribution of age groups across gender. The plot shows that the simulated population has more younger men than women, on average. It also shows that 12 intersections exist, connecting all traits from each category.




Figure 4: UpSet plot showing the counts of intersections of age groups across gender in the simulated population dataset

Build UpSet Plot Figure 4 shows the UpSet plot of the population dataset, which demonstrates the counts of intersections of age groups across gender. The plot shows that the largest intersection is between the 30-44 age group and the female gender, followed by males for the same age group, so it would be hoped that these intersection would be well-represented in the selected panel.

Visualising survey sample




Figure 5: Mosaic plot showing the distribution of age groups across gender in the simulated survey sample dataset

Mosaic plot Figure 5 shows the mosaic plot of the survey sample dataset, which demonstrates the distribution of age groups across gender in the simulated survey sample. The plot shows that the distribution has changed from the population dataset, with some groups being more or less represented than before. For example, the genders among ages are now less balanced across all age groups.

Make UpSet Plot Figure 6 shows the UpSet plot of the survey sample dataset, which demonstrates the counts of intersections of age groups across gender in the simulated survey sample. The plot shows that the largest intersection is still between the 30-44 age group and the female gender.




Figure 6: UpSet plot showing the counts of intersections of age groups across gender in the simulated survey sample dataset

Visualising panel sample




Figure 7: Mosaic plot showing the distribution of age groups across gender in the simulated selected panel dataset

Mosaic Plot Figure 7 shows the mosaic plot of the selected panel dataset, which demonstrates the distribution of age groups across gender in the simulated selected panel. By the time we reach this step, we can see that the distribution has changed significantly from the population dataset. In fact,

this particular iteration presents an extreme case where all younger panel members are female, all older members are male, and all non-binary members are in the oldest group.




Figure 8: UpSet plot showing the counts of intersections of age groups across gender in the simulated selected panel dataset

UpSet Plot Figure 8 shows the UpSet plot of the selected panel dataset, which demonstrates the counts of intersections of age groups across gender in the simulated selected panel. Echoing the distribution shift shown in the mosaic plot, the UpSet plot shows that a number of intersections are now missing. This was, to some extent, expected for the non-binary group, as only two members of this group were going to be selected regardless, meaning at least two intersections would not be represented. However, the complete absence of all younger male and non-binary members, as well as all older female members is a significant deviation from the population and survey sample datasets, and demonstrates the risk of insufficient representation when intersections are not directly addressed by the selection process.

Age Distribution of Population




Figure 9: *Pie chart showing the distribution of age groups in the simulated selected panel dataset*

Gender Distribution of Population




Figure 10: *Pie chart showing the distribution of genders in the simulated selected panel dataset*

Demographic Summary (Pie Charts) Bringing this back to the pie chart example from earlier, Figure 9 and Figure 10 are notably identical to the population pie charts, as the marginal distributions of age and gender are the same across the population and selected panel datasets, even though we know the intersectional distributions are not, thanks to the mosaic and UpSet plots.

This example is the crux of why sortition performance must be visually evaluated at the intersectional

level, prior to any sort of deliberation or decision-making process, as it can reveal significant representativeness issues that may not be apparent from summary statistics alone, and which may impact the legitimacy and quality of the panel's outcomes. As, despite the fact that the panel seen in meets all marginal quotas, it is not representative of the population in a meaningful way, and may not be able to provide the intended benefits of sortition as a result.

References

Baharav, C & B Flanigan (2024). Fair, Manipulation-Robust, and Transparent Sortition. *Proceedings of the 25th ACM Conference on Economics and Computation*, 756–775. (Visited on 04/15/2026).

Flanigan, B, P Gözl, A Gupta, B Hennig & AD Procaccia (2021). Fair algorithms for selecting citizens' assemblies. *Nature* **596**, 548–552.

Giuliani, A (2025). Sortition in Politics: From History to Contemporary Democracy. *Parliaments, Estates and Representation* **45**(3), 317–335.

Landemore, H (2026). Opinion | No Shy Person Left Behind. *The New York Times*. (Visited on 04/20/2026).

Paris Creates a Permanent Citizens' Council (2026). https://www.sortitionfoundation.org/paris_creates_permanent_citizens_council/ (Visited on 04/14/2026).

Walsh, CD & JA Elkind (2021). The Dissatisfied and the Engaged: Citizen Support for Citizens' Assemblies and Their Willingness to Participate. *Irish Political Studies* **36**(4), 647–666. (Visited on 04/15/2026).

Ward, I (2008). An Experiment in Political Communication: The British Columbia Citizens' Assembly on Electoral Reform. *Australian Journal of Political Science* **43**(2), 301–315. (Visited on 04/15/2026).