Install and open

Apple Silicon | macOS 14 or later

1 Download the macOS app

From GitHub Releases, download **LumaView-<version>-macos-arm64.dmg**. Open it and drag **LumaView** to **Applications**. The app includes Python and the required libraries.

2 Open LumaView

Open the app from Applications. The **macos-arm64.zip** contains the same app if you prefer a ZIP download.

3 Allow opening if blocked

Builds are ad-hoc signed, without Developer ID signing or notarization. After trying to open the app, go to **System Settings > Privacy & Security**. Choose **Open Anyway**, authenticate if asked, then choose **Open**.

A damaged-app alert is different
If macOS reports that the app is damaged or will damage your computer, do not treat it as the standard unidentified-developer prompt. Download a fresh release and report the exact alert if it persists.

Alternative: source installer

Extract **LumaView-<version>-installer.zip** and double-click **Install.command**. It downloads native Python and the required libraries, then opens **~/Applications/LumaView.app**. Internet access is required; Homebrew, developer tools and administrator access are not.


Updating a source installation

Run **Install.command** again. You can delete the extracted installer folder afterward; keep **~/Library/Application Support/LumaView**, which contains the installed code and runtime.

Apple opening instructions: support.apple.com/en-us/102445


View and save

Format options remain beside the save controls.



Open and browse

Open a file, or drag it into the window. Use **Space** for the next file and **Backspace** for the previous one. Use **+** and **-** to zoom.




Save a copy

Press **S**, choose the output format, review the options on the right, then save. Options belong to the selected format; changing the filename extension alone does not select a different encoder.

Batch conversion and rename

Press B from the viewer.



1 Choose the job

Select conversion, rename, or conversion plus rename. Rename creates renamed copies by default. Add files to the input list and arrange them in the required order.

2 Choose output

Select the format and its **Options**, then choose an output folder. Enable **Use advanced options** to apply the operations selected in **Advanced**.


3 Start

Use **Test names** to review filenames. Click **Start batch** and review the result log for errors and warnings. Cancelling keeps completed outputs.

Original files
Overwrite, delete-original and move-original options are off by default. Leave them off when creating converted copies.

Resize and resample

In Batch, enable Use advanced options, then choose Advanced.



Choose the size

Enable **Resize**. Set width/height, a long or short side, megapixels, or percentages. Keep **Preserve aspect ratio** enabled to avoid distortion. A zero dimension leaves that dimension unspecified.

Resample on

Uses the selected interpolation filter. **Lanczos** is the default for smooth photographic resizing.

Resample off

Uses **nearest-neighbor**, keeping hard pixel edges. Neither method recreates missing source detail.

Control the result

Maximum size fits inside the target box; minimum size meets both bounds without cropping. The no-enlarge and no-shrink options limit which images change size.

DPI

The DPI-ratio option changes pixel dimensions to preserve physical size. To change only density metadata, enable **Resize**, choose **Set one or both sides** with W/H at 0, set **New DPI**, and leave the DPI-ratio option off.

Operations and format choices

Review the output format before running a large batch.

Advanced	Crop; resize; color depth; flips and rotations; grayscale and negative; auto colors and border crop; canvas; text and image watermark; replacement color; border; RGB channel order; sharpness, brightness, contrast, gamma, saturation, color balance and blur.
Order and presets	Use custom processing order when one operation depends on another. Save and load settings to reuse a batch recipe.
JPEG	Quality, progressive encoding, grayscale, chroma subsampling and metadata controls. Target size searches for a quality that fits; saving fails if no tested quality can meet the limit.
PNG	Compression level 0-9 is lossless. Higher levels change file size and speed, not image quality. Alpha transparency is preserved unless deliberately replaced.
TIFF	LZW, PackBits, JPEG, ZIP and fax/RLE compression. **Adaptive (IrfanView style)** converts to 1-bit for fax/RLE. Enable **Blend alpha with background** to flatten transparency; leave it off to use stored RGB. JPEG compression is lossy.
GIF	Palette-based output with at most 256 colors per frame and a single transparent palette entry. Partial alpha cannot be preserved.
PDF	Raster pages with JPEG or lossless image compression. Choose page size, DPI and fit. Opening and saving a PDF here does not preserve vector objects, searchable text, forms or links.
Other formats	Available encoders appear in the output list. RAW output is headerless pixel bytes and requires external knowledge of dimensions and pixel layout to reopen.

Multipage files
Apply changes to all pages controls processing. The format's **Save all pages/frames** option controls output. Check both when converting a whole document or animation.

Shortcuts and troubleshooting

Single-letter shortcuts apply in the viewer.

B	Batch conversion / rename
S	Save as, with format options
Space / Backspace	Next / previous file
+ / -	Zoom in / out
L / R	Rotate left / right
H / V	Flip horizontally / vertically

Format cannot open or save

Check **Help > Supported formats**. Run **Install.command** again to repair the source installation. Optional OptiPNG and Ghostscript are separate: normal PNG saving does not require OptiPNG.

Colors or transparency changed

JPEG has no alpha; GIF has a restricted palette. In Advanced, 1/4/8/custom/24-bit depth composites transparency on white; 32-bit preserves it. Use PNG or lossless TIFF to retain alpha.

The PDF looks soft

In **Options > Settings**, increase **PDF opening resolution (DPI)**, then reopen the PDF. Increasing output DPI alone cannot recover detail lost during opening.

Report a problem

Include the app version, macOS version, codec status, selected output options and the error text. Include a small sample file when it can be shared.

Feature coverage and deferred IrfanView commands are listed in docs/FEATURES.md.