sosicon

AUTHOR
Version v 1.0 beta
Fri Apr 1 2016

Table of Contents

Table of contents

Module Index

Modules

Here is a list of all modules:

Namespace Index

Namespace List

Here is a list of all namespaces with brief descriptions:

Hierarchical Index

Class Hierarchy

This inheritance list is sorted roughly, but not completely, alphabetically:

Class Index

Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

File Index

File List

Here is a list of all files with brief descriptions:

Module Documentation

Converters

Classes

class **sosicon::ConverterSosi2psql**
SOSI to PostgreSQL/PostGIS converter. class **sosicon::ConverterSosi2shp**
SOSI to ESRI Shape converter. class **sosicon::ConverterSosi2tsv**
SOSI to TSV converter. class **sosicon::ConverterSosi2xml**
SOSI to ESRI Shape converter. class **sosicon::ConverterSosiStat**
SOSI to ESRI Shape converter.

Detailed Description

Collection of **sosicon::IConverter** implementations for handling and generating file output. Different command-line arguments will employ different converters. The factory class **sosicon::Factory** is responsible for creating correct **IConverter** instance. The following arguments are currently interpreted:

-2shp: **sosicon::ConverterSosi2shp** Shapefile conversion
-2tsv: **sosicon::ConverterSosi2tsv** TSV file conversion
-2xml: **sosicon::ConverterSosi2xml** Shape file conversion
-stat: **sosicon::ConverterSosiStat** SOSI statistics (printout)

Collection of **sosicon::IConverter** implementations for handling and generating file output. Different command-line arguments will employ different converters. The factory class **sosicon::Factory** is responsible for creating correct **IConverter** instance. The following arguments are currently interpreted:

-2shp: **sosicon::ConverterSosi2shp** Shapefile conversion
-2tsv: **sosicon::ConverterSosi2tsv** TSV file conversion
-2xml: sosicon::ConverterSosi2Xml XML conversion
-2psql: sosicon::ConverterSosi2Psql PstgreSQL dump file conversion
-stat: **sosicon::ConverterSosiStat** SOSI statistics (printout)

Interfaces

Classes

class **sosicon::IBinaryStreamable**
Interface: Binary streamable object. class **sosicon::IConverter**
Interface: Converter. class **sosicon::ICoordinate**
*Interface: **Coordinate**.* class **sosicon::ILookupTable**
Interface: Lookup table. class **sosicon::IRectangle**
Interface: Rectangle. class **sosicon::IShapeElement**
Interface: Shape element. class **sosicon::IShapeElementHeader**
Interface: Shape element header. class **sosicon::IShapeHeader**
Interface: Shape element. class **sosicon::IShapefile**
Interface: Shapefile. class **sosicon::IShapefileDbfPart**
Interface: ShapefileDbfPart. class **sosicon::IShapefilePrjPart**
Interface: ShapefilePrjPart. class **sosicon::IShapefileShpPart**
Interface: ShapefileShpPart. class **sosicon::IShapefileShxPart**
Interface: ShapefileShxPart. class **sosicon::ISosiElement**

Interface: SOSI element. class **sosicon::ISosiHeadMember**

Interface: SOSI header element.

Functions

std::ostream & **sosicon::operator<<** (std::ostream &os, IBinaryStreamable &binaryStreamable)

Stream output operator.

Detailed Description

This is a listing of generic interfaces used within sosicon.

Function Documentation

std::ostream& sosicon::operator<< (std::ostream & *os*, IBinaryStreamable & *binaryStreamable*) [inline]

Stream output operator.

Placed outside any class definitions. Invokes WriteBinary() on the source **IBinaryStreamable** object.

Parameters:

os	target stream.
binaryStreamable	target object.

Returns:

The stream object is returned to allow for chaining.

Definition at line 58 of file i_binary_streamable.h.

SOSI Elements

Classes

class **sosicon::sosi::SosiCharsetSingleton**
SOSI Character set. class **sosicon::sosi::SosiElement**
Basic SOSI element. class **sosicon::sosi::SosiElementSearch**
class **sosicon::sosi::SosiJunctionPoint**
SOSI Junction point. class **sosicon::sosi::SosiNorthEast**
SOSI North-east element. class **sosicon::sosi::SosiOrigoNE**
SOSI Junction point. class **sosicon::sosi::SosiRefList**
SOSI REF list. class **sosicon::sosi::SosiTranslationTable**
struct **sosicon::sosi::ReferenceData**
SOSI reference number. class **sosicon::sosi::CoordSys**
SOSI coordinate system. class **sosicon::sosi::SosiUnit**

SOSI Unit.

Typedefs

typedef std::map< std::string, ISosiElement * > **sosicon::sosi::SosiElementMap**

Element index type.

typedef std::vector< ISosiElement * > **sosicon::sosi::SosiChildrenList**

typedef SosiChildrenList::iterator **sosicon::sosi::SosiChildrenIterator**

typedef std::vector< ReferenceData * > **sosicon::sosi::GeometryRef**

List of SOSI references.

typedef std::vector< GeometryRef * > **sosicon::sosi::GeometryCollection**

Collection of SOSI reference lists.

Enumerations

enum **sosicon::sosi::ElementType** { **sosicon::sosi::sosi_element_unknown**, **sosicon::sosi::sosi_element_address_identifier**, **sosicon::sosi::sosi_element_airport_roads**, **sosicon::sosi::sosi_element_airport_type**, **sosicon::sosi::sosi_element_area**, **sosicon::sosi::sosi_element_charset**, **sosicon::sosi::sosi_element_coordsys**, **sosicon::sosi::sosi_element_curve**, **sosicon::sosi::sosi_element_data_collection_date**, **sosicon::sosi::sosi_element_eof**, **sosicon::sosi::sosi_element_head**, **sosicon::sosi::sosi_element_height**, **sosicon::sosi::sosi_element_iata_code**, **sosicon::sosi::sosi_element_icao_code**, **sosicon::sosi::sosi_element_kp**, **sosicon::sosi::sosi_element_level**, **sosicon::sosi::sosi_element_max_ne**, **sosicon::sosi::sosi_element_min_ne**, **sosicon::sosi::sosi_element_municipality**, **sosicon::sosi::sosi_element_name**, **sosicon::sosi::sosi_element_ne**, **sosicon::sosi::sosi_element_neh**, **sosicon::sosi::sosi_element_objtype**, **sosicon::sosi::sosi_element_origo_ne**, **sosicon::sosi::sosi_element_owner**, **sosicon::sosi::sosi_element_point**, **sosicon::sosi::sosi_element_quality**, **sosicon::sosi::sosi_element_ref**, **sosicon::sosi::sosi_element_surface**, **sosicon::sosi::sosi_element_text**, **sosicon::sosi::sosi_element_traffic_type**, **sosicon::sosi::sosi_element_transpar**, **sosicon::sosi::sosi_element_unit**, **sosicon::sosi::sosi_element_updatedate**, **sosicon::sosi::sosi_element_water_width**, **sosicon::sosi::sosi_element_vendor**, **sosicon::sosi::sosi_element_version** }*List of SOSI element types.*

enum **sosicon::sosi::ObjType** { **sosicon::sosi::sosi_objtype_unknown**, **sosicon::sosi::sosi_objtype_airport**, **sosicon::sosi::sosi_objtype_airport_type**, **sosicon::sosi::sosi_objtype_baseline**, **sosicon::sosi::sosi_objtype_carriageway**, **sosicon::sosi::sosi_objtype_cadastral_address**, **sosicon::sosi::sosi_objtype_coastline**, **sosicon::sosi::sosi_objtype_constituency_boundary**, **sosicon::sosi::sosi_objtype_county_boundary**, **sosicon::sosi::sosi_objtype_data_delineation**, **sosicon::sosi::sosi_objtype_edge_view**, **sosicon::sosi::sosi_objtype_fictious_dividing_line**, **sosicon::sosi::sosi_objtype_forest**, **sosicon::sosi::sosi_objtype_developed_area**, **sosicon::sosi::sosi_objtype_golf_course**, **sosicon::sosi::sosi_objtype_industrial_area**, **sosicon::sosi::sosi_objtype_lake**, **sosicon::sosi::sosi_objtype_lane**, **sosicon::sosi::sosi_objtype_lake_edge**, **sosicon::sosi::sosi_objtype_lake_river_barrier**, **sosicon::sosi::sosi_objtype_land_use_boundary**, **sosicon::sosi::sosi_objtype_level_crossing**, **sosicon::sosi::sosi_objtype_municipal_divide**, **sosicon::sosi::sosi_objtype_municipality**, **sosicon::sosi::sosi_objtype_municipality_boundary**, **sosicon::sosi::sosi_objtype_marsh**, **sosicon::sosi::sosi_objtype_national_border**, **sosicon::sosi::sosi_objtype_pedestrian_bicycle_road_centre_line**, **sosicon::sosi::sosi_objtype_sea_river_delineation**, **sosicon::sosi::sosi_objtype_snow_field**, **sosicon::sosi::sosi_objtype_open_land**, **sosicon::sosi::sosi_objtype_river_brook**, **sosicon::sosi::sosi_objtype_river_brook_edge**, **sosicon::sosi::sosi_objtype_road_block**, **sosicon::sosi::sosi_objtype_road_centre_line**, **sosicon::sosi::sosi_objtype_road_under_railway**, **sosicon::sosi::sosi_objtype_sea_surface**, **sosicon::sosi::sosi_objtype_sidewalk**, **sosicon::sosi::sosi_objtype_spelling**, **sosicon::sosi::sosi_objtype_stone_quarry**, **sosicon::sosi::sosi_objtype_street_address**, **sosicon::sosi::sosi_objtype_territorial_boundary**, **sosicon::sosi::sosi_objtype_turn_connecting_segment** }*List of SOSI OBJTYPEs.*

enum **sosicon::sosi::Charset** { **sosicon::sosi::sosi_charset_undetermined**, **sosicon::sosi::sosi_charset_ansi**, **sosicon::sosi::sosi_charset_decn7**, **sosicon::sosi::sosi_charset_dosn8**, **sosicon::sosi::sosi_charset_iso8859_1**, **sosicon::sosi::sosi_charset_iso8859_10**, **sosicon::sosi::sosi_charset_nd7**, **sosicon::sosi::sosi_charset_utf8** }*SOSI character encodings.*

enum **sosicon::sosi::JunctionPoint** { **sosicon::sosi::sosi_junction_node**,
sosicon::sosi::sosi_junction_connection, **sosicon::sosi::sosi_junction_open_end** }*Default SOSI junction point layer types.*

Functions

CoordSys **sosicon::sosi::sysCodeToCoordSys** (int sysCode)
Convert SOSI SYSKODE value to coordinate system data.

ElementType **sosicon::sosi::sosiNameToType** (std::string sosiElementName)
Convert SOSI element names to ElementType enum value.

ObjType **sosicon::sosi::sosiObjNameToType** (std::string sosiObjTypeName)
Convert SOSI objtype names to ObjType enum value.

Detailed Description

Implemented representation of SOSI file elements.

Typedef Documentation

typedef std::vector<GeometryRef*> sosicon::sosi::GeometryCollection

Collection of SOSI reference lists.

Definition at line 185 of file sosi_types.h.

typedef std::vector<ReferenceData*> sosicon::sosi::GeometryRef

List of SOSI references.

Definition at line 182 of file sosi_types.h.

typedef SosiChildrenList::iterator sosicon::sosi::SosiChildrenIterator

Definition at line 44 of file sosi_element_search.h.

typedef std::vector<ISosiElement*> sosicon::sosi::SosiChildrenList

Definition at line 42 of file sosi_element_search.h.

typedef std::map<std::string,ISosiElement*> sosicon::sosi::SosiElementMap

Element index type.

Definition at line 40 of file sosi_element_search.h.

Enumeration Type Documentation

enum sosicon::sosi::Charset

SOSI character encodings.

Enumerator

sosi_charset_undetermined Charset element not yet encountered.

sosi_charset_ansi ANSI; equals ISO8859-1.

sosi_charset_decn7 Dec Norwegian 7-bit.

sosi_charset_dosn8 MS-Dos Norwegian 8-bit.

sosi_charset_iso8859_1 ISO 8859-1.

sosi_charset_iso8859_10 ISO 8859-10 with samii characters.

sosi_charset_nd7 Norsk Data 7-bit.

sosi_charset_utf8 UTF-8.

Definition at line 126 of file sosi_types.h.

enum sosicon::sosi::ElementType

List of SOSI element types.

Enumerator

sosi_element_unknown Unknown element.

sosi_element_address_identifier Street address identifier.

sosi_element_airport_roads Airport roads.

sosi_element_airport_type Airport type.

sosi_element_area Area.

sosi_element_charset Character set.

sosi_element_coordsys Grid type.

sosi_element_curve Curve.

sosi_element_data_collection_date Data collection date.

sosi_element_eof End of file.

sosi_element_head Header.

sosi_element_height Height.

sosi_element_iata_code IATA code (aviation)

sosi_element_icao_code ICAO code (aviation)

sosi_element_kp Junction point.

sosi_element_level SOSI level.

sosi_element_max_ne Maximum north-east (bbox)

sosi_element_min_ne Minimum north-east (bbox)

sosi_element_municipality Municipality.

sosi_element_name Name.

sosi_element_ne North-east coordinate.

sosi_element_neh North-east/height coordinate.

sosi_element_objtype Object type.

sosi_element_origo_ne Origo north-east.

sosi_element_owner Dataset owner.

sosi_element_point Point.

sosi_element_quality Quality of data.

sosi_element_ref Element reference.

sosi_element_surface Surface.

sosi_element_text Text.

sosi_element_traffic_type Traffic type.

sosi_element_transpar Datum/projection/coordinate system.

sosi_element_unit Resolution (fraction of a metre)

sosi_element_updatedate Update date.

sosi_element_water_width Water width.

sosi_element_vendor Data vendor.

sosi_element_version SOSI version.

Definition at line 38 of file sosi_types.h.

enum sosicon::sosi::JunctionPoint

Default SOSI junction point layer types.

Enumerator

sosi_junction_node Node point (KP 1)

sosi_junction_connection Connection point (KP 900)

sosi_junction_open_end Valid open-ended point (KP 999)

Definition at line 138 of file sosi_types.h.

enum sosicon::sosi::ObjType

List of SOSI OBJTYPEs.

Enumerator

sosi_objtype_unknown Unknown or no feature.

sosi_objtype_airport Airport.

sosi_objtype_airport_type Airport type.

sosi_objtype_baseline Baseline.

sosi_objtype_carriageway Carriageway.

sosi_objtype_cadastral_address Cadastral address.

sosi_objtype_coastline Coast line.

sosi_objtype_constituency_boundary Constituency boundary.

sosi_objtype_county_boundary County boundary.

sosi_objtype_data_delineation Clipping path.

sosi_objtype_edge_view Edge view.

sosi_objtype_fictious_dividing_line Line splitting large surfeces.

sosi_objtype_forest Forest.

sosi_objtype_developed_area Built up area.

sosi_objtype_golf_course Golf course.

sosi_objtype_industrial_area Industrial area.

sosi_objtype_lake Lake.

sosi_objtype_lane Driving lane.

sosi_objtype_lake_edge Lake edge.

sosi_objtype_lake_river_barrier Lake-to-river delimitation.

sosi_objtype_land_use_boundary Land use border.

sosi_objtype_level_crossing Track level crossing.

sosi_objtype_municipal_divide Municipal boundary crossing.

sosi_objtype_municipality Municipality.

sosi_objtype_municipality_boundary Municipality boundary.

sosi_objtype_marsh Marsh.

sosi_objtype_national_border National border.

sosi_objtype_pedestrian_bicycle_road_centre_line mid-way line

sosi_objtype_sea_river_delineation Sea or river delineation.

sosi_objtype_snow_field Snow/glacier.

sosi_objtype_open_land Open land.

sosi_objtype_river_brook River or stream.

sosi_objtype_river_brook_edge River or stream bank.

sosi_objtype_road_block Road block.

sosi_objtype_road_centre_line Road centre line.

sosi_objtype_road_under_railway Road under railway.

sosi_objtype_sea_surface Sea surface.

sosi_objtype_sidewalk Sidewalk.

sosi_objtype_spelling Spelling of place name.

sosi_objtype_stone_quarry Area for stone quarry.

sosi_objtype_street_address Street address.

sosi_objtype_territorial_boundary Territorial boundary (nautical)

sosi_objtype_turn_connecting_segment Turn connection segment (artificial)

Definition at line 79 of file sosi_types.h.

Function Documentation

ElementType sosicon::sosi::sosiNameToType (std::string *sosiElementName*)

Convert SOSI element names to ElementType enum value.

The enum member names are translations of the Norwegian element names.

Parameters:

std::string	sosiElementName The standard SOSI element name in Norwegian.

Returns:

ElementType enumeration value representing current element type.

ObjType sosicon::sosi::sosiObjNameToType (std::string *sosiObjTypeName*)

Convert SOSI objtype names to ObjType enum value.

The enum member names are translations of the Norwegian geograpic features.

Parameters:

std::string	sosiObjtypeName The standard SOSI objtype name in Norwegian.

Returns:

ObjType enumeration value representing current element objtype.

CoordSys sosicon::sosi::sysCodeToCoordSys (int *sysCode*)

Convert SOSI SYSKODE value to coordinate system data.

Parameters:

int	The SOSI SYSKODE value.

Returns:

CoordSys structure with information about the requested coordinate system.

Namespace Documentation

sosicon Namespace Reference

Application root.

Namespaces

byteOrder
Big/low-endian conversions. **shape**
ESRI Shape. **sosi**
SOSI. **utils**

String manipulation routines. **Classes**

class **CommandLine**
Command-line parser. class **ConverterSosi2psql**
SOSI to PostgreSQL/PostGIS converter. class **ConverterSosi2shp**
SOSI to ESRI Shape converter. class **ConverterSosi2tsv**
SOSI to TSV converter. class **ConverterSosi2xml**
SOSI to ESRI Shape converter. class **ConverterSosiStat**
SOSI to ESRI Shape converter. class **Coordinate**
***Coordinate** container.* class **CoordinateCollection**
***Coordinate** container.* class **EventDispatcher**
Event dispatcher template class. class **Factory**
***Factory** class.* class **IBinaryStreamable**
Interface: Binary streamable object. class **IConverter**
Interface: Converter. class **ICoordinate**
*Interface: **Coordinate**.* class **ILookupTable**
Interface: Lookup table. class **IRectangle**
Interface: Rectangle. class **IShapeElement**
Interface: Shape element. class **IShapeElementHeader**
Interface: Shape element header. class **IShapefile**
Interface: Shapefile. class **IShapefileDbfPart**
Interface: ShapefileDbfPart. class **IShapefilePrjPart**
Interface: ShapefilePrjPart. class **IShapefileShpPart**
Interface: ShapefileShpPart. class **IShapefileShxPart**
Interface: ShapefileShxPart. class **IShapeHeader**
Interface: Shape element. class **ISosiElement**
Interface: SOSI element. class **ISosiHeadMember**
Interface: SOSI header element. class **LogEvent**
Log event. class **LogEventDispatcher**
class **Logger**
SOSI logger. class **Parser**

SOSI file parser.

Typedefs

typedef std::vector< **ICoordinate** * > **CoordinateList**
List of coordinate pairs.

Enumerations

enum **Wkt** { **wkt_unknown**, **wkt_point**, **wkt_linestring**, **wkt_polygon** }*List of applied, well-known text geometries.*

Functions

bool **getNext** (**ICoordinate** *&coord, **sosi::NorthEastList** &list, sosi::NorthEastList::iterator &i)
Get next coordinate in list.

bool **getNextOffset** (int &offset, std::vector< int > &offsets, std::vector< int >::iterator &iterator)
Get next offset in part offsets list.

bool **isClockwise** (std::vector< **ICoordinate** * >::iterator &begin, std::vector< **ICoordinate** * >::iterator &end)
Analyzes polygon direction.

bool **isCounterClockwise** (std::vector< **ICoordinate** * >::iterator &begin, std::vector< **ICoordinate** * >::iterator &end)
Analyzes polygon direction.

void **neListToCoordList** (**sosi::NorthEastList** &neList, std::vector< **ICoordinate** * > &coordList)

Extracts single coordinates from list of North-East elements.

std::ostream & **operator<<** (std::ostream &os, **IBinaryStreamable** &binaryStreamable)

Stream output operator.

Logger & **flush** (**Logger** &l)

Variables

Logger logstream

Detailed Description

Application root.

Typedef Documentation

typedef std::vector< ICoordinate * > sosicon::CoordinateList

List of coordinate pairs.

Used throughout the application.

Definition at line 30 of file common_types.h.

Enumeration Type Documentation

enum sosicon::Wkt

List of applied, well-known text geometries.

Enumerator

wkt_unknown Unknown geometry.

wkt_point Point geometry.

wkt_linestring Linestring geometry.

wkt_polygon Polygon geometry.

Definition at line 33 of file common_types.h.

Function Documentation

sosicon::Logger & sosicon::flush (sosicon::Logger & *l*)

Definition at line 85 of file logger.cpp.

bool sosicon::getNext (ICoordinate *& *coord*, sosi::NorthEastList & *list*, sosi::NorthEastList::iterator & *i*)

Get next coordinate in list.

Definition at line 21 of file coordinate_collection.cpp.

bool sosicon::getNextOffset (int & *offset*, std::vector< int > & *offsets*, std::vector< int >::iterator & *iterator*)

Get next offset in part offsets list.

Definition at line 42 of file coordinate_collection.cpp.

bool sosicon::isClockwise (std::vector< ICoordinate * >::iterator & *begin*, std::vector< ICoordinate * >::iterator & *end*)

Analyzes polygon direction.

Checks a series of coordinates to see if they are ordered in a clockwise manner.

Parameters:

begin	Iterator to the first item to be analyzed.
end	Iterator to the end item, one item past the last one to be analyzed.

Returns:

true if the coordinates are ordered clockwise.

Definition at line 60 of file coordinate_collection.cpp.

bool sosicon::isCounterClockwise (std::vector< ICoordinate * >::iterator & *begin*, std::vector< ICoordinate * >::iterator & *end*)

Analyzes polygon direction.

Checks a series of coordinates to see if they are ordered in a counter-clockwise manner.

Parameters:

begin	Iterator to the first item to be analyzed.
end	Iterator to the end item, one item past the last one to be analyzed.

Returns:

true if the coordinates are ordered counter-clockwise.

Definition at line 55 of file coordinate_collection.cpp.

void sosicon::neListToCoordList (sosi::NorthEastList & *neList*, std::vector< ICoordinate * > & *coordList*)

Extracts single coordinates from list of North-East elements.

Converts a vector of NE elements to a vector of coordinates.

Parameters:

neList	The source vector.
coordList	The destination vector.

Definition at line 72 of file coordinate_collection.cpp.

Variable Documentation

sosicon::Logger sosicon::logstream

Definition at line 21 of file logger.cpp.

sosicon::byteOrder Namespace Reference

Big/low-endian conversions.

Enumerations

enum **Endianness** { **not_set**, **big**, **little** }*Big/little flag.*

Functions

Endianness determine ()
Determines system endianness.

void **doubleToLittleEndian** (double from, char *to)
Writes little endian representation of double.

void **toBigEndian** (const char *from, char *to, size_t bufSize)
Reverses buffer to big endian if required.

void **toLittleEndian** (const char *from, char *to, size_t bufSize)
Reverses buffer to little endian if required.

Variables

enum **sosicon::byteOrder::Endianness** **endianness**
Stores system endianness.

Detailed Description

Big/low-endian conversions.

Enumeration Type Documentation

enum sosicon::byteOrder::Endianness

Big/little flag.

Enumerator

not_set
big
little

Definition at line 36 of file byte_order.h.

Function Documentation

sosicon::byteOrder::Endianness sosicon::byteOrder::determine ()

Determines system endianness.

Tests byte-order to see if the program runs on a big endian or a little endian architecture. Flags the byteOrder::endian variable.

Returns:

System endianness.

Return values:

Endianness::big	Big endian system.
Endianness::little	Little endian system.

Definition at line 24 of file byte_order.cpp.

void sosicon::byteOrder::doubleToLittleEndian (double *from*, char * *to*)

Writes little endian representation of double.

Serializes double-precision floating point value to IEEE little endian representation for binary embedding in files.

Parameters:

from	The double value to parse.
to	pointer to destination buffer. The buffer must be at least 8 bytes wide, as this is the size of the IEEE 754 format.

Definition at line 56 of file byte_order.cpp.

void sosicon::byteOrder::toBigEndian (const char * *from*, char * *to*, size_t *bufSize*)

Reverses buffer to big endian if required.

Copies source buffer to destination buffer. If the program runs on a little-endian system, the byte order will be reversed.

Parameters:

from	pointer to source buffer.
to	pointer to destination buffer. The buffer must be at least as big as the source buffer.
bufSize	The number of bytes to copy.

Definition at line 36 of file byte_order.cpp.

void sosicon::byteOrder::toLittleEndian (const char * *from*, char * *to*, size_t *bufSize*)

Reverses buffer to little endian if required.

Copies source buffer to destination buffer. If the program runs on a big-endian system, the byte order will be reversed.

Parameters:

from	pointer to source buffer.
to	pointer to destination buffer. The buffer must be at least as big as the source buffer.
bufSize	The number of bytes to copy.

Definition at line 46 of file byte_order.cpp.

Variable Documentation

enum sosicon::byteOrder::Endianness sosicon::byteOrder::endianness

Stores system endianness.

sosicon::shape Namespace Reference

ESRI Shape.

Classes

union **DoubleField**
32 bit double / byte field union **Int16Field**
16 bit integer / byte field union **Int32Field**
32 bit integer / byte field union **Int32TField**
32 bit integer / byte / geom::ShapeType field union **Int8Field**
8 bit integer / byte field class **Shapefile**
***Shapefile** implementation.* struct **ShxIndex**

Typedefs

typedef std::map< std::string, std::string > **DbfRecord**
typedef std::vector< **DbfRecord** > **DbfRecordSet**
typedef std::map< std::string, int > **DbfFieldLengths**
typedef std::vector< **ShxIndex** > **ShxOffsets**

Enumerations

enum **ShapeType** { **shape_type_none**, **shape_type_nullShape**, **shape_type_point**, **shape_type_polyLine**, **shape_type_polygon**, **shape_type_multipoint**, **shape_type_pointZ**, **shape_type_polyLineZ**, **shape_type_polygonZ**, **shape_type_multipointZ**, **shape_type_pointM**, **shape_type_polyLineM**, **shape_type_polygonM**, **shape_type_multiPointM**, **shape_type_multiPatch** }*Geometry types.*

Functions

ShapeType getShapeEquivalent (**sosi::ElementType** sosiType)
Resolve geometry type.

Detailed Description

ESRI Shape.

Typedef Documentation

typedef std::map<std::string, int> sosicon::shape::DbfFieldLengths

Definition at line 90 of file shapefile_types.h.

typedef std::map<std::string, std::string> sosicon::shape::DbfRecord

Definition at line 88 of file shapefile_types.h.

typedef std::vector<DbfRecord> sosicon::shape::DbfRecordSet

Definition at line 89 of file shapefile_types.h.

typedef std::vector<ShxIndex> sosicon::shape::ShxOffsets

Definition at line 91 of file shapefile_types.h.

Enumeration Type Documentation

enum sosicon::shape::ShapeType

Geometry types.

The numeric values are in accordance with the shapefile specification.

Enumerator

shape_type_none
shape_type_nullShape
shape_type_point
shape_type_polyLine
shape_type_polygon
shape_type_multipoint
shape_type_pointZ
shape_type_polyLineZ
shape_type_polygonZ
shape_type_multipointZ
shape_type_pointM
shape_type_polyLineM
shape_type_polygonM
shape_type_multiPointM
shape_type_multiPatch

Definition at line 34 of file shapefile_types.h.

Function Documentation

sosicon::shape::ShapeType sosicon::shape::getShapeEquivalent (sosi::ElementType *sosiType*)

Resolve geometry type.

Translate SOSI geomtry type to corresponding shape geometry, if applicable

Definition at line 21 of file shapefile.cpp.

sosicon::sosi Namespace Reference

SOSI.

Namespaces

chartables

Classes

class **CoordSys**
SOSI coordinate system. struct **ReferenceData**
SOSI reference number. class **SosiCharsetSingleton**
SOSI Character set. class **SosiElement**
Basic SOSI element. class **SosiElementSearch**
class **SosiJunctionPoint**
SOSI Junction point. class **SosiNorthEast**
SOSI North-east element. class **SosiOrigoNE**
SOSI Junction point. class **SosiRefList**
SOSI REF list. class **SosiTranslationTable**
class **SosiUnit**

SOSI Unit. Typedefs

typedef std::map< std::string, **ISosiElement** * > **SosiElementMap**

Element index type.

typedef std::vector< **ISosiElement** * > **SosiChildrenList**
typedef SosiChildrenList::iterator **SosiChildrenIterator**
typedef std::vector< **SosiNorthEast** * > **NorthEastList**

List of SosiSNorthEast elements.

typedef std::vector< **ReferenceData** * > **GeometryRef**

List of SOSI references.

typedef std::vector< **GeometryRef** * > **GeometryCollection**

Collection of SOSI reference lists.

Enumerations

enum **ElementType** { **sosi_element_unknown**, **sosi_element_address_identifier**, **sosi_element_airport_roads**, **sosi_element_airport_type**, **sosi_element_area**, **sosi_element_charset**, **sosi_element_coordsys**, **sosi_element_curve**, **sosi_element_data_collection_date**, **sosi_element_eof**, **sosi_element_head**, **sosi_element_height**,

sosi_element_iata_code, **sosi_element_icao_code**, **sosi_element_kp**, **sosi_element_level**, **sosi_element_max_ne**, **sosi_element_min_ne**, **sosi_element_municipality**, **sosi_element_name**, **sosi_element_ne**, **sosi_element_neh**, **sosi_element_objtype**, **sosi_element_origo_ne**, **sosi_element_owner**, **sosi_element_point**, **sosi_element_quality**, **sosi_element_ref**, **sosi_element_surface**, **sosi_element_text**, **sosi_element_traffic_type**, **sosi_element_transpar**, **sosi_element_unit**, **sosi_element_updatedate**, **sosi_element_water_width**, **sosi_element_vendor**, **sosi_element_version** }*List of SOSI element types.*

enum **ObjType** { **sosi_objtype_unknown**, **sosi_objtype_airport**, **sosi_objtype_airport_type**, **sosi_objtype_baseline**, **sosi_objtype_carriageway**, **sosi_objtype_cadastral_address**, **sosi_objtype_coastline**, **sosi_objtype_constituency_boundary**, **sosi_objtype_county_boundary**, **sosi_objtype_data_delineation**, **sosi_objtype_edge_view**, **sosi_objtype_fictious_dividing_line**, **sosi_objtype_forest**, **sosi_objtype_developed_area**, **sosi_objtype_golf_course**, **sosi_objtype_industrial_area**, **sosi_objtype_lake**, **sosi_objtype_lane**, **sosi_objtype_lake_edge**, **sosi_objtype_lake_river_barrier**, **sosi_objtype_land_use_boundary**, **sosi_objtype_level_crossing**, **sosi_objtype_municipal_divide**, **sosi_objtype_municipality**, **sosi_objtype_municipality_boundary**, **sosi_objtype_marsh**, **sosi_objtype_national_border**, **sosi_objtype_pedestrian_bicycle_road_centre_line**, **sosi_objtype_sea_river_delineation**, **sosi_objtype_snow_field**, **sosi_objtype_open_land**, **sosi_objtype_river_brook**, **sosi_objtype_river_brook_edge**, **sosi_objtype_road_block**, **sosi_objtype_road_centre_line**, **sosi_objtype_road_under_railway**, **sosi_objtype_sea_surface**, **sosi_objtype_sidewalk**, **sosi_objtype_spelling**, **sosi_objtype_stone_quarry**, **sosi_objtype_street_address**, **sosi_objtype_territorial_boundary**, **sosi_objtype_turn_connecting_segment** }*List of SOSI OBJTYPEs.*

enum **Charset** { **sosi_charset_undetermined**, **sosi_charset_ansi**, **sosi_charset_decn7**, **sosi_charset_dosn8**, **sosi_charset_iso8859_1**, **sosi_charset_iso8859_10**, **sosi_charset_nd7**, **sosi_charset_utf8** }*SOSI character encodings.*

enum **JunctionPoint** { **sosi_junction_node**, **sosi_junction_connection**, **sosi_junction_open_end** }
Default SOSI junction point layer types.

Functions

CoordSys sysCodeToCoordSys (int sysCode)
Convert SOSI SYSKODE value to coordinate system data.

ElementType sosiNameToType (std::string sosiElementName)
Convert SOSI element names to ElementType enum value.

ObjType sosiObjNameToType (std::string sosiObjTypeName)
Convert SOSI objtype names to ObjType enum value.

void **deleteNorthEasts** (**NorthEastList** &lst)
*Deletes **SosiNorthEast** elements of NorthEastList.*

Detailed Description

SOSI.

Typedef Documentation

typedef std::vector<SosiNorthEast*> sosicon::sosi::NorthEastList

List of SosiSNorthEast elements.

Definition at line 115 of file sosi_north_east.h.

Function Documentation

void sosicon::sosi::deleteNorthEasts (NorthEastList & *lst*)

Deletes **SosiNorthEast** elements of NorthEastList.

Definition at line 21 of file sosi_north_east.cpp.

sosicon::sosi::chartables Namespace Reference

sosicon::utils Namespace Reference

String manipulation routines.

Functions

std::string **className2FileName** (const std::string &className)
Converts Class name to file name string.

std::vector< std::string > **explode** (char delimiter, std::string str)
Split a string by a character.

bool **fileExists** (const std::string &name)
Test if file exists.

bool **isNumeric** (const std::string &str)
Test if a string represents a numeric value.

std::string **nonExistingFilename** (std::string defaultName)
Asserts output file name to be non-existing.

std::string **normalizeAppClassName** (const std::string &className)
Asserts correct name of application classes.

std::string **purgeCrLf** (std::string str)
Remove carriage returns and line feeds.

std::string **repeat** (const std::string &seq, unsigned int count)
Repeat string N times.

std::string **replaceAll** (const std::string &from, const std::string &to, const std::string &subject)
Replace all occurences of one string witn another.

std::string **sqlNormalize** (const std::string &str)
Sanitizes SQL data string.

std::string **stripTrailingSlash** (const std::string &str)
Remove trailing forward- and backward slashes from path component.

std::string **trim** (const std::string &str)
Removes leading and trailing space characters.

std::string **trimLeft** (const std::string &str)

std::string **trimRight** (const std::string &str)

std::string **toFieldname** (const std::string &from)
Substitutes Norwegian characters.

std::string **toLower** (const std::string &from)
std::string **ucFirst** (const std::string &str)
std::string **unquote** (const std::string &str)

Remove quotes around string.

void **getPathInfo** (std::string path, std::string &dir, std::string &tit, std::string &ext)
std::string **wktToStr** (**Wkt** wktGeom)

Get Well Known Text from Wkt enum.

Detailed Description

String manipulation routines.

Function Documentation

string sosicon::utils::className2FileName (const std::string & *className*)

Converts Class name to file name string.

Class names are written in pascal case (i.e. 'CarmineEntity', 'XMLParser'). This method constructs a file name string for a given class name (i.e. 'carmine_entity', 'xml_parser'). The file names are always written in lower case, with underscores separating the words.

Parameters:

className	The pascal-cased class name to convert to a file name.

Returns:

The file name string without extension.

Definition at line 23 of file utils.cpp.

std::vector< std::string > sosicon::utils::explode (char *delimiter*, std::string *str*)

Split a string by a character.

The source string str is split by the delimiter character, and each part is put sequentially in a vector of strings, excluding the delimiter character.

Parameters:

delimiter	The delimiter character, typically a comma or a semicolon.
str	The source string to be split into a vector of substrings.

Returns:

A vector of strings, each of which are substrings of str.

Definition at line 44 of file utils.cpp.

bool sosicon::utils::fileExists (const std::string & *name*) `[inline]`

Test if file exists.

Definition at line 61 of file utils.h.

void sosicon::utils::getPathInfo (std::string *path*, std::string & *dir*, std::string & *tit*, std::string & *ext*)

Definition at line 296 of file utils.cpp.

bool sosicon::utils::isNumeric (const std::string & *str*)

Test if a string represents a numeric value.

Returns true if the provided string contains numers only, and if the first digit is not zero. Numbers with leading zeros should be treated as strings, since they might be phone numbers, post numbers or municipal codes.

Parameters:

str	The string value to test.

Returns:

True if the string represents a numeric value with no leading zero, otherwise false.

Definition at line 66 of file utils.cpp.

std::string sosicon::utils::nonExistingFilename (std::string *defaultName*)

Asserts output file name to be non-existing.

Tests candidate file paths to find a unique output file name, appending and incrementing a serial number until a "free" name is encountered.

Parameters:

defaultName	If the output file name is not specified on the command-line, the default file name will be used as a starting point.

Returns:

Path to non-existing output file.

Definition at line 82 of file utils.cpp.

string sosicon::utils::normalizeAppClassName (const std::string & *className*)

Asserts correct name of application classes.

Application classes should always begin with the 'App' prefix. This method adds the prefix to the provided class name if it is missing.

Parameters:

className	The class name string to be resolved and normalized.

Returns:

Normalized and corrected class name string.

Definition at line 103 of file utils.cpp.

std::string sosicon::utils::purgeCrLf (std::string *str*)

Remove carriage returns and line feeds.

Removes newlines from the target string. The or

characters may be anywhere in the string.

Parameters:

str	The string to be purged.

Returns:

The result string.

string sosicon::utils::repeat (const std::string & *seq*, unsigned int *count*)

Repeat string N times.

Creates a new string containing the provided string sequence for a predetermined number of repetitions.

Parameters:

seq	Reference to the string to be repeated.
count	The numner of times to repeat the string sequence.

Returns:

The result string.

Definition at line 130 of file utils.cpp.

string sosicon::utils::replaceAll (const std::string & *from*, const std::string & *to*, const std::string & *subject*)

Replace all occurences of one string witn another.

Searches for a given string sequence, replacing all occurences by th provided substitution string.

Parameters:

from	The string sequence to be changed.
to	The string to replace the 'from' sequence with.
subject	The string to perform the search on.

Returns:

The new string, a copy of 'subject' where all occurences of 'from' are replaced with 'to'.

Definition at line 141 of file utils.cpp.

string sosicon::utils::sqlNormalize (const std::string & *str*)

Sanitizes SQL data string.

Escapes special characters in a string for use in an SQL statement.

Parameters:

str	The target string.

Returns:

A copy of the target string, with reserved characters escaped.

Definition at line 155 of file utils.cpp.

string sosicon::utils::stripTrailingSlash (const std::string & *str*)

Remove trailing forward- and backward slashes from path component.

Definition at line 267 of file utils.cpp.

string sosicon::utils::toFieldname (const std::string & *from*)

Substitutes Norwegian characters.

Definition at line 179 of file utils.cpp.

string sosicon::utils::toLower (const std::string & *from*)

Definition at line 209 of file utils.cpp.

string sosicon::utils::trim (const std::string & *str*)

Removes leading and trailing space characters.

Space characters in the beginning and at the end of the source string are trimmed.

Parameters:

str	The target string.

Returns:

A copy of the target string, without leading and/or trailing space characters.

Definition at line 226 of file utils.cpp.

string sosicon::utils::trimLeft (const std::string & *str*)

Definition at line 232 of file utils.cpp.

string sosicon::utils::trimRight (const std::string & *str*)

Definition at line 239 of file utils.cpp.

string sosicon::utils::ucFirst (const std::string & *str*)

Definition at line 247 of file utils.cpp.

string sosicon::utils::unquote (const std::string & *str*)

Remove quotes around string.

Definition at line 280 of file utils.cpp.

std::string sosicon::utils::wktToStr (Wkt *wktGeom*)

Get Well Known Text from Wkt enum.

Definition at line 335 of file utils.cpp.

Class Documentation

sosicon::CommandLine Class Reference

Command-line parser.

`#include <command_line.h>`

Public Member Functions

void **outputHelpText** ()
Display help text.

void **outputDisclaimer** ()
Display disclaimer.

void **outputLicense** ()
Display license.

void **parse** (int argc, char *argv[])
Read command-line arguments.

void **parse** (std::string cmdStr)
Read command-line string.

CommandLine ()
Constructor.

virtual **~CommandLine** ()
Destructor.

Public Attributes

std::string **mCommand**
Conversion command.

bool **mCreateStatements**
Build create statements only.

bool **mInsertStatements**
Build insert statements only.

std::vector< std::string > **mSourceFiles**
List of input files.

std::vector< std::string > **mObjTypes**
List of object types to output.

std::vector< std::string > **mFilterSosiId**
Export specific SOSI elements.

std::vector< std::string > **mGeomTypes**
List of geometry types to output.

std::vector< std::string > **mFieldSelection**
List of selected fields.

std::string **mDestinationDirectory**
Destination directory.

std::string **mOutputFile**
Destination file.
bool **mIsTtyIn**
TTY in flag.
bool **mIsTtyOut**
TTY out flag.
bool **mAppend**
Append flag.
std::string **mDbSchema**
PostGreSQL database schema.
std::string **mDbTable**
PostGreSQL database table.
bool **mIncludeHeader**
Include column headers.
bool **mMakeSubDir**
Create a sub directory for the output files.
std::string **mSrid**
Specifies SRID for exports.
int **mVerbose**
Verbose output.

Detailed Description

Command-line parser.

Author:
Espen Andersen

Copyright:
GNU General Public License

Takes the arguments from the command-line and parses them into the class member variables. On Linux systems, this class also reads piped content (file list to be processed) from stdin, using it as input parameters.

Definition at line 51 of file command_line.h.

Constructor & Destructor Documentation

sosicon::CommandLine::CommandLine ()

Constructor.

Definition at line 21 of file command_line.cpp.

sosicon::CommandLine::~CommandLine () `[virtual]`

Destructor.

Definition at line 48 of file command_line.cpp.

Member Function Documentation

void sosicon::CommandLine::outputDisclaimer ()

Display disclaimer.

Outputs disclaimer text.

Definition at line 283 of file command_line.cpp.

void sosicon::CommandLine::outputHelpText ()

Display help text.

Outputs simple help text to the command-line.

Definition at line 214 of file command_line.cpp.

void sosicon::CommandLine::outputLicense ()

Display license.

Outputs lisence text.

Definition at line 320 of file command_line.cpp.

void sosicon::CommandLine::parse (int *argc*, char * *argv*[])

Read command-line arguments.

Parses the command-line arguments and loads the settings into the member variables. This function will also read piped content (file name list) from stdin on linux systems, adding it to the **CommandLine::mSourceFiles** list of files to be processed.

Parameters:

argc	Number of arguments present. Passed on from **main()** function.
argv	Array of string pointers to each argument. Passed on from **main()** function.

Either or both, but not none (!)

Definition at line 95 of file command_line.cpp.

void sosicon::CommandLine::parse (std::string *cmdStr*)

Read command-line string.

Parses the command-line string and loads the settings into the member variables.

Parameters:

cmdStr	Complete command-line string to be parsed.

Definition at line 63 of file command_line.cpp.

Member Data Documentation

bool sosicon::CommandLine::mAppend

Append flag.

If the destination file (-o ...) is specified together with the -a argument, this flag will be true to signal that data from several source files should be merged into one destination file.

Definition at line 153 of file command_line.h.

std::string sosicon::CommandLine::mCommand

Conversion command.

Specifies what type of conversion to perform. If this string is -2tsv, the SOSI file will be exported as tab separated values. The factory class uses this parameter to determine which **IConverter** implementation to employ upon initialization.

Definition at line 60 of file command_line.h.

bool sosicon::CommandLine::mCreateStatements

Build create statements only.

For PostgreSQL export: If this flag is set (by specifying the -create parameter), database table creation script will be output.

Note:

If neither -create nor -insert is specified, both create and insert statements are included in the export.

Definition at line 70 of file command_line.h.

std::string sosicon::CommandLine::mDbSchema

PostGreSQL database schema.

Name of database schema to export SOSI data to, when using -2psql converter.

Definition at line 159 of file command_line.h.

std::string sosicon::CommandLine::mDbTable

PostGreSQL database table.

Name of database table to export SOSI data to, when using -2psql converter.

Definition at line 165 of file command_line.h.

std::string sosicon::CommandLine::mDestinationDirectory

Destination directory.

Path to the target directory where the output files will be written. Specified by the -d

argument.

Definition at line 127 of file command_line.h.

std::vector<std::string> sosicon::CommandLine::mFieldSelection

List of selected fields.

String vector containing the identifiers for the SOSI fields to be included in the export. Specified as a comma-separated list of strings following the -f argument.

Definition at line 120 of file command_line.h.

std::vector<std::string> sosicon::CommandLine::mFilterSosiId

Export specific SOSI elements.

List of SOSI IDs of individual element/features to be exported. Specified as a comma-separated list of strings following the -id argument.

Definition at line 104 of file command_line.h.

std::vector<std::string> sosicon::CommandLine::mGeomTypes

List of geometry types to output.

String vector containing the geometry types for the elements to be included in the export. Relevant for shapefile exports, since shapefiles can only contain one geometry type at a time. Specified as a comma-separated list of strings following the -g argument. The converter will output one shapefile for each selected geometry.

Definition at line 113 of file command_line.h.

bool sosicon::CommandLine::mIncludeHeader

Include column headers.

For some output formats, such as tsv, this flag governs whether a line with the column header names should be included in the target file.

Definition at line 172 of file command_line.h.

bool sosicon::CommandLine::mInsertStatements

Build insert statements only.

For PostgreSQL export: If this flag is set (by specifying the -insert parameter), database table insertion script will be output.

Note:

If neither -create nor -insert is specified, both create and insert statements are included in the export.

Definition at line 80 of file command_line.h.

bool sosicon::CommandLine::mIsTtyIn

TTY in flag.

This flag is false if input is redirected (not a terminal window).

Definition at line 139 of file command_line.h.

bool sosicon::CommandLine::mIsTtyOut

TTY out flag.

This flag is false if output is redirected (not a terminal window).

Definition at line 145 of file command_line.h.

bool sosicon::CommandLine::mMakeSubDir

Create a sub directory for the output files.

If the /s switch is specified, this flag is set to true. Instead of emitting the output files directly to current directory, a sub directory will be created, to which the ouput files are written.

Definition at line 180 of file command_line.h.

std::vector<std::string> sosicon::CommandLine::mObjTypes

List of object types to output.

String vector containing the SOSI OBJTYPE identifiers for the elements to be included in the export. Specified as a comma-separated list of strings following the -t argument.

Definition at line 97 of file command_line.h.

std::string sosicon::CommandLine::mOutputFile

Destination file.

Specified by the -o argument. The target file name.

Definition at line 133 of file command_line.h.

std::vector<std::string> sosicon::CommandLine::mSourceFiles

List of input files.

String vector containing the list of SOSI input files to be converted. This list is populated either by the file names specified directly on the command-line, or by the content of stdin as piped in from other commands (such as ls *.sos | ...) on Linux based systems.

Definition at line 89 of file command_line.h.

std::string sosicon::CommandLine::mSrid

Specifies SRID for exports.

Used for grid conversion exports to postGIS or other conversions that supports this.

Definition at line 186 of file command_line.h.

int sosicon::CommandLine::mVerbose

Verbose output.

Verbose level. If this value is 0, no informative output will be emitted during file parsing. If the value is 1 (-v), limited output will be written to stdout - mostly file header information from each SOSI file to be converted. If the value i 2 (-V), a more comprehensive summary of every SOSI element in all source files will be output.

Definition at line 195 of file command_line.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**command_line.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**command_line.cpp**

sosicon::ConverterSosi2psql Class Reference

SOSI to PostgreSQL/PostGIS converter.
`#include <converter_sosi2psql.h>`
Inheritance diagram for sosicon::ConverterSosi2psql:
IMAGE

Classes

class **Field**

Public Member Functions

ConverterSosi2psql ()
Constructor.

virtual void **init** (**CommandLine** *cmd)
Initialize converter.

virtual void **run** (bool *cancel=0x00)
Start conversion.

Private Types

typedef std::map< std::string, **Field** > **FieldsList**
typedef std::map< **Wkt**, **FieldsList** * > **FieldsListCollection**
typedef std::vector< std::map< std::string, std::string > * > **RowsList**
typedef std::map< **Wkt**, **RowsList** * > **RowsListCollection**

Private Member Functions

std::string **buildInsertStatements** (std::string dbSchema, std::string dbTable)
Build SQL insert statements for all geometries.

std::string **buildInsertStatement** (**Wkt** wktGeom, std::string dbSchema, std::string dbTable)
Build SQL insert statement for one geometry.

std::string **buildCreateStatements** (std::string sridDest, std::string dbSchema, std::string dbTable)
Build SQL create statements for all geometries.

std::string **buildCreateStatement** (**Wkt** wktGeom, std::string sridDest, std::string dbSchema, std::string dbTable)

Build SQL create statements for one geometry.

void **cleanup** ()

void **cleanup** (**Wkt** wktGeom)

void **extractData** (**ISosiElement** *parent, **FieldsList** &hdr, std::map< std::string, std::string > *&row)

Fetch element data fields recursively.

std::string **getSrid** (**ISosiElement** *sosiTree)

Read current coordinate system from SOSI tree.

void **insertLineString** (**ISosiElement** *lineString, std::string sridSource, std::string sridDest, std::string geomField)

Convert curve geomery (sosi KURVE) to SQL export data.

void **insertPoint** (**ISosiElement** *point, std::string sridSource, std::string sridDest, std::string geomField)

Convert single point geomery (sosi PUNKT) to SQL export data.

void **insertPolygon** (**ISosiElement** *polygon, std::string sridSource, std::string sridDest, std::string geomField)

Convert polygons (sosi FLATE) to SQL export data.

void **makePsql** (**ISosiElement** *sosiTree, std::string sridDest, std::string dbSchema, std::string dbTable)

Make SQL dump from SOSI tree.

bool **objTypeExcluded** (**sosi::SosiElementSearch** &src)

Test if current element is filtered out by -t parameter.

void **writePsql** (std::string sridDest, std::string dbSchema, std::string dbTable)

Write SQL content.

virtual **~ConverterSosi2psql** ()

Destructor.

Private Attributes

CommandLine * mCmd

Command line wrapper.

std::string **mCurrentSourcefile**

Souce file currently in process.

FieldsListCollection mFieldsListCollection

Collection of fields, one item for each geometry type.

RowsListCollection mRowsListCollection

Collection of rows, one item for each geometry type.

Detailed Description

SOSI to PostgreSQL/PostGIS converter.

If command-line parameter -2psql is specified, this converter will handle the output generation. Produces a PostgreSQL/PostGIS dump file from the SOSI source(s).

Definition at line 52 of file converter_sosi2psql.h.

Member Typedef Documentation

typedef std::map< std::string,Field > sosicon::ConverterSosi2psql::FieldsList `[private]`

Definition at line 92 of file converter_sosi2psql.h.

typedef std::map< Wkt, FieldsList* > sosicon::ConverterSosi2psql::FieldsListCollection `[private]`

Definition at line 93 of file converter_sosi2psql.h.

typedef std::vector< std::map< std::string,std::string >* > sosicon::ConverterSosi2psql::RowsList `[private]`

Definition at line 94 of file converter_sosi2psql.h.

typedef std::map< Wkt, RowsList* > sosicon::ConverterSosi2psql::RowsListCollection `[private]`

Definition at line 95 of file converter_sosi2psql.h.

Constructor & Destructor Documentation

virtual sosicon::ConverterSosi2psql::~ConverterSosi2psql () `[inline], [private], [virtual]`

Destructor.

Definition at line 307 of file converter_sosi2psql.h.

sosicon::ConverterSosi2psql::ConverterSosi2psql () `[inline]`

Constructor.

Definition at line 312 of file converter_sosi2psql.h.

Member Function Documentation

std::string sosicon::ConverterSosi2psql::buildCreateStatement (Wkt *wktGeom*, std::string *sridDest*, std::string *dbSchema*, std::string *dbTable*) `[private]`

Build SQL create statements for one geometry.

This function calls **sosicon::ConverterSosi2psql::buildCreateStatements** for each of the WKT geometries types to export.

Parameters:

dbSchema	String representing the name of the database schema.

dbTable	String representing the base name of the database table. The name of the geometry for that table will be prepended to the base name.

See also:

sosicon::ConverterSosi2psql::buildCreateStatements()

Returns:

The SQL/DDL creation script content.

Definition at line 44 of file converter_sosi2psql.cpp.

std::string sosicon::ConverterSosi2psql::buildCreateStatements (std::string *sridDest*, std::string *dbSchema*, std::string *dbTable*) [private]

Build SQL create statements for all geometries.

This function calls **sosicon::ConverterSosi2psql::buildCreateStatement** for each of the WKT geometries types to export.

Parameters:

dbSchema	String representing the name of the database schema.
dbTable	String representing the base name of the database table. The name of the geometry for that table will be prepended to the base name.

See also:

sosicon::ConverterSosi2psql::buildCreateStatement()

Returns:

The SQL/DDL creation script content.

Definition at line 21 of file converter_sosi2psql.cpp.

std::string sosicon::ConverterSosi2psql::buildInsertStatement (Wkt *wktGeom*, std::string *dbSchema*, std::string *dbTable*) [private]

Build SQL insert statement for one geometry.

Creates the SQL statements required to insert the data for one WKT geometry.

Parameters:

wktGeom	WKT geometry type for current insertion script.
dbSchema	String representing the name of the database schema.
dbTable	String representing the base name of the database table. The name of the geometry for that table will be prepended to the base name.

See also:

sosicon::ConverterSosi2psql::buildInsertStatements()

Returns:

The SQL insertion script content.

Definition at line 146 of file converter_sosi2psql.cpp.

std::string sosicon::ConverterSosi2psql::buildInsertStatements (std::string *dbSchema*, std::string *dbTable*) [private]

Build SQL insert statements for all geometries.

This function calls **sosicon::ConverterSosi2psql::buildInsertStatement** for each of the WKT geometries types to export.

Parameters:

dbSchema	String representing the name of the database schema.
dbTable	String representing the base name of the database table. The name of the geometry for that table will be prepended to the base name.

See also:

sosicon::ConverterSosi2psql::buildInsertStatement()

Returns:

The SQL insertion script content.

Definition at line 127 of file converter_sosi2psql.cpp.

void sosicon::ConverterSosi2psql::cleanup () [private]

Release memory reserved for this converter. Called before destroying object. It may not be necesary to invoke **cleanup()** if the program is about to terminate anyway, as this can be quite time consuming after converting large files.

See also:

sosicon::ConverterSosi2psql::cleanup(Wkt)

Definition at line 229 of file converter_sosi2psql.cpp.

void sosicon::ConverterSosi2psql::cleanup (Wkt *wktGeom*) [private]

Release memory reserved for one geometry. Called from **sosicon::ConverterSosi2psql::cleanup(Wkt)**

Parameters:

wktGeom	The WKT geometry type for which to delete allocated memory.

See also:

sosicon::ConverterSosi2psql::cleanup()

Definition at line 237 of file converter_sosi2psql.cpp.

void sosicon::ConverterSosi2psql::extractData (ISosiElement * *parent*, FieldsList & *hdr*, std::map< std::string, std::string > *& *row*) [private]

Fetch element data fields recursively.

Traverses the SOSI element tree recursively, extracting plain data fields. The field names are stored in the hdr list, and the data values are stored in the row list. The data size value associated wit each entry in hdr is updated to reflect the longest encountered field length.

Parameters:

parent	The SOSI (sub)tree to be traversed.
hdr	The fields list (table header).
row	The record set (table row).

Definition at line 254 of file converter_sosi2psql.cpp.

std::string sosicon::ConverterSosi2psql::getSrid (ISosiElement * *sosiTree*) `[private]`

Read current coordinate system from SOSI tree.

Scans the SOSI header, searching for the KOORDSYS element with information about the current coordinate system.

Parameters:

sosiTree	Pointer to the root SOSI element.

Returns:

The SRID code for the grid used in current file.

Definition at line 286 of file converter_sosi2psql.cpp.

virtual void sosicon::ConverterSosi2psql::init (CommandLine * *cmd*) `[inline], [virtual]`

Initialize converter.

Implementation details in **sosicon::IConverter::init()**

Parameters:

cmd	Pointer to (the one and only) **CommandLine** instance.

See also:

sosicon::IConverter::init()

Implements **sosicon::IConverter** (*p.pagenum*).

Definition at line 320 of file converter_sosi2psql.h.

void sosicon::ConverterSosi2psql::insertLineString (ISosiElement * *lineString*, std::string *sridSource*, std::string *sridDest*, std::string *geomField*) `[private]`

Convert curve geomery (sosi KURVE) to SQL export data.

Extracts the coordinates from the given SOSI element and builds a linestring WKT geometry from it.

See also:

sosicon::ConverterSosi2psql::insertPoint()
sosicon::ConverterSosi2psql::insertPolygon()

Parameters:

lineString	SOSI geometry element (typically "KURVE").
sridSource	Spatial reference grid ID for the source file.
sridDest	Spatial reference grid ID for the target file.
geomField	The name of the field within the recordset representing the geometry data.

Definition at line 375 of file converter_sosi2psql.cpp.

void sosicon::ConverterSosi2psql::insertPoint (ISosiElement * *point*, std::string *sridSource*, std::string *sridDest*, std::string *geomField*) `[private]`

Convert single point geomery (sosi PUNKT) to SQL export data.

Extracts the coordinate from the given SOSI element and builds a point WKT geometry from it.

See also:

sosicon::ConverterSosi2psql::insertLineString()
sosicon::ConverterSosi2psql::insertPolygon()

Parameters:

point	SOSI geometry element (typically "PUNKT" or "TEKST").
sridSource	Spatial reference grid ID for the source file.
sridDest	Spatial reference grid ID for the target file.
geomField	The name of the field within the recordset representing the geometry data.

Definition at line 326 of file converter_sosi2psql.cpp.

void sosicon::ConverterSosi2psql::insertPolygon (ISosiElement * *polygon*, std::string *sridSource*, std::string *sridDest*, std::string *geomField*) [private]

Convert polygons (sosi FLATE) to SQL export data.

Extracts the coordinates from the given SOSI element and builds a polygon WKT geometry from it.

See also:

sosicon::ConverterSosi2psql::insertLineString()
sosicon::ConverterSosi2psql::insertPoint()

Parameters:

point	SOSI geometry element (typically "FLATE").
sridSource	Spatial reference grid ID for the source file.
sridDest	Spatial reference grid ID for the target file.
geomField	The name of the field within the recordset representing the geometry data.

Definition at line 428 of file converter_sosi2psql.cpp.

void sosicon::ConverterSosi2psql::makePsql (ISosiElement * *sosiTree*, std::string *sridDest*, std::string *dbSchema*, std::string *dbTable*) [private]

Make SQL dump from SOSI tree.

Iterates the SOSI tree once for each geometry to be exported, extracting relevant elements and passing them on to one of the insertion routines.

Parameters:

sosiTree	Pointer to the root SOSI element.
sridDest	Spatial reference grid ID for the target file.
dbSchema	String representing the name of the database schema.
dbTable	String representing the base name of the database table. The name of the geometry for that table will be prepended to the base name.

See also:

sosicon::ConverterSosi2psql::insertPoint()
sosicon::ConverterSosi2psql::insertLineString()

sosicon::ConverterSosi2psql::insertPolygon()

Definition at line 517 of file converter_sosi2psql.cpp.

bool sosicon::ConverterSosi2psql::objTypeExcluded (sosi::SosiElementSearch & *src*) [private]

Test if current element is filtered out by -t parameter.

If the user uses the -t parameter to specify which OBJTYPE elements to include in the export, this function tests if current element is opted out of the export.

Parameters:

src	SOSI element serch result to test.

Returns:

True if current element should be excluded from the export file.

Definition at line 553 of file converter_sosi2psql.cpp.

void sosicon::ConverterSosi2psql::run (bool * *cancel* = 0x00) [virtual]

Start conversion.

Implementation details in **sosicon::IConverter::run()**

See also:

sosicon::IConverter::run()

Implements **sosicon::IConverter** (*p.pagenum*).

Definition at line 560 of file converter_sosi2psql.cpp.

void sosicon::ConverterSosi2psql::writePsql (std::string *sridDest*, std::string *dbSchema*, std::string *dbTable*) [private]

Write SQL content.

Assebles and prepares the SQL statements before writing them to the destination file.

Parameters:

sridDest	Spatial reference grid ID for the target file.
dbSchema	String representing the name of the database schema.
dbTable	String representing the base name of the database table. The name of the geometry for that table will be prepended to the base name.

Definition at line 614 of file converter_sosi2psql.cpp.

Member Data Documentation

CommandLine* sosicon::ConverterSosi2psql::mCmd [private]

Command line wrapper.

Definition at line 98 of file converter_sosi2psql.h.

std::string sosicon::ConverterSosi2psql::mCurrentSourcefile [private]

Souce file currently in process.

Definition at line 101 of file converter_sosi2psql.h.

FieldsListCollection sosicon::ConverterSosi2psql::mFieldsListCollection [private]

Collection of fields, one item for each geometry type.

Definition at line 104 of file converter_sosi2psql.h.

RowsListCollection sosicon::ConverterSosi2psql::mRowsListCollection [private]

Collection of rows, one item for each geometry type.

Definition at line 107 of file converter_sosi2psql.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**converter_sosi2psql.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**converter_sosi2psql.cpp**

sosicon::ConverterSosi2shp Class Reference

SOSI to ESRI Shape converter.

`#include <converter_sosi2shp.h>`

Inheritance diagram for sosicon::ConverterSosi2shp:

IMAGE

Public Member Functions

ConverterSosi2shp ()
Constructor.

virtual **~ConverterSosi2shp** ()
Destructor.

virtual void **init** (**CommandLine** *cmd)
Initialize converter.

virtual void **run** (bool *cancel=0x00)
Start conversion.

Private Member Functions

template<typename T > void **writeFile** (**shape::Shapefile** &shp, std::string basePath, std::string extension)
Save specific shapefile part.

void **makeShp** (**ISosiElement** *sosiTree, bool *cancel)

std::string **makeBasePath** (std::string objTypeName)
Make base file path for destination files.

Private Attributes

CommandLine * mCmd

Command line wrapper.

std::string **mCurrentSourcefile**

Souce file currently in process.

Detailed Description

SOSI to ESRI Shape converter.

If command-line parameter -2shp is specified, this converter will handle the output generation. Produces an ESRI Shape-file from SOSI source.

Definition at line 60 of file converter_sosi2shp.h.

Constructor & Destructor Documentation

sosicon::ConverterSosi2shp::ConverterSosi2shp () [inline]

Constructor.

Definition at line 117 of file converter_sosi2shp.h.

virtual sosicon::ConverterSosi2shp::~ConverterSosi2shp () [inline], [virtual]

Destructor.

Definition at line 120 of file converter_sosi2shp.h.

Member Function Documentation

virtual void sosicon::ConverterSosi2shp::init (CommandLine * *cmd*) [inline], [virtual]

Initialize converter.

Implementation details in **sosicon::IConverter::init()**

See also:

sosicon::IConverter::init()

Implements **sosicon::IConverter** (*p.pagenum*).

Definition at line 127 of file converter_sosi2shp.h.

std::string sosicon::ConverterSosi2shp::makeBasePath (std::string *objTypeName*) [private]

Make base file path for destination files.

If the user specified an output file name, it will be used as a candidate for a base name to

create shp, shx and dbf files for the shape export. Otherwise, the name of the first source file will be used by default.

This function checks if there are any name collisions, incrementing a postfixed number to the base name until a unique name is found.

Returns:

Modified, unique destination base name with directory (if provided), without file name extension.

Definition at line 126 of file converter_sosi2shp.cpp.

void sosicon::ConverterSosi2shp::makeShp (ISosiElement * *sosiTree*, bool * *cancel*) [private]

Definition at line 21 of file converter_sosi2shp.cpp.

void sosicon::ConverterSosi2shp::run (bool * *cancel* = 0x00) [virtual]

Start conversion.

Implementation details in **sosicon::IConverter::run()**

See also:

sosicon::IConverter::run()

Implements **sosicon::IConverter** (*p.pagenum*).

Definition at line 174 of file converter_sosi2shp.cpp.

template<typename T > void sosicon::ConverterSosi2shp::writeFile (shape::Shapefile & *shp*, std::string *basePath*, std::string *extension*) [inline], [private]

Save specific shapefile part.

The shapefile format consists of several files. Use corresponding interface to cast a instance of **IShapefile** to the correct file part for writing. The shapefile parts interfaces are:

IShapefileShpPart
IShapefileShxPart
IShapefileDbfPart
IShapefilePrjPart

Parameters:

shp	Reference to the source ShapeFile instance.
basePath	Path and file title for the file to be written, without extension.
extension	additional file extensions to be appended before the main extension, which is one of the following: shp (shapefile part) shx (index part) dbf (attributes part) prj (projection part)

Definition at line 83 of file converter_sosi2shp.h.

Member Data Documentation

CommandLine* sosicon::ConverterSosi2shp::mCmd `[private]`

Command line wrapper.

Definition at line 93 of file converter_sosi2shp.h.

std::string sosicon::ConverterSosi2shp::mCurrentSourcefile `[private]`

Souce file currently in process.

Definition at line 96 of file converter_sosi2shp.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**converter_sosi2shp.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**converter_sosi2shp.cpp**

sosicon::ConverterSosi2tsv Class Reference

SOSI to TSV converter.

`#include <converter_sosi2tsv.h>`

Inheritance diagram for sosicon::ConverterSosi2tsv:

IMAGE

Public Member Functions

ConverterSosi2tsv ()
Constructor.

virtual void **init** (**CommandLine** *cmd)
Initialize converter.

virtual void **run** (bool *cancel=0x00)
Start conversion.

Private Member Functions

virtual **~ConverterSosi2tsv** ()
Destructor.

Private Attributes

CommandLine * mCmd
Command line wrapper.

Detailed Description

SOSI to TSV converter.

If command-line parameter -2tsv is specified, this converter will handle the output generation. Produces a TSV file (tab separated values) SOSI source.

Definition at line 39 of file converter_sosi2tsv.h.

Constructor & Destructor Documentation

virtual sosicon::ConverterSosi2tsv::~ConverterSosi2tsv () [inline], [private], [virtual]

Destructor.

Definition at line 45 of file converter_sosi2tsv.h.

sosicon::ConverterSosi2tsv::ConverterSosi2tsv () [inline]

Constructor.

Definition at line 49 of file converter_sosi2tsv.h.

Member Function Documentation

virtual void sosicon::ConverterSosi2tsv::init (CommandLine * *cmd*) [inline], [virtual]

Initialize converter.

Implementation details in **sosicon::IConverter::init()**

See also:

sosicon::IConverter::init()

Implements **sosicon::IConverter** (*p.pagenum*).

Definition at line 56 of file converter_sosi2tsv.h.

void sosicon::ConverterSosi2tsv::run (bool * *cancel* = 0x00) [virtual]

Start conversion.

Implementation details in **sosicon::IConverter::run()**

See also:

sosicon::IConverter::run()

Implements **sosicon::IConverter** (*p.pagenum*).

Definition at line 21 of file converter_sosi2tsv.cpp.

Member Data Documentation

CommandLine* sosicon::ConverterSosi2tsv::mCmd [private]

Command line wrapper.

Definition at line 42 of file converter_sosi2tsv.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**converter_sosi2tsv.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**converter_sosi2tsv.cpp**

sosicon::ConverterSosi2xml Class Reference

SOSI to ESRI Shape converter.

`#include <converter_sosi2xml.h>`

Inheritance diagram for sosicon::ConverterSosi2xml:

IMAGE

Public Member Functions

ConverterSosi2xml ()

Constructor.

virtual **~ConverterSosi2xml** ()

Destructor.

virtual void **init** (**CommandLine** *cmd)

Initialize converter.

virtual void **run** (bool *cancel=0x00)

Start conversion.

Private Member Functions

void **makeXML** (**ISosiElement** *parent)

Private Attributes

CommandLine * mCmd

Command line wrapper.

Detailed Description

SOSI to ESRI Shape converter.

If command-line parameter -2xml is specified, this converter will handle the output generation. Produces an ESRI Shape-file from SOSI source.

Definition at line 41 of file converter_sosi2xml.h.

Constructor & Destructor Documentation

sosicon::ConverterSosi2xml::ConverterSosi2xml () `[inline]`

Constructor.

Definition at line 51 of file converter_sosi2xml.h.

virtual sosicon::ConverterSosi2xml::~ConverterSosi2xml () [inline], [virtual]

Destructor.

Definition at line 54 of file converter_sosi2xml.h.

Member Function Documentation

virtual void sosicon::ConverterSosi2xml::init (CommandLine * *cmd*) [inline], [virtual]

Initialize converter.

Implementation details in **sosicon::IConverter::init()**

See also:

sosicon::IConverter::init()

Implements **sosicon::IConverter** (*p.pagenum*).

Definition at line 61 of file converter_sosi2xml.h.

void sosicon::ConverterSosi2xml::makeXML (ISosiElement * *parent*) [private]

Definition at line 21 of file converter_sosi2xml.cpp.

void sosicon::ConverterSosi2xml::run (bool * *cancel* = 0x00) [virtual]

Start conversion.

Implementation details in **sosicon::IConverter::run()**

See also:

sosicon::IConverter::run()

Implements **sosicon::IConverter** (*p.pagenum*).

Definition at line 26 of file converter_sosi2xml.cpp.

Member Data Documentation

CommandLine* sosicon::ConverterSosi2xml::mCmd [private]

Command line wrapper.

Definition at line 44 of file converter_sosi2xml.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**converter_sosi2xml.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**converter_sosi2xml.cpp**

sosicon::ConverterSosiStat Class Reference

SOSI to ESRI Shape converter.

`#include <converter_sosi_stat.h>`

Inheritance diagram for sosicon::ConverterSosiStat:

IMAGE

Public Member Functions

ConverterSosiStat ()
Constructor.

virtual **~ConverterSosiStat** ()
Destructor.

virtual void **init** (**CommandLine** *cmd)
Initialize converter.

virtual void **run** (bool *cancel=0x00)
Start conversion.

Private Member Functions

void **printElementData** (**ISosiElement** *e, **sosi::SosiElementSearch** src, int padding)
Output simple element attributes.

void **printListContent** (std::map< std::string, int > list, int padding)
Output content of map<string,int>

void **printTableHeader** (std::string col1, std::string col2, int padding)
Output simple element attributes.

void **makeStat** (**ISosiElement** *parent)
Output table header with column titles.

Private Attributes

CommandLine * mCmd
Command line wrapper.

std::map< std::string, int > **mObjTypes**
Map keeping count of objtypes.

std::map< std::string, int > **mGeoTypes**
Map keeping count of geometry.

Detailed Description

SOSI to ESRI Shape converter.

If command-line parameter -stat is specified, this converter will handle the output generation. Produces an ESRI Shape-file from SOSI source.

Definition at line 52 of file converter_sosi_stat.h.

Constructor & Destructor Documentation

sosicon::ConverterSosiStat::ConverterSosiStat () `[inline]`

Constructor.

Definition at line 78 of file converter_sosi_stat.h.

virtual sosicon::ConverterSosiStat::~ConverterSosiStat () `[inline], [virtual]`

Destructor.

Definition at line 81 of file converter_sosi_stat.h.

Member Function Documentation

virtual void sosicon::ConverterSosiStat::init (CommandLine * *cmd*) `[inline], [virtual]`

Initialize converter.

Implementation details in **sosicon::IConverter::init()**

See also:

sosicon::IConverter::init()

Implements **sosicon::IConverter** (*p.pagenum*).

Definition at line 88 of file converter_sosi_stat.h.

void sosicon::ConverterSosiStat::makeStat (ISosiElement * *parent*) `[private]`

Output table header with column titles.

Definition at line 21 of file converter_sosi_stat.cpp.

void sosicon::ConverterSosiStat::printElementData (ISosiElement * *e*, sosi::SosiElementSearch *src*, int *padding*) `[private]`

Output simple element attributes.

Definition at line 46 of file converter_sosi_stat.cpp.

void sosicon::ConverterSosiStat::printListContent (std::map< std::string, int > *list*, int *padding*) `[private]`

Output content of map<string,int>

Definition at line 58 of file converter_sosi_stat.cpp.

void sosicon::ConverterSosiStat::printTableHeader (std::string *col1*, std::string *col2*, int *padding*) `[private]`

Output simple element attributes.

Definition at line 70 of file converter_sosi_stat.cpp.

void sosicon::ConverterSosiStat::run (bool * *cancel* = `0x00`) `[virtual]`

Start conversion.

Implementation details in **sosicon::IConverter::run()**

See also:

sosicon::IConverter::run()

Implements **sosicon::IConverter** (*p.pagenum*).

Definition at line 77 of file converter_sosi_stat.cpp.

Member Data Documentation

CommandLine* sosicon::ConverterSosiStat::mCmd `[private]`

Command line wrapper.

Definition at line 55 of file converter_sosi_stat.h.

std::map<std::string, int> sosicon::ConverterSosiStat::mGeoTypes `[private]`

Map keeping count of geometry.

Definition at line 61 of file converter_sosi_stat.h.

std::map<std::string, int> sosicon::ConverterSosiStat::mObjTypes `[private]`

Map keeping count of objtypes.

Definition at line 58 of file converter_sosi_stat.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**converter_sosi_stat.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**converter_sosi_stat.cpp**

sosicon::Coordinate Class Reference

Coordinate container.

`#include <coordinate.h>`

Inheritance diagram for sosicon::Coordinate:

IMAGE

Public Member Functions

virtual **~Coordinate** ()
Coordinate ()

virtual double **getE** ()
Get east coordinate.
virtual double **getN** ()
Get north coordinate.
virtual bool **leftOf** (**ICoordinate** *c)
Test if this coordinate is to the left of another.
virtual bool **rightOf** (**ICoordinate** *c)
Test if this coordinate is to the right of another.
virtual void **setE** (double coordEast)
Set east coordinate.
virtual void **setN** (double coordNorth)
Set north coordinate.
virtual void **setH** (double altitude)
Set altitude.
virtual void **shift** (int offsetN, int offsetE)
Shift coordinate by specified offset.
virtual void **divide** (int divisor)
Divide coordinate by specified divisor.
virtual bool **equals** (**ICoordinate** *c)
Check if two points match.
virtual std::string **toString** ()
Make string representation.

Private Attributes

double **mEast**
double **mNorth**
double **mAltitude**

Detailed Description

Coordinate container.

Author:
Espen Andersen

Copyright:
GNU General Public License

Stores a geographical position with some additional information.

Definition at line 36 of file coordinate.h.

Constructor & Destructor Documentation

virtual sosicon::Coordinate::~Coordinate () `[inline]`, `[virtual]`

Definition at line 44 of file coordinate.h.

sosicon::Coordinate::Coordinate () `[inline]`

Definition at line 45 of file coordinate.h.

Member Function Documentation

virtual void sosicon::Coordinate::divide (int *divisor*) `[inline]`, `[virtual]`

Divide coordinate by specified divisor.
Implements **sosicon::ICoordinate** (*p.pagenum*).
Definition at line 54 of file coordinate.h.

virtual bool sosicon::Coordinate::equals (ICoordinate * *c*) `[inline]`, `[virtual]`

Check if two points match.
Implements **sosicon::ICoordinate** (*p.pagenum*).
Definition at line 55 of file coordinate.h.

virtual double sosicon::Coordinate::getE () `[inline]`, `[virtual]`

Get east coordinate.
Implements **sosicon::ICoordinate** (*p.pagenum*).
Definition at line 46 of file coordinate.h.

virtual double sosicon::Coordinate::getN () `[inline]`, `[virtual]`

Get north coordinate.
Implements **sosicon::ICoordinate** (*p.pagenum*).
Definition at line 47 of file coordinate.h.

virtual bool sosicon::Coordinate::leftOf (ICoordinate * *c*) `[inline]`, `[virtual]`

Test if this coordinate is to the left of another.
Implements **sosicon::ICoordinate** (*p.pagenum*).
Definition at line 48 of file coordinate.h.

virtual bool sosicon::Coordinate::rightOf (ICoordinate * *c*) `[inline]`, `[virtual]`

Test if this coordinate is to the right of another.
Implements **sosicon::ICoordinate** (*p.pagenum*).
Definition at line 49 of file coordinate.h.

virtual void sosicon::Coordinate::setE (double *coordEast*) [inline], [virtual]

Set east coordinate.
Implements **sosicon::ICoordinate** (*p.pagenum*).
Definition at line 50 of file coordinate.h.

virtual void sosicon::Coordinate::setH (double *altitude*) [inline], [virtual]

Set altitude.
Implements **sosicon::ICoordinate** (*p.pagenum*).
Definition at line 52 of file coordinate.h.

virtual void sosicon::Coordinate::setN (double *coordNorth*) [inline], [virtual]

Set north coordinate.
Implements **sosicon::ICoordinate** (*p.pagenum*).
Definition at line 51 of file coordinate.h.

virtual void sosicon::Coordinate::shift (int *offsetN*, int *offsetE*) [inline], [virtual]

Shift coordinate by specified offset.
Implements **sosicon::ICoordinate** (*p.pagenum*).
Definition at line 53 of file coordinate.h.

virtual std::string sosicon::Coordinate::toString () [inline], [virtual]

Make string representation.
Implements **sosicon::ICoordinate** (*p.pagenum*).
Definition at line 56 of file coordinate.h.

Member Data Documentation

double sosicon::Coordinate::mAltitude [private]

Definition at line 40 of file coordinate.h.

double sosicon::Coordinate::mEast [private]

Definition at line 38 of file coordinate.h.

double sosicon::Coordinate::mNorth [private]

Definition at line 39 of file coordinate.h.

The documentation for this class was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**coordinate.h**

sosicon::CoordinateCollection Class Reference

Coordinate container.
`#include <coordinate_collection.h>`

Public Member Functions

virtual **~CoordinateCollection** ()
Destructor.
CoordinateCollection ()
Constructor.
void **free** ()
Free allocated memory.
void **discoverCoords** (**ISosiElement** *sosi)
Extracts coordinates from SOSI element.
bool **getNextInGeom** (**ICoordinate** *&coord)
Retrieve next coordinate in collection.
std::vector< **ICoordinate** * > & **getGeom** ()
std::vector< int > & **getGeomSizes** ()
int **getNumPointsGeom** ()
int **getNumPartsGeom** ()
std::vector< **ICoordinate** * > & **getHoles** ()
std::vector< int > & **getHoleSizes** ()
int **getNumPointsHoles** ()
int **getNumPartsHoles** ()
double **getXmin** ()
double **getYmin** ()
double **getXmax** ()
double **getYmax** ()

Private Member Functions

void **extractPath** (**ISosiElement** *referencedElement, bool reverse, int &numPoints, **sosi::NorthEastList** &target)
Get coordinate values from SOSI element.

Private Attributes

sosi::NorthEastList mGeom
Stores collection of pointers to coordinates for geometries.
std::vector< **ICoordinate** * > **mGeomNormalized**
sosi::NorthEastList mHoles
std::vector< **ICoordinate** * > **mHolesNormalized**
int **mNumPartsGeom**
int **mNumPartsHoles**

int **mNumPointsGeom**
int **mNumPointsHoles**
std::vector< int > **mGeomSizes**
std::vector< int > **mHoleSizes**
sosi::NorthEastList::iterator **mGeomIndex**
double **mXmin**
double **mYmin**
double **mXmax**
double **mYmax**

Detailed Description

Coordinate container.

Author:
Espen Andersen

Copyright:
GNU General Public License

Stores a collection of geographical positions.

Definition at line 77 of file coordinate_collection.h.

Constructor & Destructor Documentation

sosicon::CoordinateCollection::~CoordinateCollection () `[virtual]`

Destructor.

Definition at line 84 of file coordinate_collection.cpp.

sosicon::CoordinateCollection::CoordinateCollection () `[inline]`

Constructor.

Definition at line 114 of file coordinate_collection.h.

Member Function Documentation

void sosicon::CoordinateCollection::discoverCoords (ISosiElement * *sosi*)

Extracts coordinates from SOSI element.

This method retrieves the physical coordinates for a SOSI geometry, if applicable, and populates the coordinate collection.

This algorithm resolves referenced objects for polygons and presents the coordinates in correct order.

Parameters:

sosi	SOSI element from which to extract coordinates.

Definition at line 95 of file coordinate_collection.cpp.

void sosicon::CoordinateCollection::extractPath (ISosiElement * *referencedElement*, bool *reverse*, int & *numPoints*, sosi::NorthEastList & *target*) `[private]`

Get coordinate values from SOSI element.

Definition at line 161 of file coordinate_collection.cpp.

void sosicon::CoordinateCollection::free ()

Free allocated memory.

Definition at line 89 of file coordinate_collection.cpp.

std::vector< sosicon::ICoordinate * > & sosicon::CoordinateCollection::getGeom ()

Definition at line 191 of file coordinate_collection.cpp.

std::vector<int>& sosicon::CoordinateCollection::getGeomSizes () `[inline]`

Definition at line 151 of file coordinate_collection.h.

std::vector< sosicon::ICoordinate * > & sosicon::CoordinateCollection::getHoles ()

Definition at line 205 of file coordinate_collection.cpp.

std::vector<int>& sosicon::CoordinateCollection::getHoleSizes () `[inline]`

Definition at line 156 of file coordinate_collection.h.

bool sosicon::CoordinateCollection::getNextInGeom (ICoordinate *& *coord*)

Retrieve next coordinate in collection.

Iterates through the coordinate list until it reaches the end, passing a pointer to the next element to the coord reference. Tne value of coord must be zero on the first pass in order to start the iteration on the first **ISosiElement**.

Returns:

The function returns true if there are more coordinates in the collection, or false if the last coordinate is encoutered.

Definition at line 228 of file coordinate_collection.cpp.

int sosicon::CoordinateCollection::getNumPartsGeom () `[inline]`

Definition at line 153 of file coordinate_collection.h.

int sosicon::CoordinateCollection::getNumPartsHoles () `[inline]`

Definition at line 158 of file coordinate_collection.h.

int sosicon::CoordinateCollection::getNumPointsGeom () [inline]

Definition at line 152 of file coordinate_collection.h.

int sosicon::CoordinateCollection::getNumPointsHoles () [inline]

Definition at line 157 of file coordinate_collection.h.

double sosicon::CoordinateCollection::getXmax () [inline]

Definition at line 164 of file coordinate_collection.h.

double sosicon::CoordinateCollection::getXmin () [inline]

Definition at line 160 of file coordinate_collection.h.

double sosicon::CoordinateCollection::getYmax () [inline]

Definition at line 166 of file coordinate_collection.h.

double sosicon::CoordinateCollection::getYmin () [inline]

Definition at line 162 of file coordinate_collection.h.

Member Data Documentation

sosi::NorthEastList sosicon::CoordinateCollection::mGeom [private]

Stores collection of pointers to coordinates for geometries.
Definition at line 80 of file coordinate_collection.h.

sosi::NorthEastList::iterator sosicon::CoordinateCollection::mGeomIndex [private]

Definition at line 95 of file coordinate_collection.h.

std::vector<ICoordinate*> sosicon::CoordinateCollection::mGeomNormalized [private]

Definition at line 81 of file coordinate_collection.h.

std::vector<int> sosicon::CoordinateCollection::mGeomSizes [private]

Definition at line 92 of file coordinate_collection.h.

sosi::NorthEastList sosicon::CoordinateCollection::mHoles `[private]`

Definition at line 83 of file coordinate_collection.h.

std::vector<int> sosicon::CoordinateCollection::mHoleSizes `[private]`

Definition at line 93 of file coordinate_collection.h.

std::vector<ICoordinate*> sosicon::CoordinateCollection::mHolesNormalized `[private]`

Definition at line 84 of file coordinate_collection.h.

int sosicon::CoordinateCollection::mNumPartsGeom `[private]`

Definition at line 86 of file coordinate_collection.h.

int sosicon::CoordinateCollection::mNumPartsHoles `[private]`

Definition at line 87 of file coordinate_collection.h.

int sosicon::CoordinateCollection::mNumPointsGeom `[private]`

Definition at line 89 of file coordinate_collection.h.

int sosicon::CoordinateCollection::mNumPointsHoles `[private]`

Definition at line 90 of file coordinate_collection.h.

double sosicon::CoordinateCollection::mXmax `[private]`

Definition at line 99 of file coordinate_collection.h.

double sosicon::CoordinateCollection::mXmin `[private]`

Definition at line 97 of file coordinate_collection.h.

double sosicon::CoordinateCollection::mYmax `[private]`

Definition at line 100 of file coordinate_collection.h.

double sosicon::CoordinateCollection::mYmin `[private]`

Definition at line 98 of file coordinate_collection.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**coordinate_collection.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**coordinate_collection.cpp**

sosicon::sosi::CoordSys Class Reference

SOSI coordinate system.
`#include <sosi_types.h>`

Public Member Functions

CoordSys ()
CoordSys (int sysCode, std::string **srid**, std::string **displayString**, std::string **prjString**)
std::string **displayString** ()
std::string **prjString** ()
std::string **srid** ()
bool **valid** ()

Private Attributes

int **mSysCode**
SOSI SYSKODE.
std::string **mSrid**
EPSG SRID.
std::string **mPrjString**
Projection string.
std::string **mDisplayString**
Display string.

Detailed Description

SOSI coordinate system.

Definition at line 152 of file sosi_types.h.

Constructor & Destructor Documentation

sosicon::sosi::CoordSys::CoordSys () `[inline]`

Definition at line 161 of file sosi_types.h.

sosicon::sosi::CoordSys::CoordSys (int *sysCode*, std::string *srid*, std::string *displayString*, std::string *prjString*) `[inline]`

Definition at line 163 of file sosi_types.h.

Member Function Documentation

std::string sosicon::sosi::CoordSys::displayString () [inline]

Definition at line 171 of file sosi_types.h.

std::string sosicon::sosi::CoordSys::prjString () [inline]

Definition at line 173 of file sosi_types.h.

std::string sosicon::sosi::CoordSys::srid () [inline]

Definition at line 175 of file sosi_types.h.

bool sosicon::sosi::CoordSys::valid () [inline]

Definition at line 177 of file sosi_types.h.

Member Data Documentation

std::string sosicon::sosi::CoordSys::mDisplayString [private]

Display string.
Definition at line 157 of file sosi_types.h.

std::string sosicon::sosi::CoordSys::mPrjString [private]

Projection string.
Definition at line 156 of file sosi_types.h.

std::string sosicon::sosi::CoordSys::mSrid [private]

EPSG SRID.
Definition at line 155 of file sosi_types.h.

int sosicon::sosi::CoordSys::mSysCode [private]

SOSI SYSKODE.
Definition at line 154 of file sosi_types.h.

The documentation for this class was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_types.h**

sosicon::shape::DoubleField Union Reference

32 bit double / byte field
`#include <shapefile_types.h>`

Public Attributes

double **d**
char **b** [sizeof(double)]

Detailed Description

32 bit double / byte field

Definition at line 78 of file shapefile_types.h.

Member Data Documentation

char sosicon::shape::DoubleField::b[sizeof(double)]

Definition at line 80 of file shapefile_types.h.

double sosicon::shape::DoubleField::d

Definition at line 79 of file shapefile_types.h.

The documentation for this union was generated from the following file:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/shape/**shapefile_types.h**

sosicon::EventDispatcher< Event > Class Template Reference

Event dispatcher template class.
`#include <event_dispatcher.h>`

Classes

class **Listener**

Public Types

typedef std::vector< **Listener** * > **ListenerLst**

Public Member Functions

void **addEventListener** (**Listener** *listener)

void **removeEventListener** (**Listener** *listener)
void **Dispatch** (Event &e)

Private Attributes

ListenerLst mListeners

Detailed Description

template<typename Event>

class sosicon::EventDispatcher< Event >

Event dispatcher template class.

Author:
Espen Andersen

Copyright:
GNU General Public License

Impelements event dispatcher for specified event type.

Definition at line 35 of file event_dispatcher.h.

Member Typedef Documentation

template<typename Event> typedef std::vector<Listener*> sosicon::EventDispatcher< Event >::ListenerLst

Definition at line 47 of file event_dispatcher.h.

Member Function Documentation

template<typename Event> void sosicon::EventDispatcher< Event >::addEventListener (Listener * *listener*) `[inline]`

Definition at line 55 of file event_dispatcher.h.

template<typename Event> void sosicon::EventDispatcher< Event >::Dispatch (Event & *e*) `[inline]`

Definition at line 68 of file event_dispatcher.h.

template<typename Event> void sosicon::EventDispatcher< Event >::removeEventListener (Listener * *listener*) `[inline]`

Definition at line 61 of file event_dispatcher.h.

Member Data Documentation

template<typename Event> ListenerLst sosicon::EventDispatcher< Event >::mListeners `[private]`

Definition at line 51 of file event_dispatcher.h.

The documentation for this class was generated from the following file:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**event_dispatcher.h**

sosicon::Factory Class Reference

Factory class.

`#include <factory.h>`

Static Public Member Functions

static void **get** (**IConverter** *&converter, **CommandLine** *cmd)

Retrieve converter.

static void **release** (**IConverter** *&converter)

Releases converter.

Detailed Description

Factory class.

Author:

Espen Andersen

Copyright:

GNU General Public License

Responsible for creating an appropriate **IConverter** implementation instance. Uses the command-line arguments to decide what type of converter is required.

Definition at line 38 of file factory.h.

Member Function Documentation

void sosicon::Factory::get (sosicon::IConverter *& *converter*, sosicon::CommandLine * *cmd*) `[static]`

Retrieve converter.

Selects an **IConverter** implementation and creates an object of that class based on the user's command-line arguments.

Note:

Any object delivered with **Factory::get()** must be freed by calling **Factory::release()**

See also:

Factory::release()

Parameters:

converter	Reference to the pointer to receive the new **IConverter**.
cmd	**CommandLine** object with current command-line arguments.

Definition at line 21 of file factory.cpp.

void sosicon::Factory::release (sosicon::IConverter *& *converter*) [static]

Releases converter.

Frees allocated resources and releases **IConverter** object. Any object retrieved from **Factory::get()** must be disposed of through this function.

Parameters:

converter	Reference to a pointer containing the **IConverter** instance to be released. The pointer will be reset to 0 after object deletion.

Definition at line 45 of file factory.cpp.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**factory.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**factory.cpp**

sosicon::ConverterSosi2psql::Field Class Reference

Public Member Functions

bool **isNumeric** ()
std::string::size_type **length** ()
Field ()
Field (std::string &str)
std::string::size_type **expand** (std::string &str)

Private Attributes

std::string::size_type **mMaxLength**
std::string::size_type **mMinLength**
bool **mIsNumeric**

Detailed Description

Definition at line 54 of file converter_sosi2psql.h.

Constructor & Destructor Documentation

sosicon::ConverterSosi2psql::Field::Field () [inline]

Definition at line 71 of file converter_sosi2psql.h.

sosicon::ConverterSosi2psql::Field::Field (std::string & *str*) [inline]

Definition at line 75 of file converter_sosi2psql.h.

Member Function Documentation

std::string::size_type sosicon::ConverterSosi2psql::Field::expand (std::string & *str*) [inline]

Definition at line 81 of file converter_sosi2psql.h.

bool sosicon::ConverterSosi2psql::Field::isNumeric () [inline]

Definition at line 59 of file converter_sosi2psql.h.

std::string::size_type sosicon::ConverterSosi2psql::Field::length () [inline]

Definition at line 68 of file converter_sosi2psql.h.

Member Data Documentation

bool sosicon::ConverterSosi2psql::Field::mIsNumeric [private]

Definition at line 57 of file converter_sosi2psql.h.

std::string::size_type sosicon::ConverterSosi2psql::Field::mMaxLength [private]

Definition at line 55 of file converter_sosi2psql.h.

std::string::size_type sosicon::ConverterSosi2psql::Field::mMinLength [private]

Definition at line 56 of file converter_sosi2psql.h.

The documentation for this class was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**converter_sosi2psql.h**

sosicon::IBinaryStreamable Class Reference

Interface: Binary streamable object.
`#include <i_binary_streamable.h>`
Inheritance diagram for sosicon::IBinaryStreamable:

IMAGE

Public Member Functions

virtual **~IBinaryStreamable** ()
Destructor.

virtual void **writeBinary** (std::ostream &os)=0
Writes binary data to output stream.

Detailed Description

Interface: Binary streamable object.

Author:
Espen Andersen

Copyright:
GNU General Public License

Definition at line 34 of file i_binary_streamable.h.

Constructor & Destructor Documentation

virtual sosicon::IBinaryStreamable::~IBinaryStreamable () `[inline], [virtual]`

Destructor.

Definition at line 38 of file i_binary_streamable.h.

Member Function Documentation

virtual void sosicon::IBinaryStreamable::writeBinary (std::ostream & *os*) `[pure virtual]`

Writes binary data to output stream.

Invoked when the operator<< is used to strem to an std::ostream object. Binary write operation is performed for current impementation here.

Parameters:

os	Target stream object.

Implemented in **sosicon::IShapefileDbfPart** (*p.pagenum*), **sosicon::IShapefilePrjPart** (*p.pagenum*), **sosicon::IShapefileShpPart** (*p.pagenum*), and **sosicon::IShapefileShxPart** (*p.pagenum*).

The documentation for this class was generated from the following file:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/**i_binary_streamable.h**

sosicon::IConverter Class Reference

Interface: Converter.

`#include <i_converter.h>`

Inheritance diagram for sosicon::IConverter:

IMAGE

Public Member Functions

virtual **~IConverter** ()

Destructor.

virtual void **init** (**CommandLine** *cmd)=0

Initialize converter.

virtual void **run** (bool *cancel=0x00)=0

Start conversion.

Detailed Description

Interface: Converter.

Author:

Espen Andersen

Copyright:

GNU General Public License

Represents the generic form of a converter. The factory class is responsible for creating a converter based upon input parameters. The returned object is then interacted on through this interface.

Definition at line 38 of file i_converter.h.

Constructor & Destructor Documentation

virtual sosicon::IConverter::~IConverter () `[inline], [virtual]`

Destructor.

Definition at line 43 of file i_converter.h.

Member Function Documentation

virtual void sosicon::IConverter::init (CommandLine * *cmd*) `[pure virtual]`

Initialize converter.

Conversion setup. Uses the **CommandLine** to determine what operations to perform.

Parameters:

cmd	Arguments from the command-line parsed and ready within a **sosicon::CommandLine** object.

Implemented in **sosicon::ConverterSosi2psql** (*p.pagenum*), **sosicon::ConverterSosi2shp** (*p.pagenum*), **sosicon::ConverterSosiStat** (*p.pagenum*), **sosicon::ConverterSosi2xml** (*p.pagenum*), and **sosicon::ConverterSosi2tsv** (*p.pagenum*).

virtual void sosicon::IConverter::run (bool * *cancel* = `0x00`)`[pure virtual]`

Start conversion.

Run the conversion routine. Outputs the destination file accrding to the preferences given from the command-line.

Parameters:

cancel	If sosicon runs in a worker thread, this parameter governs whether the conversion process should be aborted prematurely.

Implemented in **sosicon::ConverterSosi2psql** (*p.pagenum*), **sosicon::ConverterSosi2shp** (*p.pagenum*), **sosicon::ConverterSosiStat** (*p.pagenum*), **sosicon::ConverterSosi2xml** (*p.pagenum*), and **sosicon::ConverterSosi2tsv** (*p.pagenum*).

The documentation for this class was generated from the following file:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/**i_converter.h**

sosicon::ICoordinate Class Reference

Interface: **Coordinate**.

`#include <i_coordinate.h>`

Inheritance diagram for sosicon::ICoordinate:

IMAGE

Public Member Functions

virtual **~ICoordinate** ()

Destructor.

virtual double **getE** ()=0

Get east coordinate.

virtual double **getN** ()=0

Get north coordinate.

virtual bool **leftOf** (**ICoordinate** *c)=0

Test if this coordinate is to the left of another.

virtual bool **rightOf** (**ICoordinate** *c)=0

Test if this coordinate is to the right of another.

virtual void **setE** (double coordEast)=0
Set east coordinate.
virtual void **setN** (double coordNorth)=0
Set north coordinate.
virtual void **setH** (double altitude)=0
Set altitude.
virtual void **shift** (int offsetN, int offsetE)=0
Shift coordinate by specified offset.
virtual void **divide** (int divisor)=0
Divide coordinate by specified divisor.
virtual bool **equals** (**ICoordinate** *c)=0
Check if two points match.
virtual std::string **toString** ()=0
Make string representation.

Detailed Description

Interface: **Coordinate**.

Author:
Espen Andersen
Copyright:
GNU General Public License
Definition at line 35 of file i_coordinate.h.

Constructor & Destructor Documentation

virtual sosicon::ICoordinate::~ICoordinate () `[inline], [virtual]`

Destructor.
Definition at line 39 of file i_coordinate.h.

Member Function Documentation

virtual void sosicon::ICoordinate::divide (int *divisor*) `[pure virtual]`

Divide coordinate by specified divisor.
Implemented in **sosicon::Coordinate** (*p.pagenum*).

virtual bool sosicon::ICoordinate::equals (ICoordinate * *c*) `[pure virtual]`

Check if two points match.
Implemented in **sosicon::Coordinate** (*p.pagenum*).

virtual double sosicon::ICoordinate::getE () `[pure virtual]`

Get east coordinate.

Implemented in **sosicon::Coordinate** (*p.pagenum*).

virtual double sosicon::ICoordinate::getN () `[pure virtual]`

Get north coordinate.

Implemented in **sosicon::Coordinate** (*p.pagenum*).

virtual bool sosicon::ICoordinate::leftOf (ICoordinate * *c*) `[pure virtual]`

Test if this coordinate is to the left of another.

Implemented in **sosicon::Coordinate** (*p.pagenum*).

virtual bool sosicon::ICoordinate::rightOf (ICoordinate * *c*) `[pure virtual]`

Test if this coordinate is to the right of another.

Implemented in **sosicon::Coordinate** (*p.pagenum*).

virtual void sosicon::ICoordinate::setE (double *coordEast*) `[pure virtual]`

Set east coordinate.

Implemented in **sosicon::Coordinate** (*p.pagenum*).

virtual void sosicon::ICoordinate::setH (double *altitude*) `[pure virtual]`

Set altitude.

Implemented in **sosicon::Coordinate** (*p.pagenum*).

virtual void sosicon::ICoordinate::setN (double *coordNorth*) `[pure virtual]`

Set north coordinate.

Implemented in **sosicon::Coordinate** (*p.pagenum*).

virtual void sosicon::ICoordinate::shift (int *offsetN*, int *offsetE*) `[pure virtual]`

Shift coordinate by specified offset.

Implemented in **sosicon::Coordinate** (*p.pagenum*).

virtual std::string sosicon::ICoordinate::toString () `[pure virtual]`

Make string representation.

Implemented in **sosicon::Coordinate** (*p.pagenum*).

The documentation for this class was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/**i_coordinate.h**

sosicon::ILookupTable Class Reference

Interface: Lookup table.
`#include <i_lookup_table.h>`

Public Member Functions

virtual **~ILookupTable** ()
Destructor.
virtual std::string **toString** ()=0
Print string representation of current table.
virtual **ISosiElement * get** (std::string key)=0
Get SOSI element by ref ID.

Detailed Description

Interface: Lookup table.

Author:
Espen Andersen
Copyright:
GNU General Public License
Interface to a lookup table, implemented by ReferenceLookup class.
Definition at line 40 of file i_lookup_table.h.

Constructor & Destructor Documentation

virtual sosicon::ILookupTable::~ILookupTable () `[inline], [virtual]`

Destructor.
Definition at line 44 of file i_lookup_table.h.

Member Function Documentation

virtual ISosiElement* sosicon::ILookupTable::get (std::string *key*) `[pure virtual]`

Get SOSI element by ref ID.

virtual std::string sosicon::ILookupTable::toString () [pure virtual]

Print string representation of current table.

The documentation for this class was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/**i_lookup_table.h**

imaxdiv_t Struct Reference

`#include <inttypes.h>`

Public Attributes

intmax_t **quot**
intmax_t **rem**

Detailed Description

Definition at line 47 of file inttypes.h.

Member Data Documentation

intmax_t imaxdiv_t::quot

Definition at line 48 of file inttypes.h.

intmax_t imaxdiv_t::rem

Definition at line 49 of file inttypes.h.

The documentation for this struct was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**inttypes.h**

sosicon::shape::Int16Field Union Reference

16 bit integer / byte field
`#include <shapefile_types.h>`

Public Attributes

uint16_t **i**
char **b** [sizeof(uint16_t)]

Detailed Description

16 bit integer / byte field

Definition at line 59 of file shapefile_types.h.

Member Data Documentation

char sosicon::shape::Int16Field::b[sizeof(uint16_t)]

Definition at line 61 of file shapefile_types.h.

uint16_t sosicon::shape::Int16Field::i

Definition at line 60 of file shapefile_types.h.

The documentation for this union was generated from the following file:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/shape/**shapefile_types.h**

sosicon::shape::Int32Field Union Reference

32 bit integer / byte field

```
#include <shapefile_types.h>
```

Public Attributes

uint32_t **i**
char **b** [sizeof(uint32_t)]

Detailed Description

32 bit integer / byte field

Definition at line 65 of file shapefile_types.h.

Member Data Documentation

char sosicon::shape::Int32Field::b[sizeof(uint32_t)]

Definition at line 67 of file shapefile_types.h.

uint32_t sosicon::shape::Int32Field::i

Definition at line 66 of file shapefile_types.h.

The documentation for this union was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/shape/**shapefile_types.h**

sosicon::shape::Int32TField Union Reference

32 bit integer / byte / geom::ShapeType field
`#include <shapefile_types.h>`

Public Attributes

uint32_t **i**
char **b** [sizeof(uint32_t)]
ShapeType t

Detailed Description

32 bit integer / byte / geom::ShapeType field

Definition at line 71 of file shapefile_types.h.

Member Data Documentation

char sosicon::shape::Int32TField::b[sizeof(uint32_t)]

Definition at line 73 of file shapefile_types.h.

uint32_t sosicon::shape::Int32TField::i

Definition at line 72 of file shapefile_types.h.

ShapeType sosicon::shape::Int32TField::t

Definition at line 74 of file shapefile_types.h.

The documentation for this union was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/shape/**shapefile_types.h**

sosicon::shape::Int8Field Union Reference

8 bit integer / byte field
`#include <shapefile_types.h>`

Public Attributes

uint8_t **i**
char **b** [sizeof(uint8_t)]

Detailed Description

8 bit integer / byte field

Definition at line 53 of file shapefile_types.h.

Member Data Documentation

char sosicon::shape::Int8Field::b[sizeof(uint8_t)]

Definition at line 55 of file shapefile_types.h.

uint8_t sosicon::shape::Int8Field::i

Definition at line 54 of file shapefile_types.h.

The documentation for this union was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/shape/**shapefile_types.h**

sosicon::IRectangle Class Reference

Interface: Rectangle.
`#include <i_rectangle.h>`

Public Member Functions

virtual **~IRectangle** ()
Destructor.
virtual double **left** ()=0
Get left position.
virtual void **left** (double val)=0
Set left position.
virtual double **top** ()=0
Get top position.

virtual void **top** (double val)=0
Set top position.
virtual double **right** ()=0
Get right position.
virtual void **right** (double val)=0
Set right position.
virtual double **bottom** ()=0
Get bottom position.
virtual void **bottom** (double val)=0
Set bottom position.

Detailed Description

Interface: Rectangle.

Author:
Espen Andersen
Copyright:
GNU General Public License
Definition at line 33 of file i_rectangle.h.

Constructor & Destructor Documentation

virtual sosicon::IRectangle::~IRectangle () `[inline], [virtual]`

Destructor.
Definition at line 37 of file i_rectangle.h.

Member Function Documentation

virtual double sosicon::IRectangle::bottom () `[pure virtual]`

Get bottom position.
Returns the bottom (y1) coordinate of current rectangle.
Returns:
Bottom/y1 position.

virtual void sosicon::IRectangle::bottom (double *val*) `[pure virtual]`

Set bottom position.
Sets the bottom (y1) coordinate of current rectangle.
Parameters:

val	The new bottom/y1 position.

virtual double sosicon::IRectangle::left () `[pure virtual]`

Get left position.

Returns the left (x0) coordinate of current rectangle.

Returns:

Left/x0 position.

virtual void sosicon::IRectangle::left (double *val*) `[pure virtual]`

Set left position.

Sets the left (x0) coordinate of current rectangle.

Parameters:

val	The new left/x0 position.

virtual double sosicon::IRectangle::right () `[pure virtual]`

Get right position.

Returns the right (x1) coordinate of current rectangle.

Returns:

Right/x1 position.

virtual void sosicon::IRectangle::right (double *val*) `[pure virtual]`

Set right position.

Sets the right (x1) coordinate of current rectangle.

Parameters:

val	The new right/x1 position.

virtual double sosicon::IRectangle::top () `[pure virtual]`

Get top position.

Returns the top (y0) coordinate of current rectangle.

Returns:

Top/y0 position.

virtual void sosicon::IRectangle::top (double *val*) `[pure virtual]`

Set top position.

Sets the top (y0) coordinate of current rectangle.

Parameters:

val	The new top/y0 position.

The documentation for this class was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/**i_rectangle.h**

sosicon::IShapeElement Class Reference

Interface: Shape element.
`#include <i_shape_element.h>`
Inheritance diagram for sosicon::IShapeElement:
IMAGE

Public Member Functions

virtual **~IShapeElement** ()
Destructor.
virtual bool **populate** (**ISosiElement** *sosiElement)=0
Create from SOSI element.
virtual **ISosiElement** * **getSosiElement** ()=0
Get original SOSI element.
virtual void **getMBR** (**IRectangle** &rect)=0
Get minimum bounding rectangle.
virtual int **getWordSize** ()=0
Get element size in 16-bit words.
virtual int **getByteSize** ()=0
Get element size in bytes.

Detailed Description

Interface: Shape element.

Author:
Espen Andersen
Copyright:
GNU General Public License
Definition at line 37 of file i_shape_element.h.

Constructor & Destructor Documentation

virtual sosicon::IShapeElement::~IShapeElement () `[inline]`, `[virtual]`

Destructor.
Definition at line 41 of file i_shape_element.h.

Member Function Documentation

virtual int sosicon::IShapeElement::getByteSize () [pure virtual]

Get element size in bytes.

Size of current element, in bytes.

See also:

IShapeElement::getWordSize()

Returns:

The vinary size of current element in bytes.

virtual void sosicon::IShapeElement::getMBR (IRectangle & *rect*) [pure virtual]

Get minimum bounding rectangle.

Populates the referenced **IRectangle** implementation with the coordinates for the minimum bounding rectangle (MBR) of current element.

Parameters:

Reference	to the **IRectangle** implementation to receive the coordinates of the minium bounding rectangle.

virtual ISosiElement* sosicon::IShapeElement::getSosiElement () [pure virtual]

Get original SOSI element.

Delivers a pointer to the original SOSI element populating current **IShapeElement**. The pointer is usually stored with current object when **IShapeElement::populate()** is called.

See also:

IShapeElement::populate()

Returns:

Pointer to the source SOSI element.

virtual int sosicon::IShapeElement::getWordSize () [pure virtual]

Get element size in 16-bit words.

Size of current element, in 16-bit words. Some parts of the SOSI standard requires size notation on 16-bit words. This is the byte size divided by two.

See also:

IShapeElement::getByteSize()

Returns:

The binary size of current element in 16-bit words. Equals its byte size divided by two.

virtual bool sosicon::IShapeElement::populate (ISosiElement * *sosiElement*) [pure virtual]

Create from SOSI element.

Takes a SOSI element and creates a shape element from it.

Parameters:

sosiElement	Pointer to the SOSI element to be converted to a shape element.

Returns:

The result of the operation.

Return values:

true	on success.
false	on failure.

The documentation for this class was generated from the following file:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/**i_shape_element.h**

sosicon::IShapeElementHeader Class Reference

Interface: Shape element header.

`#include <i_shape_element_header.h>`

Inheritance diagram for sosicon::IShapeElementHeader:

IMAGE

Public Member Functions

virtual **~IShapeElementHeader** ()

Destructor.

Detailed Description

Interface: Shape element header.

Author:

Espen Andersen

Copyright:

GNU General Public License

Definition at line 35 of file i_shape_element_header.h.

Constructor & Destructor Documentation

virtual sosicon::IShapeElementHeader::~IShapeElementHeader () `[inline], [virtual]`

Destructor.

Definition at line 39 of file i_shape_element_header.h.

The documentation for this class was generated from the following file:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/**i_shape_element_header.h**

sosicon::IShapefile Class Reference

Interface: Shapefile.

`#include <i_shapefile.h>`

Inheritance diagram for sosicon::IShapefile:

IMAGE

Public Member Functions

virtual **~IShapefile** ()

virtual int **build** (**ISosiElement** *sosiTree, std::string selection, **sosi::ElementType** geomType)=0

Build shapefile from SOSI data.

virtual void **filterSosiId** (std::vector< std::string > sosiId)=0

Set IDs for seleced element export.

Detailed Description

Interface: Shapefile.

Author:

Espen Andersen

Copyright:

GNU General Public License

Definition at line 39 of file i_shapefile.h.

Constructor & Destructor Documentation

virtual sosicon::IShapefile::~IShapefile () `[inline], [virtual]`

Definition at line 46 of file i_shapefile.h.

Member Function Documentation

virtual int sosicon::IShapefile::build (ISosiElement * *sosiTree*, std::string *selection*, sosi::ElementType *geomType*) `[pure virtual]`

Build shapefile from SOSI data.

Parameters:

sosiTree	Root SOSI element. The first-level children of this element will be examined and exported if they are compatible.
selection	SOSI OBJTYPE scheduled for shapefile conversion.
geomType	SOSI element type scheduled for shapefile conversion. Since a shapefile may contain only one geometry type at a time, one must select what element type to extract from the SOSI file.

Returns:

Number of elements exported.

Implemented in **sosicon::shape::Shapefile** (*p.pagenum*).

virtual void sosicon::IShapefile::filterSosiId (std::vector< std::string > *sosiId*) [pure virtual]

Set IDs for seleced element export.

Sets a list of ID flags for elements to be included in the export. All other objects in the source file are ignored.

Parameters:

sosiId	List of the SOSI serials (IDs) of the element(s) to be included in the export.

Implemented in **sosicon::shape::Shapefile** (*p.pagenum*).

The documentation for this class was generated from the following file:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/**i_shapefile.h**

sosicon::IShapefileDbfPart Class Reference

Interface: ShapefileDbfPart.

`#include <i_shapefile_dbf_part.h>`

Inheritance diagram for sosicon::IShapefileDbfPart:

IMAGE

Public Member Functions

virtual void **writeBinary** (std::ostream &os)

Writes binary data to output stream.

virtual void **writeDbf** (std::ostream &os)=0

Detailed Description

Interface: ShapefileDbfPart.

Author:
Espen Andersen

Copyright:
GNU General Public License

Definition at line 35 of file i_shapefile_dbf_part.h.

Member Function Documentation

virtual void sosicon::IShapefileDbfPart::writeBinary (std::ostream & *os*)[inline], [virtual]

Writes binary data to output stream.

Invoked when the operator<< is used to strem to an std::ostream object. Binary write operation is performed for current impementation here.

Parameters:

os	Target stream object.

Implements **sosicon::IBinaryStreamable** (*p.pagenum*).

Definition at line 39 of file i_shapefile_dbf_part.h.

virtual void sosicon::IShapefileDbfPart::writeDbf (std::ostream & *os*)[pure virtual]

Implemented in **sosicon::shape::Shapefile** (*p.pagenum*).

The documentation for this class was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/**i_shapefile_dbf_part.h**

sosicon::IShapefilePrjPart Class Reference

Interface: ShapefilePrjPart.
`#include <i_shapefile_prj_part.h>`
Inheritance diagram for sosicon::IShapefilePrjPart:
IMAGE

Public Member Functions

virtual void **writeBinary** (std::ostream &os)
Writes binary data to output stream.
virtual void **writePrj** (std::ostream &os)=0

Detailed Description

Interface: ShapefilePrjPart.

Author:
Espen Andersen

Copyright:
GNU General Public License

Definition at line 35 of file i_shapefile_prj_part.h.

Member Function Documentation

virtual void sosicon::IShapefilePrjPart::writeBinary (std::ostream & *os*)[inline], [virtual]

Writes binary data to output stream.

Invoked when the operator<< is used to strem to an std::ostream object. Binary write operation is performed for current impementation here.

Parameters:

os	Target stream object.

Implements **sosicon::IBinaryStreamable** (*p.pagenum*).

Definition at line 39 of file i_shapefile_prj_part.h.

virtual void sosicon::IShapefilePrjPart::writePrj (std::ostream & *os*)[pure virtual]

Implemented in **sosicon::shape::Shapefile** (*p.pagenum*).

The documentation for this class was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/**i_shapefile_prj_part.h**

sosicon::IShapefileShpPart Class Reference

Interface: ShapefileShpPart.

```
#include <i_shapefile_shp_part.h>
```

Inheritance diagram for sosicon::IShapefileShpPart:

IMAGE

Public Member Functions

virtual void **writeBinary** (std::ostream &os)
Writes binary data to output stream.

virtual void **writeShp** (std::ostream &os)=0

Detailed Description

Interface: ShapefileShpPart.

Author:
Espen Andersen

Copyright:
GNU General Public License

Definition at line 35 of file i_shapefile_shp_part.h.

Member Function Documentation

virtual void sosicon::IShapefileShpPart::writeBinary (std::ostream & *os*)[inline], [virtual]

Writes binary data to output stream.

Invoked when the operator<< is used to strem to an std::ostream object. Binary write operation is performed for current impementation here.

Parameters:

os	Target stream object.

Implements **sosicon::IBinaryStreamable** (*p.pagenum*).

Definition at line 39 of file i_shapefile_shp_part.h.

virtual void sosicon::IShapefileShpPart::writeShp (std::ostream & *os*)[pure virtual]

Implemented in **sosicon::shape::Shapefile** (*p.pagenum*).

The documentation for this class was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/**i_shapefile_shp_part.h**

sosicon::IShapefileShxPart Class Reference

Interface: ShapefileShxPart.

`#include <i_shapefile_shx_part.h>`

Inheritance diagram for sosicon::IShapefileShxPart:

IMAGE

Public Member Functions

virtual void **writeBinary** (std::ostream &os)
Writes binary data to output stream.

virtual void **writeShx** (std::ostream &os)=0

Detailed Description

Interface: ShapefileShxPart.

Author:
Espen Andersen

Copyright:
GNU General Public License

Definition at line 35 of file i_shapefile_shx_part.h.

Member Function Documentation

virtual void sosicon::IShapefileShxPart::writeBinary (std::ostream & *os*) [inline], [virtual]

Writes binary data to output stream.

Invoked when the operator<< is used to strem to an std::ostream object. Binary write operation is performed for current impementation here.

Parameters:

os	Target stream object.

Implements **sosicon::IBinaryStreamable** (*p.pagenum*).

Definition at line 39 of file i_shapefile_shx_part.h.

virtual void sosicon::IShapefileShxPart::writeShx (std::ostream & *os*) [pure virtual]

Implemented in **sosicon::shape::Shapefile** (*p.pagenum*).

The documentation for this class was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/**i_shapefile_shx_part.h**

sosicon::IShapeHeader Class Reference

Interface: Shape element.
`#include <i_shape_header.h>`
Inheritance diagram for sosicon::IShapeHeader:
IMAGE

Public Member Functions

virtual **~IShapeHeader** ()
Destructor.
virtual shape::geom::ShapeType **getShapeType** ()=0

Return mShapeType.

virtual void **setShapeType** (shape::geom::ShapeType shapeType)=0

Set mShapeType.

virtual void **setFileLength** (int fileLength)=0
virtual int **getFileLength** ()=0
virtual void **setBoundingBox** (shape::BoundingBox boundingBox)=0
virtual shape::BoundingBox **getBoundingBox** ()=0
virtual int **getByteSize** ()=0

Size of header in bytes.

virtual int **getWordSize** ()=0

Size of header in 16-bit words.

Detailed Description

Interface: Shape element.

Author:

Espen Andersen

Copyright:

GNU General Public License

Definition at line 37 of file i_shape_header.h.

Constructor & Destructor Documentation

virtual sosicon::IShapeHeader::~IShapeHeader () [inline], [virtual]

Destructor.

Definition at line 41 of file i_shape_header.h.

Member Function Documentation

virtual shape::BoundingBox sosicon::IShapeHeader::getBoundingBox () [pure virtual]

virtual int sosicon::IShapeHeader::getByteSize () [pure virtual]

Size of header in bytes.

virtual int sosicon::IShapeHeader::getFileLength () [pure virtual]

virtual shape::geom::ShapeType sosicon::IShapeHeader::getShapeType () [pure virtual]

Return mShapeType.

See also:
ShapeHeader::mShapeType

Returns:
The shape type in current file.

virtual int sosicon::IShapeHeader::getWordSize () `[pure virtual]`

Size of header in 16-bit words.

virtual void sosicon::IShapeHeader::setBoundingBox (shape::BoundingBox *boundingBox*) `[pure virtual]`

virtual void sosicon::IShapeHeader::setFileLength (int *fileLength*) `[pure virtual]`

virtual void sosicon::IShapeHeader::setShapeType (shape::geom::ShapeType *shapeType*) `[pure virtual]`

Set mShapeType.

See also:
ShapeHeader::mShapeType

The documentation for this class was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/**i_shape_header.h**

sosicon::ISosiElement Class Reference

Interface: SOSI element.
`#include <i_sosi_element.h>`
Inheritance diagram for sosicon::ISosiElement:
IMAGE

Public Member Functions

virtual **~ISosiElement** ()
Destructor.
virtual std::vector< **ISosiElement** * > & **children** ()=0
virtual void **addChild** (**ISosiElement** *child)=0
virtual std::string **getName** ()=0
virtual bool **getChild** (**sosi::SosiElementSearch** &src)=0
virtual std::string **getData** ()=0
virtual int **getLevel** ()=0
virtual **sosi::ElementType getType** ()=0
virtual std::string **getObjType** ()=0
virtual **ISosiElement** * **getRoot** ()=0
virtual std::string **getSerial** ()=0
virtual void **deleteChildren** ()=0

virtual void **dump** (int indent=0)=0
virtual **ISosiElement * find** (std::string ref)=0

Detailed Description

Interface: SOSI element.

Author:
Espen Andersen

Copyright:
GNU General Public License

Represents the generic form of a SOSI element. All SOSI elements must implement this interface. It provides functionality for setting and retrieveing field values. The parser writes field values to current SOSI element through this interface.

See also:
sosicon::Parser::parseSosiLine()

Data retrieval is provided by one of the **getData()** overloads. Single string data fields are associated with their unique keys, while collections of other data objects, such as address units and cadastral units, are retrieved one-by-one by sequential calls to **getData()**.

Definition at line 51 of file i_sosi_element.h.

Constructor & Destructor Documentation

virtual sosicon::ISosiElement::~ISosiElement () [inline], [virtual]

Destructor.

Definition at line 55 of file i_sosi_element.h.

Member Function Documentation

virtual void sosicon::ISosiElement::addChild (ISosiElement * *child*) [pure virtual]

Implemented in **sosicon::sosi::SosiElement** (*p.pagenum*).

virtual std::vector<ISosiElement*>& sosicon::ISosiElement::children () [pure virtual]

Implemented in **sosicon::sosi::SosiElement** (*p.pagenum*).

virtual void sosicon::ISosiElement::deleteChildren () [pure virtual]

Implemented in **sosicon::sosi::SosiElement** (*p.pagenum*).

virtual void sosicon::ISosiElement::dump (int *indent* = 0) [pure virtual]

Implemented in **sosicon::sosi::SosiElement** (*p.pagenum*).

virtual ISosiElement* sosicon::ISosiElement::find (std::string *ref*) [pure virtual]

Implemented in **sosicon::sosi::SosiElement** (*p.pagenum*).

virtual bool sosicon::ISosiElement::getChild (sosi::SosiElementSearch & *src*) [pure virtual]

Implemented in **sosicon::sosi::SosiElement** (*p.pagenum*).

virtual std::string sosicon::ISosiElement::getData () [pure virtual]

Implemented in **sosicon::sosi::SosiElement** (*p.pagenum*).

virtual int sosicon::ISosiElement::getLevel () [pure virtual]

Implemented in **sosicon::sosi::SosiElement** (*p.pagenum*).

virtual std::string sosicon::ISosiElement::getName () [pure virtual]

Implemented in **sosicon::sosi::SosiElement** (*p.pagenum*).

virtual std::string sosicon::ISosiElement::getObjType () [pure virtual]

Implemented in **sosicon::sosi::SosiElement** (*p.pagenum*).

virtual ISosiElement* sosicon::ISosiElement::getRoot () [pure virtual]

Implemented in **sosicon::sosi::SosiElement** (*p.pagenum*).

virtual std::string sosicon::ISosiElement::getSerial () [pure virtual]

Implemented in **sosicon::sosi::SosiElement** (*p.pagenum*).

virtual sosi::ElementType sosicon::ISosiElement::getType () [pure virtual]

Implemented in **sosicon::sosi::SosiElement** (*p.pagenum*).

The documentation for this class was generated from the following file:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/**i_sosi_element.h**

sosicon::ISosiHeadMember Class Reference

Interface: SOSI header element.
`#include <i_sosi_head_member.h>`
Inheritance diagram for sosicon::ISosiHeadMember:
IMAGE

Public Member Functions

virtual **~ISosiHeadMember** ()
Destructor.
virtual void **init** (**ISosiElement** *e)=0
virtual bool **initialized** ()=0

Detailed Description

Interface: SOSI header element.

Author:
Espen Andersen

Copyright:
GNU General Public License

Definition at line 36 of file i_sosi_head_member.h.

Constructor & Destructor Documentation

virtual sosicon::ISosiHeadMember::~ISosiHeadMember () [inline], [virtual]

Destructor.

Definition at line 40 of file i_sosi_head_member.h.

Member Function Documentation

virtual void sosicon::ISosiHeadMember::init (ISosiElement * e) [pure virtual]

Implemented in **sosicon::sosi::SosiCharsetSingleton** (*p.pagenum*), **sosicon::sosi::SosiOrigoNE** (*p.pagenum*), and **sosicon::sosi::SosiUnit** (*p.pagenum*).

virtual bool sosicon::ISosiHeadMember::initialized () [pure virtual]

Implemented in **sosicon::sosi::SosiCharsetSingleton** (*p.pagenum*), **sosicon::sosi::SosiOrigoNE** (*p.pagenum*), and **sosicon::sosi::SosiUnit** (*p.pagenum*).

The documentation for this class was generated from the following file:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/**i_sosi_head_member.h**

sosicon::EventDispatcher< Event >::Listener Class Reference

`#include <event_dispatcher.h>`

Public Member Functions

virtual **~Listener** ()
virtual void **onEvent** (Event &e, **EventDispatcher**< Event > &d)=0

Detailed Description

template<typename Event>

class sosicon::EventDispatcher< Event >::Listener

Definition at line 39 of file event_dispatcher.h.

Constructor & Destructor Documentation

template<typename Event> virtual sosicon::EventDispatcher< Event >::Listener::~Listener () `[inline]`, `[virtual]`

Definition at line 42 of file event_dispatcher.h.

Member Function Documentation

template<typename Event> virtual void sosicon::EventDispatcher< Event >::Listener::onEvent (Event & *e*, EventDispatcher< Event > & *d*) `[pure virtual]`

The documentation for this class was generated from the following file:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**event_dispatcher.h**

sosicon::LogEvent Class Reference

Log event.
`#include <log_event.h>`

Public Member Functions

LogEvent (std::string message, bool update)

Public Attributes

std::string **mMessage**
bool **mUpdate**

Detailed Description

Log event.

Author:
Espen Andersen

Copyright:
GNU General Public License

Definition at line 32 of file log_event.h.

Constructor & Destructor Documentation

sosicon::LogEvent::LogEvent (std::string *message*, bool *update*) [inline]

Definition at line 35 of file log_event.h.

Member Data Documentation

std::string sosicon::LogEvent::mMessage

Definition at line 38 of file log_event.h.

bool sosicon::LogEvent::mUpdate

Definition at line 39 of file log_event.h.

The documentation for this class was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**log_event.h**

sosicon::LogEventDispatcher Class Reference

`#include <log_event.h>`

Inheritance diagram for sosicon::LogEventDispatcher:

IMAGE

Additional Inherited Members

Detailed Description

Definition at line 43 of file log_event.h.

The documentation for this class was generated from the following file:
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**log_event.h**

sosicon::Logger Class Reference

SOSI logger.
`#include <logger.h>`

Public Member Functions

Logger & **operator<<** (std::string v)
Logger & **operator<<** (int v)
Logger & **operator<<** (long v)
Logger & **operator<<** (std::string::size_type v)
Logger & **operator<<** (**Logger** &(*func)(**Logger** &))
void **addEventListener** (LogEventDispatcher::Listener *listener)
void **removeEventListener** (LogEventDispatcher::Listener *listener)

Private Attributes

LogEventDispatcher mLogEventDispatcher
std::stringstream **mMsgStream**

Detailed Description

SOSI logger.

Author:
Espen Andersen

Copyright:
GNU General Public License

User output logger. Redirects to stdin, or a dedicated ILogReceiver implementation.

Definition at line 38 of file logger.h.

Member Function Documentation

void sosicon::Logger::addEventListener (LogEventDispatcher::Listener * *listener*)
`[inline]`

Definition at line 51 of file logger.h.

sosicon::Logger & sosicon::Logger::operator<< (std::string *v*)

Definition at line 24 of file logger.cpp.

sosicon::Logger & sosicon::Logger::operator<< (int *v*)

Definition at line 63 of file logger.cpp.

sosicon::Logger & sosicon::Logger::operator<< (long *v*)

Definition at line 71 of file logger.cpp.

sosicon::Logger & sosicon::Logger::operator<< (std::string::size_type *v*)

Definition at line 55 of file logger.cpp.

sosicon::Logger & sosicon::Logger::operator<< (Logger &(*)(Logger &) *func*)

Definition at line 79 of file logger.cpp.

void sosicon::Logger::removeEventListener (LogEventDispatcher::Listener * *listener*) `[inline]`

Definition at line 52 of file logger.h.

Member Data Documentation

LogEventDispatcher sosicon::Logger::mLogEventDispatcher `[private]`

Definition at line 40 of file logger.h.

std::stringstream sosicon::Logger::mMsgStream `[private]`

Definition at line 41 of file logger.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**logger.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**logger.cpp**

sosicon::Parser Class Reference

SOSI file parser.
`#include <parser.h>`

Public Member Functions

Parser ()
Constructor.

~Parser ()
Destructor.

void **complete** ()
Flush parsed data.

void **dump** ()
Debug output.

ISosiElement * getRootElement ()
Retrieve pointer to root element.

void **ragelParseSosiLine** (std::string sosiLine)
Main parser routine.

Private Member Functions

void **digestPendingElement** ()
Save current SOSI element.

Private Attributes

std::vector< **ISosiElement** * > **mElementStack**
Working stack.

sosi::SosiElementMap mElementIndex
Index.

sosi::SosiCharsetSingleton * mCurrentCharset
Current character encoding.

int **mPendingElementLevel**
SOSI level of element currently in parser.

std::string **mPendingElementName**
Name of element currently in parser.

std::string **mPendingElementSerial**
Serial number of element currently in parser.

std::string **mPendingElementAttributes**
Attribute data of element currently in parser.

Detailed Description

SOSI file parser.

Author:
Espen Andersen

Copyright:

The file parser. Reads and organizes SOSI file input, preparing the data for conversion and output. This class wraps a Ragel-generated state machine set up to parse SOSI content line-by-line. For more information about the Ragel state machine compiler, visit `http://www.complang.org/ragel/`

Specifically, the function parseSosiLine() is implemented in Ragel. The implementation script is located in parser/parser_sosi_line.rl. The file **parser_ragel.cpp** is generated on the basis of parser/parser.rl during pre-build processing.

Note:

Since **parser_ragel.cpp** is automatically re-generated before each compile, no redacting may take place here. Any changes will be lost upon compile. Instead, its source script parser/parser_rl has to be edited.

Definition at line 53 of file parser.h.

Constructor & Destructor Documentation

sosicon::Parser::Parser ()

Constructor.

Initializes internal iterators and pointers.

Definition at line 21 of file parser.cpp.

sosicon::Parser::~Parser ()

Destructor.

Calls Parser::reset() for final clean-up.

Definition at line 28 of file parser.cpp.

Member Function Documentation

void sosicon::Parser::complete () `[inline]`

Flush parsed data.

Definition at line 123 of file parser.h.

void sosicon::Parser::digestPendingElement () `[private]`

Save current SOSI element.

The parser stores intermediate data in the mPendingElementXXX member variables. When a SOSI element had been fully parsed, this function is called to move the data into the element tree structure before carrying on.

Definition at line 34 of file parser.cpp.

void sosicon::Parser::dump ()

Debug output.

Definition at line 69 of file parser.cpp.

sosicon::ISosiElement * sosicon::Parser::getRootElement ()

Retrieve pointer to root element.

Definition at line 74 of file parser.cpp.

void sosicon::Parser::ragelParseSosiLine (std::string *sosiLine*)

Main parser routine.

Processes one line from the SOSI file. This function is called repeatedly, consuming the input file line-by-line until EOF.

Note:

This function is implemented in the ragel script at ragel/parser_sosi_line.rl, the c++ file parser_sosi_line.cpp is merely generated from the ragel script. Thus, any changes to the implementation must be done in the ragel script, since the c++ file will be automatically overwritten during the pre-build process.

Parameters:

sosiLine	Current line from the SOSI input file.

Definition at line 139 of file parser_ragel.cpp.

Member Data Documentation

sosi::SosiCharsetSingleton* sosicon::Parser::mCurrentCharset `[private]`

Current character encoding.

Character encoding of current file in process. Remains undetermined until the TEGNSETT head element is encountered.

Definition at line 74 of file parser.h.

sosi::SosiElementMap sosicon::Parser::mElementIndex `[private]`

Index.

Index elements by serial number. Lookup table to resolve SOSI references (REF element).

Definition at line 67 of file parser.h.

std::vector<ISosiElement*> sosicon::Parser::mElementStack `[private]`

Working stack.

Keeps track of element relationship while parsing the SOSI file. The root element is inserted at the front of the stack. When the parser has completed, the stack should contain the root element only.

Definition at line 61 of file parser.h.

std::string sosicon::Parser::mPendingElementAttributes [private]

Attribute data of element currently in parser.

Intermediate storage member.

Definition at line 98 of file parser.h.

int sosicon::Parser::mPendingElementLevel [private]

SOSI level of element currently in parser.

Intermediate storage member.

Definition at line 80 of file parser.h.

std::string sosicon::Parser::mPendingElementName [private]

Name of element currently in parser.

Intermediate storage member.

Definition at line 86 of file parser.h.

std::string sosicon::Parser::mPendingElementSerial [private]

Serial number of element currently in parser.

Intermediate storage member.

Definition at line 92 of file parser.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**parser.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**parser.cpp**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**parser_ragel.cpp**

sosicon::sosi::ReferenceData Struct Reference

SOSI reference number.

```
#include <sosi_types.h>
```

Public Attributes

std::string **serial**
The element ID.

bool **reverse**
Minus sign = reverse coordinate sequence.

bool **subtract**

Parenthesis = subtract shape.

Detailed Description

SOSI reference number.

Definition at line 145 of file sosi_types.h.

Member Data Documentation

bool sosicon::sosi::ReferenceData::reverse

Minus sign = reverse coordinate sequence.

Definition at line 147 of file sosi_types.h.

std::string sosicon::sosi::ReferenceData::serial

The element ID.

Definition at line 146 of file sosi_types.h.

bool sosicon::sosi::ReferenceData::subtract

Parenthesis = subtract shape.

Definition at line 148 of file sosi_types.h.

The documentation for this struct was generated from the following file:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_types.h**

sosicon::shape::Shapefile Class Reference

Shapefile implementation.

`#include <shapefile.h>`

Inheritance diagram for sosicon::shape::Shapefile:

IMAGE

Public Member Functions

Shapefile ()

Constructor.

virtual **~Shapefile** ()

Destructor.

virtual int **build** (**ISosiElement** *sosiTree, std::string objType, **sosi::ElementType** geomType)

*Described in **IShapefile**.*

virtual void **filterSosiId** (std::vector< std::string > sosiId)
*Described in **IShapefile**.*
virtual void **writeDbf** (std::ostream &os)
*Described in **IShapefileDbfPart**.*
virtual void **writeShp** (std::ostream &os)
*Described in **IShapefileShpPart**.*
virtual void **writeShx** (std::ostream &os)
*Described in **IShapefileShxPart**.*
virtual void **writePrj** (std::ostream &os)
*Described in **IShapefilePrjPart**.*

Private Member Functions

void **adjustMasterMbr** (double xMin, double yMin, double xMax, double yMax)
*Expand MBR to contain **Coordinate** collection.*
void **buildShpElement** (**ISosiElement** *sosi, **ShapeType** type)
Create SHP element.
void **buildShpHeader** (**ShapeType** type)
Populate shape header struct.
void **buildShpPoint** (**CoordinateCollection** &cc)
Build shape element: Point.
void **buildShpPolygon** (**CoordinateCollection** &cc)
Build shape element: Polygon.
void **buildShpPolyLine** (**CoordinateCollection** &cc)
Build shape element: PolyLine.
void **buildShpRecCoordinate** (int &pos, **CoordinateCollection** &cc)
Write first coordinate pair in collection to shapefile buffer.
void **buildShpRecCoordinate** (int &pos, **ICoordinate** *c)
Write coordinate pair to shapefile buffer.
void **buildShpRecCoordinates** (int &pos, **CoordinateCollection** &cc)
Write multiple coordinate pairs to shapefile buffer.
void **buildShpRecHeaderCommonPart** (int &pos, int contentLength, **ShapeType** type)
Create shapefile record header, common part.
void **buildShpRecHeaderExtended** (int &pos, **CoordinateCollection** &cc)
Create shapefile record header, extended part.
void **buildShpRecHeaderOffsets** (int &pos, **CoordinateCollection** &cc)
Create shapefile record header, offsets.
void **buildDbf** ()
Create DBF file content.
void **buildDbfFieldDescriptor** (int &pos)
Create DBF field descriptor.
void **buildDbfHeader** (int recLen)
Create DBF header.
void **buildDbfRecordSection** (int &pos, int recLen)
Create DBF records.
void **buildShx** ()
Create SHX file content.

void **insertShxOffset** (int contentLen)
Append offset value to SHX (index)
int **expandShpBuffer** (int byteLen)
Expand shp payload buffer.
void **extractDbfFields** (**ISosiElement** *sosi, **DbfRecord** &rec)
Recursive func to extract SOSI field data.
void **insertDbfRecord** (**ISosiElement** *sosi)
Create and insert DBF record.
std::vector< **ICoordinate** * > **getNormalized** (**sosi::NorthEastList** &neLst)
***Shapefile** polys must have clockwise-ordered vertices.*
void **saveToDbf** (**DbfRecord** &rec, std::string field, std::string data)
Update or insert new DBF field.

Private Attributes

ISosiElement * mSosiTree
SOSI source.
std::vector< std::string > **mFilterSosiId**
List of IDs of SOSI elements to be exported, if specified.
std::vector< std::string > **mFilterSosiObjTypes**
Objtypes of selected elements to be exported, if specified.
char **mShpHeader** [100]
Main SHP file header.
char * **mShpBuffer**
SHP file payload.
int **mShpSize**
Data length of SHP file buffer.
size_t **mShpBufferSize**
Allocated buffer length.
char **mShxHeader** [100]
Index file header.
char * **mShxBuffer**
Index file payload.
size_t **mShxBufferSize**
Length of SHX file buffer.
char **mDbfHeader** [32]
dBase file header
char * **mDbfBuffer**
dBase file payload
size_t **mDbfBufferSize**
Length of dBase file buffer.
int **mRecordNumber**
Number of current record in process.
double **mXmin**
Minimum bounding rectangle, min X.
double **mYmin**
Minimum bounding rectangle, min Y.

double **mXmax**

Minimum bounding rectangle, max X.

double **mYmax**

Minimum bounding rectangle, max Y.

DbfFieldLengths mDbfFieldLengths

Accumulation of DBF fields and their lenghts.

DbfRecordSet mDbfRecordSet

All DBF records.

ShxOffsets mShxOffsets

Index file offsets.

Static Private Attributes

static const int **MAX_BUFFER_CHUNK_SIZE**

Buffer allocation size.

Detailed Description

Shapefile implementation.

Wraps all ESRI Shape output files (shp, shx, dbf, prj...) in one class.

Author:

Espen Andersen

Copyright:

GNU General Public License

Definition at line 54 of file shapefile.h.

Constructor & Destructor Documentation

sosicon::shape::Shapefile::Shapefile () `[inline]`

Constructor.

Inlined, initializes native members.

Definition at line 367 of file shapefile.h.

sosicon::shape::Shapefile::~Shapefile () `[virtual]`

Destructor.

Definition at line 40 of file shapefile.cpp.

Member Function Documentation

void sosicon::shape::Shapefile::adjustMasterMbr (double *xMin*, double *yMin*, double *xMax*, double *yMax*) `[private]`

Expand MBR to contain **Coordinate** collection.

The minimum bounding rectangle (MBR) for all geometries in current file is stored in members **Shapefile::mXmin**, **Shapefile::mYmin**, **Shapefile::mXmax** and **Shapefile::mYmax**. This method expands the MBR to fit provided coordinates.

Parameters:

xMin	Minimum X coordinate of geometry to be included i MBR.
yMin	Minimum Y coordinate of geometry to be included i MBR.
xMAx	Maximum X coordinate of geometry to be included i MBR.
yMax	Maximum Y coordinate of geometry to be included i MBR.

Definition at line 47 of file shapefile.cpp.

int sosicon::shape::Shapefile::build (ISosiElement * *sosiTree*, std::string *objType*, sosi::ElementType *geomType*) [virtual]

Described in **IShapefile**.

Implements **sosicon::IShapefile** (*p.pagenum*).

Definition at line 55 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildDbf () [private]

Create DBF file content.

Part of DBF creation. Creates the dBase file content for current shapefile. Populates

See also:

Shapefile::buildDbfHeader
Shapefile::buildDbfFieldDescriptor
Shapefile::buildDbfRecordSection Shapefile::mDbfBuffer.

Definition at line 286 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildDbfFieldDescriptor (int & *pos*) [private]

Create DBF field descriptor.

Part of DBF creation. Iterates through individual fields found in current dataset and creates a field descriptor header for the following dBase records.

See also:

Shapefile::buildDbf
Shapefile::buildDbfHeader
Shapefile::buildDbfRecordSection

Parameters:

pos	Reference to an integer holding current position within the shapefile buffer **Shapefile::mShpBuffer**. The position is updated to reflect the first "free" position after writing to the buffer.

Definition at line 320 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildDbfHeader (int *recLen*) [private]

Create DBF header.

Part of DBF creation. Creates dBase file header and writes it to **Shapefile::mDbfHeader**.

See also:

Shapefile::buildDbf
Shapefile::buildDbfFieldDescriptor
Shapefile::buildDbfRecordSection

Parameters:

recLen	Length of a single record, in bytes.

Definition at line 351 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildDbfRecordSection (int & *pos*, int *recLen*) [private]

Create DBF records.

Part of DBF creation. Iterates through all records and writes each one to the DBF buffer **Shapefile::mDbfBuffer**.

See also:

Shapefile::buildDbf
Shapefile::buildDbfFieldDescriptor
Shapefile::buildDbfHeader

Parameters:

pos	Reference to an integer holding current position within the shapefile buffer **Shapefile::mShpBuffer**. The position is updated to reflect the first "free" position after writing to the buffer.
recLen	Length of a single record, in bytes.

Definition at line 383 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildShpElement (ISosiElement * *sosi*, ShapeType *type*) [private]

Create SHP element.

If a shapefile equivalent to current SOSI element exists, this method creates the low-level shape data structure and writes it to the output buffer **Shapefile::mShpBuffer**.

Parameters:

sosi	Pointer to SOSI element to be converted to shape.
type	Type of **Shapefile** geometry equivalent to the SOSI element to be converted.

Definition at line 132 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildShpHeader (ShapeType *type*) [private]

Populate shape header struct.

Creates master file header for SHP and SHX file parts and writes it to the DBF header buffer **Shapefile::mDbfHeader**.

Parameters:

type	The shape type for current file.

Definition at line 97 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildShpPoint (CoordinateCollection & *cc*) [private]

Build shape element: Point.

Inserts a single point into the shapefile buffer.

Parameters:

cc	**CoordinateCollection** containing one or more points. Only the first point in the collection will be handled.

Definition at line 157 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildShpPolygon (CoordinateCollection & *cc*) [private]

Build shape element: Polygon.

Inserts a polygon into the shapefile buffer.

Parameters:

cc	**CoordinateCollection** containing three or more points, defining the polygon and holes.

Definition at line 179 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildShpPolyLine (CoordinateCollection & *cc*) [private]

Build shape element: PolyLine.

Inserts a polyLine into the shapefile buffer.

Parameters:

cc	**CoordinateCollection** containing two or more points, defining the polyLine.

Definition at line 167 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildShpRecCoordinate (int & *pos*, CoordinateCollection & *cc*) [private]

Write first coordinate pair in collection to shapefile buffer.

Build shapefile coordinate from the first coordinate pair in the provided **CoordinateCollection** and update buffer position.

Parameters:

pos	Reference to an integer holding current position within the shapefile buffer **Shapefile::mShpBuffer**. The position is updated to reflect the first "free" position after writing to the buffer.
cc	The coordinate collection from which the first coordinate pair is to be extracted.

Definition at line 191 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildShpRecCoordinate (int & *pos*, ICoordinate * *c*) [private]

Write coordinate pair to shapefile buffer.

Build shapefile coordinate from the provided coordinate pair and update buffer position.

Parameters:

pos	Reference to an integer holding current position within the shapefile buffer **Shapefile::mShpBuffer**. The position is updated to reflect the first "free" position after writing to the buffer.
c	The coordinate to be written to the buffer.

Definition at line 200 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildShpRecCoordinates (int & *pos*, CoordinateCollection & *cc*) [private]

Write multiple coordinate pairs to shapefile buffer.

Build shapefile coordinate from a collection of coordinate pairs and update buffer position.

Parameters:

pos	Reference to an integer holding current position within the shapefile buffer **Shapefile::mShpBuffer**. The position is updated to reflect the first "free" position after writing to the buffer.
cc	The coordinate collection to be written to the buffer.

Definition at line 208 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildShpRecHeaderCommonPart (int & *pos*, int *contentLength*, ShapeType *type*) [private]

Create shapefile record header, common part.

The first part of the shapefile record header are common for all geometry types. This method writes the common part to the buffer.

See also:

Shapefile::buildShpRecHeaderExtended

Parameters:

pos	Reference to an integer holding current position within the shapefile buffer **Shapefile::mShpBuffer**. The position is updated to reflect the first "free" position after writing to the buffer.
contentLength	Length of the record in 16-bit words, record header not included.
type	The shape type for current file.

Definition at line 267 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildShpRecHeaderExtended (int & *pos*, CoordinateCollection & *cc*) `[private]`

Create shapefile record header, extended part.

For multipoint, polyLine and polygon. This is the second part of the shapefile record header.

See also:

Shapefile::buildShpRecHeaderCommonPart

Parameters:

pos	Reference to an integer holding current position within the shapefile buffer **Shapefile::mShpBuffer**. The position is updated to reflect the first "free" position after writing to the buffer.
cc	The coordinate collection containing the points for the geometry in current record.

Definition at line 220 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildShpRecHeaderOffsets (int & *pos*, CoordinateCollection & *cc*) `[private]`

Create shapefile record header, offsets.

The shapefile record header includes a list of offsets to the various parts of the geometry. Applicable to polygons where the main outline is the first part and subsequent parts denotes holes or islands. This method constructs the list of offset values for the multipart geometry and writes it to the shapefile buffer.

Parameters:

pos	Reference to an integer holding current position within the shapefile buffer **Shapefile::mShpBuffer**. The position is updated to reflect the first "free" position after writing to the buffer.
cc	The coordinate collection containing the points for the multi-part geometry in current record.

Definition at line 246 of file shapefile.cpp.

void sosicon::shape::Shapefile::buildShx () `[private]`

Create SHX file content.

Part of SHX index creation. Builds the shapefile index from the **Shapefile::mShxOffsets**

entries and writes it to the SHX buffer **Shapefile::mShxBuffer** and the SHX header **Shapefile::mShxHeader**.

See also:

Shapefile::insertShxOffset

Definition at line 417 of file shapefile.cpp.

int sosicon::shape::Shapefile::expandShpBuffer (int *byteLen*) [private]

Expand shp payload buffer.

The shape buffer grows by larger chunks as it is gradually filled up with smaller blocks. For each expansion, the allocation size is doubled, until it reaches MAX_BUFFER_CHUNK_SIZE bytes. This is a tradeoff between execution time and memory consumption. For larger files, there will be relatively few buffer re-allocations and block transfers, in order to save time. For smaller files there will be more frequent re-allocations to save memory.

Parameters:

byteLen	The exact length in bytes of the amount of data about to be written to the shapefile buffer. If the current buffer is too small to hold the new block, it will be expanded.

Definition at line 442 of file shapefile.cpp.

void sosicon::shape::Shapefile::extractDbfFields (ISosiElement * *sosi*, DbfRecord & *rec*) [private]

Recursive func to extract SOSI field data.

Traverses the SOSI element, mining the data fields and stores them in the provided record set container.

See also:

Shapefile::insertDbfRecord

Parameters:

sosi	The SOSI element (sub tree) to extract data fields from.
rec	The recordset container to populate with data.

Definition at line 493 of file shapefile.cpp.

virtual void sosicon::shape::Shapefile::filterSosiId (std::vector< std::string > *sosiId*) [inline], [virtual]

Described in **IShapefile**.

Implements **sosicon::IShapefile** (*p.pagenum*).

Definition at line 389 of file shapefile.h.

std::vector<ICoordinate*> sosicon::shape::Shapefile::getNormalized (sosi::NorthEastList & *neLst*) [private]

Shapefile polys must have clockwise-ordered vertices.

This is one of the core functions for handling polygons. Tests the direction for SOSI coordinates, and reverses them if they are in the wrong order with respect to the **Shapefile** format epscification.

Note:

The direction of the vertices in a SOSI polygon is not significant, whist in a **Shapefile** polygon, it is crucial. The vertices in the outer polygon should always be ordered in a clockwise direction, while the holes or islands must be ordered in a counter-clockwise direction.

Parameters:

neLst	List of SOSI NorthEast elements describing current multipart gemoetry (polygon with holes/ islands).

void sosicon::shape::Shapefile::insertDbfRecord (ISosiElement * *sosi*) [private]

Create and insert DBF record.

Prepares dBase record for current SOSI element. Creates the two mandatory fields "SOSI_ID" and "TYPE", before it calls Shapefil::extractDbfFields to retrieve the other data fields. The record is then inserted into the **Shapefile::mDbfRecordSet** member.

See also:

Shapefil::extractDbfFields

Parameters:

sosi	The SOSI element (sub tree) to extract data fields from.

Definition at line 511 of file shapefile.cpp.

void sosicon::shape::Shapefile::insertShxOffset (int *contentLen*) [private]

Append offset value to SHX (index)

For each shapefile record, it's offset within the main file is pushed to the **Shapefile::mShxOffsets** vector.

Parameters:

contentLen	Length of the shapefile record content, in 16-bit words, record header not included.

Definition at line 520 of file shapefile.cpp.

void sosicon::shape::Shapefile::saveToDbf (DbfRecord & *rec*, std::string *field*, std::string *data*) [private]

Update or insert new DBF field.

Appends or updates data for the DFB record, updating list of field names and lengths.

Definition at line 528 of file shapefile.cpp.

void sosicon::shape::Shapefile::writeDbf (std::ostream & *os*) [virtual]

Described in **IShapefileDbfPart**.

Implements **sosicon::IShapefileDbfPart** (*p.pagenum*).

Definition at line 554 of file shapefile.cpp.

void sosicon::shape::Shapefile::writePrj (std::ostream & *os*) [virtual]

Described in **IShapefilePrjPart**.

Implements **sosicon::IShapefilePrjPart** (*p.pagenum*).

Definition at line 560 of file shapefile.cpp.

void sosicon::shape::Shapefile::writeShp (std::ostream & *os*) [virtual]

Described in **IShapefileShpPart**.

Implements **sosicon::IShapefileShpPart** (*p.pagenum*).

Definition at line 542 of file shapefile.cpp.

void sosicon::shape::Shapefile::writeShx (std::ostream & *os*) [virtual]

Described in **IShapefileShxPart**.

Implements **sosicon::IShapefileShxPart** (*p.pagenum*).

Definition at line 548 of file shapefile.cpp.

Member Data Documentation

const int sosicon::shape::Shapefile::MAX_BUFFER_CHUNK_SIZE [static], [private]

Buffer allocation size.

To speed things up, heap allocations are done in increasingly large chunks. This parameters defines how many bytes to request for the largest buffer expansion.

Definition at line 62 of file shapefile.h.

char* sosicon::shape::Shapefile::mDbfBuffer [private]

dBase file payload

Definition at line 79 of file shapefile.h.

size_t sosicon::shape::Shapefile::mDbfBufferSize [private]

Length of dBase file buffer.

Definition at line 80 of file shapefile.h.

DbfFieldLengths sosicon::shape::Shapefile::mDbfFieldLengths [private]

Accumulation of DBF fields and their lenghts.
Definition at line 89 of file shapefile.h.

char sosicon::shape::Shapefile::mDbfHeader[32] `[private]`

dBase file header
Definition at line 78 of file shapefile.h.

DbfRecordSet sosicon::shape::Shapefile::mDbfRecordSet `[private]`

All DBF records.
Definition at line 90 of file shapefile.h.

std::vector<std::string> sosicon::shape::Shapefile::mFilterSosiId `[private]`

List of IDs of SOSI elements to be exported, if specified.
Definition at line 66 of file shapefile.h.

std::vector<std::string> sosicon::shape::Shapefile::mFilterSosiObjTypes `[private]`

Objtypes of selected elements to be exported, if specified.
Definition at line 67 of file shapefile.h.

int sosicon::shape::Shapefile::mRecordNumber `[private]`

Number of current record in process.
Definition at line 82 of file shapefile.h.

char* sosicon::shape::Shapefile::mShpBuffer `[private]`

SHP file payload.
Definition at line 70 of file shapefile.h.

size_t sosicon::shape::Shapefile::mShpBufferSize `[private]`

Allocated buffer length.
Definition at line 72 of file shapefile.h.

char sosicon::shape::Shapefile::mShpHeader[100] `[private]`

Main SHP file header.
Definition at line 69 of file shapefile.h.

int sosicon::shape::Shapefile::mShpSize `[private]`

Data length of SHP file buffer.
Definition at line 71 of file shapefile.h.

char* sosicon::shape::Shapefile::mShxBuffer `[private]`

Index file payload.
Definition at line 75 of file shapefile.h.

size_t sosicon::shape::Shapefile::mShxBufferSize `[private]`

Length of SHX file buffer.
Definition at line 76 of file shapefile.h.

char sosicon::shape::Shapefile::mShxHeader[100] `[private]`

Index file header.
Definition at line 74 of file shapefile.h.

ShxOffsets sosicon::shape::Shapefile::mShxOffsets `[private]`

Index file offsets.
Definition at line 91 of file shapefile.h.

ISosiElement* sosicon::shape::Shapefile::mSosiTree `[private]`

SOSI source.
Definition at line 64 of file shapefile.h.

double sosicon::shape::Shapefile::mXmax `[private]`

Minimum bounding rectangle, max X.
Definition at line 86 of file shapefile.h.

double sosicon::shape::Shapefile::mXmin `[private]`

Minimum bounding rectangle, min X.
Definition at line 84 of file shapefile.h.

double sosicon::shape::Shapefile::mYmax `[private]`

Minimum bounding rectangle, max Y.

Definition at line 87 of file shapefile.h.

double sosicon::shape::Shapefile::mYmin [private]

Minimum bounding rectangle, min Y.

Definition at line 85 of file shapefile.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/shape/**shapefile.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/shape/**shapefile.cpp**

sosicon::shape::ShxIndex Struct Reference

`#include <shapefile_types.h>`

Public Attributes

Int32Field offset
Int32Field length

Detailed Description

Definition at line 83 of file shapefile_types.h.

Member Data Documentation

Int32Field sosicon::shape::ShxIndex::length

Definition at line 85 of file shapefile_types.h.

Int32Field sosicon::shape::ShxIndex::offset

Definition at line 84 of file shapefile_types.h.

The documentation for this struct was generated from the following file:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/shape/**shapefile_types.h**

sosicon::sosi::SosiCharsetSingleton Class Reference

SOSI Character set.

`#include <sosi_charset_singleton.h>`

Inheritance diagram for sosicon::sosi::SosiCharsetSingleton:

IMAGE

Public Member Functions

virtual **~SosiCharsetSingleton** ()

Destructor.

SosiCharsetSingleton (**ISosiElement** *e)

Construct new SOSI Charset element.

Charset getEncoding ()

std::string **getEncodingName** ()

virtual void **init** (**ISosiElement** *e)

Initialize SOSI Unit element.

virtual bool **initialized** ()

std::string **toIso8859_1** (const std::string &str)

Convert string to ISO8859-1 (default Ragel charset)

Static Public Member Functions

static **SosiCharsetSingleton** * **getInstance** ()

Private Member Functions

SosiCharsetSingleton ()

Construct new SOSI Charset element.

Static Private Member Functions

static std::string **utf8ToIso8859_1** (const char *in)

Quick and dirty conversion from UTF-8 to ISO8859-10.

Private Attributes

ISosiElement * **mSosiElement**

bool **mInitialized**

Charset mCharset

Type of character set.

std::string **mCharsetName**

Name of character set.

Static Private Attributes

static **SosiCharsetSingleton** * **mInstance**

Detailed Description

SOSI Character set.

Implements SOSI character set, as given via the TEGNSETT element.

Definition at line 114 of file sosi_charset_singleton.h.

Constructor & Destructor Documentation

sosicon::sosi::SosiCharsetSingleton::SosiCharsetSingleton () [private]

Construct new SOSI Charset element.

Declared private because it's a singleton.

Definition at line 23 of file sosi_charset_singleton.cpp.

virtual sosicon::sosi::SosiCharsetSingleton::~SosiCharsetSingleton () [inline], [virtual]

Destructor.

Definition at line 150 of file sosi_charset_singleton.h.

sosicon::sosi::SosiCharsetSingleton::SosiCharsetSingleton (ISosiElement * *e*) [inline]

Construct new SOSI Charset element.

Definition at line 153 of file sosi_charset_singleton.h.

Member Function Documentation

Charset sosicon::sosi::SosiCharsetSingleton::getEncoding () [inline]

Definition at line 155 of file sosi_charset_singleton.h.

std::string sosicon::sosi::SosiCharsetSingleton::getEncodingName () [inline]

Definition at line 157 of file sosi_charset_singleton.h.

static SosiCharsetSingleton* sosicon::sosi::SosiCharsetSingleton::getInstance () [inline], [static]

Definition at line 142 of file sosi_charset_singleton.h.

void sosicon::sosi::SosiCharsetSingleton::init (ISosiElement * *e*) [virtual]

Initialize SOSI Unit element.

Implements **sosicon::ISosiHeadMember** (*p.pagenum*).

Definition at line 30 of file sosi_charset_singleton.cpp.

virtual bool sosicon::sosi::SosiCharsetSingleton::initialized () [inline], [virtual]

Implements **sosicon::ISosiHeadMember** (*p.pagenum*).

Definition at line 162 of file sosi_charset_singleton.h.

std::string sosicon::sosi::SosiCharsetSingleton::toIso8859_1 (const std::string & *str*)

Convert string to ISO8859-1 (default Ragel charset)

Definition at line 45 of file sosi_charset_singleton.cpp.

std::string sosicon::sosi::SosiCharsetSingleton::utf8ToIso8859_1 (const char * *in*) `[static]`, `[private]`

Quick and dirty conversion from UTF-8 to ISO8859-10.

Invalid characters are dropped. Sorry.

Definition at line 75 of file sosi_charset_singleton.cpp.

Member Data Documentation

Charset sosicon::sosi::SosiCharsetSingleton::mCharset `[private]`

Type of character set.

Definition at line 123 of file sosi_charset_singleton.h.

std::string sosicon::sosi::SosiCharsetSingleton::mCharsetName `[private]`

Name of character set.

Definition at line 126 of file sosi_charset_singleton.h.

bool sosicon::sosi::SosiCharsetSingleton::mInitialized `[private]`

Definition at line 120 of file sosi_charset_singleton.h.

sosicon::sosi::SosiCharsetSingleton * sosicon::sosi::SosiCharsetSingleton::mInstance `[static]`, `[private]`

Definition at line 116 of file sosi_charset_singleton.h.

ISosiElement* sosicon::sosi::SosiCharsetSingleton::mSosiElement `[private]`

Definition at line 118 of file sosi_charset_singleton.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_charset_singleton.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_charset_singleton.cpp**

sosicon::sosi::SosiElement Class Reference

Basic SOSI element.

`#include <sosi_element.h>`

Inheritance diagram for sosicon::sosi::SosiElement:

IMAGE

Public Member Functions

SosiElement (std::string name, std::string serial, std::string data, int level, **ISosiElement** *root, **SosiElementMap** &index)

Construct new SOSI element.

virtual void **addChild** (**ISosiElement** *child)

Insert children element.

virtual void **deleteChildren** ()

Recursively deletes all children.

virtual void **dump** (int indent=0)

Debug function.

virtual **ISosiElement** * **find** (std::string ref)

Find element by reference.

std::vector< **ISosiElement** * > & **children** ()

virtual bool **getChild** (**SosiElementSearch** &src)

Get next child in list.

virtual std::string **getData** ()

Get unparsed element data.

virtual int **getLevel** ()

Get nesting level of current element.

virtual std::string **getObjType** ()

Get ObjType of current element.

virtual std::string **getName** ()

Get name of current element.

virtual **ISosiElement** * **getRoot** ()

Get root element.

virtual std::string **getSerial** ()

Get serial number (ID) of current element.

virtual **ElementType** **getType** ()

Get ElementType of current element.

Private Member Functions

virtual bool **nextChild** (**SosiElementSearch** &src)

Increment to next child in list.

Private Attributes

SosiTranslationTable **mTranslation**

SOSI string translations.

std::string **mData**

Current element's data content.

SosiChildrenList mChildren

List of children elements.

int **mLevel**

Current element's nesting level.

std::string **mName**

Current element's name.

ElementType mType

Current element's geometric type.

ObjType mObjType

Current element's objtype.

std::string **mObjTypeStr**

Current element's objtype.

std::string **mSerial**

Current element's serial number if provided.

ISosiElement * mRoot

Pointer to root element.

SosiElementMap & mIndex

Reference to parser's lookup table.

Detailed Description

Basic SOSI element.

Implements basic characteristics of a SOSI element.

Definition at line 72 of file sosi_element.h.

Constructor & Destructor Documentation

sosicon::sosi::SosiElement::SosiElement (std::string *name*, std::string *serial*, std::string *data*, int *level*, ISosiElement * *root*, SosiElementMap & *index*)

Construct new SOSI element.

Definition at line 21 of file sosi_element.cpp.

Member Function Documentation

void sosicon::sosi::SosiElement::addChild (ISosiElement * *child*) `[virtual]`

Insert children element.

Implements **sosicon::ISosiElement** (*p.pagenum*).

Definition at line 35 of file sosi_element.cpp.

std::vector<ISosiElement*>& sosicon::sosi::SosiElement::children () `[inline],`

`[virtual]`

Implements **sosicon::ISosiElement** (*p.pagenum*).

Definition at line 127 of file sosi_element.h.

void sosicon::sosi::SosiElement::deleteChildren () `[virtual]`

Recursively deletes all children.

Implements **sosicon::ISosiElement** (*p.pagenum*).

Definition at line 44 of file sosi_element.cpp.

void sosicon::sosi::SosiElement::dump (int *indent* = 0) `[virtual]`

Debug function.

Implements **sosicon::ISosiElement** (*p.pagenum*).

Definition at line 52 of file sosi_element.cpp.

sosicon::ISosiElement * sosicon::sosi::SosiElement::find (std::string *ref*) `[virtual]`

Find element by reference.

Implements **sosicon::ISosiElement** (*p.pagenum*).

Definition at line 62 of file sosi_element.cpp.

bool sosicon::sosi::SosiElement::getChild (SosiElementSearch & *src*) `[virtual]`

Get next child in list.

Always pass a null pointer to start iterating through the children list. The referenced pointer will point to the next child in list when the function returns. If the end of the list is reached, the function returns false.

Implements **sosicon::ISosiElement** (*p.pagenum*).

Definition at line 100 of file sosi_element.cpp.

virtual std::string sosicon::sosi::SosiElement::getData () `[inline]`, `[virtual]`

Get unparsed element data.

Implements **sosicon::ISosiElement** (*p.pagenum*).

Definition at line 138 of file sosi_element.h.

virtual int sosicon::sosi::SosiElement::getLevel () `[inline]`, `[virtual]`

Get nesting level of current element.

Implements **sosicon::ISosiElement** (*p.pagenum*).

Definition at line 141 of file sosi_element.h.

std::string sosicon::sosi::SosiElement::getName () `[virtual]`

Get name of current element.

Implements **sosicon::ISosiElement** (*p.pagenum*).

Definition at line 94 of file sosi_element.cpp.

virtual std::string sosicon::sosi::SosiElement::getObjType () `[inline]`, `[virtual]`

Get ObjType of current element.

Implements **sosicon::ISosiElement** (*p.pagenum*).

Definition at line 144 of file sosi_element.h.

virtual ISosiElement* sosicon::sosi::SosiElement::getRoot () `[inline]`, `[virtual]`

Get root element.

Implements **sosicon::ISosiElement** (*p.pagenum*).

Definition at line 150 of file sosi_element.h.

virtual std::string sosicon::sosi::SosiElement::getSerial () `[inline]`, `[virtual]`

Get serial number (ID) of current element.

Implements **sosicon::ISosiElement** (*p.pagenum*).

Definition at line 153 of file sosi_element.h.

virtual ElementType sosicon::sosi::SosiElement::getType () `[inline]`, `[virtual]`

Get ElementType of current element.

Implements **sosicon::ISosiElement** (*p.pagenum*).

Definition at line 156 of file sosi_element.h.

bool sosicon::sosi::SosiElement::nextChild (SosiElementSearch & *src*) `[private]`, `[virtual]`

Increment to next child in list.

Definition at line 74 of file sosi_element.cpp.

Member Data Documentation

SosiChildrenList sosicon::sosi::SosiElement::mChildren `[private]`

List of children elements.

Definition at line 81 of file sosi_element.h.

std::string sosicon::sosi::SosiElement::mData `[private]`

Current element's data content.
Definition at line 78 of file sosi_element.h.

SosiElementMap& sosicon::sosi::SosiElement::mIndex `[private]`

Reference to parser's lookup table.
Definition at line 105 of file sosi_element.h.

int sosicon::sosi::SosiElement::mLevel `[private]`

Current element's nesting level.
Definition at line 84 of file sosi_element.h.

std::string sosicon::sosi::SosiElement::mName `[private]`

Current element's name.
Definition at line 87 of file sosi_element.h.

ObjType sosicon::sosi::SosiElement::mObjType `[private]`

Current element's objtype.
Definition at line 93 of file sosi_element.h.

std::string sosicon::sosi::SosiElement::mObjTypeStr `[private]`

Current element's objtype.
Definition at line 96 of file sosi_element.h.

ISosiElement* sosicon::sosi::SosiElement::mRoot `[private]`

Pointer to root element.
Definition at line 102 of file sosi_element.h.

std::string sosicon::sosi::SosiElement::mSerial `[private]`

Current element's serial number if provided.
Definition at line 99 of file sosi_element.h.

SosiTranslationTable sosicon::sosi::SosiElement::mTranslation `[private]`

SOSI string translations.

Definition at line 75 of file sosi_element.h.

ElementType sosicon::sosi::SosiElement::mType [private]

Current element's geometric type.

Definition at line 90 of file sosi_element.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_element.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_element.cpp**

sosicon::sosi::SosiElementSearch Class Reference

`#include <sosi_element_search.h>`

Public Member Functions

SosiElementSearch ()
SosiElementSearch (**sosi::ElementType** filter)
SosiElementSearch (std::vector< **sosi::ElementType** > &filterList)
SosiChildrenList::size_type **index** ()
SosiChildrenList::size_type **index** (SosiChildrenList::size_type i)
ISosiElement * element ()
ISosiElement * element (**ISosiElement** *e)
sosi::ElementType type ()
sosi::ElementType type (**sosi::ElementType** t)
std::vector< **sosi::ElementType** > & **types** ()
std::vector< **sosi::ElementType** > & **types** (std::vector< **sosi::ElementType** > &t)
bool **matchTypes** ()
void **next** ()

Private Attributes

SosiChildrenList::size_type **mIndex**
ISosiElement * mSosiElement
std::vector< **sosi::ElementType** > **mElementTypes**

Detailed Description

Definition at line 46 of file sosi_element_search.h.

Constructor & Destructor Documentation

sosicon::sosi::SosiElementSearch::SosiElementSearch () [inline]

Definition at line 51 of file sosi_element_search.h.

sosicon::sosi::SosiElementSearch::SosiElementSearch (sosi::ElementType *filter*) [inline]

Definition at line 52 of file sosi_element_search.h.

sosicon::sosi::SosiElementSearch::SosiElementSearch (std::vector< sosi::ElementType > & *filterList*) [inline]

Definition at line 53 of file sosi_element_search.h.

Member Function Documentation

ISosiElement* sosicon::sosi::SosiElementSearch::element () [inline]

Definition at line 56 of file sosi_element_search.h.

ISosiElement* sosicon::sosi::SosiElementSearch::element (ISosiElement * *e*) [inline]

Definition at line 57 of file sosi_element_search.h.

SosiChildrenList::size_type sosicon::sosi::SosiElementSearch::index () [inline]

Definition at line 54 of file sosi_element_search.h.

SosiChildrenList::size_type sosicon::sosi::SosiElementSearch::index (SosiChildrenList::size_type *i*) [inline]

Definition at line 55 of file sosi_element_search.h.

bool sosicon::sosi::SosiElementSearch::matchTypes ()

Definition at line 22 of file sosi_element_search.cpp.

void sosicon::sosi::SosiElementSearch::next () [inline]

Definition at line 63 of file sosi_element_search.h.

sosi::ElementType sosicon::sosi::SosiElementSearch::type () [inline]

Definition at line 58 of file sosi_element_search.h.

sosi::ElementType sosicon::sosi::SosiElementSearch::type (sosi::ElementType *t*) [inline]

Definition at line 59 of file sosi_element_search.h.

std::vector<sosi::ElementType>& sosicon::sosi::SosiElementSearch::types () `[inline]`

Definition at line 60 of file sosi_element_search.h.

std::vector<sosi::ElementType>& sosicon::sosi::SosiElementSearch::types (std::vector< sosi::ElementType > & *t*) `[inline]`

Definition at line 61 of file sosi_element_search.h.

Member Data Documentation

std::vector<sosi::ElementType> sosicon::sosi::SosiElementSearch::mElementTypes `[private]`

Definition at line 49 of file sosi_element_search.h.

SosiChildrenList::size_type sosicon::sosi::SosiElementSearch::mIndex `[private]`

Definition at line 47 of file sosi_element_search.h.

ISosiElement* sosicon::sosi::SosiElementSearch::mSosiElement `[private]`

Definition at line 48 of file sosi_element_search.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_element_search.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_element_search.cpp**

sosicon::sosi::SosiJunctionPoint Class Reference

SOSI Junction point.
`#include <sosi_junction_point.h>`

Public Member Functions

SosiJunctionPoint (**ISosiElement** *e)
Construct new SOSI junction point element.

~SosiJunctionPoint ()
Destructor.

Private Attributes

ISosiElement * mSosiElement

Detailed Description

SOSI Junction point.

Implements SOSI junction point layer specification, as given via the KP element. Norwegian: Knutepunktslag.

Definition at line 43 of file sosi_junction_point.h.

Constructor & Destructor Documentation

sosicon::sosi::SosiJunctionPoint::SosiJunctionPoint (ISosiElement * e) [inline]

Construct new SOSI junction point element.

Definition at line 50 of file sosi_junction_point.h.

sosicon::sosi::SosiJunctionPoint::~SosiJunctionPoint ()

Destructor.

Member Data Documentation

ISosiElement* sosicon::sosi::SosiJunctionPoint::mSosiElement [private]

Definition at line 45 of file sosi_junction_point.h.

The documentation for this class was generated from the following file:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_junction_point.h**

sosicon::sosi::SosiNorthEast Class Reference

SOSI North-east element.

`#include <sosi_north_east.h>`

Public Member Functions

void **append** (double n, double e)
void **append** (double n, double e, double h)
void **append** (std::string n, std::string e)
void **append** (std::string n, std::string e, std::string h)

Frees allocated memory.

void **free** ()
SosiNorthEast (**ISosiElement** *e)

Construct new SOSI north-east element.

virtual **~SosiNorthEast** ()

Destructor.

void **dump** ()

Debug.

void **expandBoundingBox** (double &minX, double &minY, double &maxX, double &maxY)
ICoordinate * **front** ()
ICoordinate * **back** ()
bool **getNext** (**ICoordinate** *&coord)
int **getNumPoints** ()
void **reverse** ()

Reverse polygon (point order)

SosiNorthEast & **operator+=** (**SosiOrigoNE** &origo)
SosiNorthEast & **operator/=** (**SosiUnit** &unit)

Private Member Functions

void **ragelParseCoordinatesNe** (std::string data)

Populate mCoordinates.

void **ragelParseCoordinatesNeh** (std::string data)
void **initHeadMember** (**ISosiHeadMember** &headMember, **ElementType** type)

Private Attributes

ISosiElement * **mSosiElement**
CoordinateList mCoordinates
CoordinateList::iterator **mCoordinatesIterator**
double **mMinX**
double **mMinY**
double **mMaxX**
double **mMaxY**

Static Private Attributes

static **SosiOrigoNE mOrigo**
static **SosiUnit mUnit**

Detailed Description

SOSI North-east element.

Implements SOSI north east element, as given via the NØ element.

Definition at line 50 of file sosi_north_east.h.

Constructor & Destructor Documentation

sosicon::sosi::SosiNorthEast::SosiNorthEast (ISosiElement * *e*)

Construct new SOSI north-east element.

Definition at line 33 of file sosi_north_east.cpp.

sosicon::sosi::SosiNorthEast::~SosiNorthEast () `[virtual]`

Destructor.

Definition at line 54 of file sosi_north_east.cpp.

Member Function Documentation

void sosicon::sosi::SosiNorthEast::append (double *n*, double *e*)

Definition at line 89 of file sosi_north_east.cpp.

void sosicon::sosi::SosiNorthEast::append (double *n*, double *e*, double *h*)

Definition at line 94 of file sosi_north_east.cpp.

void sosicon::sosi::SosiNorthEast::append (std::string *n*, std::string *e*)

Definition at line 57 of file sosi_north_east.cpp.

void sosicon::sosi::SosiNorthEast::append (std::string *n*, std::string *e*, std::string *h*)

Frees allocated memory.

Definition at line 68 of file sosi_north_east.cpp.

ICoordinate* sosicon::sosi::SosiNorthEast::back () `[inline]`

Definition at line 96 of file sosi_north_east.h.

void sosicon::sosi::SosiNorthEast::dump ()

Debug.

Definition at line 132 of file sosi_north_east.cpp.

void sosicon::sosi::SosiNorthEast::expandBoundingBox (double & *minX*, double & *minY*, double & *maxX*, double & *maxY*)

Definition at line 139 of file sosi_north_east.cpp.

void sosicon::sosi::SosiNorthEast::free ()

Definition at line 81 of file sosi_north_east.cpp.

ICoordinate* sosicon::sosi::SosiNorthEast::front () `[inline]`

Definition at line 94 of file sosi_north_east.h.

bool sosicon::sosi::SosiNorthEast::getNext (ICoordinate *& *coord*)

Definition at line 147 of file sosi_north_east.cpp.

int sosicon::sosi::SosiNorthEast::getNumPoints () `[inline]`

Definition at line 102 of file sosi_north_east.h.

void sosicon::sosi::SosiNorthEast::initHeadMember (ISosiHeadMember & *headMember*, ElementType *type*) `[private]`

Definition at line 116 of file sosi_north_east.cpp.

sosicon::sosi::SosiNorthEast & sosicon::sosi::SosiNorthEast::operator+= (SosiOrigoNE & *origo*)

Definition at line 163 of file sosi_north_east.cpp.

sosicon::sosi::SosiNorthEast & sosicon::sosi::SosiNorthEast::operator/= (SosiUnit & *unit*)

Definition at line 179 of file sosi_north_east.cpp.

void sosicon::sosi::SosiNorthEast::ragelParseCoordinatesNe (std::string *data*) `[private]`

Populate mCoordinates.

Definition at line 93 of file sosi_north_east_ragel.cpp.

void sosicon::sosi::SosiNorthEast::ragelParseCoordinatesNeh (std::string *data*) `[private]`

Definition at line 100 of file sosi_north_east_height_ragel.cpp.

void sosicon::sosi::SosiNorthEast::reverse () `[inline]`

Reverse polygon (point order)

Definition at line 105 of file sosi_north_east.h.

Member Data Documentation

CoordinateList sosicon::sosi::SosiNorthEast::mCoordinates `[private]`

Definition at line 54 of file sosi_north_east.h.

CoordinateList::iterator sosicon::sosi::SosiNorthEast::mCoordinatesIterator [private]

Definition at line 56 of file sosi_north_east.h.

double sosicon::sosi::SosiNorthEast::mMaxX [private]

Definition at line 64 of file sosi_north_east.h.

double sosicon::sosi::SosiNorthEast::mMaxY [private]

Definition at line 65 of file sosi_north_east.h.

double sosicon::sosi::SosiNorthEast::mMinX [private]

Definition at line 62 of file sosi_north_east.h.

double sosicon::sosi::SosiNorthEast::mMinY [private]

Definition at line 63 of file sosi_north_east.h.

sosicon::sosi::SosiOrigoNE sosicon::sosi::SosiNorthEast::mOrigo [static], [private]

Definition at line 58 of file sosi_north_east.h.

ISosiElement* sosicon::sosi::SosiNorthEast::mSosiElement [private]

Definition at line 52 of file sosi_north_east.h.

sosicon::sosi::SosiUnit sosicon::sosi::SosiNorthEast::mUnit [static], [private]

Definition at line 60 of file sosi_north_east.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_north_east.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_north_east.cpp**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**sosi_north_east_height_ragel.cpp**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**sosi_north_east_ragel.cpp**

sosicon::sosi::SosiOrigoNE Class Reference

SOSI Junction point.

`#include <sosi_origo_ne.h>`

Inheritance diagram for sosicon::sosi::SosiOrigoNE:

IMAGE

Public Member Functions

SosiOrigoNE ()

Construct new SOSI origo element.

SosiOrigoNE (**ISosiElement** *e)

Construct new SOSI junction point element.

virtual **~SosiOrigoNE** ()

Destructor.

int **getN** ()
int **getE** ()
virtual void **init** (**ISosiElement** *e)
virtual bool **initialized** ()
void **ragelParseSosiOrigoNE** (std::string data)

Ragel parse element data.

Private Attributes

ISosiElement * mSosiElement
bool **mInitialized**
int **mOrigoN**
int **mOrigoE**

Detailed Description

SOSI Junction point.

Implements SOSI junction point layer specification, as given via the KP element. Norwegian: Knutepunktslag.

Definition at line 44 of file sosi_origo_ne.h.

Constructor & Destructor Documentation

sosicon::sosi::SosiOrigoNE::SosiOrigoNE ()

Construct new SOSI origo element.

Definition at line 21 of file sosi_origo_ne.cpp.

sosicon::sosi::SosiOrigoNE::SosiOrigoNE (ISosiElement * e)[inline]

Construct new SOSI junction point element.

Definition at line 60 of file sosi_origo_ne.h.

virtual sosicon::sosi::SosiOrigoNE::~SosiOrigoNE ()[inline], [virtual]

Destructor.

Definition at line 63 of file sosi_origo_ne.h.

Member Function Documentation

int sosicon::sosi::SosiOrigoNE::getE () [inline]

Definition at line 67 of file sosi_origo_ne.h.

int sosicon::sosi::SosiOrigoNE::getN () [inline]

Definition at line 65 of file sosi_origo_ne.h.

void sosicon::sosi::SosiOrigoNE::init (ISosiElement * *e*) [virtual]

Implements **sosicon::ISosiHeadMember** (*p.pagenum*).

Definition at line 28 of file sosi_origo_ne.cpp.

virtual bool sosicon::sosi::SosiOrigoNE::initialized () [inline], [virtual]

Implements **sosicon::ISosiHeadMember** (*p.pagenum*).

Definition at line 71 of file sosi_origo_ne.h.

void sosicon::sosi::SosiOrigoNE::ragelParseSosiOrigoNE (std::string *data*)

Ragel parse element data.

Definition at line 88 of file sosi_origo_ne_ragel.cpp.

Member Data Documentation

bool sosicon::sosi::SosiOrigoNE::mInitialized [private]

Definition at line 48 of file sosi_origo_ne.h.

int sosicon::sosi::SosiOrigoNE::mOrigoE [private]

Definition at line 52 of file sosi_origo_ne.h.

int sosicon::sosi::SosiOrigoNE::mOrigoN [private]

Definition at line 50 of file sosi_origo_ne.h.

ISosiElement* sosicon::sosi::SosiOrigoNE::mSosiElement [private]

Definition at line 46 of file sosi_origo_ne.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_origo_ne.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_origo_ne.cpp**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**sosi_origo_ne_ragel.cpp**

sosicon::sosi::SosiRefList Class Reference

SOSI REF list.

`#include <sosi_ref_list.h>`

Public Member Functions

SosiRefList ()
Construct new SOSI REF element.

SosiRefList (**ISosiElement** *e)
Construct new SOSI REF element.

~SosiRefList ()
Destructor.

bool **getNextGeometry** (**GeometryRef** *&geometry)
Next list of references.

Private Member Functions

void **ragelParseSosiRef** (std::string data)

Private Attributes

ISosiElement * mSosiElement
GeometryCollection mRefListCollection
GeometryCollection::size_type **mRefListCollectionIndex**
GeometryRef::size_type **mRefListIndex**

Detailed Description

SOSI REF list.

Implements SOSI reference list, as given via the REF element.

Definition at line 42 of file sosi_ref_list.h.

Constructor & Destructor Documentation

sosicon::sosi::SosiRefList::SosiRefList () `[inline]`

Construct new SOSI REF element.

Definition at line 56 of file sosi_ref_list.h.

sosicon::sosi::SosiRefList::SosiRefList (ISosiElement * *e*)

Construct new SOSI REF element.

Definition at line 21 of file sosi_ref_list.cpp.

sosicon::sosi::SosiRefList::~SosiRefList ()

Destructor.

Definition at line 28 of file sosi_ref_list.cpp.

Member Function Documentation

bool sosicon::sosi::SosiRefList::getNextGeometry (GeometryRef *& *geometry*)

Next list of references.

A reference list represents a geometry, i.e. a polygon or its holes.

Definition at line 40 of file sosi_ref_list.cpp.

void sosicon::sosi::SosiRefList::ragelParseSosiRef (std::string *data*) `[private]`

Definition at line 90 of file sosi_ref_ragel.cpp.

Member Data Documentation

GeometryCollection sosicon::sosi::SosiRefList::mRefListCollection `[private]`

Definition at line 46 of file sosi_ref_list.h.

GeometryCollection::size_type sosicon::sosi::SosiRefList::mRefListCollectionIndex `[private]`

Definition at line 48 of file sosi_ref_list.h.

GeometryRef::size_type sosicon::sosi::SosiRefList::mRefListIndex `[private]`

Definition at line 49 of file sosi_ref_list.h.

ISosiElement* sosicon::sosi::SosiRefList::mSosiElement `[private]`

Definition at line 44 of file sosi_ref_list.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_ref_list.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_ref_list.cpp**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/**sosi_ref_ragel.cpp**

sosicon::sosi::SosiTranslationTable Class Reference

`#include <sosi_translation_table.h>`

Public Member Functions

SosiTranslationTable ()
CoordSys & **sysCodeToCoordSys** (int sysCode)
ElementType sosiNameToType (std::string typeName)
std::string **sosiTypeToName** (**ElementType** elementType)
ObjType sosiObjNameToType (std::string objTypeName)
std::string **sosiTypeToObjName** (**ObjType** objType)

Private Member Functions

template<typename Key , typename Val > Key **reverseLookup** (std::map< Key, Val > &c, Val v)
Scan container looking for value, returning key.

Private Attributes

SosiCharsetSingleton * mSosiCharset
Character encoding element.

Static Private Attributes

static const int **MAX_COORDSYS_TABLE**
Number of entries in KOORDSYS lookup table.
static std::map< std::string, **ElementType** > **mTypeNameMap**
SOSI element name map.
static std::map< std::string, **ObjType** > **mObjTypeNameMap**
OBJTYPE name lookup table.
static **CoordSys mCoordSysTable** [**MAX_COORDSYS_TABLE**+1]
KOORDSYS code lookup table.

Detailed Description

Definition at line 37 of file sosi_translation_table.h.

Constructor & Destructor Documentation

sosicon::sosi::SosiTranslationTable::SosiTranslationTable ()

Definition at line 26 of file sosi_translation_table.cpp.

Member Function Documentation

template<typename Key , typename Val > Key sosicon::sosi::SosiTranslationTable::reverseLookup (std::map< Key, Val > & *c*, Val *v*) [inline], [private]

Scan container looking for value, returning key.

Definition at line 67 of file sosi_translation_table.h.

ElementType sosicon::sosi::SosiTranslationTable::sosiNameToType (std::string *typeName*) [inline]

Definition at line 83 of file sosi_translation_table.h.

ObjType sosicon::sosi::SosiTranslationTable::sosiObjNameToType (std::string *objTypeName*) [inline]

Definition at line 92 of file sosi_translation_table.h.

std::string sosicon::sosi::SosiTranslationTable::sosiTypeToName (ElementType *elementType*) [inline]

Definition at line 88 of file sosi_translation_table.h.

std::string sosicon::sosi::SosiTranslationTable::sosiTypeToObjName (ObjType *objType*) [inline]

Definition at line 97 of file sosi_translation_table.h.

CoordSys& sosicon::sosi::SosiTranslationTable::sysCodeToCoordSys (int *sysCode*) [inline]

Definition at line 78 of file sosi_translation_table.h.

Member Data Documentation

const int sosicon::sosi::SosiTranslationTable::MAX_COORDSYS_TABLE [static], [private]

Number of entries in KOORDSYS lookup table.

Definition at line 43 of file sosi_translation_table.h.

sosicon::sosi::CoordSys sosicon::sosi::SosiTranslationTable::mCoordSysTable [static],

[private]

KOORDSYS code lookup table.

Primitive array, int key.

Definition at line 63 of file sosi_translation_table.h.

std::map< std::string, sosicon::sosi::ObjType > sosicon::sosi::SosiTranslationTable::mObjTypeNameMap [static], [private]

OBJTYPE name lookup table.

STL map with string key.

Definition at line 57 of file sosi_translation_table.h.

SosiCharsetSingleton* sosicon::sosi::SosiTranslationTable::mSosiCharset [private]

Character encoding element.

Definition at line 40 of file sosi_translation_table.h.

std::map< std::string, sosicon::sosi::ElementType > sosicon::sosi::SosiTranslationTable::mTypeNameMap [static], [private]

SOSI element name map.

STL map with string key.

Definition at line 51 of file sosi_translation_table.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_translation_table.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_translation_table.cpp**

sosicon::sosi::SosiUnit Class Reference

SOSI Unit.

`#include <sosi_unit.h>`

Inheritance diagram for sosicon::sosi::SosiUnit:

IMAGE

Public Member Functions

SosiUnit ()

Construct new SOSI Unit element.

virtual **~SosiUnit** ()

Destructor.

SosiUnit (**ISosiElement** *e)

Construct new SOSI Unit element.

int **getDivisor** ()

virtual void **init** (**ISosiElement** *e)

Initnialize SOSI Unit element.

virtual bool **initialized** ()

Private Attributes

ISosiElement * **mSosiElement**

bool **mInitialized**

int **mDivisor**

Detailed Description

SOSI Unit.

Implements SOSI unit (coordinate resolution), as given via the ENHET element.

Definition at line 44 of file sosi_unit.h.

Constructor & Destructor Documentation

sosicon::sosi::SosiUnit::SosiUnit ()

Construct new SOSI Unit element.

Definition at line 21 of file sosi_unit.cpp.

virtual sosicon::sosi::SosiUnit::~SosiUnit () [inline], [virtual]

Destructor.

Definition at line 58 of file sosi_unit.h.

sosicon::sosi::SosiUnit::SosiUnit (ISosiElement * e) [inline]

Construct new SOSI Unit element.

Definition at line 61 of file sosi_unit.h.

Member Function Documentation

int sosicon::sosi::SosiUnit::getDivisor () [inline]

Definition at line 63 of file sosi_unit.h.

void sosicon::sosi::SosiUnit::init (ISosiElement * e) [virtual]

Initnialize SOSI Unit element.

Implements **sosicon::ISosiHeadMember** (*p.pagenum*).

Definition at line 28 of file sosi_unit.cpp.

virtual bool sosicon::sosi::SosiUnit::initialized () [inline], [virtual]

Implements **sosicon::ISosiHeadMember** (*p.pagenum*).

Definition at line 68 of file sosi_unit.h.

Member Data Documentation

int sosicon::sosi::SosiUnit::mDivisor [private]

Definition at line 50 of file sosi_unit.h.

bool sosicon::sosi::SosiUnit::mInitialized [private]

Definition at line 48 of file sosi_unit.h.

ISosiElement* sosicon::sosi::SosiUnit::mSosiElement [private]

Definition at line 46 of file sosi_unit.h.

The documentation for this class was generated from the following files:

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_unit.h**
/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/**sosi_unit.cpp**

File Documentation

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/byte_order.cpp File Reference

```
#include "byte_order.h"
```

Variables

enum **sosicon::byteOrder::Endianness sosicon**

Variable Documentation

enum sosicon::byteOrder::Endianness sosicon

Definition at line 21 of file byte_order.cpp.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/byte_order.h File Reference

```
#include <inttypes.h>
#include "logger.h"
#include <algorithm>
#include <cmath>
```

Namespaces

sosicon
Application root. **sosicon::byteOrder**

Big/low-endian conversions.

Enumerations

enum **sosicon::byteOrder::Endianness** { **sosicon::byteOrder::not_set**, **sosicon::byteOrder::big**, **sosicon::byteOrder::little** }*Big/little flag.*

Functions

Endianness **sosicon::byteOrder::determine** ()
Determines system endianness.

void **sosicon::byteOrder::doubleToLittleEndian** (double from, char *to)
Writes little endian representation of double.

void **sosicon::byteOrder::toBigEndian** (const char *from, char *to, size_t bufSize)
Reverses buffer to big endian if required.

void **sosicon::byteOrder::toLittleEndian** (const char *from, char *to, size_t bufSize)
Reverses buffer to little endian if required.

Variables

enum **sosicon::byteOrder::Endianness** **sosicon::byteOrder::endianness**
Stores system endianness.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/command_line.cpp File Reference

```
#include "command_line.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/command_line.h File Reference

```
#include <stdio.h>
#include <iostream>
#include <vector>
#include <string>
#include "logger.h"
#include <unistd.h>
#include "utils.h"
```

Classes

class **sosicon::CommandLine**

Command-line parser. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/common_types.h File Reference

```
#include <vector>
#include "interface/i_coordinate.h"
```

Namespaces

sosicon

Application root. **Typedefs**

typedef std::vector< ICoordinate * > **sosicon::CoordinateList**
List of coordinate pairs.

Enumerations

enum **sosicon::Wkt** { **sosicon::wkt_unknown**, **sosicon::wkt_point**, **sosicon::wkt_linestring**, **sosicon::wkt_polygon** }*List of applied, well-known text geometries.*

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/converter_sosi2psql.cpp File Reference

```
#include "converter_sosi2psql.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/converter_sosi2psql.h File Reference

```
#include "logger.h"
#include <fstream>
#include <sstream>
#include <vector>
#include <climits>
#include <cmath>
#include <map>
#include "utils.h"
#include "interface/i_converter.h"
#include "interface/i_sosi_element.h"
#include "sosi/sosi_types.h"
#include "sosi/sosi_translation_table.h"
#include "coordinate_collection.h"
#include "sosi/sosi_north_east.h"
#include "command_line.h"
#include "common_types.h"
#include "parser.h"
```

Classes

class **sosicon::ConverterSosi2psql**
SOSI to PostgreSQL/PostGIS converter. class **sosicon::ConverterSosi2psql::Field**

Namespaces

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/converter_sosi2shp.cpp File Reference

```
#include "converter_sosi2shp.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/converter_sosi2shp.h File Reference

```
#include "logger.h"
#include <iomanip>
#include <fstream>
#include <vector>
#include <sstream>
#include <string>
#include "interface/i_converter.h"
#include "interface/i_sosi_element.h"
#include "command_line.h"
#include "parser.h"
#include "utils.h"
#include "shape/shapefile.h"
#include <sys/stat.h>
#include <sys/types.h>
```

Classes

class **sosicon::ConverterSosi2shp**

SOSI to ESRI Shape converter. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/converter_sosi2tsv.cpp File Reference

```
#include "converter_sosi2tsv.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/converter_sosi2tsv.h File Reference

```
#include <iostream>
#include <fstream>
#include <vector>
#include "interface/i_converter.h"
#include "command_line.h"
#include "parser.h"
```

Classes

class **sosicon::ConverterSosi2tsv**

SOSI to TSV converter. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/converter_sosi2xml.cpp File Reference

```
#include "converter_sosi2xml.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/converter_sosi2xml.h File Reference

```
#include <iostream>
#include <fstream>
#include <vector>
#include "interface/i_converter.h"
#include "interface/i_sosi_element.h"
#include "command_line.h"
#include "utils.h"
#include "parser.h"
```

Classes

class **sosicon::ConverterSosi2xml**

SOSI to ESRI Shape converter. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/converter_sosi_stat.cpp File Reference

```
#include "converter_sosi_stat.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/converter_sosi_stat.h File Reference

```
#include "logger.h"
#include <fstream>
#include <map>
#include "interface/i_converter.h"
#include "interface/i_sosi_element.h"
#include "sosi/sosi_types.h"
#include "sosi/sosi_element_search.h"
#include "command_line.h"
#include "utils.h"
#include "parser.h"
```

Classes

class **sosicon::ConverterSosiStat**

SOSI to ESRI Shape converter. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/coordinate.h File Reference

```
#include <string>
#include <iostream>
#include <sstream>
#include <ios>
#include "interface/i_coordinate.h"
```

Classes

class **sosicon::Coordinate**

***Coordinate** container.* **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/coordinate_collection.cpp File Reference

```
#include "coordinate_collection.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/coordinate_collection.h File Reference

```
#include <algorithm>
#include <limits>
#include <vector>
#include "logger.h"
#include "common_types.h"
#include "sosi/sosi_types.h"
#include "sosi/sosi_element_search.h"
#include "sosi/sosi_ref_list.h"
#include "sosi/sosi_north_east.h"
#include "interface/i_coordinate.h"
#include "interface/i_sosi_element.h"
```

Classes

class **sosicon::CoordinateCollection**

***Coordinate** container.* **Namespaces**

sosicon

Application root. **Functions**

bool **sosicon::getNext** (ICoordinate *&coord, sosi::NorthEastList &list, sosi::NorthEastList::iterator &i)
Get next coordinate in list.

bool **sosicon::getNextOffset** (int &offset, std::vector< int > &offsets, std::vector< int >::iterator &iterator)
Get next offset in part offsets list.

bool **sosicon::isClockwise** (std::vector< ICoordinate * >::iterator &begin, std::vector< ICoordinate * >::iterator &end)
Analyzes polygon direction.

bool **sosicon::isCounterClockwise** (std::vector< ICoordinate * >::iterator &begin, std::vector< ICoordinate * >::iterator &end)
Analyzes polygon direction.

void **sosicon::neListToCoordList** (sosi::NorthEastList &neList, std::vector< ICoordinate * > &coordList)
Extracts single coordinates from list of North-East elements.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/event_dispatcher.h File Reference

```
#include <memory>
#include <vector>
#include <iostream>
```

Classes

class **sosicon::EventDispatcher< Event >**
Event dispatcher template class. class **sosicon::EventDispatcher< Event >::Listener**

Namespaces

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/factory.cpp File Reference

```
#include "factory.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/factory.h File Reference

```
#include "interface/i_converter.h"
#include "converter_sosi2shp.h"
#include "converter_sosi2xml.h"
#include "converter_sosi2tsv.h"
#include "converter_sosi2psql.h"
#include "converter_sosi_stat.h"
```

Classes

class **sosicon::Factory**

***Factory** class.* **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/i_binary_streamable.h File Reference

```
#include <iostream>
```

Classes

class **sosicon::IBinaryStreamable**

Interface: Binary streamable object. **Namespaces**

sosicon

Application root. **Functions**

std::ostream & **sosicon::operator<<** (std::ostream &os, IBinaryStreamable &binaryStreamable)
Stream output operator.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/i_converter.h File Reference

```
#include "../command_line.h"
```

Classes

class **sosicon::IConverter**

Interface: Converter. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/i_coordinate.h File Reference

```
#include <string>
```

Classes

class **sosicon::ICoordinate**

Interface: ***Coordinate****.* **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/i_lookup_table.h File Reference

```
#include <string>
```

Classes

class **sosicon::ILookupTable**

Interface: Lookup table. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/i_rectangle.h File Reference

Classes

class **sosicon::IRectangle**

Interface: Rectangle. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/i_shape_element.h File Reference

```
#include "i_binary_streamable.h"
#include "i_sosi_element.h"
#include "i_rectangle.h"
```

Classes

class **sosicon::IShapeElement**

Interface: Shape element. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/i_shape_element_header.h File Reference

```
#include "i_binary_streamable.h"
```

Classes

class **sosicon::IShapeElementHeader**

Interface: Shape element header. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/i_shape_header.h File Reference

```
#include "i_binary_streamable.h"
#include "../shape/shapefile_types.h"
#include "../shape/bounding_box.h"
```

Classes

class **sosicon::IShapeHeader**

Interface: Shape element. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/i_shapefile.h File Reference

```
#include "i_shapefile_shp_part.h"
#include "i_shapefile_shx_part.h"
#include "i_shapefile_dbf_part.h"
#include "i_shapefile_prj_part.h"
#include "i_sosi_element.h"
#include "../sosi/sosi_types.h"
```

Classes

class **sosicon::IShapefile**

Interface: Shapefile. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/i_shapefile_dbf_part.h File Reference

```
#include <iostream>
#include "i_binary_streamable.h"
```

Classes

class **sosicon::IShapefileDbfPart**

Interface: ShapefileDbfPart. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/i_shapefile_prj_part.h File Reference

```
#include <iostream>
#include "i_binary_streamable.h"
```

Classes

class **sosicon::IShapefilePrjPart**

Interface: ShapefilePrjPart. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/i_shapefile_shp_part.h File Reference

```
#include <iostream>
#include "i_binary_streamable.h"
```

Classes

class **sosicon::IShapefileShpPart**

Interface: ShapefileShpPart. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/i_shapefile_shx_part.h File Reference

```
#include <iostream>
#include "i_binary_streamable.h"
```

Classes

class **sosicon::IShapefileShxPart**

Interface: ShapefileShxPart. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/i_sosi_element.h File Reference

```
#include <string>
#include <vector>
#include <map>
#include "../sosi/sosi_types.h"
#include "../sosi/sosi_element_search.h"
```

Classes

class **sosicon::ISosiElement**

Interface: SOSI element. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/interface/i_sosi_head_member.h File Reference

```
#include "i_sosi_element.h"
```

Classes

class **sosicon::ISosiHeadMember**

Interface: SOSI header element. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/

inttypes.h File Reference

```
#include "stdint.h"
```

Classes

struct **imaxdiv_t**

Macros

#define **PRId8**
#define **PRIi8**
#define **PRIdLEAST8**
#define **PRIiLEAST8**
#define **PRIdFAST8**
#define **PRIiFAST8**
#define **PRId16**
#define **PRIi16**
#define **PRIdLEAST16**
#define **PRIiLEAST16**
#define **PRIdFAST16**
#define **PRIiFAST16**
#define **PRId32**
#define **PRIi32**
#define **PRIdLEAST32**
#define **PRIiLEAST32**
#define **PRIdFAST32**
#define **PRIiFAST32**
#define **PRId64**
#define **PRIi64**
#define **PRIdLEAST64**
#define **PRIiLEAST64**
#define **PRIdFAST64**
#define **PRIiFAST64**
#define **PRIdMAX**
#define **PRIiMAX**
#define **PRIdPTR**
#define **PRIiPTR**
#define **PRIo8**
#define **PRIu8**
#define **PRIx8**
#define **PRIX8**
#define **PRIoLEAST8**
#define **PRIuLEAST8**
#define **PRIxLEAST8**
#define **PRIXLEAST8**
#define **PRIoFAST8**
#define **PRIuFAST8**
#define **PRIxFAST8**
#define **PRIXFAST8**
#define **PRIo16**
#define **PRIu16**
#define **PRIx16**
#define **PRIX16**
#define **PRIoLEAST16**
#define **PRIuLEAST16**
#define **PRIxLEAST16**
#define **PRIXLEAST16**
#define **PRIoFAST16**

#define **PRIuFAST16**
#define **PRIxFAST16**
#define **PRIXFAST16**
#define **PRIo32**
#define **PRIu32**
#define **PRIx32**
#define **PRIX32**
#define **PRIoLEAST32**
#define **PRIuLEAST32**
#define **PRIxLEAST32**
#define **PRIXLEAST32**
#define **PRIoFAST32**
#define **PRIuFAST32**
#define **PRIxFAST32**
#define **PRIXFAST32**
#define **PRIo64**
#define **PRIu64**
#define **PRIx64**
#define **PRIX64**
#define **PRIoLEAST64**
#define **PRIuLEAST64**
#define **PRIxLEAST64**
#define **PRIXLEAST64**
#define **PRIoFAST64**
#define **PRIuFAST64**
#define **PRIxFAST64**
#define **PRIXFAST64**
#define **PRIoMAX**
#define **PRIuMAX**
#define **PRIxMAX**
#define **PRIXMAX**
#define **PRIoPTR**
#define **PRIuPTR**
#define **PRIxPTR**
#define **PRIXPTR**
#define **SCNd8**
#define **SCNi8**
#define **SCNdLEAST8**
#define **SCNiLEAST8**
#define **SCNdFAST8**
#define **SCNiFAST8**
#define **SCNd16**
#define **SCNi16**
#define **SCNdLEAST16**
#define **SCNiLEAST16**
#define **SCNdFAST16**
#define **SCNiFAST16**
#define **SCNd32**
#define **SCNi32**
#define **SCNdLEAST32**
#define **SCNiLEAST32**
#define **SCNdFAST32**
#define **SCNiFAST32**
#define **SCNd64**
#define **SCNi64**
#define **SCNdLEAST64**
#define **SCNiLEAST64**
#define **SCNdFAST64**

#define **SCNiFAST64**
#define **SCNdMAX**
#define **SCNiMAX**
#define **SCNdPTR**
#define **SCNiPTR**
#define **SCNo8**
#define **SCNu8**
#define **SCNx8**
#define **SCNX8**
#define **SCNoLEAST8**
#define **SCNuLEAST8**
#define **SCNxLEAST8**
#define **SCNXLEAST8**
#define **SCNoFAST8**
#define **SCNuFAST8**
#define **SCNxFAST8**
#define **SCNXFAST8**
#define **SCNo16**
#define **SCNu16**
#define **SCNx16**
#define **SCNX16**
#define **SCNoLEAST16**
#define **SCNuLEAST16**
#define **SCNxLEAST16**
#define **SCNXLEAST16**
#define **SCNoFAST16**
#define **SCNuFAST16**
#define **SCNxFAST16**
#define **SCNXFAST16**
#define **SCNo32**
#define **SCNu32**
#define **SCNx32**
#define **SCNX32**
#define **SCNoLEAST32**
#define **SCNuLEAST32**
#define **SCNxLEAST32**
#define **SCNXLEAST32**
#define **SCNoFAST32**
#define **SCNuFAST32**
#define **SCNxFAST32**
#define **SCNXFAST32**
#define **SCNo64**
#define **SCNu64**
#define **SCNx64**
#define **SCNX64**
#define **SCNoLEAST64**
#define **SCNuLEAST64**
#define **SCNxLEAST64**
#define **SCNXLEAST64**
#define **SCNoFAST64**
#define **SCNuFAST64**
#define **SCNxFAST64**
#define **SCNXFAST64**
#define **SCNoMAX**
#define **SCNuMAX**
#define **SCNxMAX**
#define **SCNXMAX**
#define **SCNoPTR**

#define **SCNuPTR**
#define **SCNxPTR**
#define **SCNXPTR**
#define **imaxabs**
#define **strtoimax**
#define **strtoumax**
#define **wcstoimax**
#define **wcstoumax**

Functions

imaxdiv_t __cdecl **imaxdiv** (intmax_t numer, intmax_t denom)

Macro Definition Documentation

#define imaxabs

Definition at line 269 of file inttypes.h.

#define PRId16

Definition at line 64 of file inttypes.h.

#define PRId32

Definition at line 71 of file inttypes.h.

#define PRId64

Definition at line 78 of file inttypes.h.

#define PRId8

Definition at line 57 of file inttypes.h.

#define PRIdFAST16

Definition at line 68 of file inttypes.h.

#define PRIdFAST32

Definition at line 75 of file inttypes.h.

#define PRIdFAST64

Definition at line 82 of file inttypes.h.

#define PRIdFAST8

Definition at line 61 of file inttypes.h.

#define PRIdLEAST16

Definition at line 66 of file inttypes.h.

#define PRIdLEAST32

Definition at line 73 of file inttypes.h.

#define PRIdLEAST64

Definition at line 80 of file inttypes.h.

#define PRIdLEAST8

Definition at line 59 of file inttypes.h.

#define PRIdMAX

Definition at line 85 of file inttypes.h.

#define PRIdPTR

Definition at line 88 of file inttypes.h.

#define PRIi16

Definition at line 65 of file inttypes.h.

#define PRIi32

Definition at line 72 of file inttypes.h.

#define PRIi64

Definition at line 79 of file inttypes.h.

#define PRIi8

Definition at line 58 of file inttypes.h.

#define PRIiFAST16

Definition at line 69 of file inttypes.h.

#define PRIiFAST32

Definition at line 76 of file inttypes.h.

#define PRIiFAST64

Definition at line 83 of file inttypes.h.

#define PRIiFAST8

Definition at line 62 of file inttypes.h.

#define PRIiLEAST16

Definition at line 67 of file inttypes.h.

#define PRIiLEAST32

Definition at line 74 of file inttypes.h.

#define PRIiLEAST64

Definition at line 81 of file inttypes.h.

#define PRIiLEAST8

Definition at line 60 of file inttypes.h.

#define PRIiMAX

Definition at line 86 of file inttypes.h.

#define PRIiPTR

Definition at line 89 of file inttypes.h.

#define PRIo16

Definition at line 105 of file inttypes.h.

#define PRIo32

Definition at line 118 of file inttypes.h.

#define PRIo64

Definition at line 131 of file inttypes.h.

#define PRIo8

Definition at line 92 of file inttypes.h.

#define PRIoFAST16

Definition at line 113 of file inttypes.h.

#define PRIoFAST32

Definition at line 126 of file inttypes.h.

#define PRIoFAST64

Definition at line 139 of file inttypes.h.

#define PRIoFAST8

Definition at line 100 of file inttypes.h.

#define PRIoLEAST16

Definition at line 109 of file inttypes.h.

#define PRIoLEAST32

Definition at line 122 of file inttypes.h.

#define PRIoLEAST64

Definition at line 135 of file inttypes.h.

#define PRIoLEAST8

Definition at line 96 of file inttypes.h.

#define PRIoMAX

Definition at line 144 of file inttypes.h.

#define PRIoPTR

Definition at line 149 of file inttypes.h.

#define PRIu16

Definition at line 106 of file inttypes.h.

#define PRIu32

Definition at line 119 of file inttypes.h.

#define PRIu64

Definition at line 132 of file inttypes.h.

#define PRIu8

Definition at line 93 of file inttypes.h.

#define PRIuFAST16

Definition at line 114 of file inttypes.h.

#define PRIuFAST32

Definition at line 127 of file inttypes.h.

#define PRIuFAST64

Definition at line 140 of file inttypes.h.

#define PRIuFAST8

Definition at line 101 of file inttypes.h.

#define PRIuLEAST16

Definition at line 110 of file inttypes.h.

#define PRIuLEAST32

Definition at line 123 of file inttypes.h.

#define PRIuLEAST64

Definition at line 136 of file inttypes.h.

#define PRIuLEAST8

Definition at line 97 of file inttypes.h.

#define PRIuMAX

Definition at line 145 of file inttypes.h.

#define PRIuPTR

Definition at line 150 of file inttypes.h.

#define PRIx16

Definition at line 107 of file inttypes.h.

#define PRIX16

Definition at line 108 of file inttypes.h.

#define PRIx32

Definition at line 120 of file inttypes.h.

#define PRIX32

Definition at line 121 of file inttypes.h.

#define PRIx64

Definition at line 133 of file inttypes.h.

#define PRIX64

Definition at line 134 of file inttypes.h.

#define PRIx8

Definition at line 94 of file inttypes.h.

#define PRIX8

Definition at line 95 of file inttypes.h.

#define PRIxFAST16

Definition at line 115 of file inttypes.h.

#define PRIXFAST16

Definition at line 116 of file inttypes.h.

#define PRIxFAST32

Definition at line 128 of file inttypes.h.

#define PRIXFAST32

Definition at line 129 of file inttypes.h.

#define PRIxFAST64

Definition at line 141 of file inttypes.h.

#define PRIXFAST64

Definition at line 142 of file inttypes.h.

#define PRIxFAST8

Definition at line 102 of file inttypes.h.

#define PRIXFAST8

Definition at line 103 of file inttypes.h.

#define PRIxLEAST16

Definition at line 111 of file inttypes.h.

#define PRIXLEAST16

Definition at line 112 of file inttypes.h.

#define PRIxLEAST32

Definition at line 124 of file inttypes.h.

#define PRIXLEAST32

Definition at line 125 of file inttypes.h.

#define PRIxLEAST64

Definition at line 137 of file inttypes.h.

#define PRIXLEAST64

Definition at line 138 of file inttypes.h.

#define PRIxLEAST8

Definition at line 98 of file inttypes.h.

#define PRIXLEAST8

Definition at line 99 of file inttypes.h.

#define PRIxMAX

Definition at line 146 of file inttypes.h.

#define PRIXMAX

Definition at line 147 of file inttypes.h.

#define PRIxPTR

Definition at line 151 of file inttypes.h.

#define PRIXPTR

Definition at line 152 of file inttypes.h.

#define SCNd16

Definition at line 162 of file inttypes.h.

#define SCNd32

Definition at line 169 of file inttypes.h.

#define SCNd64

Definition at line 176 of file inttypes.h.

#define SCNd8

Definition at line 155 of file inttypes.h.

#define SCNdFAST16

Definition at line 166 of file inttypes.h.

#define SCNdFAST32

Definition at line 173 of file inttypes.h.

#define SCNdFAST64

Definition at line 180 of file inttypes.h.

#define SCNdFAST8

Definition at line 159 of file inttypes.h.

#define SCNdLEAST16

Definition at line 164 of file inttypes.h.

#define SCNdLEAST32

Definition at line 171 of file inttypes.h.

#define SCNdLEAST64

Definition at line 178 of file inttypes.h.

#define SCNdLEAST8

Definition at line 157 of file inttypes.h.

#define SCNdMAX

Definition at line 183 of file inttypes.h.

#define SCNdPTR

Definition at line 190 of file inttypes.h.

#define SCNi16

Definition at line 163 of file inttypes.h.

#define SCNi32

Definition at line 170 of file inttypes.h.

#define SCNi64

Definition at line 177 of file inttypes.h.

#define SCNi8

Definition at line 156 of file inttypes.h.

#define SCNiFAST16

Definition at line 167 of file inttypes.h.

#define SCNiFAST32

Definition at line 174 of file inttypes.h.

#define SCNiFAST64

Definition at line 181 of file inttypes.h.

#define SCNiFAST8

Definition at line 160 of file inttypes.h.

#define SCNiLEAST16

Definition at line 165 of file inttypes.h.

#define SCNiLEAST32

Definition at line 172 of file inttypes.h.

#define SCNiLEAST64

Definition at line 179 of file inttypes.h.

#define SCNiLEAST8

Definition at line 158 of file inttypes.h.

#define SCNiMAX

Definition at line 184 of file inttypes.h.

#define SCNiPTR

Definition at line 191 of file inttypes.h.

#define SCNo16

Definition at line 208 of file inttypes.h.

#define SCNo32

Definition at line 221 of file inttypes.h.

#define SCNo64

Definition at line 234 of file inttypes.h.

#define SCNo8

Definition at line 195 of file inttypes.h.

#define SCNoFAST16

Definition at line 216 of file inttypes.h.

#define SCNoFAST32

Definition at line 229 of file inttypes.h.

#define SCNoFAST64

Definition at line 242 of file inttypes.h.

#define SCNoFAST8

Definition at line 203 of file inttypes.h.

#define SCNoLEAST16

Definition at line 212 of file inttypes.h.

#define SCNoLEAST32

Definition at line 225 of file inttypes.h.

#define SCNoLEAST64

Definition at line 238 of file inttypes.h.

#define SCNoLEAST8

Definition at line 199 of file inttypes.h.

#define SCNoMAX

Definition at line 247 of file inttypes.h.

#define SCNoPTR

Definition at line 258 of file inttypes.h.

#define SCNu16

Definition at line 209 of file inttypes.h.

#define SCNu32

Definition at line 222 of file inttypes.h.

#define SCNu64

Definition at line 235 of file inttypes.h.

#define SCNu8

Definition at line 196 of file inttypes.h.

#define SCNuFAST16

Definition at line 217 of file inttypes.h.

#define SCNuFAST32

Definition at line 230 of file inttypes.h.

#define SCNuFAST64

Definition at line 243 of file inttypes.h.

#define SCNuFAST8

Definition at line 204 of file inttypes.h.

#define SCNuLEAST16

Definition at line 213 of file inttypes.h.

#define SCNuLEAST32

Definition at line 226 of file inttypes.h.

#define SCNuLEAST64

Definition at line 239 of file inttypes.h.

#define SCNuLEAST8

Definition at line 200 of file inttypes.h.

#define SCNuMAX

Definition at line 248 of file inttypes.h.

#define SCNuPTR

Definition at line 259 of file inttypes.h.

#define SCNx16

Definition at line 210 of file inttypes.h.

#define SCNX16

Definition at line 211 of file inttypes.h.

#define SCNx32

Definition at line 223 of file inttypes.h.

#define SCNX32

Definition at line 224 of file inttypes.h.

#define SCNx64

Definition at line 236 of file inttypes.h.

#define SCNX64

Definition at line 237 of file inttypes.h.

#define SCNx8

Definition at line 197 of file inttypes.h.

#define SCNX8

Definition at line 198 of file inttypes.h.

#define SCNxFAST16

Definition at line 218 of file inttypes.h.

#define SCNXFAST16

Definition at line 219 of file inttypes.h.

#define SCNxFAST32

Definition at line 231 of file inttypes.h.

#define SCNXFAST32

Definition at line 232 of file inttypes.h.

#define SCNxFAST64

Definition at line 244 of file inttypes.h.

#define SCNXFAST64

Definition at line 245 of file inttypes.h.

#define SCNxFAST8

Definition at line 205 of file inttypes.h.

#define SCNXFAST8

Definition at line 206 of file inttypes.h.

#define SCNxLEAST16

Definition at line 214 of file inttypes.h.

#define SCNXLEAST16

Definition at line 215 of file inttypes.h.

#define SCNxLEAST32

Definition at line 227 of file inttypes.h.

#define SCNXLEAST32

Definition at line 228 of file inttypes.h.

#define SCNxLEAST64

Definition at line 240 of file inttypes.h.

#define SCNXLEAST64

Definition at line 241 of file inttypes.h.

#define SCNxLEAST8

Definition at line 201 of file inttypes.h.

#define SCNXLEAST8

Definition at line 202 of file inttypes.h.

#define SCNxMAX

Definition at line 249 of file inttypes.h.

#define SCNXMAX

Definition at line 250 of file inttypes.h.

#define SCNxPTR

Definition at line 260 of file inttypes.h.

#define SCNXPTR

Definition at line 261 of file inttypes.h.

#define strtoimax

Definition at line 297 of file inttypes.h.

#define strtoumax

Definition at line 298 of file inttypes.h.

#define wcstoimax

Definition at line 301 of file inttypes.h.

#define wcstoumax

Definition at line 302 of file inttypes.h.

Function Documentation

imaxdiv_t __cdecl imaxdiv (intmax_t *numer*, intmax_t *denom*) `[inline]`

Definition at line 280 of file inttypes.h.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/log_event.h File Reference

```
#include "log_event.h"
#include "event_dispatcher.h"
#include <string>
```

Classes

class **sosicon::LogEvent**
Log event. class **sosicon::LogEventDispatcher**

Namespaces

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/logger.cpp File Reference

```
#include "logger.h"
#include "sosi/sosi_charset_singleton.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/logger.h File Reference

```
#include "utils.h"
#include "log_event.h"
#include "event_dispatcher.h"
#include <iostream>
#include <algorithm>
#include <sstream>
#include <string>
```

Classes

class **sosicon::Logger**

SOSI logger. **Namespaces**

sosicon

Application root. **Functions**

Logger & **sosicon::flush** (Logger &l)

Variables

Logger **sosicon::logstream**

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/main.cpp File Reference

```
#include "main.h"
```

Functions

int **main** (int argc, char *argv[])

Function Documentation

int main (int *argc*, char * *argv*[])

Definition at line 20 of file main.cpp.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/main.h File Reference

```
#include <exception>
#include <ios>
#include <iostream>
#include <locale>
#include "command_line.h"
#include "factory.h"
#include "logger.h"
#include "interface/i_converter.h"
```

Namespaces

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/parser.cpp File Reference

```
#include "parser.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/parser.h File Reference

```
#include <iostream>
#include <algorithm>
#include <string>
#include <sstream>
#include <vector>
#include <map>
#include "utils.h"
#include "command_line.h"
#include "sosi/sosi_element.h"
#include "sosi/sosi_charset_singleton.h"
#include "interface/i_sosi_element.h"
```

Classes

class **sosicon::Parser**

SOSI file parser. **Namespaces**

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/parser_ragel.cpp File Reference

```
#include "parser.h"
```

Namespaces

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/ragel/parser.rl File Reference

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/ragel/sosi_north_east.rl File Reference

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/ragel/sosi_north_east_height.rl File Reference

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/ragel/sosi_origo_ne.rl File Reference

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/ragel/sosi_ref.rl File Reference

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/shape/shapefile.cpp File Reference

```
#include "shapefile.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/shape/shapefile.h File Reference

```
#include <algorithm>
#include <ctime>
#include <string>
#include <vector>
#include <iostream>
#include "shapefile_types.h"
#include "../logger.h"
#include "../byte_order.h"
#include "../utils.h"
#include "../coordinate_collection.h"
#include "../sosi/sosi_types.h"
#include "../sosi/sosi_element.h"
#include "../sosi/sosi_element_search.h"
#include "../interface/i_shapefile.h"
#include "../interface/i_coordinate.h"
```

Classes

class **sosicon::shape::Shapefile**

***Shapefile** implementation.* **Namespaces**

sosicon
Application root. **sosicon::shape**

ESRI Shape. **Functions**

ShapeType **sosicon::shape::getShapeEquivalent** (sosi::ElementType sosiType)
Resolve geometry type.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/shape/shapefile_types.h File Reference

```
#include <stdint.h>
#include <map>
#include <algorithm>
#include <limits>
```

Classes

union **sosicon::shape::Int8Field**
8 bit integer / byte field union **sosicon::shape::Int16Field**
16 bit integer / byte field union **sosicon::shape::Int32Field**
32 bit integer / byte field union **sosicon::shape::Int32TField**
32 bit integer / byte / geom::ShapeType field union **sosicon::shape::DoubleField**
32 bit double / byte field struct **sosicon::shape::ShxIndex**

Namespaces

sosicon
Application root. **sosicon::shape**

ESRI Shape. **Typedefs**

typedef std::map< std::string, std::string > **sosicon::shape::DbfRecord**
typedef std::vector< DbfRecord > **sosicon::shape::DbfRecordSet**
typedef std::map< std::string, int > **sosicon::shape::DbfFieldLengths**
typedef std::vector< ShxIndex > **sosicon::shape::ShxOffsets**

Enumerations

enum **sosicon::shape::ShapeType** { **sosicon::shape::shape_type_none**,
sosicon::shape::shape_type_nullShape, **sosicon::shape::shape_type_point**,
sosicon::shape::shape_type_polyLine, **sosicon::shape::shape_type_polygon**,
sosicon::shape::shape_type_multipoint, **sosicon::shape::shape_type_pointZ**,
sosicon::shape::shape_type_polyLineZ, **sosicon::shape::shape_type_polygonZ**,
sosicon::shape::shape_type_multipointZ, **sosicon::shape::shape_type_pointM**,
sosicon::shape::shape_type_polyLineM, **sosicon::shape::shape_type_polygonM**,
sosicon::shape::shape_type_multiPointM, **sosicon::shape::shape_type_multiPatch** }*Geometry types.*

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_charset_singleton.cpp File Reference

```
#include "sosi_charset_singleton.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_charset_singleton.h File Reference

```
#include "../interface/i_sosi_element.h"
#include "../interface/i_sosi_head_member.h"
#include "sosi_types.h"
#include <iostream>
#include <string>
#include <sstream>
#include <vector>
```

Classes

class **sosicon::sosi::SosiCharsetSingleton**

SOSI Character set. **Namespaces**

sosicon
Application root. **sosicon::sosi**
SOSI. **sosicon::sosi::chartables**

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_element.cpp File Reference

```
#include "sosi_element.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_element.h File Reference

```
#include <vector>
#include <string>
#include "../logger.h"
#include "sosi_element_search.h"
#include "sosi_translation_table.h"
#include "sosi_charset_singleton.h"
#include "sosi_types.h"
#include "../interface/i_sosi_element.h"
```

Classes

class **sosicon::sosi::SosiElement**

Basic SOSI element. **Namespaces**

sosicon
Application root. **sosicon::sosi**

SOSI. **Functions**

CoordSys **sosicon::sosi::sysCodeToCoordSys** (int sysCode)
Convert SOSI SYSKODE value to coordinate system data.

ElementType **sosicon::sosi::sosiNameToType** (std::string sosiElementName)

Convert SOSI element names to ElementType enum value.

ObjType **sosicon::sosi::sosiObjNameToType** (std::string sosiObjTypeName)

Convert SOSI objtype names to ObjType enum value.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_element_search.cpp File Reference

```
#include "sosi_element_search.h"
#include "../interface/i_sosi_element.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_element_search.h File Reference

```
#include <map>
#include <vector>
#include "sosi_types.h"
```

Classes

class **sosicon::sosi::SosiElementSearch**

Namespaces

sosicon

Application root. **sosicon::sosi**

SOSI. **Typedefs**

typedef std::map< std::string, ISosiElement * > **sosicon::sosi::SosiElementMap**

Element index type.

typedef std::vector< ISosiElement * > **sosicon::sosi::SosiChildrenList**

typedef SosiChildrenList::iterator **sosicon::sosi::SosiChildrenIterator**

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_junction_point.h File Reference

```
#include "../interface/i_sosi_element.h"
#include "sosi_types.h"
#include <iostream>
#include <string>
#include <vector>
```

Classes

class **sosicon::sosi::SosiJunctionPoint**

SOSI Junction point. **Namespaces**

sosicon

Application root. **sosicon::sosi**

SOSI.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_north_east.cpp File Reference

```
#include "sosi_north_east.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_north_east.h File Reference

```
#include "../logger.h"
#include "../interface/i_sosi_element.h"
#include "../interface/i_coordinate.h"
#include "../common_types.h"
#include "../coordinate.h"
#include "sosi_types.h"
#include "sosi_origo_ne.h"
#include "sosi_unit.h"
#include <algorithm>
#include <limits>
#include <string>
#include <sstream>
#include <vector>
```

Classes

class **sosicon::sosi::SosiNorthEast**

SOSI North-east element. **Namespaces**

sosicon
Application root. **sosicon::sosi**

SOSI. **Typedefs**

typedef std::vector< SosiNorthEast * > **sosicon::sosi::NorthEastList**
List of SosiSNorthEast elements.

Functions

void **sosicon::sosi::deleteNorthEasts** (NorthEastList &lst)
*Deletes **SosiNorthEast** elements of NorthEastList.*

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_origo_ne.cpp File Reference

```
#include "sosi_origo_ne.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_origo_ne.h File Reference

```
#include "../interface/i_sosi_element.h"
#include "../interface/i_sosi_head_member.h"
#include "sosi_types.h"
```

```
#include <iostream>
#include <sstream>
#include <string>
```

Classes

class **sosicon::sosi::SosiOrigoNE**

SOSI Junction point. **Namespaces**

sosicon
Application root. **sosicon::sosi**
SOSI.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_ref_list.cpp File Reference

```
#include "sosi_ref_list.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_ref_list.h File Reference

```
#include "../interface/i_sosi_element.h"
#include "sosi_types.h"
#include <iostream>
#include <string>
#include <vector>
```

Classes

class **sosicon::sosi::SosiRefList**

SOSI REF list. **Namespaces**

sosicon
Application root. **sosicon::sosi**
SOSI.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_translation_table.cpp File Reference

```
#include "sosi_translation_table.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_translation_table.h File Reference

```
#include <map>
#include <vector>
#include "sosi_types.h"
#include "sosi_charset_singleton.h"
```

Classes

class **sosicon::sosi::SosiTranslationTable**

Namespaces

sosicon
Application root. **sosicon::sosi**
SOSI.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_types.h File Reference

```
#include "../interface/i_coordinate.h"
#include <string>
#include <vector>
#include <map>
```

Classes

struct **sosicon::sosi::ReferenceData**
SOSI reference number. class **sosicon::sosi::CoordSys**

SOSI coordinate system. **Namespaces**

sosicon
Application root. **sosicon::sosi**

SOSI. **Typedefs**

typedef std::vector< ReferenceData * > **sosicon::sosi::GeometryRef**
List of SOSI references.

typedef std::vector< GeometryRef * > **sosicon::sosi::GeometryCollection**
Collection of SOSI reference lists.

Enumerations

enum **sosicon::sosi::ElementType** { **sosicon::sosi::sosi_element_unknown**, **sosicon::sosi::sosi_element_address_identifier**, **sosicon::sosi::sosi_element_airport_roads**, **sosicon::sosi::sosi_element_airport_type**, **sosicon::sosi::sosi_element_area**, **sosicon::sosi::sosi_element_charset**, **sosicon::sosi::sosi_element_coordsys**, **sosicon::sosi::sosi_element_curve**, **sosicon::sosi::sosi_element_data_collection_date**, **sosicon::sosi::sosi_element_eof**, **sosicon::sosi::sosi_element_head**, **sosicon::sosi::sosi_element_height**, **sosicon::sosi::sosi_element_iata_code**, **sosicon::sosi::sosi_element_icao_code**, **sosicon::sosi::sosi_element_kp**, **sosicon::sosi::sosi_element_level**, **sosicon::sosi::sosi_element_max_ne**, **sosicon::sosi::sosi_element_min_ne**, **sosicon::sosi::sosi_element_municipality**, **sosicon::sosi::sosi_element_name**, **sosicon::sosi::sosi_element_ne**, **sosicon::sosi::sosi_element_neh**, **sosicon::sosi::sosi_element_objtype**, **sosicon::sosi::sosi_element_origo_ne**, **sosicon::sosi::sosi_element_owner**, **sosicon::sosi::sosi_element_point**, **sosicon::sosi::sosi_element_quality**, **sosicon::sosi::sosi_element_ref**, **sosicon::sosi::sosi_element_surface**, **sosicon::sosi::sosi_element_text**, **sosicon::sosi::sosi_element_traffic_type**, **sosicon::sosi::sosi_element_transpar**, **sosicon::sosi::sosi_element_unit**, **sosicon::sosi::sosi_element_updatedate**, **sosicon::sosi::sosi_element_water_width**, **sosicon::sosi::sosi_element_vendor**, **sosicon::sosi::sosi_element_version** }*List of SOSI element types.*

enum **sosicon::sosi::ObjType** { **sosicon::sosi::sosi_objtype_unknown**, **sosicon::sosi::sosi_objtype_airport**, **sosicon::sosi::sosi_objtype_airport_type**, **sosicon::sosi::sosi_objtype_baseline**, **sosicon::sosi::sosi_objtype_carriageway**, **sosicon::sosi::sosi_objtype_cadastral_address**, **sosicon::sosi::sosi_objtype_coastline**,

sosicon::sosi::sosi_objtype_constituency_boundary,
sosicon::sosi::sosi_objtype_county_boundary, **sosicon::sosi::sosi_objtype_data_delineation**,
sosicon::sosi::sosi_objtype_edge_view, **sosicon::sosi::sosi_objtype_fictious_dividing_line**,
sosicon::sosi::sosi_objtype_forest, **sosicon::sosi::sosi_objtype_developed_area**,
sosicon::sosi::sosi_objtype_golf_course, **sosicon::sosi::sosi_objtype_industrial_area**,
sosicon::sosi::sosi_objtype_lake, **sosicon::sosi::sosi_objtype_lane**,
sosicon::sosi::sosi_objtype_lake_edge, **sosicon::sosi::sosi_objtype_lake_river_barrier**,
sosicon::sosi::sosi_objtype_land_use_boundary, **sosicon::sosi::sosi_objtype_level_crossing**,
sosicon::sosi::sosi_objtype_municipal_divide, **sosicon::sosi::sosi_objtype_municipality**,
sosicon::sosi::sosi_objtype_municipality_boundary, **sosicon::sosi::sosi_objtype_marsh**,
sosicon::sosi::sosi_objtype_national_border,
sosicon::sosi::sosi_objtype_pedestrian_bicycle_road_centre_line,
sosicon::sosi::sosi_objtype_sea_river_delineation, **sosicon::sosi::sosi_objtype_snow_field**,
sosicon::sosi::sosi_objtype_open_land, **sosicon::sosi::sosi_objtype_river_brook**,
sosicon::sosi::sosi_objtype_river_brook_edge, **sosicon::sosi::sosi_objtype_road_block**,
sosicon::sosi::sosi_objtype_road_centre_line, **sosicon::sosi::sosi_objtype_road_under_railway**,
sosicon::sosi::sosi_objtype_sea_surface, **sosicon::sosi::sosi_objtype_sidewalk**,
sosicon::sosi::sosi_objtype_spelling, **sosicon::sosi::sosi_objtype_stone_quarry**,
sosicon::sosi::sosi_objtype_street_address, **sosicon::sosi::sosi_objtype_territorial_boundary**,
sosicon::sosi::sosi_objtype_turn_connecting_segment }*List of SOSI OBJTYPEs.*

enum **sosicon::sosi::Charset** { **sosicon::sosi::sosi_charset_undetermined**,
sosicon::sosi::sosi_charset_ansi, **sosicon::sosi::sosi_charset_decn7**,
sosicon::sosi::sosi_charset_dosn8, **sosicon::sosi::sosi_charset_iso8859_1**,
sosicon::sosi::sosi_charset_iso8859_10, **sosicon::sosi::sosi_charset_nd7**,
sosicon::sosi::sosi_charset_utf8 }*SOSI character encodings.*

enum **sosicon::sosi::JunctionPoint** { **sosicon::sosi::sosi_junction_node**,
sosicon::sosi::sosi_junction_connection, **sosicon::sosi::sosi_junction_open_end** }*Default SOSI junction point layer types.*

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_unit.cpp File Reference

```
#include "sosi_unit.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi/sosi_unit.h File Reference

```
#include "../interface/i_sosi_element.h"
#include "../interface/i_sosi_head_member.h"
#include "sosi_types.h"
#include <iostream>
#include <string>
#include <sstream>
#include <vector>
```

Classes

class **sosicon::sosi::SosiUnit**

SOSI Unit. **Namespaces**

sosicon
Application root. **sosicon::sosi**
SOSI.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi_north_east_height_ragel.cpp File Reference

```
#include "sosi/sosi_north_east.h"
```

Namespaces

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi_north_east_ragel.cpp File Reference

```
#include "sosi/sosi_north_east.h"
```

Namespaces

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi_origo_ne_ragel.cpp File Reference

```
#include "sosi/sosi_origo_ne.h"
```

Namespaces

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/sosi_ref_ragel.cpp File Reference

```
#include "sosi/sosi_ref_list.h"
```

Namespaces

sosicon
Application root.

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/utils.cpp File Reference

```
#include "utils.h"
```

/Volumes/Media/Dropbox/projects/gitsource/sosicon/src/utils.h File Reference

```
#include "memory.h"
#include "common_types.h"
#include <sys/stat.h>
#include <locale>
#include <iomanip>
#include <iostream>
#include <sstream>
```

```
#include <string>
#include <vector>
#include <algorithm>
#include <ctype.h>
```

Namespaces

sosicon
Application root. **sosicon::utils**

String manipulation routines.

Functions

std::string **sosicon::utils::className2FileName** (const std::string &className)
Converts Class name to file name string.

std::vector< std::string > **sosicon::utils::explode** (char delimiter, std::string str)
Split a string by a character.

bool **sosicon::utils::fileExists** (const std::string &name)
Test if file exists.

bool **sosicon::utils::isNumeric** (const std::string &str)
Test if a string represents a numeric value.

std::string **sosicon::utils::nonExistingFilename** (std::string defaultName)
Asserts output file name to be non-existing.

std::string **sosicon::utils::normalizeAppClassName** (const std::string &className)
Asserts correct name of application classes.

std::string **sosicon::utils::purgeCrLf** (std::string str)
Remove carriage returns and line feeds.

std::string **sosicon::utils::repeat** (const std::string &seq, unsigned int count)
Repeat string N times.

std::string **sosicon::utils::replaceAll** (const std::string &from, const std::string &to, const std::string &subject)
Replace all occurences of one string witn another.

std::string **sosicon::utils::sqlNormalize** (const std::string &str)
Sanitizes SQL data string.

std::string **sosicon::utils::stripTrailingSlash** (const std::string &str)
Remove trailing forward- and backward slashes from path component.

std::string **sosicon::utils::trim** (const std::string &str)
Removes leading and trailing space characters.

std::string **sosicon::utils::trimLeft** (const std::string &str)
std::string **sosicon::utils::trimRight** (const std::string &str)
std::string **sosicon::utils::toFieldname** (const std::string &from)
Substitutes Norwegian characters.

std::string **sosicon::utils::toLower** (const std::string &from)
std::string **sosicon::utils::ucFirst** (const std::string &str)
std::string **sosicon::utils::unquote** (const std::string &str)
Remove quotes around string.

void **sosicon::utils::getPathInfo** (std::string path, std::string &dir, std::string &tit, std::string &ext)
std::string **sosicon::utils::wktToStr** (Wkt wktGeom)
Get Well Known Text from Wkt enum.

Index

INDEX