


Blob Bleb



Test	Status	Comment
App startup		
- When the app is launched:		
* The left pane is opened by default	PASS	
* An empty project is setup by default (empty object list, empty screen, dummy title at the top)	TODO	
* The audio timeline shows a duration of zero	FAIL	
Pane resizing		
- When the user resizes the left pane:		
* The right pane resizes accordingly	NOT TESTED	
* The right pane cannot be fully closed by resizing	CANNOT TEST	
* The left pane fully closes when resized close to zero width	TODO	
* The left pane can be reopened after being fully closed	TODO	
- When the user resizes the object pane:		
* None of the panes can be fully closed by resizing	TODO	
Project settings icon		
- When the user opens the project settings:		
* The project settings dialog appears	TODO	
* The user can change the FPS	TODO	
- The FPS cannot be set to less than 1	TODO	
* The user can change the resolution	TODO	
- The user cannot set a width or height of less than 1	TODO	
* The user can pick an audio file by selecting a file in a file dialog, after clicking a button	TODO	
* The user can bake FFT data by clicking a button	TODO	

Test	Status	Comment
- The user cannot bake FFT data if no audio file is selected	TODO	
- The progress is shown in a text format	TODO	
* The user can close the project settings dialog	TODO	
New project icon		
- When the user clicks the new project icon:		
* A new empty project is created	TODO	
- The object list is empty	TODO	
- The screen is empty	TODO	
- The project title at the top is set to a dummy title	TODO	
- The audio timeline shows a duration of zero	TODO	
Open project icon		
- When the user clicks the open project icon:		
* A file dialog appears	TODO	
* When the user selects a valid project file and confirms:		
- The screen is locked and a progress bar as well as contextual text is shown	TODO	
- The selected project is loaded, replacing the current project	TODO	
- The screen is unlocked and the progress bar and contextual text disappear	TODO	
- The project title at the top is updated to the opened project's title	TODO	
- The object list is updated to the opened project's objects	TODO	
- The screen is updated to the opened project's screen	TODO	
- The audio timeline is updated to the opened project's audio file	TODO	
* When the user cancels the file dialog:		
- No changes are made to the current project	TODO	
Save project icon		
- When the user clicks the save project icon:		
* A file dialog opens up and the user can pick a file name		
* A native warning appears if the selected file already exists	TODO	
* When the user confirms the file dialog:		
- The screen is locked and a progress bar as well as contextual text is shown	TODO	
- The current project is saved to the selected file	TODO	
- The screen is unlocked and the progress bar and contextual text disappear	TODO	
- The asterisk indicating unsaved changes disappears from the project title at the top	TODO	
* When the user cancels the file dialog:		
- No changes are made to the current project	TODO	
Settings icon		
- When the user clicks the settings icon:		
* The settings dialog appears	TODO	

Test	Status	Comment
* The user can change the application theme between light and dark (immediate effect)	TODO	
* The user can change the application language (immediate effect)	TODO	
* The user can see the logs location path after clicking a button	TODO	
- The path seems to be the right one	TODO	
* The user can close the settings dialog	TODO	
Help icon		
- TBD		
New object icon		
- When the user clicks the new object icon:		
* A dialog appears with a list of object types to choose from	TODO	
* When the user clicks on an object type:		
- The dialog closes	TODO	
- A new object of the selected type is added at the end of the object list	TODO	
- The new object is visible on the screen	TODO	
* When the user cancels the new object dialog:		
- No new object is added to the object list	TODO	
Undo/Redo icons		
- TBD		
Object list		
- The object list is scrollable if the objects do not fit in the pane	TODO	
- When the user clicks on an object in the object list:		
* The clicked object is selected	TODO	
* The selected object's properties can be edited in the pane underneath the object list, with its name visible at the top	TODO	
Shape visual object		
- When a shape visual object is selected:		
* The user can change its name	TODO	
* The user can change its layer (Z index)	TODO	
* The user can change its size (width and height ≥ 0)	TODO	
- A zero width or height do not create unexpected behaviour or errors	TODO	
- Shortcut buttons behave correctly (full width, etc.)	TODO	
* The user can change its position (X and Y)	TODO	
- The shortcut buttons behave correctly	TODO	
* The user can change its rotation (in degrees)	TODO	
* The user can change its border radius	TODO	
* The user can change its box shadow	TODO	
* The user can change its background type between color, gradient and image	TODO	
- The setting for each type is persistent and restored when switching between types	TODO	
- When colour is selected:		
* The user can change the background colour	TODO	

Test	Status	Comment
- When gradient is selected:		
* The user can change the gradient	TODO	
- When image is selected:		
* The user can pick an image file by selecting a file in a file dialog, after clicking a button	TODO	
* The user can change the image fit mode	TODO	
- When the user selects scale size control:		
* The user can change the scale using a newly shown input field	TODO	
* The scale input field is hidden when selecting another fit mode	TODO	
- When the user selects width height size control:		
* The user can change the width and height using newly shown input fields	TODO	
* The width and height input fields are hidden when selecting another fit mode	TODO	
* The user can change the image repeat mode	TODO	
Text visual object		
- When a text visual object is selected:		
* The user can change its name	TODO	
* The user can change its layer (Z index)	TODO	
* The user can change its size (width and height ≥ 0)	TODO	
- A zero width or height do not create unexpected behaviour or errors	TODO	
- Shortcut buttons behave correctly (full width, etc.)	TODO	
* The user can change its position (X and Y)	TODO	
- The shortcut buttons behave correctly	TODO	
* The user can change its rotation (in degrees)	TODO	
* The user can change its colour	TODO	
* The user can change its text type	TODO	
- When time text is selected, the text shows the current project time	TODO	
- When static text is selected, the user can change the text content	TODO	
* The user can change its font size	TODO	
* The user can toggle bold	TODO	
* The user can toggle italic	TODO	
* The user can toggle underline	TODO	
* The user can toggle strikethrough	TODO	
* The user can toggle overline	TODO	
* The user can change its horizontal text alignment	TODO	
* The user can change its shadow	TODO	
Particle flow visual object		
- When a particle flow visual object is selected:		
* The user can change its name	TODO	
* The user can change its layer (Z index)	TODO	
* The user can change its size (width and height ≥ 0)	TODO	

Test	Status	Comment
- A zero width or height do not create unexpected behaviour or errors	TODO	
- Shortcut buttons behave correctly (full width, etc.)	TODO	
* The user can change its position (X and Y)	TODO	
- The shortcut buttons behave correctly	TODO	
* The user can change its rotation (in degrees)	TODO	
* The user can change its particle colour	TODO	
* The user can change its particle minimum and maximum size	TODO	
* The user can change the flow type	TODO	
- When the flow type is directional, all particles flow in the same direction upon playback	TODO	
* A newly shown input field allows to change the flow direction in degrees	TODO	
- When the flow type is radial, all particles flow outwards from the center upon playback	TODO	
* Newly shown input fields allow to change the center X and Y positions	TODO	
* The user can change the particle density (spawn tests and probability)	TODO	
Timer - Straight bar visual object		
- When a timer - straight bar visual object is selected:		
* The user can change its name	TODO	
* The user can change its layer (Z index)	TODO	
* The user can change its size (width and height ≥ 0)	TODO	
- A zero width or height do not create unexpected behaviour or errors	TODO	
- Shortcut buttons behave correctly (full width, etc.)	TODO	
* The user can change its position (X and Y)	TODO	
- The shortcut buttons behave correctly	TODO	
* The user can change its rotation (in degrees)	TODO	
* The user can change its colour	TODO	
* The user can change its border radius	TODO	
* The user can change its border thickness	TODO	
* The user can change its box shadow	TODO	
* The user can change its inner spacing (space between border and filled area)	TODO	
Timer - Straight line point visual object		
- When a timer - straight line point visual object is selected:		
* The user can change its name	TODO	
* The user can change its layer (Z index)	TODO	
* The user can change its size (width and height ≥ 0)	TODO	
- A zero width or height do not create unexpected behaviour or errors	TODO	
- Shortcut buttons behave correctly (full width, etc.)	TODO	
* The user can change its position (X and Y)	TODO	
- The shortcut buttons behave correctly	TODO	
* The user can change its rotation (in degrees)	TODO	

Test	Status	Comment
* The user can change its colour	TODO	
* The user can change its border radius	TODO	
* The user can change its border thickness (line thickness)	TODO	
* The user can change its box shadow	TODO	
Visualizer – Straight bar visual object		
- When a visualizer – straight bar visual object is selected:		
* The user can change its name	TODO	
* The user can change its layer (Z index)	TODO	
* The user can change its size (width and height ≥ 0)	TODO	
- A zero width or height do not create unexpected behaviour or errors	TODO	
- Shortcut buttons behave correctly (full width, etc.)	TODO	
* The user can change its position (X and Y)	TODO	
- The shortcut buttons behave correctly	TODO	
* The user can change its rotation (in degrees)	TODO	
* The user can change its colour	TODO	
* The user can change its border radius	TODO	
* The user can change its box shadow	TODO	
* The user can change its point count	TODO	
* The user can change its min and max range (between 0 and 1023)	TODO	
* The user can change its smoothing type	TODO	
* The user can change its smoothing factor (behaviour dependant on the smoothing type)	TODO	
- TODO detail		
* The user can change the bar thickness	TODO	
Visualizer – Circular bar visual object		
- When a visualizer – circular bar visual object is selected:		
* The user can change its name	TODO	
* The user can change its layer (Z index)	TODO	
* The user can change its size (width and height ≥ 0)	TODO	
- A zero width or height do not create unexpected behaviour or errors	TODO	
- Shortcut buttons behave correctly (full width, etc.)	TODO	
* The user can change its position (X and Y)	TODO	
- The shortcut buttons behave correctly	TODO	
* The user can change its rotation (in degrees)	TODO	
* The user can change its colour	TODO	
* The user can change its border radius	TODO	
* The user can change its box shadow	TODO	
* The user can change its point count	TODO	
* The user can change its min and max range (between 0 and 1023)	TODO	
* The user can change its smoothing type	TODO	
* The user can change its smoothing factor (behaviour dependant on the smoothing type)	TODO	
- TODO detail		

Test	Status	Comment
* The user can change the bar thickness	TODO	
Visualizer – Straight wave visual object		
– When a visualizer – straight wave visual object is selected:		
* The user can change its name	TODO	
* The user can change its layer (Z index)	TODO	
* The user can change its size (width and height >= 0)	TODO	
– A zero width or height do not create unexpected behaviour or errors	TODO	
– Shortcut buttons behave correctly (full width, etc.)	TODO	
* The user can change its position (X and Y)	TODO	
– The shortcut buttons behave correctly	TODO	
* The user can change its rotation (in degrees)	TODO	
* The user can change its colour	TODO	
* The user can change its point count	TODO	
* The user can change its min and max range (between 0 and 1023)	TODO	
* The user can change its smoothing type	TODO	
* The user can change its smoothing factor (behaviour dependant on the smoothing type)	TODO	
– TODO detail		
Audio controls		
– When the user clicks the play button:		
* The project playback starts from the current timeline position	TODO	
* The play button changes to a pause button	TODO	
– When the user clicks the pause button:		
* The project playback pauses	TODO	
* The pause button changes to a play button	TODO	
– When the user clicks the 'to start' button:		
* The timeline position moves to the start (0:00)	TODO	
– When the user clicks the 'to end' button:		
* The timeline position moves to the end (project duration)	TODO	
* The playback stops if it was playing and loop mode is disabled	TODO	
* The playback moves to the start if it was playing and loop mode is enabled	TODO	
– When the user toggles the loop mode button:		
* The loop mode is enabled/disabled accordingly	TODO	
– When the user drags the timeline position slider:		
* The timeline position moves accordingly	TODO	
* The playback updates accordingly	TODO	
– When the user clicks the fast forward button:		
* The timeline position moves forward by 5 seconds	TODO	
* The playback updates accordingly	TODO	
– When the user clicks the rewind button:		
* The timeline position moves backward by 5 seconds	TODO	
* The playback updates accordingly	TODO	