

**TASK REPORT  
WEEK PROGRAMING  
WEEK 7**



**Created by:  
Cesario Hafidh Arifa Noorcholish  
L200224217**

**X**

**INFORMATICS ENGINEERING  
FACULTY OF COMMUNICATION AND INFORMATICS  
UNIVERSITAS MUHAMMADIYAH SURAKARTA  
2023/2024**


## TASK

### 1. Experiment 1 (Border)

- Code

```
<html>
<head>
  <title>Border</title>
  <style type="text/css">
    p.dotted { border-style: dotted; }
    p.dashed { border-style: dashed; }
    p.solid { border-style: solid; }
    p.double { border-style: double; }
    p.groove { border-style: groove; }
    p.ridge { border-style: ridge; }
    p.inset { border-style: inset; }
    p.outset { border-style: outset; }
  </style>
</head>
<body>
  <p class="dotted">A dotted border</p>
  <p class="dashed">A dashed border</p>
  <p class="solid">A solid border</p>
  <p class="double">A double border</p>
  <p class="groove">A groove border</p>
  <p class="ridge">A ridge border</p>
  <p class="inset">An inset border</p>
  <p class="outset">An outset border</p>
</body>
</html>
```

- Result




## 2. Experiment 2 (Image)

- Code



- Result




### 3. Experiment 3 (Shadow)

- Code

```
<html>
<head>
  <title>Shadow</title>
  <style type="text/css">
    h1 {
      text-shadow: 5px 5px 5px #FF0000;
    }
    .position1 {
      position: relative;
      top: 15px;
      left: 25px;
      z-index: 10;
      color: #000000;
      font-family: Arial, sans-serif;
      font-size: 25pt;
    }
    .position2 {
      position: relative;
      top: -22px;
      left: 28px;
      z-index: 6;
      color: #2300cc;
      font-family: Arial, sans-serif;
      font-size: 25pt;
    }
    .position3 {
      position: relative;
      top: -59px;
      left: 29px;
      z-index: 6;
      color: #2ff00f;
      font-family: Arial, sans-serif;
      font-size: 25pt;
    }
  </style>
</head>
<body>
  <div class="position1">Web Programming with CSS</div>
  <div class="position2">Web Programming with CSS</div>
  <div class="position3">Web Programming with CSS</div>
  <h1>Shadow Effects with CSS3</h1>
</body>
</html>
```

- Result



**Web Programming with CSS**


**Shadow Effects with CSS3**

#### 4. Experiment 4 (Hyperlink)

- Code

```
<html>
<head>
  <title>Hyperlink</title>
  <style type="text/css">
    body {
      font-variant: small-caps;
    }
    a:link {
      text-decoration: none;
      color: yellow;
      background-color: lime;
    }
    a:visited {
      text-decoration: none;
      color: green;
      background-color: lime;
    }
    a:active {
      text-decoration: none;
      color: yellow;
      background-color: lime;
    }
    a:hover {
      text-decoration: none;
      color: white;
      background-color: lime;
    }
  </style>
</head>
<body>
  Hyperlinks Using CSS<br>
  <a href="#">button 1</a>
  <a href="#">button 2</a>
  <a href="#">button 3</a>
  <a href="#">button 4</a>
</body>
</html>
```

- Result



## 5. Experiment 5 (Form using external Style)

- Code Style.css

```
body {
    font-variant: small-caps;
    background: blue;
}

h2 {
    font-family: 'Comic Sans MS', sans-serif;
    background-color: red;
    text-align: center;
}

table {
    background: grey;
}

td {
    font-weight: bold;
}
```

- Code

```
<html>
<head>
    <title>Form</title>
    <link rel="stylesheet" type="text/css" href="style.css">
</head>
<body>
    <h2><marquee>Free Registration</marquee></h2>
    <form action="process.php" method="post" name="form">
        <table width="68%" border="0" align="center" cellpadding="0">
            <tr>
                <td class="td" width="15%">Nama</td>
                <td width="2%"></td>
                <td width="83%"><input name="txtName" type="text" id="txtName"></td>
            </tr>
            <tr>
                <td class="td">Birth Date</td>
                <td></td>
                <td>
                    <input name="txtDate" type="text" id="txtDate" size="4" maxLength="2"> /
                    <input name="txtMonth" type="text" id="txtMonth" size="4" maxLength="2"> /
                    <input name="txtYear" type="text" id="txtYear" size="8" maxLength="4">
                </td>
            </tr>
            <tr>
                <td class="td">Alamat</td>
                <td></td>
                <td><textarea name="txtAddress" cols="40" rows="2" id="txtAddress"></textarea></td>
            </tr>
            <tr>
                <td class="td">City</td>
                <td></td>
                <td><input name="txtCity" type="text" id="txtCity"></td>
            </tr>
            <tr>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
                <td>
                    <input name="btnSend" type="submit" id="btnSend" value="Send">
                    <input name="btnCancel" type="reset" id="btnCancel" value="Cancel">
                </td>
            </tr>
        </table>
    </form>
</body>
</html>
```

- Result

## ASSIGNMENT

1. Create border form like Experiment 5 using one of border style in Experiment 1.

Write the script and show (print screen) the output in browser

- Code Style.css

```
body {
    font-variant: small-caps;
    background: blue;
}

form {
    border-style: solid;
    border-color: #000000;
    border-width: 12px;
    padding: 2px;
    margin: 2px;
}

h2 {
    font-family: 'Comic Sans MS', sans-serif;
    background-color: red;
    text-align: center;
}

table {
    background: grey;
}

td {
    font-weight: bold;
}
```

- Main Code

```
<!DOCTYPE html>
<html>
<head>
<title>Assignment</title>
<link rel="stylesheet" type="text/css" href="style.css">
</head>
<body>
<h2><marquee>Free Registration</marquee></h2>
<form action="process.php" method="post" name="form">
<table width="68%" border="0" align="center" cellpadding="0">
<tr>
<td class="td" width="15%">Nama</td>
<td width="2%"></td>
<td width="83%"><input name="txtName" type="text" id="txtName"></td>
</tr>
<tr>
<td class="td">Birth Date</td>
<td></td>
<td>
<input name="txtDate" type="text" id="txtDate" size="4" maxLength="2"> /
<input name="txtMonth" type="text" id="txtMonth" size="4" maxLength="2"> /
<input name="txtYear" type="text" id="txtYear" size="8" maxLength="4">
</td>
</tr>
<tr>
<td class="td">Alamat</td>
<td></td>
<td><textarea name="txtAddress" cols="40" rows="2" id="txtAddress"></textarea></td>
</tr>
<tr>
<td class="td">City</td>
<td></td>
<td><input name="txtCity" type="text" id="txtCity"></td>
</tr>
<tr>
<td>&nbsp;</td>
<td>&nbsp;</td>
<td>
<input name="btnSend" type="submit" id="btnSend" value="Send">
<input name="btnCancel" type="reset" id="btnCancel" value="Cancel">
</td>
</tr>
</table>
</form>
</body>
</html>
```

- Code process.php

```
<?php
if ($_SERVER["REQUEST_METHOD"] == "POST") {
    $name = $_POST["txtName"];
    $date = $_POST["txtDate"];
    $month = $_POST["txtMonth"];
    $year = $_POST["txtYear"];
    $address = $_POST["txtAddress"];
    $city = $_POST["txtCity"];

    echo "Name: " . $name . "<br>";
    echo "Birth Date: " . $date . "/" . $month . "/" . $year . "<br>";
    echo "Address: " . $address . "<br>";
    echo "City: " . $city . "<br>";
}
?>
```




- Result



FREE REGISTRATION

NAME	:	Yanto
BIRTH DATE	:	2/3/1999
ADDRESS	:	Au ah males
CITY	:	Ohio

Send Cancel



Name: Yanto  
Birth Date: 2/3/1999  
Address: Au ah males  
City: Ohio

\*\* If there is a code that is difficult/cannot be understand. I have uploaded my code on my github.

\*\* Untuk lebih jelas kodenya bisa lihat di github saya.

Link to My Github : [https://github.com/Pidhhh/Praktikum-Web/tree/main/Modul\\_7](https://github.com/Pidhhh/Praktikum-Web/tree/main/Modul_7)