


Game Over It - Wireframes & Component Breakdown

Step A - Screen map · Step B - Box sketches at two widths · Step C - Component tree · Step D - Sanity check

Step A - Screen map

Four routes, one shared layout. The user lands on **Backlog** (/), which is the home base every other screen returns to. No screen is a dead end.



QUESTIONS THE MAP ANSWERS

- **First screen:** Backlog at / - the list is the app.
- **Home base:** Backlog. It is reachable from all three other screens, and it is the nav's first item.
- **Dead ends:** none. Add game, Game detail, and Steam each have an explicit path back.
- **Steam is not on the critical path:** the map works with the Steam route never visited, which is what keeps the Steam API optional (SR-9).

LEGEND

content block - labelled repeated / list item state note (not always visible)

SCALE NOTE

Phone sketches are drawn near 1:1 (375 px). Desktop sketches are drawn at roughly **50% of 1280 px** so the two fit side by side. Labels are drawn at full size in both, so proportions - not type sizes - are what the desktop sketches convey.

Boxes and labels only. No colour, type, or spacing decisions appear here: those are Doc 3.

Step B - Screen 1 of 4: Backlog /

The main screen. Filter, search and sort the whole backlog; click a card to open it.

Phone - 375 px

Header
app name · nav
SearchBar input: filter by title
FilterChips All · Want to play · Playing · Completed · Abandoned scrolls horizontally on phone
Result count "12 games · 3 playing"
GameCard 1 - cover title · platform · StatusBadge · RatingStars
GameCard 2 - cover title · platform · StatusBadge · RatingStars
GameCard 3 - list continues same shape repeats
EmptyState shown instead of the cards when nothing matches
Footer

WHAT CHANGES ON A PHONE

- Card grid **3 columns - 1 stack**. This is the main media query.
- Search, sort and + *Add game* fold into one row: search full width, the sort select hides behind the chips row, and *Add game* becomes a floating button.
- Filter chips **scroll horizontally** instead of stacking - they must not push the list below the fold.

Desktop - 1280 px (drawn at ~50%)

Header
app name nav: Backlog · Steam
SearchBar input: filter by title Sort select title / added / updated / rating + Add game Button
FilterChips All · Want to play · Playing · Completed · Abandoned + counts per status
Result count "12 games · 3 playing"
GameCard 1 title · platform · badge · stars GameCard 2 same shape GameCard 3 same shape
GameCard 4 same shape GameCard 5 same shape GameCard 6 - grid continues repeats with keys
Footer

BLOCKS - COMPONENTS

- Header

Footer

 shared layout, every route
- SearchBar

FilterChips

SortSelect

 list controls
- GameCard

 ×N - the highest-value repeat in the app
- StatusBadge

RatingStars

 inside every card
- EmptyState

 two variants: no games / no matches
- ErrorState

Spinner

 for the fetch

Step B - Screen 2 of 4: Add game /games/new

One form. Title and status are required; everything else is behind an optional-fields toggle.

Phone - 375 px

Header

app name · nav

Page heading

"Add a game"

GameForm - required

FormField: Title (input)

FormField: Status (select, 4 options)

Optional-fields toggle

"Add details" - collapsed by default on phone

GameForm - optional

Platform · Rating · Hours played

Cover image URL · Notes (textarea)

Form actions

Save game (primary) · Cancel

ErrorMessage

field-level, appears under the offending FormField

Footer

WHAT CHANGES ON A PHONE

- Two-column form - **one column**, in the same field order.
- Optional fields **collapse behind a toggle** so the required two fields are visible without scrolling - this is the "add a game in 15 seconds" goal.
- Actions become **full-width stacked buttons**; the primary sits last, nearest the thumb.

Desktop - 1280 px (drawn at ~50%)

Header

app name | nav: Backlog · Steam

Page heading

"Add a game"

GameForm - left column

FormField: Title (input)

FormField: Status (select)

FormField: Platform (input)

GameForm - right column

FormField: Rating (1–10)

FormField: Hours played

FormField: Cover image URL

FormField: Notes (textarea)

Form actions

Save game (primary) · Cancel

ErrorMessage

field-level, under the offending FormField

Footer

BLOCKS - COMPONENTS

- GameForm

 organism, reused by Add and Edit
- FormField

 label + control + error slot - one molecule, used 7×
- Input

Select

Textarea

Label

 atoms
- Button

 atoms - primary and secondary variants
- ErrorMessage

 molecule, one per invalid field
- Same

Header

 and

Footer

 as every screen

Step B - Screen 3 of 4: Game detail /games/:id

One game in full. This is where edit and delete live - no separate edit route.

Phone - 375 px

Header

app name · nav

BackLink

"← Back to Backlog"

Cover image (or placeholder)

GameTitle

title · platform · "Imported from Steam" tag

Status row

StatusBadge · RatingStars · hours played

Dates

added · started · finished

Notes block

where the user records why they stopped

Status control

change status without leaving the screen

Actions

Edit (opens GameForm in place) · Delete

Delete confirmation

"Delete this game? This cannot be undone." Cancel / Delete

Footer

WHAT CHANGES ON A PHONE

- Cover switches from **side-by-side** - **stacked above the title**.
- The wide two-up row (notes | status control) **stacks to one column**.
- Back link stays at the top - a deep link into this screen must never be a dead end.

Desktop - 1280 px (drawn at ~50%)

Header

app name | nav: Backlog · Steam

BackLink

"← Back to Backlog"

Cover image

cover / placeholder

GameTitle + GameDetails

title · platform · "Imported from Steam" tag

StatusBadge · RatingStars · hours played

added · started · finished dates

Notes block

full-width notes panel

Status control

StatusSelect + Save

Actions

Edit (GameForm replaces GameDetails in place) · Delete

Delete confirmation

Cancel / Delete - destructive action confirmed

Footer

BLOCKS - COMPONENTS

- GameDetails

 organism - the read view
- GameForm

 reused for edit, swapped in place
- StatusBadge

RatingStars

 reused from the list
- Button

 with a destructive variant for Delete
- ConfirmDialog

 molecule, used only here
- BackLink

 atom

Step B - Screen 4 of 4: Steam /steam

Connect a public Steam profile and import its library. Every failure mode has a written state.

Phone - 375 px

Header

app name · nav

Page heading

"Connect Steam" + one line on what it does

SteamConnectPanel - form

FormField: profile URL, vanity name, or SteamID64
Connect button

SteamProfileCard

avatar · persona name · profile link · last synced

Sync panel

"Sync library" button + helper text
"Syncs update playtime; it never overwrites your status."

SteamImportSummary

"Imported 34 · updated 12 · skipped 2"

Disconnect

secondary action - keeps backlog entries

State: private profile

"This profile's game details are private" + how to change it

State: no API key / Steam down

"Steam is not configured" or "Steam is unavailable - try again"

Footer

WHAT CHANGES ON A PHONE

- Two panels **stack**: connect form first, then sync - the order the user actually performs them.
- The profile card moves **below** the form it came from, so the connection result appears where the action happened.
- Import summary becomes a **stacked list** of three counts instead of an inline row.

Desktop - 1280 px (drawn at ~50%)

Header

app name | nav: Backlog · Steam

Page heading

"Connect Steam" + one line on what it does

SteamConnectPanel

FormField: profile URL / vanity / SteamID64

Connect button

SteamProfileCard once connected:
avatar · name · profile link · last synced

Sync panel

"Sync library" button + helper text

SteamImportSummary:
imported · updated · skipped

Disconnect (secondary)

State: private profile

"This profile's game details are private" + how to change it

State: no API key / Steam down

"Steam is not configured" or "Steam is unavailable - try again"

Footer

BLOCKS - COMPONENTS

- SteamConnectPanel

 organism - the connect form SteamProfileCard
- molecule - reused

 wherever a profile is shown
- SteamImportSummary

 organism - the three counts
- ErrorMessage

 reused for the private / unavailable states
- Button

FormField

Spinner

 reused
- No new atoms - this screen introduces molecules and organisms only

Step C - Component tree (atomic levels)

Every box on the previous sheets, sorted into a level. Each component is built once and rendered wherever it appears.

Level	What it is	Components	Where it appears
Atoms	Smallest pieces. No app knowledge.	Button Input Select Textarea Label StatusBadge RatingStars Spinner BackLink	everywhere
Molecules	Small groups of atoms doing one job together.	FormField SearchBar FilterChips SortSelect GameCard EmptyState ErrorMessage ConfirmDialog SteamProfileCard	Backlog, Add game, Detail, Steam
Organisms	Whole sections of a screen.	Header Footer GameList GameForm GameDetails SteamConnectPanel SteamImportSummary	Header/Footer on all four routes
Pages	The screen that arranges organisms. Owns that route's state.	BacklogPage AddGamePage GameDetailPage SteamPage	one per route

RULES APPLIED

- **A component that repeats is a real component.** `GameCard` appears once per game across four screens, so it is built once and rendered in a list with keys. Same for `StatusBadge` and `RatingStars`.
- **A level uses the levels below it, never above.** `GameCard` (molecule) imports `StatusBadge` (atom) - never `GameList` (organism).
- **Header and Footer are built once** and sit in a shared layout.
- **GameForm is used twice** - Add game and Edit on the detail screen - which is why edit needs no separate route.
-

FOLDERS THIS BECOMES

```
client/src/  
  components/  
    atoms/  
    molecules/  
    organisms/  
  pages/  
  layouts/    (Header + Footer shell)  
  api/        (one interface, two implementations)
```

Step D - Sanity check

Walking the most important user task - *add a game, then mark it playing* - screen by screen, following the map and sketches.

Check	Result
Did I hit a screen I forgot to sketch?	No. The walk touches Backlog - Add game - Backlog - Game detail, and all four routes are sketched (Steam is the fourth, off this path).
Did any navigation have nowhere to go?	No. Every route returns to Backlog via the header nav; Add game and Detail also carry an explicit back action.
Does every piece of state have a component that owns it?	Yes - see the ownership table in the proposal (Doc 1). The list and filters are owned by BacklogPage, the form by GameForm, the Steam profile by SteamPage.
Can the user still do the main thing if a screen were removed?	Steam passes this test - it can be deleted and the app still works (manual entry). Backlog and Add game do not, which confirms they are core. Game detail is the weakest of the four: edit and delete could move to the list, so it is the honest candidate if a screen has to go.
Is the count within the course's 3–5 range?	Four routes, plus one shared layout. Inside the range with one screen of headroom.

NAVIGATION EDGES, ALL ACCOUNTED FOR

- Backlog - Add game - + *Add game* button
- Backlog - Game detail - click a card
- Backlog - Steam - nav item
- Add game - Backlog - Save, or Cancel
- Game detail - Backlog - back link, header nav, or after a confirmed delete
- Steam - Backlog - nav item (connect and sync stay on the screen, so its own result is visible where the action happened)

WHAT THIS MEANS FOR THE BUILD

The screen map becomes routes and nav. Four <Route> entries plus a layout route wrapping them.

Each box becomes a component in `src/components/`, sorted into the atomic folders above.

The "what changes on a phone" notes become media queries. The one that matters most is the card grid: 3 columns 1 stack.