



Zeendoc

REST API



Zeendoc provides several RESTful endpoints for document management and retrieval:

 France	https://armoires.zeendoc.com/[Url_Client]/ws/rest/swagger/
 Swiss	https://ch.zeendoc.com/[Url_Client]/ws/rest/swagger/
 Health	https://armoires-sante.zeendoc.com/[Url_Client]/ws/rest/swagger/

[Url_Client] : This parameter is defined in the URL or in your client configuration.

Login

[https://armoires.zeendoc.com/\[Url_Client\]/api/v4/login](https://armoires.zeendoc.com/[Url_Client]/api/v4/login)

You must initialize your first connection using the login endpoint: /login. This login process allows you to obtain a cookie, which you will subsequently use to access the various routes by including it in the headers of your requests.

POST /login Authenticates a user and returns a session cookie for subsequent requests.

This service allows to authenticate a user and generate a session cookie that can be used for the next calls.
This avoids having to enter the identifiers for each call to the WS.

Parameters Try it out

No parameters

Request body required application/json

Example Value Schema

```
{  "login": "john.doe@example.com",  "password": "*****"}
```

Responses

Code	Description	Links
200	Authentication réussie	No links

Media type application/json

Controls Accept header.

Example Value Schema

```
{  "cookie": "Zeendoc=abc123xyz",  "cookieDuration": "38880s"}
```

Login (cURL) :

```
<?php
// API Configuration
$apiUrl = 'https://armoires.zeendoc.com/url_client/api/v4/login';
$login = 'test@zeendoc.com';
$password = '*****';

// cURL Initialization
$ch = curl_init();

// Request Options
curl_setopt($ch, CURLOPT_URL, $apiUrl);
curl_setopt($ch, CURLOPT_POST, true);
curl_setopt($ch, CURLOPT_POSTFIELDS, json_encode([
    'login' => $login,
    'password' => $password
]));
curl_setopt($ch, CURLOPT_HTTPHEADER, [
    'Content-Type: application/json',
    'Accept: application/json'
]);
curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);
curl_setopt($ch, CURLOPT_HEADER, true); // To retrieve headers (including cookie)

// Request Execution
$response = curl_exec($ch);

// Error Handling
if (curl_errno($ch)) {
    die('cURL Error: ' . curl_error($ch));
}

// Session Cookie Retrieval
$header_size = curl_getinfo($ch, CURLINFO_HEADER_SIZE);
$headers = substr($response, 0, $header_size);
$body = substr($response, $header_size);

// Cookie Extraction (example: "Set-Cookie: Zeendoc-abc123xyz;")
if (preg_match('/Set-Cookie:\s*([^;]+)/i', $headers, $matches)) {
    $cookie = trim($matches[1]);
    echo "Session cookie obtained: " . $cookie . "\n";
} else {
    echo "No cookie found in response.\n";
    echo "Raw response:\n" . $body . "\n";
}

// cURL Session Closure
curl_close($ch);
?>
```