


# pst-solarsystem

Position of the visible planets, projected on the plane of the ecliptic; v.0.12

1/1/2012

January 1, 2012



| 1                       | Mercure  | Venus    | Earth    | Mars    | Jupiter  | Saturn  |
|-------------------------|----------|----------|----------|---------|----------|---------|
| longitude at $^{\rm o}$ | 208,922  | 3,70074  | 99,3591  | 136,34  | 38,6176  | 202,965 |
| latitude at o           | 2,35469  | -3,24829 | 0,0      | 1,84657 | -1,14984 | 2,48818 |
| distance at U.A         | 0,428917 | 0,726324 | 0,983342 | 1,65578 | 4,97024  | 9,70677 |

Package author(s):
Manuel Luque
Herbert Voß

Contents 2

#### **Contents**

#### 1 List of all optional arguments for pst-solarsystem

5

References 5

For the method of calculation, I was guided by:

• that given by *Jean Meeus* astronomical calculations in the book for use by published by the Amateur Astronomical Society of France.

• and that of Guy Serane in Astronomy & PC published by Wiley & Sons.

As we can not represent all the planets in the real proportions, only Mercury, Venus, Earth and Mars are the proportions of the orbits and their relative sizes observed. Saturn and Jupiter are in the right direction, but obviously not at the right distance.

The orbits are shown in solid lines for the portion above the ecliptic and dashed for the portion located below.

We can compare the view obtained with the following representation:

http://users.skynet.be/fa274406/rubriques/live/orbites/orbites.htm

The use of the command is very simple, just specify the date of observation with the following parameters, for example:

\SolarSystem[Day=31,Month=06,Year=2001,Hour=23,Minute=59,Second=59]


By default, if no parameter is specified, \SolarSystem gives the configuration day 0 hours to compile.

The values is enabled by default. It displays the values of longitude, latitude, and the distance in astronomical units.


The accuracy of the calculations is about 0.1 to 0.3 degrees (comparing to ephemeris the Bureau des Longitudes), which is more than enough for a performance graph.

http://www.imcce.fr/fr/ephemerides/formulaire/form\_ephepos.php

Contents 3



Contents 4



\SolarSystem[Day=30,Month=06,Year=2001, Hour=23,Minute=59,Second=59, viewpoint=1 -1 2,values=false]

References 5

#### 1 List of all optional arguments for pst-solar system

| Key    | Type     | Default        |
|--------|----------|----------------|
| Day    | ordinary | \number \day   |
| Month  | ordinary | \number \month |
| Year   | ordinary | \number \year  |
| Hour   | ordinary | 12             |
| Minute | ordinary | 0              |
| Second | ordinary | 0              |
| values | boolean  | true           |

#### **References**

- [1] Denis Girou. Présentation de PSTricks. Cahier GUTenberg, 16:21-70, April 1994.
- [2] Michel Goosens, Frank Mittelbach, Sebastian Rahtz, Denis Roegel, and Herbert Voß. *The LATEX Graphics Companion*. Addison-Wesley Publishing Company, Reading, Mass., 2007.
- [3] Laura E. Jackson and Herbert Voß. Die Plot-Funktionen von pst-plot. *Die TeXnische Komödie*, 2/02:27–34, June 2002.
- [4] Nikolai G. Kollock. *PostScript richtig eingesetzt: vom Konzept zum praktischen Einsatz.* IWT, Vaterstetten, 1989.
- [5] Herbert Voß. Chaos und Fraktale selbst programmieren: von Mandelbrotmengen über Farbmanipulationen zur perfekten Darstellung. Franzis Verlag, Poing, 1994.
- [6] Herbert Voß. Die mathematischen Funktionen von PostScript. *Die T<sub>E</sub>Xnische Komödie*, 1/02, March 2002.
- [7] Herbert Voß. *PSTricks Grafik für T<sub>E</sub>X und L<sup>A</sup>T<sub>E</sub>X*. DANTE Lehmanns, Heidelberg/Berlin, 6. edition, 2010.
- [8] Herbert Voß. Typesetting mathematics with LATEX. UIT, Cambridge, 2010.
- [9] Herbert Voß. *PSTricks Graphics for T<sub>E</sub>X and L<sup>A</sup>T<sub>E</sub>X.* UIT, Cambridge, 2011.
- [10] Eric Weisstein. Wolfram MathWorld. http://mathworld.wolfram.com, 2007.
- [11] Timothy van Zandt. *PSTricks PostScript macros for generic T<sub>E</sub>X*. http://www.tug.org/application/PSTricks, 1993.
- [12] Timothy van Zandt. multido.tex a loop macro, that supports fixed-point addition. CTAN:/graphics/pstricks/generic/multido.tex, 1997.
- [13] Timothy van Zandt. pst-plot: Plotting two dimensional functions and data. CTAN: graphics/pstricks/generic/pst-plot.tex, 1999.
- [14] Timothy van Zandt and Denis Girou. Inside PSTricks. *TUGboat*, 15:239–246, September 1994.

### Index

## $\mathbf{D}$ Day, 2 Н Hour, 2 K Keyword – Day, 2 - Hour, 2 - Minute, 2 – Month, 2 Second, 2 values, 2 - Year, 2 $\mathbf{M}$ Macro - \SolarSystem, 2 Minute, 2 Month, 2 $\mathbf{S}$ Second, 2 \SolarSystem, 2 $\mathbf{V}$ values, 2

Y Year, 2