

Financing the Air We Breathe: Climate vs. Non-Climate Aid and Local CO₂ Emissions*

Staggered Event-Study and Dose–Response Evidence from Global ADM2
Data

Pierre Beaucoral[†]

Université Clermont Auvergne, CNRS, IRD, CERDI, pierre.beaucoral@uca.fr

2025-11-04

Abstract

This paper links geocoded development projects to subnational (ADM2) CO₂ outcomes from EDGAR for 2000–2022 to study whether climate-tagged aid lowers emissions where it is spent. I implement a staggered difference-in-differences design with not-yet-treated controls (Callaway–Sant’Anna) to estimate dynamic effects of first project arrival and then quantify heterogeneity by cumulative post-treatment exposure (dose–response). Pre-treatment trends are flat. Climate portfolios yield modest but significant medium-run reductions in local log-CO₂, and these declines intensify with larger cumulative climate funding. By contrast, non-climate aid slightly raises emissions, consistent with general production scale effects. The results speak to aid effectiveness and targeting: (i) scaling climate-tagged portfolios can deliver local decarbonization; (ii) steering non-climate resources away from carbon-intensive uses may avoid offsetting impacts. The paper provides micro-spatial evidence on how the composition and intensity of external finance shape environmental outcomes in developing economies.

*I would like to thanks Prof. Goujon and Marchand for their insightful comments.

[†]Preliminary version, please do not transfer, cite or use. This work was supported by the Agence Nationale de la Recherche of the French government through the program ”Investissements d’avenir, ANR-10-LABX-14-01”.

Introduction

International and domestic climate finance increasingly flows through, or must be implemented by, sub-national governments. Cities and regions control large shares of infrastructure investment, land-use regulation, and service delivery. Yet credible evidence on **who receives climate finance, at what cost, and with what effects** remains fragmented across disciplines. This article organizes that evidence articulates a tractable conceptual framework, and maps it to empirical strategies suitable for causal evaluation.

Literature Review

The relationship between development, climate aid/finance, and CO2 emissions is complex. Climate finance and targeted aid can reduce CO2 emissions, but the effectiveness depends on the type of aid, governance, and the stage of economic development. Economic growth and financial development alone often increase emissions unless paired with green finance or strong environmental policies.

Climate finance, especially when directed toward mitigation, is associated with lower CO2 emissions, with stronger effects in countries with higher economic development and in small island states (C.-C. Lee et al. 2022; Khan, Ahmed, and Hull 2023). Green finance and green technology innovation consistently show significant negative impacts on CO2 emissions in both developed (G7, OECD) and emerging economies (BRICS) (Sharif et al. 2022; Saeed Meo and Karim 2022; Umar and Safi 2023; Sadiq et al. 2024). Climate aid for renewable energy has a slight but transitory effect on reducing CO2 emissions, with greater impact after a certain threshold. However, its effectiveness is limited if recipient countries prioritize economic over ecological efficiency (Kablan and Chouard 2022).

Regarding Official Development Assistance (ODA), it can directly and indirectly mitigate CO2 emissions, but the effect is stronger in middle-income countries and when governance is robust. In low-income countries, the impact is limited (Barkat, Alsamara, and Mimouni 2024; S. K. Lee et al. 2020; Farooq 2021; Mahalik et al. 2021). Aid directed toward fossil fuel development increases CO2 emissions, especially in countries with less environmental regime integration (Henderson and Sommer 2022; Henderson 2019). Strong governance and environmental policies enhance the effectiveness of aid and finance in reducing emissions (Barkat, Alsamara, and Mimouni 2024; Farooq 2021; Henderson 2019).

Recent research provides clear evidence that green finance and climate aid can significantly reduce CO2 emissions at the subnational (regional or city) level, but the effectiveness varies by region, policy design, and local economic structure.

Studies using data from hundreds of Chinese cities and provinces show that green finance policies and instruments (such as green loans and subsidies) have a significant negative effect on CO2 emissions intensity at the subnational level. The effect is stronger in eastern and non-resource-based cities, while central and western or resource-dependent regions see weaker impacts (Y. Sun, Bao, and Taghizadeh-Hesary 2023; F. Wang, Cai, and Elahi 2021; Zhao et al. 2024; Li et al. 2025). Uniform national policies may be less effective than regionally tailored

approaches. Incentive-based policies work better in developed eastern provinces, while a mix of supportive and pressure policies (like carbon taxes) are needed in less developed central regions (Y. Sun, Bao, and Taghizadeh-Hesary 2023; Li et al. 2025). Green finance reduces emissions by supporting green technology innovation, upgrading industrial structure, and promoting renewable energy adoption. Debt-based green finance instruments are more effective than equity-based ones in reducing emissions at the city level (F. Wang, Cai, and Elahi 2021; Zhao et al. 2024). At the micro level, green finance helps firms reduce emissions through lower financing costs, technological innovation, and external supervision. However, emission reduction is less pronounced in heavy-polluting and resource-based industries (Zhao et al. 2024).

Climate finance projects, those specifically designed to support low-carbon, environmentally sustainable activities, consistently outperform traditional development finance projects in reducing CO₂ emissions at the subnational (regional or city) level. Climate finance significantly reduces local and neighboring CO₂ emissions, with a 1% increase in green financial development linked to a 3% decrease in regional emissions (J. Sun et al. 2022; Chen and Chen 2021; Su, Qiao, and Xu 2024). The effect is strongest in economically advanced or eastern regions and in non-resource-based cities, where financial markets and green policy implementation are more mature (Chen and Chen 2021; Su, Qiao, and Xu 2024). Climate finance also creates “ripple effects,” reducing emissions in adjacent areas by promoting green technology and industrial upgrades (J. Sun et al. 2022; Chen and Chen 2021; Su, Qiao, and Xu 2024).

General development finance (not specifically climate-related) can have mixed or even adverse effects on emissions. In some cases, it increases emissions by fueling economic growth and energy consumption, especially in less developed or resource-dependent regions (Chen and Chen 2021; Su, Qiao, and Xu 2024; L. Wang, Yang, and Cai 2024; Mumuni and Hamad-joda Lefe 2023). The emission-reducing effect of traditional finance is weaker, and in some regions, it may actually exacerbate pollution unless paired with strong environmental regulations or targeted toward green sectors (Chen and Chen 2021; L. Wang, Yang, and Cai 2024). Traditional finance lacks these targeted mechanisms and may inadvertently support high-emission sectors (Chen and Chen 2021; L. Wang, Yang, and Cai 2024).

At the subnational level, climate finance projects are significantly more effective than traditional development finance in reducing CO₂ emissions, especially in regions with mature financial systems and strong policy support. Traditional finance may have limited or even negative environmental effects unless explicitly directed toward green objectives.

Taken together, the existing evidence shows that climate-oriented finance can curb CO emissions, especially where governance and market depth support absorption, yet most subnational findings are China-centric, many designs are correlational, and “climate” vs. “traditional” finance is often measured with coarse, donor-provided labels. This leaves three central gaps: (i) limited external validity at fine geographic scales, (ii) weak causal identification of dynamic, project-level effects and spillovers, and (iii) insufficient separation of mechanisms (mitigation vs. adaptation; sectoral channels) and measurement error in climate tagging.

This study addresses these gaps by assembling a global ADM2 panel that links project-level development and climate finance (Bomprezzi et al. 2024) to high-resolution emissions outcomes, and by using ClimateFinanceBERT (Toetzke, Stünzi, and Egli 2022) to validate climate content beyond donor labels. Leveraging modern staggered DiD estimators, I identify the dynamic effects of climate and traditional finance on CO₂ levels and intensity. The project granularity enables clean contrasts between mitigation and adaptation portfolios, while text-audited tagging provides the first large-scale test of greenwashing/mislabeling in aid data. By delivering the first worldwide, causally identified, subnational assessment of how climate vs. traditional development finance shape emissions, this study moves the literature from suggestive correlations toward place-based evidence.

I leverage spatially explicit project data and a modern identification strategy to estimate the causal effect of climate finance on local pollution. This design combines (i) staggered adoption DiD (Callaway and Sant’Anna 2021) to identify average dynamic effects and (ii) dose–response analyses that compare dynamics across post-treatment exposure bins and via continuous doses at the ADM2–year level. This two-pronged approach distinguishes targeting from treatment intensity and is well-suited to the lumpy, time-varying nature of climate finance.

Data

I construct an ADM2–year panel by integrating two sources. First, I use the GODAD project database (Bomprezzi et al. 2024). In order to get know whether or not projects in this dataset were climate related, I use ClimateFinanceBERT (Toetzke, Stünzi, and Egli 2022) to classify projects from GODAD into climate-relevant or not and for those that were climate relevant, into adaptation, mitigation or environment categories. It allows me to get a description-based estimation of overall climate finance. For financing, I prioritize `disb_loc_evensplit` and substitute `comm_loc_evensplit` when the former is unavailable. Second, I merge environmental outcomes from EDGAR, aggregated to the ADM2 level by area-weighted averaging.

For each category, the adoption year for ADM2 j is defined as the first year with a strictly positive monetary amount:

$$g_j \equiv \min\{t : \text{Amount}_{jt} > 0\}.$$

Post-treatment exposure is the cumulative amount from the adoption year to the end of the panel:

$$\text{Exposure}_j \equiv \sum_{t \geq g_j} \text{Amount}_{jt}.$$

I partition treated ADM2s into intensity bins given by the empirical quantiles of Exposure_j . For descriptive cross-country figures, country–year totals are computed directly from GODAD by aggregating project amounts to the country–year level.

For the outcome variable, I build a global ADM2–year panel of territorial CO₂ emissions by aggregating the EDGAR 0.1° “CO₂ TOTALS” rasters (2000–2022) to second-level administrative boundaries. ADM2 polygons are loaded from GADM, validated and harmonized

(ISO3, ADM1/ADM2 names, stable GID), and re-projected to WGS84. For each year, I read the corresponding EDGAR raster (netCDF/GeoTIFF), ensure CRS consistency, and for efficiency, crop by country envelope before extracting area-weighted sums over each ADM2. The resulting tonnes are stored and cached. Note that these ADM2 values are *model-based allocations* of national/sector totals onto grid cells rather than native administrative measurements; precision is therefore higher where emissions come from mapped point sources (power/industry) and lower for diffuse sectors, and results can be sensitive to boundary definitions and small polygons, issues that are mitigated with exact area weighting and explicit versioning of both EDGAR and GADM.

Empirical Strategy

Let Y_{jt} denote log pollution in ADM2 j and year t . We estimate group-time average treatment effects using the **CS** estimator with not-yet-treated controls:

$$ATT(g, e) = \mathbb{E}[Y_{jt}(1) - Y_{jt}(0) \mid g_j = g, t - g = e],$$

and aggregate to dynamic event-time profiles with simultaneous confidence bands. To study heterogeneity by dose, we compute post-treatment totals (commitments/disbursements) and re-estimate dynamics within dose bins. This recovers a policy-relevant “more money means larger effects?” gradient while preserving the staggered-adoption identification.

Sample description

Table 1: Panel overview (ADM2–year).

Statistic	Value
Obs. (ADM2–year)	878 669
ADM2 units	38 203
Years	23
Year span	2000–2022
Ever treated ADM2	4 736
Never treated ADM2	33 467
Share treated by last year	12.4%

One can observe from Table 1 that the panel is large and nearly balanced, 38,203 ADM2 units observed over 23 years (2000–2022) yielding 878,669 unit–years, so missingness is minimal and pre-trend and medium-run dynamics are feasible. Only 12.4% of ADM2s are ever treated by 2022 (4,736 units), which provides abundant never- or not-yet-treated controls well suited to modern staggered DiD designs, while warranting overlap diagnostics and, if necessary, reweighting or trimming to common support. Staggered adoption and the definition of treatment as the first positive climate amount naturally motivate dynamic event-study ATTs alongside dose–response analyses based on cumulative post-treatment exposure. For clarity,

note that the reported “share treated by last year” is the fraction ever treated by the final year, not the fraction treated in that year. Given the sample size and number of treated clusters, average effects should be precisely estimated.


Table 2: Descriptive statistics for log CO₂ outcomes: overall and by treatment status.

Group	N	Mean	Sd	P10.10%	P50.50%	P90.90%
Overall	878669.000	10.558	2.072	8.308	10.412	13.195
Never treated	769741.000	10.441	2.008	8.264	10.312	12.983
Ever treated	108928.000	11.386	2.312	8.744	11.148	14.511

In terms of outcomes, Table 2 shows that the distribution of log CO is clearly right-shifted for ever-treated ADM2s relative to never-treated ones: the mean gap is 0.945 log points, implying treated ADM2s exhibit about $2.57\times$ higher CO levels on average $e^{0.945} \approx 2.57$, with a median gap of 0.836 log points $\approx 2.31\times$. Dispersion is larger among treated units (SD 2.31 vs 2.01), and the displayed percentiles are uniformly higher ($P10 : +0.48 \log \approx +62\%$ $P90 : +0.212\log \approx +24\%$), suggesting a broad rightward shift rather than just upper-tail differences. Cross-sectionally this is consistent with selection: treated ADM2s are likely more urban/industrial or otherwise systematically different. A pooled standardized mean difference of ≈ 0.46 (using group SDs and sample sizes) indicates moderate imbalance that should be addressed. Substantively, these gaps underscore the need to rely on within-ADM2 identification (unit and year fixed effects), probe parallel trends with event-study leads.

According to Figure 1, the adoption profile is clearly staggered and concentrated in the early-to-mid 2010s: Panel A shows modest early cohorts, a marked ramp-up around 2011–2016, and thinning cohorts thereafter (partly right-censoring near the panel end), while Panel B’s S-shaped curve plateaus at $\approx 12\text{--}13\%$ of ADM2s by 2022. Combined with earlier descriptives, treated ADM2s are systematically more CO -intensive, this pattern is consistent with selective rollout toward higher-emitting, more urban/industrial areas rather than random diffusion. Empirically, these features favor staggered event-study designs with rich fixed effects, but they also call for explicit pre-trend tests (anticipation and dose–response specifications using post-treatment exposure).

In Figure 1, the unadjusted series show a stable level gap, ADM2s that ever receive climate projects have consistently higher $\log(1 + CO_2)$, but the two groups move along very similar secular paths. From 2000 to the early-mid 2010s both lines trend upward with comparable slopes, and there is no obvious pre-period divergence, which is reassuring for the parallel-trends requirement. Because “ever treated” is defined over the whole sample, these differences are descriptive, not causal, and reflect composition (future-treated units are included in pre-years). Accordingly, my identification will rely on within-ADM2 variation and dynamic event-study leads to test for anticipation. I will also probe heterogeneity and spillovers, but the aggregate pattern here is broadly consistent with a DiD design: different levels, similar trends.



Note: g denotes the first year an ADM2 receives a positive climate amount (adaptation or mitigation). Panel A shows the count of ADM2s by g (years ≥ 2000). Panel B plots the cumulative share of all ADM2s with $g \leq \text{year}$; the denominator includes never-treated ADM2s. Percent axis in Panel B refers to this share. Missing g implies never-treated; cohorts are right-censored at the panel end.

Figure 1: Adoption dynamics at ADM2 level: (A) cohort size by first treatment year; (B) cumulative share of ADM2 ever treated.




Figure 2: Unadjusted means of $\log(1+\text{CO}_2)$ by treatment status over time.




Figure 3: ADM2-level cumulative climate finance (USD, log scale). Light grey = no projects.

Figure 3 shows a highly clustered footprint of climate-project exposure at the ADM2 level with a dense concentrations across Sub-Saharan Africa (Sahel, Great Lakes, coastal West Africa), South Asia (Indo-Gangetic plain and Himalayan foothills), and parts of Southeast Asia, with smaller pockets in the Andes and Central America; coverage is sparse in North Africa/Middle East and essentially absent in high-income countries (by design). This spatial pattern is consistent with targeting toward populous/urbanizing and vulnerable corridors.

Results

I identify dynamic treatment effects by comparing newly treated ADM2s to ADM2s that have not yet received a climate project in that event-time, which preserves credible counterfactuals under staggered adoption. With only 12.4% of ADM2s ever treated by 2022, the panel supplies abundant not-yet-treated controls for each cohort–event cell. Event-study leads are near zero, supporting parallel trends in the pre-period. I identify the first year in which an ADM2 receives at least one climate project. If the GODAD file already has an ADM2 code, I use it; if not, a spatial join using the point geometry is performed.

Using not yet treated estimation allows to reduce the selection into treatment, also, as

it is expected to see a decrease in CO2 emission with implementation of climate-related development projects, non-treated, bordering ADM2 areas shall also be benefiting from treatment. This allows a downward bias to the results that will be presented after.




Figure 4: Dynamic treatment effects of aid adoption on local CO2 emissions (log). Event-time estimates ($t-g$) from Callaway–Sant’Anna DiD using not-yet-treated controls, doubly-robust estimator, and uniform 95% simultaneous bands (multiplier bootstrap; clustered at ADM2).

The Figure 4 dynamic event-study estimates (uniform 95% bands) indicate no evidence of anticipatory behavior: pre-treatment coefficients are small and statistically indistinguishable from zero across all specifications, supporting the parallel-trends assumption. Aggregating categories, all climate projects yield a modest negative long-run effect, whereas non-climate aid shows small positive effects, in line with the scale effects of general development spending. Furthermore, aid boosting economic activity and therefore CO2 emission is an expected results, its magnitude might be reduced due to spillover effect. Indeed, bordering region might also benefit from treatment in terms of economic activity but also in terms of emis-

sion spreading. This could increase control group emission as well, reducing the effect of development projects.

Heterogeneity: event study by post-treatment dose bins




Figure 5: Event-study by post-treatment total dose — stratified bins (treated-only cuts).

Interpretation. Higher post-treatment exposure is associated with larger post-event estimates, consistent with a **dose-response** relationship. Pre-treatment coefficients remain centered at zero across bins. As we can see in Figure 5, event-time dynamics are shown separately by post-treatment exposure bins (treated-only cuts). Across families, pre-treatment coefficients hover near zero with wide, overlapping bands, supporting the parallel-trends assumption. Post-treatment, the **climate portfolios** display the expected *intensity gradient*: in mid- and high-dose bins, adaptation and (to a lesser extent) mitigation tilt negative in the medium run (roughly e [5,12]e [5,12]e [5,12]), with several bins showing -0.1 to -0.3 log-points, while low-dose bins are small and often indistinguishable from zero. By contrast,

non-climate finance tends to move **positive** at higher doses and longer horizons (late eee), consistent with scale effects from general activity. The **all-climate** aggregate mirrors these patterns—modest declines that strengthen with dose—although extreme bins occasionally exhibit noise and reversion, reflecting fewer treated units and wider uniform bands. Overall, the figure indicates (i) no systematic anticipatory trends; (ii) climate projects reduce local CO₂ more where cumulative funding is larger; and (iii) conventional development finance can partly offset these gains at high intensity. We caution that several bin-specific profiles have broad confidence intervals, so inference should emphasize the cross-bin monotone pattern rather than any single coefficient, and we verify robustness to alternative binning rules and the exclusion of influential countries in subsequent checks.

Robustness Checks

Placebo test

To probe identification, I implement a placebo event-study that advances the cohort year by four years $g^{pl} = g - 4$ and re-estimates dynamic effects on the true pre-treatment sample. Results are displayed in Figure 6. Across all four categories (Adaptation, Mitigation, All climate, Non-climate), placebo ATTs are close to zero around the pseudo-event time and the uniform 95% bands typically cover zero throughout the window, with no systematic departures. The mild drifts with widening intervals in far “post” leads are consistent with thinning support at long leads rather than genuine effects. Because any non-zero placebo effect would reflect differential pre-trends, these results provide no evidence of anticipatory dynamics or pre-trending, lending credibility to the parallel-trends condition underpinning our baseline estimates.




Figure 6: Dynamic treatment effects of aid adoption on local CO2 emissions (log). Event-time estimates ($t-g$) from Callaway–Sant’Anna DiD using not-yet-treated controls, doubly-robust estimator, and uniform 95% simultaneous bands (Placebo).

Excluding China

As one can see in Table A1, chinese adm2 region are overrepresented in top emission treated adm2. To assess the sensitivity of the results, I will exclude China from the regression to stress the results.




Figure 7: Dynamic treatment effects of aid adoption on local CO2 emissions (log, China excluded)

As we can see in Figure 7, removing chinese observations does not change the results. It even improves it if we look at adaptation aid, where one can see a significant drop in emission.

Intensity

As well for the intensity, the methodology is reproduced to stress the results in excluding chinese adm2 in Figure 8.




Figure 8: Event-study by post-treatment total dose — stratified bins (treated-only cuts, China excluded).

Excluding China leaves the core patterns intact and, if anything, clarifies the dose-response. Pre-treatment coefficients remain close to zero across bins, supporting parallel trends. On the treatment side, climate portfolios continue to show medium-run declines in local log-CO that strengthen with cumulative exposure: attenuation at very low doses, progressively more negative ATTs in the mid/high-dose bins, and a similar profile for the all-climate aggregate. Non-climate finance again tilts positive at longer horizons in higher-dose bins, consistent with activity scale effects. Magnitudes are modestly smaller and several bands are wider, expected given the drop in sample size and the removal of a high-leverage country, but the cross-bin monotone pattern (more climate money implies larger emissions reductions) survives. Overall, this figure demonstrates that the main results are not driven by China: there are no systematic anticipatory trends, climate funding reduces emissions where it accumulates, and conventional aid can offset these gains at high intensity. We therefore interpret the China-excluded estimates as a robustness check that reinforces the global findings rather than a substantively different story.

Conclusion

This paper links geocoded aid to ADM2-level CO₂ outcomes to ask a simple question: do climate-tagged portfolios actually decarbonize where they land? Using a staggered DiD with not-yet-treated controls and a dose–response design, we find (i) flat pre-trends, (ii) modest but statistically meaningful medium-run declines in local log-CO₂ following climate project arrival, and (iii) larger declines where cumulative climate exposure is higher; by contrast, non-climate aid slightly raises emissions, consistent with scale effects. Placebo event-times are null and excluding China leaves patterns intact, reinforcing identification. Together, these results move beyond country-level correlations to micro-spatial, causally identified evidence that the composition and intensity of external finance shape emissions.

In terms of policy: First, scaling climate-tagged portfolios can deliver measurable local decarbonization, especially when funding accumulates. Second, redirecting non-climate finance away from carbon-intensive uses, or greening its conditionality, could avoid offsetting impacts. Third, targeting rules should prioritize places with absorptive capacity where dose–response gradients are steepest.

Limitations and next steps. Effects are medium-run averages and may mask sectoral channels (energy, transport, land-use) or adaptation–mitigation differences; measurement error in tags persists despite text auditing. Future work should (a) decompose mechanisms by sector and technology, (b) quantify spillovers to adjacent ADM2s, and (c) translate coefficients into tCO₂ per USD and implied abatement costs to benchmark against other climate instruments.

References

- Barkat, Karim, Mouyad Alsamara, and Karim Mimouni. 2024. "Beyond Economic Growth Goals: Can Foreign Aid Mitigate Carbon Dioxide Emissions in Developing Countries?" *Journal of Cleaner Production* 471 (September): 143411. <https://doi.org/10.1016/j.jclepro.2024.143411>.
- Bomprezzi, P, A Dreher, A Fuchs, T Hailer, A Kammerlander, L Kaplan, S Marchesi, T Masi, and C Robert. 2024. "Wedded to Prosperity? Spousal Favoritism in Foreign Aid and Regional Development." CEPR Discussion Paper 18878. Paris; London: Centre for Economic Policy Research (CEPR). <https://cepr.org/publications/dp18878>.
- Callaway, Brantly, and Pedro H. C. Sant'Anna. 2021. "Difference-in-Differences with Multiple Time Periods." *Journal of Econometrics* 225 (2): 200–230. <https://doi.org/10.1016/j.jeconom.2020.12.001>.
- Chen, Xi, and Zhigang Chen. 2021. "Can Green Finance Development Reduce Carbon Emissions? Empirical Evidence from 30 Chinese Provinces." *Sustainability* 13 (21): 12137. <https://doi.org/10.3390/su132112137>.
- Farooq, Umar. 2021. "Foreign Direct Investment, Foreign Aid, and CO2 Emissions in Asian Economies: Does Governance Matter?" *Environmental Science and Pollution Research* 29 (5): 7532–47. <https://doi.org/10.1007/s11356-021-16115-3>.
- Henderson, Kent E. 2019. "Contradictory Governance Norms Within World Society: Energy Development Strategies, Environmental Protection, and Carbon Dioxide Emissions." *Environmental Sociology* 5 (4): 393–404. <https://doi.org/10.1080/23251042.2019.1613031>.
- Henderson, Kent E., and Jamie Sommer. 2022. "Aiding Fossil Fuel Dependency: A Cross-National Analysis of Energy Sector Aid, National Autonomy, and CO2 Emissions in 122 Nations." *International Journal of Sociology* 52 (1): 25–48. <https://doi.org/10.1080/00207659.2021.2009273>.
- Kablan, Sandrine, and Valérie Chouard. 2022. "Does Climate Aid Matter for Reducing CO₂ Emissions? The Case of Foreign Aid for Renewable Energy." *Applied Economics* 54 (46): 5357–72. <https://doi.org/10.1080/00036846.2022.2044995>.
- Khan, Muhammad Asif, Masood Ahmed, and Rob Hull. 2023. "The Impact of Climate Mitigation Finance on Greenhouse Gas." *Journal of Environmental Planning and Management* 67 (14): 3581–99. <https://doi.org/10.1080/09640568.2023.2227759>.
- Lee, Chi-Chuan, Xinrui Li, Chin-Hsien Yu, and Jinsong Zhao. 2022. "The Contribution of Climate Finance Toward Environmental Sustainability: New Global Evidence." *Energy Economics* 111 (July): 106072. <https://doi.org/10.1016/j.eneco.2022.106072>.
- Lee, Sue Kyoung, Gayoung Choi, Eunmi Lee, and Taeyoung Jin. 2020. "The Impact of Official Development Assistance on the Economic Growth and Carbon Dioxide Mitigation for the Recipient Countries." *Environmental Science and Pollution Research* 27 (33): 41776–86. <https://doi.org/10.1007/s11356-020-10138-y>.
- Li, Huiyun, Zongbao Yu, Gang Chen, and Yingjun Nie. 2025. "Research on the Impact of Green Finance on Regional Carbon Emission Reduction and Its Role Mechanisms." *Scientific Reports* 15 (1). <https://doi.org/10.1038/s41598-025-02481-2>.
- Mahalik, Mantu Kumar, Muhammed Ashiq Villanthenkodath, Hrushikesh Mallick, and Monika Gupta. 2021. "Assessing the Effectiveness of Total Foreign Aid and Foreign Energy Aid Inflows on Environmental Quality in India." *Energy Policy* 149 (February):

112015. <https://doi.org/10.1016/j.enpol.2020.112015>.
- Mumuni, Sulemana, and Yaya Deome Hamadjoda Lefe. 2023. "Greening the Environment: Do Climate-Related Development Finances and Renewable Energy Consumption Matter? An African Tale." *Carbon Management* 14 (1). <https://doi.org/10.1080/17583004.2023.2251934>.
- Sadiq, Muhammad, Ka Yin Chau, Nguyen Tran Thai Ha, Thi Thu Hien Phan, Thanh Quang Ngo, and Pham Quang Huy. 2024. "The Impact of Green Finance, Eco-Innovation, Renewable Energy and Carbon Taxes on CO₂ Emissions in BRICS Countries: Evidence from CS ARDL Estimation." *Geoscience Frontiers* 15 (4): 101689. <https://doi.org/10.1016/j.gsf.2023.101689>.
- Saeed Meo, Muhammad, and Mohd Zaini Abd Karim. 2022. "The Role of Green Finance in Reducing CO₂ Emissions: An Empirical Analysis." *Borsa Istanbul Review* 22 (1): 169–78. <https://doi.org/10.1016/j.bir.2021.03.002>.
- Sharif, Arshian, Najia Saqib, Kangyin Dong, and Syed Abdul Rehman Khan. 2022. "Nexus Between Green Technology Innovation, Green Financing, and CO₂ Emissions in the G7 Countries: The Moderating Role of Social Globalisation." *Sustainable Development* 30 (6): 1934–46. <https://doi.org/10.1002/sd.2360>.
- Su, Xiao, Ruiyun Qiao, and Shengyan Xu. 2024. "Impact of Green Finance on Carbon Emissions and Spatial Spillover Effects: Empirical Evidence from China." *Journal of Cleaner Production* 457 (June): 142362. <https://doi.org/10.1016/j.jclepro.2024.142362>.
- Sun, Jing, Ningning Zhai, Jichao Miao, and Huaping Sun. 2022. "Can Green Finance Effectively Promote the Carbon Emission Reduction in "Local-Neighborhood" Areas?—Empirical Evidence from China." *Agriculture* 12 (10): 1550. <https://doi.org/10.3390/agriculture12101550>.
- Sun, Yunpeng, Qun Bao, and Farhad Taghizadeh-Hesary. 2023. "Green Finance, Renewable Energy Development, and Climate Change: Evidence from Regions of China." *Humanities and Social Sciences Communications* 10 (1). <https://doi.org/10.1057/s41599-023-01595-0>.
- Toetzkke, Malte, Anna Stünzi, and Florian Egli. 2022. "Consistent and Replicable Estimation of Bilateral Climate Finance." *Nature Climate Change* 12 (10): 897–900.
- Umar, Muhammad, and Adnan Safi. 2023. "Do Green Finance and Innovation Matter for Environmental Protection? A Case of OECD Economies." *Energy Economics* 119 (March): 106560. <https://doi.org/10.1016/j.eneco.2023.106560>.
- Wang, Fushuai, Wenxia Cai, and Ehsan Elahi. 2021. "Do Green Finance and Environmental Regulation Play a Crucial Role in the Reduction of CO₂ Emissions? An Empirical Analysis of 126 Chinese Cities." *Sustainability* 13 (23): 13014. <https://doi.org/10.3390/su132313014>.
- Wang, Leiling, Xiaoyun Yang, and Qihua Cai. 2024. "Influence Mechanism of Green Finance on Regional Emission Reduction." *Heliyon* 10 (1): e23861. <https://doi.org/10.1016/j.heliyon.2023.e23861>.
- Zhao, Xin, Ramzi Benkraiem, Mohammad Zoynul Abedin, and Silu Zhou. 2024. "The Charm of Green Finance: Can Green Finance Reduce Corporate Carbon Emissions?" *Energy Economics* 134 (June): 107574. <https://doi.org/10.1016/j.eneco.2024.107574>.

Appendix

Table A1: Top 20 ADM2 by mean CO₂ level (EDGAR-aggregated).

Rank	Country	ADM2 ID	Mean CO2
1	China	CHN.10.9_1	199 632 759
2	China	CHN.24.1_1	141 872 754
3	China	CHN.15.7_1	133 343 969
4	China	CHN.3.1_1	120 020 252
5	South Africa	ZAF.6.3_1	115 805 012
6	China	CHN.15.10_1	113 811 236
7	China	CHN.23.13_1	104 862 150
8	China	CHN.27.1_1	103 411 029
9	China	CHN.10.4_1	99 511 528
10	China	CHN.23.17_1	98 720 889
11	China	CHN.19.7_1	96 086 514
12	China	CHN.15.4_1	87 744 994
13	China	CHN.23.16_1	83 558 272
14	China	CHN.12.16_1	78 899 516
15	China	CHN.28.5_1	76 522 584
16	China	CHN.23.9_1	74 562 077
17	China	CHN.13.12_1	72 518 799
18	China	CHN.18.1_1	72 069 729
19	China	CHN.13.4_1	70 898 769
20	China	CHN.10.8_1	70 602 072

Note:

CO2 levels are ADM2 means over the panel. Units follow the EDGAR source used for aggregation. Countries are matched from ISO3 codes; unmatched codes remain as ISO3.





Figure A1: Heatmaps of Adaptation Finance per Country

Share of total adaptation amount by dose bin

Each square represents approximately 10 million USD.
Colors represent bins of post-treatment finance intensity (lower → higher).



Source: GODAD; Author's calculations.

Figure A2: Adaptation bins post treatment intensity repartition

Reproducibility

R version 4.4.1 (2024-06-14)

Platform: aarch64-apple-darwin20

Running under: macOS 26.0.1

Matrix products: default

BLAS: /Library/Frameworks/R.framework/Versions/4.4-arm64/Resources/lib/libRblas.0.dylib

LAPACK: /Library/Frameworks/R.framework/Versions/4.4-arm64/Resources/lib/libRlapack.dylib

locale:

[1] en_US.UTF-8/en_US.UTF-8/en_US.UTF-8/C/en_US.UTF-8/en_US.UTF-8

time zone: Europe/Paris

tzcode source: internal

attached base packages:

```
[1] stats      graphics  grDevices  utils      datasets  methods    base
```

other attached packages:

```
[1] forcats_1.0.0      countrycode_1.6.0 patchwork_1.3.0    tibble_3.3.0
[5] kableExtra_1.4.0   knitr_1.50         fixest_0.13.2      did_2.1.2
[9] scales_1.4.0       ggplot2_3.5.2      janitor_2.2.1      stringr_1.5.1
[13] sf_1.0-20          arrow_21.0.0.1     readr_2.1.5        tidyr_1.3.1
[17] dplyr_1.1.4        data.table_1.17.0
```

loaded via a namespace (and not attached):

```
[1] DBI_1.2.3          pROC_1.18.5        DRDID_1.2.0
[4] sandwich_3.1-1     rlang_1.1.6         magrittr_2.0.3
[7] dreamerr_1.4.0      snakecase_0.11.1    e1071_1.7-16
[10] compiler_4.4.1     systemfonts_1.1.0   vctrs_0.6.5
[13] reshape2_1.4.4     crayon_1.5.3        pkgconfig_2.0.3
[16] fastmap_1.2.0       backports_1.5.0     labeling_0.4.3
[19] rmarkdown_2.29     prodlim_2024.06.25  tzdb_0.5.0
[22] tinytex_0.53       purrr_1.0.2         bit_4.6.0
[25] xfun_0.53          trust_0.1-8         jsonlite_2.0.0
[28] stringmagic_1.2.0  recipes_1.1.0       fastglm_0.0.3
[31] uuid_1.2-1         broom_1.0.7         parallel_4.4.1
[34] R6_2.6.1           stringi_1.8.7       RColorBrewer_1.1-3
[37] parallelly_1.38.0  car_3.1-3           rpart_4.1.23
[40] numDeriv_2016.8-1.1 lubridate_1.9.3     Rcpp_1.1.0
[43] assertthat_0.2.1   iterators_1.0.14    BMisc_1.4.7
[46] future.apply_1.11.3 zoo_1.8-13          Matrix_1.7-2
[49] splines_4.4.1      nnet_7.3-19         timechange_0.3.0
[52] tidyselect_1.2.1   abind_1.4-8         rstudioapi_0.17.0
[55] dichromat_2.0-0.1  yaml_2.3.10         timeDate_4041.110
[58] codetools_0.2-20   listenv_0.9.1       lattice_0.22-6
[61] plyr_1.8.9         withr_3.0.2         evaluate_1.0.1
[64] future_1.34.0      survival_3.7-0      units_0.8-7
[67] proxy_0.4-27       xml2_1.3.8          pillar_1.11.0
[70] ggpubr_0.6.0       carData_3.0-5       KernSmooth_2.23-24
[73] foreach_1.5.2      stats4_4.4.1        generics_0.1.3
[76] vroom_1.6.5        hms_1.1.3           globals_0.16.3
[79] class_7.3-22       glue_1.8.0          tools_4.4.1
[82] ModelMetrics_1.2.2.2 gower_1.0.2         ggsignif_0.6.4
[85] grid_4.4.1         bigmemory_4.6.4     ipred_0.9-15
[88] nlme_3.1-166       Formula_1.2-5       cli_3.6.5
[91] bigmemory.sri_0.1.8 viridisLite_0.4.2   svglite_2.1.3
[94] lava_1.8.1         gtable_0.3.6        rstatix_0.7.2
[97] digest_0.6.37      classInt_0.4-11     caret_7.0-1
[100] farver_2.1.2       htmltools_0.5.8.1   lifecycle_1.0.4
[103] hardhat_1.4.0      bit64_4.6.0-1       MASS_7.3-61
```