Store Configuration API

Store Configuration

Provide you information about product stores of magento like shipping details, payements details, store address, warehouse address etc.

Resource Name:

magentoext_magento_store

Aliases:

• store

Methods:

• magentoStoreConfig - Provide you all the configuration details related to Magento Store(s).

Arguments:

| Туре | Name | Description |
|--------|-----------|-------------|
| string | sessionId | Session ID |

Returns:

| Туре | Name | Description |
|-------|--------|----------------------------|
| array | result | Array of storeConfigEntity |

The ${\bf storeConfigEntity}$ content is as follows :

| Туре | Name | Description |
|--------|------------------|-------------------------------------|
| array | address | Store Address Entity |
| array | shipping_methods | Array of storeShippingMethodsEntity |
| array | shipping_origin | Store Shipping Origin Entity |
| array | currency | Store Currency Entity |
| string | website_id | Website Id |
| string | default_store_id | Default Store Id |
| string | group_id | Group Id |
| string | is_active | Is Active |
| string | store_group_name | Store Group Name |
| string | root_category_id | Root Category Id |
| string | code | Code |
| string | name | Name |

The **storeAddressEntity** content is as follows:

| Туре | Name | Description |
|--------|----------------|----------------|
| string | store_name | Store Name |
| string | contact_number | Contact Number |
| string | country | Country |

| string | address | Address |
|--------|---------------|---------------|
| string | email_address | Email Address |

The storeShippingMethodsEntity content is as follows:

| Туре | Name | Description |
|--------|---------------------|-----------------------|
| string | allowedMethods | Allowed Methods |
| string | active | Contact Number |
| string | username | User Name |
| string | password | Password |
| string | gatewayUrl | Gateway URL |
| string | gatewayXmlUrl | Gateway XML URL |
| string | trackingXmlUrl | Tracking XML URL |
| string | shipConfirmXmlUrl | Ship Confirm XML URL |
| string | shipAcceptXmlUrl | Ship Accept XML URL |
| string | accessLicenseNumber | Access License Number |
| string | gatewaySecureUrl | Gateway Secure URL |
| string | userId | User Id |
| string | account | Account |
| string | meterNumber | Meter Number |
| string | key | Key |
| string | id | Id |
| string | carrierCode | Carrier Code |

The ${\bf store Shipping Origin Entity}$ content is as follows :

| Туре | Name | Description |
|--------|--------------|---------------------|
| string | street_line1 | Street Line 1 |
| string | street_line2 | Street Line 2 |
| string | city | City |
| string | postcode | Postal / Zip Code |
| string | region_code | Region / State Code |
| string | country_id | Country Id |

The ${\bf storeCurrencyEntity}$ content is as follows :

| Type | Name | Description |
|--------|---------|----------------|
| string | base | Store Name |
| string | default | Contact Number |

Faults:

| Fault Code | Fault Message |
|------------|-----------------------------------|
| 101 | Requested project does not exist. |
| 102 | Provided data is invalid. |

| 103 | Error while saving project. Details in error message. | |
|-----|---|--|
| 104 | Error while removing project. Details in error message. | |