

# Super-Resolution with GANs

Nathanael Bosch  
nathanael.bosch@tum.de

Thomas Grassinger  
thomas.grassinger@tum.de

Jonas Kipfstuhl  
jonas.kipfstuhl@tum.de

Pierre Springer  
pierre.springer@tum.de

- 1. Introduction
- 2. Setup
- 2.1. Dataset**
- 2.2. Networks**
- 3. Results
- 4. Conclusion

- [9] K. Simonyan and A. Zisserman. Very deep convolutional networks for large-scale image recognition. September 2014.
- [10] J.-Y. Zhu, P. Krähenbühl, E. Shechtman, and A. A. Efros. Generative visual manipulation on the natural image manifold. September 2016.

## References

- [1] E. Agustsson and R. Timofte. Ntire 2017 challenge on single image super-resolution: Dataset and study. In The IEEE Conference on Computer Vision and Pattern Recognition (CVPR) Workshops, July 2017.
- [2] A. Creswell, T. White, V. Dumoulin, K. Arulkumaran, B. Sengupta, and A. A. Bharath. Generative adversarial networks: An overview. October 2017.
- [3] M. Everingham, L. Van Gool, C. K. I. Williams, J. Winn, and A. Zisserman. The PASCAL Visual Object Classes Challenge 2012 (VOC2012) Results. <http://www.pascal-network.org/challenges/VOC/voc2012/workshop/index.html>.
- [4] I. J. Goodfellow, J. Pouget-Abadie, M. Mirza, B. Xu, D. Warde-Farley, S. Ozair, A. Courville, and Y. Bengio. Generative adversarial networks. June 2014.
- [5] R. Jia Deng, R. Wei Dong, R. Socher, R. Li-Jia Li, R. Kai Li, and R. Li Fei-Fei. Imagenet: A large-scale hierarchical image database. pages 248–255. IEEE, June 2009.
- [6] T. Kim, M. Cha, H. Kim, J. K. Lee, and J. Kim. Learning to discover cross-domain relations with generative adversarial networks. March 2017.
- [7] C. Ledig, L. Theis, F. Huszar, J. Caballero, A. Cunningham, A. Acosta, A. Aitken, A. Tejani, J. Totz, Z. Wang, and W. Shi. Photo-realistic single image super-resolution using a generative adversarial network. September 2016.
- [8] Y. Li, L. Song, X. Wu, R. He, and T. Tan. Anti-makeup: Learning a bi-level adversarial network for makeup-invariant face verification. September 2017.