Notes

Pierson Lipschultz

February 10, 2026

Contents

1 Shell

Command	Action	Use
`>`	feeds command output in a file	`help > help.txt`
`>>`	appends command output to a file	`help >> helpandMore.txt`
`<`	reads input into another command	`grep a < alphabet.txt`

2 Regex

Symbol	Desc	Use
`^`	starts with	`^hello`
`$`	ends with	`hello$`
`\b`	contains word	`\bhello\b`
`+`	contains at least one	`1+`
`*`	at least 0	`#*`
`\s`	space	`\s*`
`.`	any character	`hello.*!`

2.1 Examples

Command	Use
`\.conf$`	ends with `.conf`

3 Find

Used for finding files. Does NOT use regex unless `-regex` is spec. By default uses glob

Var	Use
`+iname`	case-insensitive match
`+regex`	uses regex!

3.1 Examples

Var	Use
`find . -iname '*q*'`	Find all files that have a q in their name at any point
`find . -iregex '.*q.*'`	Find all files that have a q in their name at any point

4 Grep

Used for finding content *in* file s

Var	Use
`+E`	Use Regex
`+n`	List line number
`+i`	Ignore case sensitivity

4.1 Examples

Var	Use
`grep +E "^#+"`	Get lines that start with at *least one* `#`
`grep -E "^\s*#+"`	Get lines that start with at *least one* `#` and has any number of spaces in front