

First-Time Setup

1. **Extract the ZIP:** Right-click the downloaded zip file → **Extract All...**
2. Open **3D Slicer**.
3. In the menu, go to **Edit** → **Application Settings** → **Modules**.
4. Under **Additional module paths**, click **Add** and select the **BoundingBoxNavigator** folder.
5. (*Recommended*) Set **Default module** to **BoundingBoxNavigator** so it opens automatically on startup.
6. Click **OK** and restart Slicer.

How to Annotate1. **Open the Module (if panel is not visible)**

- If not opened automatically on startup, go to: **Modules** → **Annotation** → **BoundingBoxNavigator** in the top toolbar to display the panel on the right.

2. **Select Folders & Scan**

- Set **Input Scans Folder** (where your CT scans are) and **Output Annotations Folder**.
- Click **Scan Folder**. The first unreviewed case loads automatically.
- Each slice view shows the **original** scan for that plane when the file exists; otherwise it reconstructs from the axial volume (a warning is shown).

3. **Draw Bounding Boxes**

- Choose a **Finding type** (default: PM nodule). Then press **B** (or click **+ Add Bounding Box**).
- **Click and drag** across the lesion on any slice view (axial, coronal, or sagittal).
- Drag the colored handles on the box to resize it in width, height, and depth.
- Scroll through slices with your mouse wheel to check coverage.
- Use the large **slice thickness** buttons (3 mm, TS, ...). For TS (or any thickness without native COR/SAG), coronal and sagittal show reconstructions of that axial scan.
- Press **B** again for each additional lesion.
- *To remove a box:* click it in the list and press **Delete Selected**.

4. **Notes / PCI Score**

- Type the PCI score or clinical comments in the **Notes / PCI** field (optional).
- Optional: in **4. Segmentation**, load a .seg.nrrd or .nii.gz overlay (.nii.gz is imported as a labelmap, not a CT volume).

5. **Save and Next Scan**

- Click **Save + Next** (large green button).
- Each box is saved as R_1.mrk.json, A_1.mrk.json, ... inside a folder named after the case ID.
- The next unreviewed scan loads immediately.
- *If there are 0 lesions (PCI 0):* click **Save + Next** and confirm with **Yes**.

Mouse & Keyboard Shortcuts

Shortcut / Control	Action
B	Draw a new bounding box
Mouse Wheel	Scroll through CT slices
Middle Click + Drag	Pan view
Right Click + Drag	Zoom in / out
Click row in box table	Centers all slice views on that lesion
Skip completed (checkbox)	Checked by default. Uncheck to browse or edit past cases
Slice thickness buttons	Switch 3 mm / TS / other; COR/SAG reconstruct from axial if needed
Finding type	PM nodule (R) default; also ascites, omental cake, stranding, lymph node