Transponder Setup – Lighted/Mobiflight version

The steps are the same for X-Plane 11/12 and MSFS 2020/2024 flight simulators

1. Download and install Mobiflight software
   https://www.mobiflight.com/en/download.html

2. Download the configuration file for your sim
   https://github.com/PilotWisdom/PanelConfigs/tree/main/Transponder

3. Connect the device with host machine

4. Open the Mobiflight Connector, click on **Mobiflight Modules**

   a) Mobi v10.x



   b) Mobi v11.x



5. Make sure you can see the device, close this screen

a) no device present



b) device is recognized (your serial will be different)



6. Load the configuration file into Mobiflight:

- Pick the corresponding file using File – Open from Mobiflight main menu

a) Mobi v10.x

- In the "Replace serial" dialog, click on the orphaned serial to make sure it's selected
- Click on "Assign" button (1st screenshot)
- After the serial has been replaced - Click "OK" (2nd screenshot)





b) Mobi v11.x

- In the current configuration, click on Exclamation mark



- In the Controller binding windows, select you controller and click Apply changes



- verify the status being green



7. **Save** the configuration (File-Save in v11.x)

v10.x - click on **Test** button – you should see running lights on the panel



v11.x - expand your configuration and click on Test button



8. Start the sim and click **Run**.