Java Assignment 2

1) Image of Deployment of Web Application

Summary of Deployments

Control | Monitoring

This page displays a list of Java EE applications and stand-alone application modules that have been installed to this domain. Installed applications and modules can be started, stopped, updated (redeployed), or deleted from the domain by first selecting the application name and using the controls on this page.

To install a new application or module for deployment to targets in this domain, click the Install button.

▷ **Customize this table**

Deployments

Install | Update | Delete | Start ∨ | Stop ∨   Showing 1 to 2 of 2 Previous | Next

☐	Name ⌃	State	Health	Type	Targets	Deployment Order
☐	⊞ deploy	Prepared	✔ OK	Web Application	myserver	100
☐	⊞ javaAssignment2	Active	✔ OK	Web Application	myserver	100

Install | Update | Delete | Start ∨ | Stop ∨   Showing 1 to 2 of 2 Previous | Next

---

YouTube | Watch Series On | Watch Online S | ▶ Watch s | B How 2 Milli | m MoviePass | ▶ MoviePass | The Con | Summary of ✕ | Home

← → C ⌂ ⓘ localhost:7001/console/console.portal?_nfpb=true&_pageLabel=AppDeploym

☼ Most Visited Getting Started G https://accounts.goog... Q ... here 127.0.0.1:5500/index.ht... Forums News Community

ORACLE WebLogic Server Administration Console 12c

**Settings for javaAssignment2**

Overview | Deployment Plan | Configuration | Security | Targets | Control | Testing | Monitoring | Notes

Save

Use this page to view the installed configuration of a Web application.

Name:	javaAssignment2	The name of this application deployment. More Info...
Context Root:	/test	The specific path at which this Web application is found by a servlet. More Info...
Path:	T:\javaAssignment2	The path to the source of the deployable unit on the Administration Server. More Info...
Deployment Plan:	(no plan specified)	The path to the deployment plan document on the Administration Server. More Info...
Staging Mode:	(not specified)	Specifies whether an application's files are copied from a source on the Administration Server to the Managed Server's staging area during application preparation. More Info...
Plan Staging Mode:	(not specified)	Specifies whether a deployment plan's files are copied from a source on the Administration Server to the Managed Server's staging area during application preparation. More Info...
Security Model:	DDOnly	The security model specifies how this deployment should be secured. More Info...
Deployment Order:	100	An integer value that indicates when this unit is deployed, relative to other deployable units on a server, during startup. More Info...
Deployment Principal Name:		A string value that indicates the principal that should be used when deploying the file or archive during startup and shutdown. This principal will be used to set the current subject when calling out into application code for interfaces such as ApplicationLifecycleListener. If no principal name is specified, then the anonymous principal will be used. More Info...

2) Web Page Image and links

Current Courses

Programming In Java II

Network Routing and Switching

Introduction to Cloud Computing

Co-Op preparation

Big Data Strategies
+

Server Admin 1
+

Programming in Java: Part 2

The Return of Java

Click to return

Course Content

1. Understanding XML
2. WebLogic Server
3. Java Server Pages
4. Using Database with WebLogic
5. Create, Read, Update and Delete using Java Ebean

Understanding XML

Understanding WebLogic Server