
```
#Sample Booking confirmation payload (When Network Partner is sendin
{
    "technicalId": "xri://sap.com/id:LBN#10010001410:QW9_172:Freight
    "senderParty": {
        "lbnId": "10010002311<Network Partner>"
    },
    "recipientParty": {
        "lbnId": "10010001721<Carrier>"
    },
    "documentRecipientParty": {
        "lbnId": "10010001410<Shipper>"
    },
    "transportationOrderBooking": {
        "freightBookingId": "6300003001",
        "acceptanceStatusCode": "AP",
        "baseBusinessTransactionDocumentReference": {
            "id": "6300003001",
            "typeCode": "1122"
        }
    }
}
```

Of course, one could send more than what is shared above, in that case, make sure you understand the datatypes of the various fields published in the API spec above and the supported code lists for some of the fields (egs: UOM). BN4L only accepts these whitelisted values.

Note: Shippers need to enable carriers to send attachments. Without this, carriers will not be able to send attachments.

Things to be aware of with this API:

- The API will complain with the below error if you send the wrong carrier LBN ID in the payload




- Gives a 401 Unauthorised if you send the wrong credentials, as shown below.



- Sometimes, you may send the wrong shipper LBN ID, miss a mandatory field in the payload, or send incorrect data. In some cases, you may receive a 200 OK, and it may look like the API call was successful, but there are other asynchronous calls that happen in the background which may fail. Hence, these are logged in the Manage Integration Logs app. Make sure to check the app, if you feel, your updates are not going through. Or if the shipper complains that the updates are not received.

In the below case, the wrong recipient LBN IDs were sent.




Note: The shipper will also have an equivalent Manage Integration Logs application where they will be able to monitor calls between the Network and TM. If there are no supporting logs in your MIL application, you can also double-check for any logs with the shipper.

Receiving updates to a booking

Updates to a booking can be done by a shipper at any point, typically before or after confirmation. Usually, changes are not made once the booking is in execution. BN4L, uses the same POST API used to receive a booking to also send updates. The payload has "**actionCode**" field which distinguishes if it is a Create or an Update.

"01" - Create | "02" - Update



More Booking scenarios/use cases are continued at **SAP Business Network for Logistics – REST API Integration series: Post #2**

Subscribe for updates via the RSS feeds. Also, subscribe to the tags to get updates on new content.

LABELS

Technology Updates

TAGS

API AND EDI INTEGRATION IN SAP BUSINESS NETWORK FOR LOGISTICS | BN4L | Freightcollaboration | LBN Connectivity | SAP LBN FC | Sapbusinessnetwork | Sapbusinessnetworkforlogistics

Add tags

Comment

Powered by Khoros