
Freight Tracking APIs


For All Modes
Road, Ocean, Air



[Link to SAP API Hub for FC Tracking APIs]


[Link to SAP API Hub for GTT APIs]

Freight Tracking Consumer APIs – Things to Know




Follows UPSERT API pattern

Webhook to start tracking is for both create and update:



- Carrier can create any URL service endpoint – for example: /mytrackingservice

With GTT carrier should respond with tracking Id when webhook tracking service is called



- The Tracking ID will be returned if the tracking is updated or the Delete service is called

Delete API lets you know the shipper no longer wants tracking (happens more than you think) – But maybe not important to carriers

INTERNAL – SAP and Partners Only

Freight Tracking Provider API – Things to Know

Single API to report events

Same APIs for both FC Tracking and GTT but the behavior is slightly different

- Sending Estimates are different (see examples)
- Some events aren't supported
- Stop Ids, Location Ids & technical Ids are in different format between GTT and FC Tracking
  - Stop Ids and Location IDs are sent in tracking request BUT – many carriers can't consume that API so only option to hard code

API Endpoint: https://<BN4L API Hostname>/http/http/v1/tracking/events

Visibility Provider vs Carrier Reported events

- Carriers can report more events types
- VPs can report some events and geolocation

Differences between and GTT and FC

Same APIs but work differently for depending on GTT or FC being used

Estimates are sent differently

- GTT sends EVENT_EST_UPD and array of events that have estimates
- FC can only send estimates for Departure and Arrival in dedicated structures for each

Technical ID is slightly different


- GTT has gtt at the end
  - This is how our API layer knows it's a GTT call and routes appropriately


Stop IDs and Location IDs different format

- GTT Stop ID: <FO><000#> where stop ID 1 would be 0001
- FC Stop ID: # - for example: 1
- GTT Location ID:

xri://sap.com/id:LBN#10020005414:S4HCLNT100:Location:LogisticLocation:0017186011

- FC Location ID: 0017186011






INTERNAL – SAP and Partners Only

Demo & Exercise

Order Event APIs

INTERNAL – SAP and Partners Only

API Flow for Ocean / Air Booking Collaboration




INTERNAL – SAP and Partners Only

Freight Booking Consumer APIs – Things to Know


Follows UPSERT API pattern

Webhook to receive booking is for both create and update:



- Check “actionCode” value to see if create or update
- Carrier can create any URL service endpoint – for example: /freightbooking

Webhook for waybill notification (shipping instructions):



- Carrier can create an URL service endpoint – for example: /waybillnotification


Webhook for waybill notification (shipping instructions):



- Carrier can create an URL service endpoint – for example: /freightbookingcancel

Freight Booking Provider APIs – Things to Know

A single complex API that allows carrier to update container Ids, vessel/journey/imo, cutoff dates, arrival ports, send attachments, and more – BUT, it depends on the shippers use case.



Async API – just because the API was successful doesn't mean it was sent to the shipper – CHECK LOGS!

API Endpoint: https://<BN4L API Hostname>/http/v1/FreightBookingConfirmation

Use examples to guide carriers on how to develop!

Note: Carrier/Freight Forwarder can't change the route sent to them – they should send a reject and a note telling the Shipper the route they should follow. Shipper resends with new route.

INTERNAL – SAP and Partners Only

Demo & Exercise

Freight Booking API

INTERNAL – SAP and Partners Only

API Flow for Invoicing

