Administration Guide for Logistics Providers

Generated on: 2026-05-12 06:56:18 GMT+0000

SAP Business Network Global Track and Trace | LBN

Public

Original content: https://help.sap.com/docs/SAP_LBN_GTT_OPTION/3c2607c51c6d47e0a423fdab1b179966?locale=en-US&state=PRODUCTION&version=LBN

Warning

This document has been generated from SAP Help Portal and is an incomplete version of the official SAP product documentation. The information included in custom documentation may not reflect the arrangement of topics in SAP Help Portal, and may be missing important aspects and/or correlations to other topics. For this reason, it is not for production use.

For more information, please visit https://help.sap.com/docs/disclaimer.

Document History

Provides details about the changes made in the most recent versions of this document.

Document Version	Date	Comment
LBN 2.0	2026-03-14	The following sections were changed: • Switch to DigiCert TLS RSA4096 Root G5 • Browser Support
LBN 2.0	2026-02-14	The following section was changed: • Switch to DigiCert TLS RSA4096 Root G5
LBN 2.0	2026-01-17	Formal update
LBN 2.0	2025-12-17	The following section was added: • Switch to DigiCert TLS RSA4096 Root G5
LBN 2.0	2025-12-13	Formal update
LBN 2.0	2025-11-15	The following documents were changed: • Business Configuration • Regions and Hosts Available for the Connectivity Platform
LBN 2.0	2025-10-18	The following section has been enhanced: • Business Configuration
LBN 2.0	2025-09-20	Formal update
LBN 2.0	2025-08-16	Formal update
LBN 2.0	2025-07-19	Formal update
LBN 2.0	2025-06-21	The following section was changed: • Migration to New Integration Platform (Freemium Customer)
LBN 2.0	2025-05-17	Formal update
LBN 2.0	2025-04-19	The following section was changed: • User Administration, Authentication, and Authorizations

Document Version	Date	Comment
LBN 2.0	2025-03-15	The following section was changed: • Personal Data Record
LBN 2.0	2025-02-15	Formal update
LBN 2.0	2025-01-18	Formal update
LBN 2.0	2024-12-14	Formal update
LBN 2.0	2024-11-16	Formal update
LBN 2.0	2024-10-19	Formal update
LBN 2.0	2024-09-21	Formal update
LBN 2.0	2024-08-17	Formal update
LBN 2.0	2024-07-20	The following section has been changed to prepare the migration to the new integration platform: • Connectivity The following sections have been added to prepare the migration to the new integration platform: • Migration to New Integration Platform (Freemium Customer) • Regions and Hosts Available for the Connectivity Platform
LBN 2.0	2024-06-22	The following section has been changed: • Monitoring and Troubleshooting: *Error Handling*
LBN 2.0	2024-05-18	The following section has been changed: • Data Protection and Privacy: *Introduction*

Overview

→ Recommendation

Before you start working your way through this document, ensure you have the most recent version of this document that is available from the SAP Help Portal at:

https://help.sap.com/docs/business-network-logistics-provider

About This Guide

This administration guide describes the steps you need to perform as an administrator to set up, configure, and administer SAP Business Network Logistics Provider.

This guide addresses the following target audience: administrators, consultants, users and others involved with SAP Business Network Logistics Provider.

Note

A logistics provider can be a carrier in SAP Business Network Freight Collaboration or a data contributor in SAP Business Network Global Track and Trace.

About SAP Business Network Logistics Provider

SAP Business Network for Logistics is an open network that connects business partners for inter-company collaboration. Freight collaboration and milestone reporting support you as a carrier or other logistics service provider to jointly manage the related transactions and exchange documents with your shippers.

For more information, see Introduction to SAP Business Network for Logistics - Video.

Technical Considerations

Note that there are restrictions regarding the overall data volume that can be managed. Before starting your project, discuss your expected data volumes with your SAP technical contact.

Browser Support

This application only supports the standard browsers supported by SAP Business Technology Platform. For more information, see the Browser Support chapter in Feature Scope Description for SAP BTP, Cloud Foundry, ABAP, and Kyma Environments.

Root Certificate for End User UI

The browser certificate store must contain both the old root certificate (*DigiCert Global Root G2*) and the new root certificate (*DigiCert TLS RSA4096 Root G5*). Without this, the end user sign-in to SAP Business Network Freight Collaboration and SAP Business Network Global Track and Trace will be impacted. To check if you are impacted, try to access the following URL: https://digicert-tls-rsa4096-root-g5.chain-demos.digicert.com . If your browser loads the page without warning, it trusts the DigiCert TLS RSA4096 Root G5 and no further action is required on your end.

To ensure a smooth transition, you need to run the check and take action (where applicable) before April 23, 2026.

Resolution for user sign-in to the BN4L Fiori Launchpad - How to import the certificate into my browser?

The below steps might vary with the browser type and version:

- Download Root Certificate [DigiCert TLS RSA4096 Root G5] and Intermediate Certificate [DigiCert G5 TLS RSA4096 SHA384 2021 CA1].
- Open Google Chrome or Microsoft Edge.
- Open settings and search for security in the search box and click on it.
- Click on **Manage Device Certificates** / **Manage Certificates**.

- Go to the **Trusted Root Certification Authorities** tab and Import Digi Certificates using the **Import** button at the bottom.
- Go to the **Intermediate Certification Authorities** tab and Import Digi Certificates using the **Import** button at the bottom.
- Ensure that **DigiCert Root and Intermediate** is added in the list.

For more information, see Switch to DigiCert TLS RSA4096 Root G5.

Product Availability

This section describes certain product availability aspects.

Availability - Languages

The apps provided with SAP Business Network for Logistics support the following languages:

- English (US) – default
- Dutch
- German
- French
- Polish
- Portuguese (Brazilian)
- Russian
- Simplified Chinese
- Spanish
- Turkish
- Italian
- Japanese
- Arabic
- Bulgarian
- Czech
- Danish
- Greek
- Finnish
- Hebrew
- Croatian
- Hungarian
- Korean
- Malay

- Norwegian
- Romanian
- Slovak
- Serbian
- Swedish
- Thai
- Traditional Chinese

In addition, selected documentation on SAP Help Portal supports the languages listed above.

Onboarding and User Management

A step-by-step guide will lead you through the process of registering SAP Business Network for Logistics, activating your account, signing in, and adding users. For more information, see Activate Your Account.

Business Configuration

SAP Fiori Launchpad Integration

The SAP Fiori launchpad is delivered with the apps as part of the tenant onboarding process.

The users that you have defined can access different applications using the Fiori launchpad. You can sign in to the Fiori launchpad using a URL with the following format:

https://<your-subdomain>-site-entry.<domain-name>/sites#Shell-home

Set Up Business Profile

For your business partners to search and connect with you in the network, you must maintain your business profile using the **Manage Business Profile** app.

For more information, see Manage Business Profile app.

Manage Notification Settings

You can schedule reminder notifications for some of the business processes for which you may need an alert using the **Manage Notification Settings** app. The system sends you notifications via emails.

For more information, see Manage Notification Settings.

Define User Settings

You can define defaults that best suit the way you work using the **Define User Settings** app. The settings that you make in the app serve as the default settings in various other apps in your SAP Business Network for Logistics.

For more information, see Define User Settings.

Manage Users

As an administrator, you can use the **User Management** app to manage users in your company tenant, such as adding or deleting administrators or business users.

For more information, see User Management.

Manage Invitations from Business Partners

To perform business in the network and to receive business documents from your business partners, you must first connect with them. An existing or potential business partner can send invitations to connect with you in the network. You can accept or reject the invitations using the **Manage Invitations** app. Navigate to the **Manage Invitations** app tile in the Fiori launchpad to access the app.

For more information, see Manage Invitations.

Freight Contracting

You can participate in freight tendering when a known ordering party sends you a freight request for quotation (freight RFQ). You can accept or reject a freight RFQ. The freight collaboration option for SAP Business Network for Logistics creates a freight quotation and sends it to the ordering party. The ordering party then evaluates your freight quotation and, according to their strategy, may or not award it to you.

For more information, see the application help for Freight Contracting.

Freight Orders for Confirmation

If an ordering party wants to subcontract the transportation of goods to you, you will find the corresponding freight orders in the **Freight Orders for Confirmation** app. This can also be a subsequent step to the tendering process, if your freight quotation was awarded.

For more information, see the application help for the Freight Orders for Confirmation app.

Confirm Freight Bookings (Ocean)

You can review and confirm ocean freight bookings that ordering parties ask you to execute in subcontracting in the **Freight Bookings for Confirmation** app.

For more information, see the application help for the Confirm Freight Bookings (Ocean) app.

Confirm Freight Bookings (Air)

You can review and confirm air freight bookings that ordering parties ask you to execute in subcontracting in the **Freight Bookings for Confirmation** app.

For more information, see the application help for the Confirm Freight Bookings (Air) app.

Self-Book Dock Appointments

You can book a dock appointment for a freight order in the **Self-Book Dock Appointments** app when the corresponding vehicle is about to reach a certain stop for loading or unloading. The appointments you booked will then be visualized in the **Manage Dock Appointments** app. This helps shippers have a precise estimate on the quantity of the upcoming dock appointments.

For more information, see the application help for the Self-Book Dock Appointments app.

Invoice Freight Documents

You can view all the freight documents that are ready for invoicing using the **Invoice Freight Documents** app. You can view all the freight documents from one or more of your ordering parties using this app. You can select one or more of these freight documents and create a single invoice or a collective invoice for your ordering party for the services that you provided.

For more information, see the application help for the Invoice Freight Documents app.

Manage Invoices

You can view all the invoices that you created in the freight collaboration option for your ordering party using the **Manage Invoices** app.

For more information, see the application help for the Manage Invoices app.

Review Freight Documents

You can view all the freight documents that are ready for self-billing by the ordering party using the **Review Freight Documents** app. This app displays all the freight documents that you have received from one or more ordering parties. You can view the transportation charges in the freight document based on which the ordering party creates a self-billed invoice. You can create disputes against the freight documents for self-billing for additional unplanned freight costs using this app.

For more information, see the application help for the Review Freight Documents app.

Manage Disputes

You can create disputes against the freight documents for self-billing for additional unplanned freight costs. Once the system creates a dispute, you can view this document in the **Manage Disputes** app. In this app, you can newly add a charge line for an additional charge encountered during the transportation or you can propose a change in an existing charge line. The ordering party can accept or reject your changes or propose another change and submit the dispute back to you.

For more information, see the application help for the Manage Disputes app.

Freight Orders for Reporting

You can keep your ordering parties informed about the transportation of their freight using the **Freight Orders for Reporting** app. You can report when planned events in the freight order are completed. If a delay occurs, you can also use the app to report a new ETA (expected time of arrival), enabling the ordering party to replan if needed.

Note that the **Freight Orders for Reporting** app has been deprecated and will be sunset on **May 16, 2026**. This app has been replaced with the new app **Manage Freight Execution**.

For more information, see the application help for the Freight Orders for Reporting app.

Manage Freight Orders

The **Manage Freight Execution** app enables you to keep your ordering parties informed about the transportation of their freight. For example, if one of your shipments is delayed on-route, you can send the ordering party a new ETA (expected time of arrival) so they can replan if necessary.

For more information, see the application help for the **Manage Freight Execution** app.

Connectivity

> **Note**
>
> The **System Connections** app is available for digital forwarders, carrier subnetworks, network partners, and carriers (B2B carrier/networks).

By implementing the APIs published by SAP Business Network Freight Collaboration and SAP Business Network Global Track and Trace, your organization can receive and respond to business documents directly from your external system.

To complete the API implementations, you – as an administrator – also need to perform the following steps using the **System Connections** app:

1. Set up **Outbound Connections**:
    - Choose **Manage Details**.
    - Enter the communication details and the authentication details to your external system. Then navigate back to **Outbound Connections**.
    - Configure the supported services in your external system. To do so, choose **Create**, and select a service name and an operation name from the drop down menu. You can create an API or EDI communication based on the details provided under **Manage Details**.
    - Activate the operation.
2. Set up **Connection Settings**:
    - Choose **Connection Settings**.
    - Under **Outbound**, in the **Integration Platform** dropdown list, you can choose between the following values:
        - Neo (old)
        - Multi-Cloud (new)

      > **Note**
      >
      > Ensure to allowlist the IP addresses of the integration platform.
      >
      > - If you use **Neo (old)**, you must allowlist the IP addresses listed under Regions and Hosts Available for the Neo Environment.
      >
      >   If you use **Multi-Cloud (new)** for outbound connections, you must allowlist the IP addresses listed under Regions and API Endpoints Available for the Cloud Foundry Environment.

      Neo (old) is set as default. To enable outbound communication using the new integration platform, select **Multi-Cloud (new)**.
    - To authorize your inbound messages to SAP Business Network for Logistics, you need an OAuth token. To request the token from SAP, create a BCP ticket and use the component `SBN-LBN-INT`.
    - Turn on the **Enable Inbound Communication** toggle and save.

For more information about the APIs published by SAP Business Network for Logistics, go to:

- SAP Business Accelerator Hub for SAP Business Network Freight Collaboration
- SAP Business Accelerator Hub for SAP Business Network Global Track and Trace

For more information about EDI integration, see the guides published on SAP Help Portal at https://help.sap.com/docs/business-network-logistics-provider?task=integrate_task.

Related Information

System Connections (Data Contributor)

Switch to DigiCert TLS RSA4096 Root G5

SAP Business Network for Logistics is switching its root Certificate Authority to *DigiCert TLS RSA4096 Root G5* for the domain `*.logistics.*.business-network.cloud.sap` to enhance security and trust. This is in line with the root certificate replacement in the SAP BTP, Cloud Foundry Environment.

To ensure a smooth transition, customers must take action before April 23, 2026. For more information, see SAP Note 3688060.

As part of our ongoing commitment to security and trust, SAP is updating the root Certificate Authority (CA). This update supports the broader adoption of our fifth-generation (G5) root CA and allows additional time for its inclusion in major browser and operating system trust stores, ensuring seamless and trusted connectivity.

Am I Impacted?

This change could impact **B2B Connectivity**:

The sender systems must trust both the old root certificate (*DigiCert Global Root G2*) and the new root certificate (*DigiCert TLS RSA4096 Root G5*). Without this, the inbound communication to SAP Business Network Freight Collaboration and SAP Business Network Global Track and Trace will be impacted.

For information about a possible impact on the end user UI, see Browser Support.

Resolution for B2B Connectivity to BN4L:

Case 1: When sender system is S/4HANA (On-Premise & Private Cloud)

1. Download [DigiCert TLS RSA4096 Root G5].
2. Upload this Root Certificate to all relevant SSL Client PSEs*.
3. For detailed steps, see SAP KBA 3238733 - How to Import a Certificate Into a STRUST PSE's Certificate List In a NetWeaver AS ABAP.
4. [DigiCert Global Root G2] should remain as is.
5. ICM restart should be necessary post change in STRUST, only if you are running old releases of Netweaver 700/701 and 64x. See SAP KBA 2746647 - SSSLERR_PEER_CERT_UNTRUSTED after importing the target certificate. Since Netweaver AS ABAP 710 and AS ABAP 702, ICM restart is no longer necessary.

Case 2: When sender system is SAP NetWeaver PI (On-Premise & Private Cloud)

1. Download [DigiCert TLS RSA4096 Root G5].
2. Import this Root Certificate to TrustedCAs view of NetWeaver Java Key Storage.