Code Lists

Generated on: 2026-05-12 07:06:52 GMT+0000

SAP Business Network Global Track and Trace | LBN

Public

Original content: https://help.sap.com/docs/SAP_LBN_GTT_OPTION/042d2e6dc359409882ad504594a2151f?locale=en-US&state=PRODUCTION&version=LBN

Warning

This document has been generated from SAP Help Portal and is an incomplete version of the official SAP product documentation. The information included in custom documentation may not reflect the arrangement of topics in SAP Help Portal, and may be missing important aspects and/or correlations to other topics. For this reason, it is not for production use.

For more information, please visit https://help.sap.com/docs/disclaimer.

Code Lists

SAP Business Network for Logistics has defined its own code values for the various attributes used within LBN. These codes are used during B2B communication so that the meaning of the codes is correctly understood by the various roles in LBN. These code lists will also be consumed via LBN Web UI, where the description can be accessed by business partners viewing the document.

Event Code Descriptions

Following is the list of codes supported for **Event Code Descriptions** (EVENTTYPECODE) :

ℹ Note

This code list is consumed by the following tracking APIs in SAP Business Network Global Track and Trace:

- Consumer API for Order Tracking (GTT)
- Provider API for Order Events (GTT).

Code	Description	Note
DEPARTURE	Departure	
ARRIV_DEST	Arrival	
LOAD_BEGIN	Loading Start	
LOAD_END	Loading End	
UNLOAD_BEGIN	Unloading Start	
UNLOAD_END	Unloading End	
COUPLING	Coupling	
DECOUPLING	Decoupling	
POPU	Proof of Pick-Up	
POD	Proof of Delivery	
DELAYED	Delay	
EMISSION	Green House Gas Emissions	
GEOLOC	Geo Location Update	
RECEIVE	Receive	
STUFF	Stuff	
UNSTUFF	UnStuff	
GATEIN_START	Gate-In Start	
GATEIN_END	Gate-In End	

Code	Description	Note
GATEOUT_START	Gate-Out Start	
GATEOUT_END	Gate-Out End	
DELIVERED	Delivered	
RETURN	Return	
OUT_FOR_DELIVERY	Out for Delivery	This event means that the shipment or package has left the final distribution center and is currently en route to its final destination. It is in the possession of a courier or delivery person who will deliver it to the intended recipient.
OTHER	Other	
EXCEPTION	Exception	
EXCEPTION_RESOLVED	Exception Resolved	
FLIGHT_BOOKED	Flight Booked	
MANIFEST_READY	Manifest Ready	
RCVD_FROM_SHIPPER	Cargo Received from Shipper	
CONSIGNEE_NOTIFIED	Consignee Notified	
EVENT_EST_UPD	Event Estimate Update	This event is used to update the estimated time of an event.
CUSTOMS_HOLD_START	Customs Hold Start	
CUSTOMS_HOLD_END	Customs Hold End	
PICKUP_END	Pickup End	
TECHNICAL_USE	Technical Use	This event is used to map with the technical events from visibility providers, such as `TRACKING_INITIATED` and `TRACKING_END`.
GATEOUT_EMPTY	Gate-Out Empty	This event means that the empty container is dispatched for loading.
GATEIN_FULL	Gate-In Full	This event means that the container is received at the port of origin.
GATEOUT_FULL	Gate-Out Full	This event means that the container is out for delivery.
GATEIN_EMPTY	Gate-In Empty	This event means that the empty container is returned at the port of discharge.
READY_FOR_PICKUP	Ready for Pickup	
HANDOVER	Handover	
ON_TIME	On Time	This event is used to restore the status of the delayed event back to its original "As

Code	Description	Note
		Planned" status.
CARRIER_NOTIFIED	Carrier Notified	
READY_FOR_CARRIAGE	Ready for Carriage	
RCVD_FROM_CARRIER	Received from Carrier	
GATEIN_CANCELED	Gate Check-In Canceled	
CARRIER_CONFIRMED	Carrier Confirmed	
CROSSDOCK_HANDOVER	Cross-Dock Handover	
CNTR_PROV	Container Provisioned	
SLOT_BOOKING	Slot Booking	
GATEIN_HOLD	Gate Check-In on Hold	
SUB_VEHICLE_READY	Subsequent Vehicle Ready	The event is used to indicate the arrival of the subsequent motor carrier
CHECK_IN	Check-In	

Event Reason Code Descriptions

Following is the list of codes supported for **Event Reason Code Descriptions** (EVENTREASONCODE):

ℹ Note

This code list is consumed by the following services in SAP Business Network Global Track and Trace:

- standard model "gttft1" of the Manage Models app
- Provider API for Order Events (GTT)

Code	Description
LBN_TRAFFC	Traffic
LBN_BRKDWN	Breakdown
LBN_WTGLOC	Waiting at Location
LBN_OTHERS	Others
CANCELLATION	Cancellation
CLEANING_STATION	Cleaning Station
CLEANLINESS_NOT_FIT	Cleanliness not Fit
COMM_INSTRUCTION	Communications/Instructions
CONGESIONTOFBAYS	Congestion of Bays

Code	Description
CROSSOVER	Crossover
DOCUMENTMISSING	Documents Missing/ IT Failure
ACCIDENT	Equipment Accident or Malfunction
FORCEOFNATURE	Force of Nature
INCORRECT	Incorrect or Not Conform
LACKOFSTORAGECAPA	Lack of Storage Capacity
LOADINGSECURING	Load Securing
NEARMISS	Near Miss
NOTAVAILABLE	Not Available
PACKAGINDAMAGED	Packaging Damaged
PREVLDNGORUNLNG	Previous (Un)loading Point
DAMAGED	Product Damaged/ Contaminated
PUBLICAUTHORITY	Public Authorities
QUANTITY	Quantity
SEALCOMPROMISED	Seal Compromised
SPILL	Spill
STRIKE	Strike
SURVEYOR	Surveyor
TEMPERATURE	Temperature
TERMINAL	Terminal/ Rail/ Shipping Line
THEFT	Theft/ Vandalism
UNSAFE	Unsafe Condition
WRONGBEHAVIOU	Wrong Behaviour
MISSINGPERSSECURITY	Personal Security Equipment Missing
PERS_DOCU_INCOMPLETE	Incomplete Personal Documents
DG_CERT_MISSING	Dangerous Goods Certification Missing
DRIVER_INAPPROPRIATE	Inappropriate Driver
DRIVER_WITHDRAWN	Driver Withdrawn by Carrier
DRIVER_SCHED_EXPIRED	Drivers Operational Schedule Expired
PROHIBITION_OF_PLANT	Plant Access Prohibited
SPEED_LIMIT_EXCEEDED	Exceeded Plant Speed Limit

Code	Description
REG_OFFENSE	Regulatory Offense
ACC_IN_PLANT	Accident in Plant
UNAUTH_PASSENGER	Unauthorized Passenger/Animal
WRONG_REFERENCE	Wrong Reference
NOT_APP_OUT_GERMANY	Not Applicable Outside Germany
VEHICLE_DOC_INVALID	Vehicles Documents Invalid/Missing
TECHCERTOUTOFDATE	Technical Certificate Expired
BAD_TYRE	Bad Tyres
CONT_DEFECT	Container Defect
VEH_BODY_DEFECT	Vehicle Body Defect
VEH_FLOOR_DEFECT	Vehicle/Container Floor Defect
EQUIP_NOT_SUITABLE	Equipment Not Suitable
VEHICLE_UNCLEAN	Unclean Truck/Container
VEHEQUIPMISSING	Missing Vehicle Equipment
VEHEQUIPCOMPLTED	Vehicle Equipment Completed
DG_EQUIP_MISSING	Dangerous Goods Equipment Missing
TECH_DEFECT	Technical Defect/Accident
LOADSECEQUIPMISSING	Load Securing Equipment Missing
VEHICLE_OTHERS	Vehicle/Equipment Others
DOCU_OTHERS	Documentation Others
SLOT_BOOKING	Slot Booking
SLOTBOOKINGNOTUSED	Slot Booking Not Used
PRODUCT_NOT_AVAIL	Product Not Available
DOCUMENTREQUEST	Document Request
CUSTOMCLEARDELAY	Customs Clearance Delayed
TRACKING_ERROR	Tracking Error
CARRIER_OUT_NETWORK	Carrier Out of Network
INVALID_IDENTIFER	Invalid Identifier
TIMEOUT	Timeout
MISSED_CONNECTION	Missed Connection
INITIALIZE_FAILURE	Tracking Initialization Failure

Code	Description
DELIVERY_MISSED	Delivery Missed
LATE_DEPARTURE	Late Departure
PICKUP_MISSED	Pickup Missed
INVALID_CARRIER	Invalid Carrier
TRACKING_END	Tracking End
BAD_ORDER	Bad Order

Incoterm Descriptions

Following is the list of codes supported for **Incoterm Descriptions** (INCOTERMCODE):

ℹ Note

This code list is consumed by the following services in SAP Business Network Global Track and Trace:

- standard model "gttft1" of the Manage Models app
- Consumer API for Order Tracking (GTT)

Code	Description
CFR	Costs and Freight
CIF	Costs, Insurance & Freight
CIP	Carriage and Insurance Paid To
CNF	Costs and Freight
CPT	Carriage Paid To
DAT	Delivered at Terminal
DAP	Delivered at Place
DAF	Delivered at Frontier
DDP	Delivered Duty Paid
DDU	Delivered Duty Unpaid
DEQ	Delivered Ex Quay (Duty Paid)
DES	Delivered Ex Ship
DPU	Delivered at Place Unloaded
EXW	Ex Works
FAS	Free Alongside Ship

Code	Description
FCA	Free Carrier
FH	Free House
FOB	Free on Board
UN	Not Free

Location Type Descriptions (Deprecated)

Following is the list of codes supported for **Location Type Descriptions** (LOCATIONTYPECODE):

ℹ Note

This code list is **deprecated** in the following tracking APIs in SAP Business Network Global Track and Trace:

- Consumer API for Order Tracking (GTT)
- Provider API for Order Events (GTT)

Code	Description
1001	Production Plant
1002	Distribution Center
1003	Shipping Point
1005	Transportation Zone
1006	Stock Transfer Point
1007	Storage Location MRP Area
1020	Transportation Service Provider
1021	Business Partner
1030	Terminal
1031	Geographical Area
1040	Store
1050	Subcontractor
1100	Port
1101	Port of Origin
1102	Port of Discharge
1103	Container Terminal of Port of Origin
1104	Container Terminal of Port of Discharge

Code	Description
1110	Airport
1120	Railway Station
1130	Container Freight Station
1140	Hub
1141	Transshipment Hub
1142	Transshipment Port
1150	Gateway
1160	Container Yard
1170	Warehouse
1171	Export Warehouse
1172	Import Warehouse
1180	Carrier Warehouse
1190	Rail Junction
1191	Border Crossing Point
1200	Loading Point
1201	Docking Location
3001	Depot
3002	Origin
3003	Destination
3004	Shipper Location
3005	Consignee Location
3006	Interim Location

Traffic Direction Descriptions

Following is the list of codes supported for **Traffic Direction Descriptions** (TRAFFICDIRECTIONCODE):

ℹ Note

This code list is consumed by the following service in SAP Business Network Global Track and Trace:

- standard model "gttft1" of the Manage Models app

Code	Description
1	Export
2	Import
3	Transit

Shipper/Carrier Reference Document Type Codes

Following is the list of codes supported for **Shipper/Carrier Reference Document Type Codes** (DocumentReferenceTypeCode):

ℹ Note

This code list is consumed by the following services in SAP Business Network Global Track and Trace:

- standard model "gttft1" of the Manage Models app
- Consumer API for Order Tracking (GTT)
- Provider API for Order Events (GTT)

Code	Description	Role
001	Purchase Order	Shipper
003	Quote	Carrier
004	Invoice	Carrier
005	Credit Memo	Carrier
107	Purchase Order Confirmation	Carrier
108	Purchase Request	Shipper
109	Purchase Requisition	Shipper
111	Request for Quote	Shipper
1122	Transportation Order	Shipper
1123	Transportation Request	Shipper
114	Sales Order	Shipper
117	Service Order	Shipper
127	Supplier Invoice	Carrier
128	Supplier Invoice Request	Carrier
129	Supplier Quote	Carrier
130	Supply Planning Exception	Carrier
131	Supply Planning Requirement	Carrier