Execution Status	Description
	item is reported, the execution status also changed to **Completed**.

Delay Status

Shows if a tracked process or an event is delayed or not. A tracked process is shown as **Delayed** when one of its planned events is delayed.

Event Status

Event status is determined by comparing the planned business timestamp with that of the actual.

Event Status	Description
As Planned	The initial status for the planned event.
Delayed	At least one "Delay" event or an event that inherits "GTTDelayedEvent" is reported with reference to the unreported planned event, without the "on-time" event to restore its status.
Reported Early	The planned event has been reported and the actual business time is earlier than the earliest planned business time.
Reported On Time	The planned event has been reported and the actual business time is between the earlier and latest planned business time.
Reported Late	The planned event has been reported and the actual business time is later than the latest planned business time.
Reported	An unplanned event has been reported.
Overdue	The planned event is not reported but the current timestamp exceeds the latest planned technical timestamp.

Process Status

The actual status of the tracked process, decided by the status of the last planned event whose status is not “As Planned”. See the following table for status description.

Process Status	Description
As Planned	The initial status of a tracked process, also the status when the last planned event whose status is not “As Planned” has been reported.
Delayed	A tracked process is "Delayed" when the last planned event whose status is not “As Planned” is expected to be late.
Early	A tracked process is "Early" when the last planned event whose status is not “As Planned” has been reported and its actual business time is earlier than the earliest planned business time.
Late	A tracked process is "Late" when the last planned event whose status is not “As Planned” has been reported and the actual business time is later than the latest planned business time.
Overdue	A tracked process is "Overdue" when the last planned event whose status is not “As Planned” is overdue. It indicates that the current timestamp exceeds the latest planned technical timestamp, but the last planned event hasn't been reported.

Estimated Status

It can describe both a tracked process and an event.

Estimated Status of Events

You can view the following estimated status for the unreported planned events with both planned and estimated business timestamps.

Estimated Status	Description
Running Early	The estimated time is earlier than the earliest planned business time.
Running Late	The estimated time is later than the latest planned business time.
Running On Time	The estimated time is between the earliest and the latest planned business time.

Estimated Status of Tracked Processes

The estimated status of a tracked process is decided by the estimated status of its unreported planned event that meets the following requirements:

- After sorting by the default logic, it's displayed after the last reported planned event. For default sorting logic, see Tracking Timeline.
- After sorting by the default logic, it's the last planned event whose estimated status is not “unknown", which means it has both planned and estimated business timestamps.

If there are no such planned event, then the estimated status of the tracked process is unknown.

Here are several examples that help you understand this:

Example

1. For shipment A, it's events are sorted as shown in the table. The planned event that meets the requirements is "Unloading Start", whose estimated status is "Running Late". Therefore, the estimated of this shipment is "Running Late".

Event Type	Process Status	Estimated Status	Planned Business Timestamp	Estimated Business Timestamp
Loading Start	Reported	Running On Time	2022-03-21T16:00:00Z	2022-03-21T16:00:00Z
Loading End	Reported	Running On Time	2022-03-21T17:30:00Z	2022-03-21T17:30:00Z
Departure	Reported	Running On Time	2022-03-21T18:00:00Z	2022-03-21T18:00:00Z
Arrival	As Planned	Running On Time	2022-03-22T18:00:00Z	2022-03-22T18:00:00Z
Unloading Start	As Planned	Running Late	2022-03-22T19:00:00Z	2022-03-22T19:30:00Z

Event Type	Process Status	Estimated Status	Planned Business Timestamp	Estimated Business Timestamp
Unloading End	As Planned	Unknown	2022-03-22T20:00:00Z	/

2. For shipment B, it's events are sorted as shown in the table. The planned event that meets the requirements is "Unloading End", whose estimated status is "Running On Time". Therefore, the estimated of this shipment is "Running On Time".

Event Type	Process Status	Estimated Status	Planned Business Timestamp	Estimated Business Timestamp
Loading Start	Reported	Running On Time	2022-03-21T16:00:00Z	2022-03-21T16:00:00Z
Loading End	Reported	Running On Time	2022-03-21T17:30:00Z	2022-03-21T17:30:00Z
Departure	Reported	Running On Time	2022-03-21T18:00:00Z	2022-03-21T18:00:00Z
Arrival	As Planned	Unknown	2022-03-22T18:00:00Z	/
Unloading Start	As Planned	Running Late	2022-03-22T19:00:00Z	2022-03-22T19:30:00Z
Unloading End	As Planned	Running On Time	2022-03-22T20:00:00Z	2022-03-22T20:00:00Z

3. For shipment C, it's events are sorted as shown in the table. Since overdue events are also unreported events, the planned event that meets the requirements is "Unloading End", whose estimated status is "Running Early". Therefore, the estimated of this shipment is "Running Early".

Event Type	Process Status	Estimated Status	Planned Business Timestamp	Estimated Business Timestamp
Loading Start	Reported	Running On Time	2022-03-21T16:00:00Z	2022-03-21T16:00:00Z
Loading End	Reported	Running On Time	2022-03-21T17:30:00Z	2022-03-21T17:30:00Z
Departure	Reported	Running On Time	2022-03-21T18:00:00Z	2022-03-21T18:00:00Z
Arrival	As Planned	Unknown	2022-03-22T18:00:00Z	/

Event Type	Process Status	Estimated Status	Planned Business Timestamp	Estimated Business Timestamp
Unloading Start	Overdue	Running Late	2022-03-22T19:00:00Z	2022-03-22T19:30:00Z
Unloading End	Overdue	Running Early	2022-03-22T20:00:00Z	2022-03-22T19:50:00Z


4. For shipment D, it's events are sorted as shown in the table. There is no such planned event that meets the requirements, so the estimated status of the shipment is unknown.

Event Type	Process Status	Estimated Status	Planned Business Timestamp	Estimated Business Timestamp
Loading Start	Reported	Running On Time	2022-03-21T16:00:00Z	2022-03-21T16:00:00Z
Loading End	Reported	Running On Time	2022-03-21T17:30:00Z	2022-03-21T17:30:00Z
Departure	Reported	Running On Time	2022-03-21T18:00:00Z	2022-03-21T18:00:00Z
Arrival	As Planned	Unknown	2022-03-22T18:00:00Z	/
Unloading Start	As Planned	Unknown	2022-03-22T19:00:00Z	/
Unloading End	As Planned	Unknown	2022-03-22T20:00:00Z	/

Carrier

On the **Shipment Details** page, you can find **Carrier** on the **Information** tab. It now displays one of the following values, prioritized in descending order as follows:

- carrier name maintained in the `CarrierDescription` code list of the standard model "gttft1".



- carrier name maintained by data contributors in the **Manage Business Profile** app. In this case, it appears as a hyperlink that you can click to view details.
- carrier identifier

Generate Public Links for Shipments

Context

You must enable generating shipment links for public sharing before you can share them to guest users. They can view the shipment without the need to sign-in. To do this, perform the following:

Procedure

1. Go to the standard model “gttft1” of the Manage Models app.
2. Click **Edit** on the top right.
3. In the **Event to Action** tab, add the following script in the **User Script before Standard Script** section:
   `enablePublicLinkGeneration = true`.

   If you don’t want to use this function anymore, you can delete this script or set its value to "false". This is only applicable to new shipments that are created after you enable the public link. For existing shipments, the function still work.
4. Save the changes and deploy the model.

Results

When a shipment is updated, on its **Shipment Details** page in the Track Shipments app, a Share icon appears on the top right corner. You can then share the link to guest users. For more, see Share Shipment Details via a Public Link.

Related Information


Example: Embed Public Links in Email Notifications

Tracking Harmonization

Tracking harmonization provides a harmonized tracking experience in SAP Business Network for Logistics by clearly distinguishing the capabilities provided in SAP Business Network Freight Collaboration and SAP Business Network Global Track and Trace. As of now, capabilities are distributed amongst SAP Business Network Freight Collaboration (that primarily focuses on order management and dock appointment scheduling), and SAP Business Network Global Track and Trace.

In terms of tracking, SAP Business Network Freight Collaboration now supports basic tracking of milestone events and ETA. On top of these capabilities, SAP Business Network Global Track and Trace supports advanced tracking that also includes:

- geo position updates
- map view



Here is the comparison of the tracking capabilities before and after tracking harmonization in SAP Business Network Global Track and Trace:

Capability	Mode of Transport	Business Partner	Before Tracking Harmonization	After Tracking Harmonization
Milestone and ETA reporting via Web UI	Road, Ocean, Air, Parcel	Carrier	×	✓
Milestone and ETA reporting via Web UI	Road, Ocean, Air, Parcel	Solution Owner	✓	✓
Map view (in all fulfillment tracking apps)	Road, Ocean, Air, Parcel	Solution Owner	✓	✓
Milestone and ETA reporting via API	Road, Ocean, Air, Parcel	Data Contributor	✓	✓
Milestone and ETA reporting via API	Road, Ocean, Air, Parcel	Solution Owner	✓	✓
Geoposition reporting via Web UI	Road, Ocean, Air, Parcel	Data Contributor	×	×
Geoposition reporting via Web UI	Road, Ocean, Air, Parcel	Solution Owner	✓	✓
Geoposition reporting via API	Road, Ocean, Air, Parcel	Data Contributor	✓	✓
Geoposition reporting via API	Road, Ocean, Air, Parcel	Solution Owner	✓	✓

As part of the effort, the **Manage Freight Execution** app is provided for carriers to report events manually.

Benefits

It has the following benefits to different users:

- **Solution owners** can see events reported by their carriers via Web UI in their **Track Shipments** app. You must enable your carriers to report events first. For more, see Enable Manual Reporting For Carriers.

- **Carriers** can report **all** supported planned and unplanned events and view events reported by other business partners in the new **Manage Freight Execution** app. Previously, they could only report a small subset of events.

Restrictions

The restrictions include the following:

- Only the following shipments, events and fields in global track and trace are supported to be forwarded to the **Manage Freight Execution** app
    - **Shipments**: They must meet the following requirements:
        - They do not have tracking units assigned. For example, shipment with multiple containers is not supported.
        - They must have planned stops, and each stop must have at least one planned event.
    - **Events**: All milestone events are supported except for “location update”, “carbon emission” and “overdue” events. For a complete list of milestone events, see Event Code Descriptions.

      Planned events without event match key can't be displayed in the **Manage Freight Execution** app.
    - **Fields**: Only fields that are mapped for visibility provider integration in the global track and trace can be forwarded to the **Manage Freight Execution** app. For more, see Visibility Provider Integration .
- Events with private attachment URL provided can't be forwarded from SAP Business Network Global Track and Trace to SAP Business Network Freight Collaboration.

Enable Manual Reporting for Carriers

The **Manage Freight Execution** app allows carriers to report events manually. Once they are enabled, they can access all assigned shipments from different solution owners in a single worklist and manually report milestone events with ETA on them. The enabling process is different based on your configured tracking options:

- If you have been using the Track Shipments app to do the tracking
- If you used the Track Freight Movement app previously to do the tracking


If you have been using the Track Shipments app to do the tracking

If you have been using the Track Shipments app to do the tracking, then you must do the following:

1. Invite your carriers to onboard on the same data center as you and make sure they have a valid LBN ID. For more, see Activate your account.
2. If you established B2B connection with your visibility providers based on carrier’s alternate ID, such as SCAC#MAEU, then you must map the LBN ID with the alternate ID. You can contact the carrier onboarding team to do the mapping. Or you can maintain this alternate ID in **Custom Header** of the **Configure Partner Connection** app by entering “`LBN_CUSTOM_CARRIER_ALT_ID`” as the **Key** and the alternate ID, such as SCAC#MAEU as the **Value**. For more, see Configure Partner Connections.

    ### Example

    The following screenshot shows how you configure the connection in the **Configure Partner Connection** app:



3. Don't trigger SOAP message `TransportationOrderGenericTrackedProcessRequest_Out` to avoid document duplication.

4. To process tracked process and events in the same way as in the **Manage Freight Execution** app, you must set event status to be affected by actual technical timestamp in the **Manage Models** app of global track and trace. For more, see Edit Tracked Process.

5. Specify carriers' LBN IDs in the **Event-to-Action Script** of the standard model "gttft1" as follows:

    - Launch the **Manage Models** app in global track and trace and go to the standard model "gttft1".
    - witch to the **Event-to-Action** tab and in the **User Script Before Standard Script**, add LBN IDs of allowed carriers in the script:
        - To enable manual reporting for one or several carriers, add their LBN IDs in the script as follows:

          Sample Code

          ```
          carrierListForManageFreightExecution = ["LBN#1001", "LBN#1002", "LBN#1003"];
          ```

        - To enable manual reporting for all carriers, add the script as follows for simplicity, instead of adding all their LBN IDs:

          Sample Code

          ```
          carrierListForManageFreightExecution = ["ALL"];
          ```

    - Save your changes and deploy the model.

As a result, your carriers can see the shipments assigned to them in the worklist of the **Manage Freight Execution** app after the next shipment update, and they can report events on them. If not, check the messages within **Monitor Message Logs** app to troubleshoot.


If you used the Track Freight Movement app to do the tracking previously

If you subscribed to the Freight Collaboration and used the Track Freight Movement app to do the tracking previously, you must do the following:

1. Decide how you want your freight documents to be sent to SAP Business Network Global Track and Trace:
    - Option 1 (Recommended): Use standard IDOC to send TM documents to global track and trace. For more, see Using Standard Extractor Codes.
    - Option 2: Use the SOAP message `TransportationOrderGenericTrackedProcessRequest_Out` to send TM freight order/booking to SAP Business Network Global Track and Trace. For more, see Using SOAP Messages.
2. Replicate locations from S/4HANA to location master of SAP Business Network for Logistics. For more, see Manage Locations.
3. Maintain system ID and logical system ID in the **System Connection** app. For more, see Creating a Connection.
4. Invite your carriers to onboard on the same data center as you and make sure they have a valid LBN ID. For more, see Activate your account.
5. If you established B2B connection with your visibility providers based on carrier's alternate ID, such as SCAC#MAEU, then you must map the LBN ID with the alternate ID. You can contact the carrier onboarding team to do the mapping. Or you can maintain this alternate ID in **Custom Header** of the **Configure Partner Connection** app by entering "`LBN_CUSTOM_CARRIER_ALT_ID`" as the **Key** and the alternate ID, such as SCAC#MAEU as the **Value**. For more, see Configure Partner Connections.

    ### Example

    The following screenshot shows how you configure the connection in the **Configure Partner Connection** app:

6. Don't trigger SOAP message `TransportationOrderGenericTrackedProcessRequest_Out` to avoid document duplication.
7. To process tracked process and events in the same way as in the **Manage Freight Execution** app, you must set event status to be affected by actual technical timestamp in the **Manage Models** app of global track and trace. For more, see Edit

Tracked Process.

8. Specify carriers' LBN IDs in the **Event-to-Action Script** of the standard model "gttft1" as follows:
    - Launch the **Manage Models** app in global track and trace and go to the standard model "gttft1".
    - witch to the **Event-to-Action** tab and in the **User Script Before Standard Script**, add LBN IDs of allowed carriers in the script:
        - To enable manual reporting for one or several carriers, add their LBN IDs in the script as follows:

          Sample Code

          ```
          carrierListForManageFreightExecution = ["LBN#1001", "LBN#1002", "LBN#1003"];
          ```

        - To enable manual reporting for all carriers, add the script as follows for simplicity, instead of adding all their LBN IDs:

          Sample Code

          ```
          carrierListForManageFreightExecution = ["ALL"];
          ```

    - Save your changes and deploy the model.

As a result, your carriers can see the shipments assigned to them in the worklist of the **Manage Freight Execution** app after the next shipment update, and they can report events on them. If not, check the messages within **Monitor Message Logs** app to troubleshoot.

Related Information

Manage Freight Execution

Manage Models

For information on how to use this app, see Guide for Model Administrators.

Check Processes and Events

For information on how to use this app, see Guide for Model Administrators.

View Logs

For more information on how to use this app, see the section View Logs in the *Guide for Message Log Administrators*.

Manage Message Logs

For more information on how to use this app, see the section Manage Message Logs in the *Guide for Message Log Administrators*.