

Implementation Guide – PUBLIC
Version 1.0 (2025-08-16)

# How to Integrate with SAP Business Network Global Track and Trace (EDIFACT)

Implementation guide for B2B EDIFACT integration

THE BEST RUN SAP®

# TABLE OF CONTENTS


INTRODUCTION ..... 3

PREREQUISITES ..... 4

PROCESS DESCRIPTION ..... 5

STEP 1: IFTSTA (OUTBOUND) ..... 6

STEP 2: TEST OUTBOUND CONNECTIVITY ..... 10

STEP 3: IFTSTA (INBOUND) WITH SFTP POLLING ..... 10

STEP 4: EMAIL NOTIFICATION FOR INTEGRATION ERRORS ..... 14

OPERATIONAL MONITORING ..... 15


**www.sap.com/contactsap**


© 2021 SAP SE or an SAP affiliate company. All rights reserved.
No part of this publication may be reproduced or transmitted in any form or for any purpose without the express permission of SAP SE or an SAP affiliate company.

The information contained herein may be changed without prior notice. Some software products marketed by SAP SE and its distributors contain proprietary software components of other software vendors. National product specifications may vary.

These materials are provided by SAP SE or an SAP affiliate company for informational purposes only, without representation or warranty of any kind, and SAP or its affiliated companies shall not be liable for errors or omissions with respect to the materials. The only warranties for SAP or SAP affiliate company products and services are those that are set forth in the express warranty statements accompanying such products and services, if any. Nothing herein should be construed as constituting an additional warranty.

In particular, SAP SE or its affiliated companies have no obligation to pursue any course of business outlined in this document or any related presentation, or to develop or release any functionality mentioned therein. This document, or any related presentation, and SAP SE's or its affiliated companies' strategy and possible future developments, products, and/or platform directions and functionality are all subject to change and may be changed by SAP SE or its affiliated companies at any time for any reason without notice. The information in this document is not a commitment, promise, or legal obligation to deliver any material, code, or functionality. All forward-looking statements are subject to various risks and uncertainties that could cause actual results to differ materially from expectations. Readers are cautioned not to place undue reliance on these forward-looking statements, and they should not be relied upon in making purchasing decisions.

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies. See www.sap.com/trademark for additional trademark information and notices.


THE BEST RUN SAP®

## INTRODUCTION

Note: As of today, SAP Business Network Global Track and Trace (GTT) supports the following B2B standards and corresponding messages:

| EDI/B2B Message Standard | Message Type | Version | Description |
|---|---|---|---|
| EDIFACT | IFTSTA | D01C | Shipment Status Inquiry |
| EDIFACT | IFTSTA | D01C | Shipment status Update |

EDIFACT IFTSTA supports both inquiries of shipment status and responses for the status of a consignment, making it suitable for use in both inbound and outbound connections. To set up EDIFACT integration for the IFTSTA message type, you, as a data contributor, must configure an SFTP connection in the *System Connections* app. Additionally, the GLNID for both parties (solution owner and data contributor) must be consistently maintained in the *Configure Partner Connections* and *System Connections*. This implementation guide provides detailed instructions on what needs to be done.


Note: We strongly recommend that you perform all activities mentioned in this guide in both the test and productive environments.

**PREREQUISITES**

To set up EDI integration with SAP Business Network for Logistics, you must meet the following requirements:

- The data contributor tenant is available in the test and productive environments. For more information about the process of registering SAP Business Network for Logistics, activating your account, logging on, and adding users, see the Activate Your Account guide.
- Both the solution owner and data contributor must maintain alternate identifiers (such as the GLNID in the **System Connections** app. The GLNID is crucial for identifying both parties in IFTSTA communication. For more information, see Manage Alternate IDs (Data Contributor) | SAP Help Portal.
- The solution owner you work with has maintained the GLNID of both parties in the **Configure Partner Connections** app. For more information, see Enable EDIFACT IFTSTA for Event Tracking.
- In case your SFTP server uses IP filtering, you need to add specific IP ranges to the allow list based on the data center you're onboarded to. Otherwise, the Cloud Integration tenants cannot connect to your SFTP server. For more information, see Regions and Hosts Available for the Connectivity Platform.
- It is expected that data contributor set up an SFTP server on their side for information exchange. Data contributors have to set up the SFTP connection once and solution owners can use the same SFTP connection for communication. Data contributors must enter a base64-encoded string of their SFTP server in the *Known Host Key* field of the *System Connections* app. See also Specifying the Authentication Details and Base URLs for Your System's Endpoints.


  The following diagram demonstrates the SFTP communication between the involved parties.




- Ensure that you use different folders for *Test* and *Prod* on your SFTP server.


## PROCESS DESCRIPTION

The process flow below illustrates a sequence of events for exchanging UN/EDIFACT messages which are supported by SAP Business Network for Logistics. The supported message types are also listed in the *Introduction* section.




**STEP 1: IFTSTA (OUTBOUND)**

On the *Manage Network* tab of your SAP Fiori launchpad, select the *System Connections* app.





Choose *Manage Details* in the upper-right corner.




Under the *Communication Details* tab, choose *Add* and select the SFTP option from the dropdown menu.



Enter the following data in the *Add EDI Communication* window:





For more information, see Specifying the Authentication Details and Base URLs for Your System's Endpoints.

**Hint**: The file name can consist of particular placeholders that you replace when creating the file name and fixed parts. For example, LBN_%DOCUMENT_ID%_%TIMESTAMP%.edi


Available placeholders:

- %DOCUMENT_ID%
- %MESSAGE_TYPE%
- %TIMESTAMP%
- %SHIPPER_LBN_ID%

Under the *Authentication Details* tab, choose *Add* and select the BASIC option from the dropdown menu.





Enter the following data in the *New Basic Authentication Details* window:





Go back to the entry page of the *System Connections* app and create outbound connection for the following service and operation

| Service | Operation | Corresponding EDIFACT Message |
|---|---|---|
| Shipment Tracking All | Put order for tracking | EDIFACT IFTSTA |

To do so, create a new service:




Enter the following data for the new service:




## STEP 2: TEST OUTBOUND CONNECTIVITY

After configuring the outbound connection, you should directly perform a connection test to your SFTP server. To test the service, select *Shipment Tracking All* from the Service table and choose *Test Service* in the upper-right corner, then select *With Default Payload*:




The system generates a test freight order and attempts to send an EDI file to your SFTP server. The following window is shown with the test freight order ID:




Using the ID of the created document (for example API_TEST_2EseTjcRHq), you can find the corresponding test document in the *Manage Integration Logs* app and view the test result. Please refer to the chapter OPERATIONAL MONITORING for more details.

## STEP 3: IFTSTA (INBOUND) WITH SFTP POLLING

On the *Manage Network* tab of your SAP Fiori launchpad, select the *System Connections* app.