	Selected Values **Code** I **Name** Intermodal	**Data Type** ID **Position** 07 **Codelist Id** 147 **Type System** ASC_X12 **Version Mode** Current **Version** 004010

4.4 B2A — Set Purpose

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
204 — Motor Carrier Load Tender	1 .. 1				
├ **B2A** — Set Purpose	1 .. 1		030		
│ ├ **353** — Transaction Set Purpose Code	1 .. 1	Token	01	2 .. 2	353
│ └ **346** — Application Type	1 .. 1	Token	02	2 .. 2	346

Documentation

Definition To allow for positive identification of transaction set purpose

Properties

Identifier B2A

Name Set Purpose

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 030

Level 2

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
353 Transaction Set Purpose Code	Code identifying purpose of transaction set **Usage 1** Code 20 will replace codes 00 resp. 04 in case the freight order is sent with status flag “final” by the shipper. Sending code 20 (Final Transmission) means that no further updates of the freight order are expected and subsequent logistical processes can be started by the carrier. A cancelled freight order will always use code 01, even if the transmission of this particular freight order is technically and logically the final one. **Selected Values** **Code** 00 **Name** Original **Code** 04 **Name** Change **Code** 01 **Name** Cancellation **Code** 20 **Name** Final Transmission	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 2 max: 2 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 353 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
346 Application Type	Code identifying an application **Selected Values** **Code** LT **Name** Load Tender - Truckload (TL) Carrier Only Used by a shipper to inform carrier that a particular load is available or becoming available for movement; also signifies an advance pick-up notification	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 2 max: 2 **External Category** Simple Data Element **Data Type** ID **Position** 02 **Codelist Id** 346 **Type System** ASC_X12 **Version Mode** Current **Version** 004010

4.5 L11 — Business Instructions and Reference Number

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
204 — Motor Carrier Load Tender	1 .. 1				
├ **L11** — Business Instructions and Reference Number	3 .. 50		080		
│ ├ **127** — Reference Identification - System Number	1 .. 1	String	01	1 .. 30	
│ ├ **127** — Reference Identification - Billing Account	1 .. 1	String	01	1 .. 30	
│ ├ **127** — Reference Identification - Purchasing Party	1 .. 1	String	01	1 .. 30	
│ └ **128** — Reference Identification Qualifier	1 .. 1	Token	02	2 .. 3	128

Documentation

Definition To specify instructions in this business relationship or a reference number

Properties

Identifier L11

Name Business Instructions and Reference Number

Cardinality min: 3 max: 50

Syntax Type Related

External Category Segment

Position 080

Level 2

Notes

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
127 [128 = "06"] Reference Identification - System Number	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 30 **External Category** Simple Data Element **Data Type** AN **Position** 01
127 [128 = "12"] Reference Identification - Billing Account	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 30 **External Category** Simple Data Element **Data Type** AN **Position** 01
127 [128 = "CN"] Reference Identification - Purchasing Party	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 30 **External Category** Simple Data Element **Data Type** AN **Position** 01
128 Reference Identification Qualifier	Code qualifying the Reference Identification **Selected Values** **Code** PO **Name** Purchase Order Number **Code** RQ **Name** Purchase Requisition Number **Code** KT **Name** Request for Quotation Reference A discrete number assigned for identification purposes to a request for quotation **Code** CO **Name** Customer Order Number	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 2 max: 3 **External Category** Simple Data Element **Data Type** ID **Position** 02 **Codelist Id** 128 **Type System** ASC_X12 **Version Mode** Current **Version** 004010

	Code OW **Name** Service Order Number Number assigned when a customer orders service and equipment and which appears on bill **Code** BN **Name** Booking Number **Code** DO **Name** Delivery Order Number **Code** CI **Name** Unique Consignment Identifier **Code** SI **Name** Shipper's Identifying Number for Shipment (SID) A unique number (to the shipper) assigned by the shipper to identify the shipment **Code** OD **Name** Original Return Request Reference Number A sequential number assigned by the originator of the original return request **Code** BM **Name** Bill of Lading Number **Code** MB **Name** Master Bill of Lading **Code** AW **Name** Air Waybill Number **Code** 4F **Name** Carrier-assigned Shipper Number **Code** 6A **Name** Consignee Reference Number **Code** RF **Name** Export Reference Number **Code** CN **Name** Carrier's Reference Number (PRO/Invoice) **Code** ABS **Name** Vessel Name **Code** V3 **Name** Voyage Number **Code** PK **Name** Packing List Number **Code** WY **Name** Waybill Number **Code** 4H **Name** Commercial Invoice Number **Code** Q8 **Name** Registration Number Code describing which type of registration is being submitted **Code** SCA **Name** Standard Carrier Alpha Code (SCAC) **Code** DQ **Name** Delivery Quote Number **Code** ZH **Name** Carrier Assigned Reference Number	

4.6 NTE — Note/Special Instruction

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
204 — Motor Carrier Load Tender	1 .. 1				
├ **NTE** — Note/Special Instruction	0 .. 10		130		
│ ├ **363** — Note Reference Code	0 .. 1	Token	01	3 .. 3	363
│ └ **352** — Description	1 .. 1	String	02	1 .. 80	

Documentation

Definition To transmit information in a free-form format, if necessary, for comment or special instruction

Properties

Identifier NTE

Name Note/Special Instruction

Cardinality min: 0 max: 10

Syntax Type Related

External Category Segment

Position 130

Level 2

Notes

Usage 1 If a total mileage is available in the sender system, an additional NTE segment with code TRA (Transportation) will be transmitted, which contains as description the value and its unit of measure in ISO format. The value will be rounded up to the next integer number.

Usage 2 If the currency code of the total charges is available in the sender system, an additional NTE segment with code CBH (Monetary Amount Description) will be transmitted, which contains the currency code as description.

Tech. Info. 1 The following characters, which are used in ANSI X12 as delimiter characters, are replaced by spaces in the description (data element 352): Asterisk * Tilde ~ Double quote “

Comment 1 The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processable. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.

Example 1 NTE*TRA*1863 KMT~

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
363 Note Reference Code	Code identifying the functional area or purpose for which the note applies **Usage 1** In case the note reference code from the sending system violates the length restriction of three characters, the code will be mapped to code ZZZ to avoid validation issues in the receiving system. Every note reference code, which meets the length restriction, will be transmitted to the receiver, even if it is not contained in codelist 363. **Selected Values** All Values in Codelist	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 3 max: 3 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 363 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
352 Description	A free-form description to clarify the related data elements and their content	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 80 **External Category** Simple Data Element

		Data Type AN **Position** 02

4.7 0200 — Loop 0200

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
204 — Motor Carrier Load Tender	1 .. 1				
├ **0200** — Loop 0200	0 .. 10		200		
│ ├ **N7** — Equipment Details	1 .. 1		200		
│ ├ **N7B** — Additional Equipment Details	0 .. 1		205		
│ └ **M7** — Seal Numbers	0 .. 2		210		

Properties

Identifier 0200

Name Loop 0200

Cardinality min: 0 max: 10

Syntax Type Related

External Category Loop

Position 200

Level 2

4.8 N7 — Equipment Details

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
204 — Motor Carrier Load Tender	1 .. 1				
├ **0200** — Loop 0200	0 .. 10		200		
│ ├ **N7** — Equipment Details	1 .. 1		200		
│ │ ├ **207** — Equipment Number	1 .. 1	String	02	1 .. 10	
│ │ ├ **40** — Equipment Description Code	0 .. 1	Token	11	2 .. 2	40
│ │ ├ **761** — Equipment Number Check Digit	0 .. 1	Integer	18	1 .. 1	
│ │ └ **24** — Equipment Type	0 .. 1	Token	22	4 .. 4	

Documentation

Definition To identify the equipment

Properties

Identifier N7

Name Equipment Details

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 200

Level 3

Notes

Usage 1 N712 is the owner of the equipment.

Usage 2 N723 is the operator or carrier of the rights of the equipment.

Constraint 1 P0304 Paired Multiple - If any are used, all must be used

Constraint 2 P0516 Paired Multiple - If any are used, all must be used

Constraint 3 P0809 Paired Multiple - If any are used, all must be used

Comment 1 N701 is mandatory for rail transactions.

Comment 2 N720 and N721 are expressed in inches.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
207 Equipment Number	Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 1 max: 10 **External Category** Simple Data Element **Data Type** AN **Position** 02 **Fixed Value** N/A
40 Equipment Description Code	Code identifying type of equipment used for shipment **Selected Values** All Values in Codelist	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 2 max: 2 **External Category** Simple Data Element **Data Type** ID **Position** 11 **Codelist Id** 40 **Type System** ASC_X12 **Version Mode** Current **Version** 004010

761 Equipment Number Check Digit	Number which designates the check digit applied to a piece of equipment	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Integer **Length** **min:** 1 **max:** 1 **Fraction Digits** 0 **Total Digits** 1 **External Category** Simple Data Element **Data Type** N0 **Position** 18
24 Equipment Type	Code identifying equipment type	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Token **Length** **min:** 4 **max:** 4 **External Category** Simple Data Element **Data Type** ID **Position** 22

4.9 N7B — Additional Equipment Details

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
204 — Motor Carrier Load Tender	1 .. 1				
├ **0200** — Loop 0200	0 .. 10		200		
│ ├ **N7B** — Additional Equipment Details	0 .. 1		205		
│ │ └ **127** — Reference Identification	0 .. 1	String	06	1 .. 30	

Documentation

Definition To identify additional equipment details

Properties

Identifier N7B

Name Additional Equipment Details

Cardinality min: 0 max: 1

Syntax Type Related

External Category Segment

Position 205

Level 3

Notes

Usage 1 N7B06 is the Department of Transportation or the Interstate Commerce Commission Motor Carrier Cargo Tank Specification.

Comment 1 N7B06 may include but are not limited to MC300 through MC307, MC310 through MC312, MC330, MC331, MC338, DOT 406, DOT 407, and DOT 412.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
127 Reference Identification	Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier. Value recorded here is the ItemId where the CategoryCode is 'TUR' **Usage 1** Item ID corresponding to Category Code TUR (Transportation Unit Resource)	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 30 **External Category** Simple Data Element **Data Type** AN **Position** 06