		Length **min:** 4 **max:** 4 **External Category** Simple Data Element **Data Type** ID **Position** 22

4.19 W09 — Equipment and Temperature

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
300 — Reservation (Booking Request) (Ocean)	1 .. 1				
├ **LX** — Loop LX	1 .. 999		010		
│ ├ **W09** — Equipment and Temperature	0 .. 1		021		
│ │ ├ **40** — Equipment Description Code	1 .. 1	Token	01	2 .. 2	40
│ │ ├ **408** — Temperature	0 .. 1	Decimal	02	1 .. 4	
│ │ ├ **355** — Unit or Basis for Measurement Code	0 .. 1	Token	03	2 .. 2	355
│ │ ├ **408** — Temperature	0 .. 1	Decimal	04	1 .. 4	
│ │ ├ **355** — Unit or Basis for Measurement Code	0 .. 1	Token	05	2 .. 2	355
│ │ ├ **1122** — Vent Setting Code	0 .. 1	Token	07	1 .. 1	1122
│ │ ├ **488** — Percent	0 .. 1	Integer	08	1 .. 3	
│ │ └ **380** — Quantity	0 .. 1	Decimal	09	1 .. 15	

Documentation

Definition To relate equipment type and required temperatures

Properties

Identifier W09

Name Equipment and Temperature

Cardinality min: 0 max: 1

Syntax Type Related

External Category Segment

Position 021

Level 3

Notes

Usage 1 W0902 is the minimum allowable temperature condition for shipment; (the qualifying temperature scale is specified in W0903).

Usage 2 W0904 is the maximum allowable temperature condition for shipment; (the qualifying temperature scale is specified in W0905).

Usage 3 W0906 is used to describe the environment required within an ocean-type, refrigerated container when other than normal air is required.

Usage 4 W0908 is the humidity percentage.

Usage 5 W0909 is the number of air exchanges per hour.

Constraint 1 P0203 Paired Multiple - If any are used, all must be used

Constraint 2 P0405 Paired Multiple - If any are used, all must be used

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
40 Equipment Description Code	Code identifying type of equipment used for shipment **Selected Values** All Values in Codelist	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 2 max: 2 **External Category** Simple Data Element **Data Type** ID **Position** 01 **Codelist Id** 40 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
408	Temperature	**Cardinality** min: 0 max: 1

Temperature		**Primitive Type** Decimal **Length** **min:** 1 **max:** 4 **Total Digits** 4 **External Category** Simple Data Element **Data Type** R **Position** 02
355 Unit or Basis for Measurement Code	Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken **Selected Values** **Code** CE **Name** Centigrade, Celsius **Code** FA **Name** Fahrenheit	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Token **Length** **min:** 2 **max:** 2 **External Category** Simple Data Element **Data Type** ID **Position** 03 **Codelist Id** 355 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
408 Temperature	Temperature	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Decimal **Length** **min:** 1 **max:** 4 **Total Digits** 4 **External Category** Simple Data Element **Data Type** R **Position** 04
355 Unit or Basis for Measurement Code	Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken **Selected Values** **Code** CE **Name** Centigrade, Celsius **Code** FA **Name** Fahrenheit	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Token **Length** **min:** 2 **max:** 2 **External Category** Simple Data Element **Data Type** ID **Position** 05 **Codelist Id** 355 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
1122 Vent Setting Code	Code describing the setting on the air vents on ocean-type containers **Selected Values** All Values in Codelist	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Token **Length** **min:** 1 **max:** 1 **External Category** Simple Data Element **Data Type** ID **Position** 07 **Codelist Id** 1122 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
488 Percent	Percent expressed as 0 to 100	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Integer **Length** **min:** 1 **max:** 3 **Fraction Digits** 0 **Total Digits** 3 **External Category** Simple Data Element **Data Type** N0 **Position** 08
380 Quantity	Numeric value of quantity **Usage 1** Air Exchange per hour in cubic meters. No other unit is supported!	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Decimal **Length** **min:** 1 **max:** 15 **Total Digits** 15 **External Category** Simple Data Element **Data Type** R **Position** 09

4.20 L0 — Line Item - Quantity and Weight

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
300 — Reservation (Booking Request) (Ocean)	1 .. 1				
├ **LX** — Loop LX	1 .. 999		010		
│ ├ **L0** — Line Item - Quantity and Weight	0 .. 1		040		
│ │ ├ **81** — Weight	0 .. 1	Decimal	04	1 .. 10	
│ │ ├ **187** — Weight Qualifier	0 .. 1	Token	05	1 .. 2	187
│ │ ├ **183** — Volume	0 .. 1	Decimal	06	1 .. 8	
│ │ ├ **184** — Volume Unit Qualifier	0 .. 1	Token	07	1 .. 1	184
│ │ ├ **80** — Lading Quantity	0 .. 1	Integer	08	1 .. 7	
│ │ └ **188** — Weight Unit Code	0 .. 1	Token	11	1 .. 1	188

Documentation

Definition To specify quantity, weight, volume, and type of service for a line item including applicable "quantity/rate-as" data

Properties

Identifier L0

Name Line Item - Quantity and Weight

Cardinality min: 0 max: 1

Syntax Type Related

External Category Segment

Position 040

Level 3

Notes

Usage 1 L008 is the number of handling units of the line item tendered to the carrier.

Usage 2 L013 can only be used if the code in L009 is PLT, SKD, or SLP.

Usage 3 L015 designates whether the carrier will be required to verify the number of units contained on a pallet, slip sheet or skid. Code "Y" indicates that the carrier will be required to verify. Code "N" indicates that the carrier will not be required to verify.

Constraint 1 P0203 Paired Multiple - If any are used, all must be used

Constraint 2 P0405 Paired Multiple - If any are used, all must be used

Constraint 3 P0607 Paired Multiple - If any are used, all must be used

Constraint 4 P0809 Paired Multiple - If any are used, all must be used

Constraint 5 C1104 Conditional - If the first element is present, then the others must be present

Constraint 6 P1315 Paired Multiple - If any are used, all must be used

Comment 1 L013 is used to convey the total number of boxes, cartons, or pieces contained on a pallet, skid, or slip sheet for the line item.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
81 Weight	Numeric value of weight	**Cardinality** min: 0 max: 1 **Primitive Type** Decimal **Length** min: 1 max: 10 **Total Digits** 10 **External Category** Simple Data Element **Data Type** R **Position** 04
187 Weight Qualifier	Code defining the type of weight	**Cardinality** min: 0 max: 1 **Primitive Type** Token

	Selected Values **Code** G **Name** Gross Weight	**Length** min: 1 max: 2 **External Category** Simple Data Element **Data Type** ID **Position** 05 **Codelist Id** 187 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
183 Volume	Value of volumetric measure	**Cardinality** min: 0 max: 1 **Primitive Type** Decimal **Length** min: 1 max: 8 **Total Digits** 8 **External Category** Simple Data Element **Data Type** R **Position** 06
184 Volume Unit Qualifier	Code identifying the volume unit **Selected Values** **Code** C **Name** Cubic Centimeters **Code** E **Name** Cubic Feet **Code** M **Name** Cubic Decimeters **Code** N **Name** Cubic Inches **Code** V **Name** Liter **Code** X **Name** Cubic Meters	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 1 max: 1 **External Category** Simple Data Element **Data Type** ID **Position** 07 **Codelist Id** 184 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
80 Lading Quantity	Number of units (pieces) of the lading commodity	**Cardinality** min: 0 max: 1 **Primitive Type** Integer **Length** min: 1 max: 7 **Fraction Digits** 0 **Total Digits** 7 **External Category** Simple Data Element **Data Type** N0 **Position** 08
188 Weight Unit Code	Code specifying the weight unit **Selected Values** **Code** E **Name** Metric Ton **Code** K **Name** Kilograms **Code** L **Name** Pounds	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 1 max: 1 **External Category** Simple Data Element **Data Type** ID **Position** 11 **Codelist Id** 188 **Type System** ASC_X12 **Version Mode** Current **Version** 004010

4.21 L4 — Measurement

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
300 — Reservation (Booking Request) (Ocean)	1 .. 1				
├ **LX** — Loop LX	1 .. 999		010		
│ ├ **L4** — Measurement	0 .. 1		060		
│ │ ├ **82** — Length	1 .. 1	Decimal	01	1 .. 8	
│ │ ├ **189** — Width	1 .. 1	Decimal	02	1 .. 8	
│ │ ├ **65** — Height	1 .. 1	Decimal	03	1 .. 8	
│ │ ├ **90** — Measurement Unit Qualifier	1 .. 1	Token	04	1 .. 1	90
│ │ ├ **380** — Quantity	0 .. 1	Decimal	05	1 .. 15	
│ │ └ **1271** — Industry Code	0 .. 1	String	06	1 .. 30	

Documentation

Definition To describe physical dimensions and quantities

Properties

Identifier L4

Name Measurement

Cardinality min: 0 max: 1

Syntax Type Related

External Category Segment

Position 060

Level 3

Notes

Usage 1 L406 is the Rounding in Pattern for dimensional shipments.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
82 Length	Largest horizontal dimension of an object measured when the object is in the upright position	**Cardinality** min: 1 max: 1 **Primitive Type** Decimal **Length** min: 1 max: 8 **Total Digits** 8 **External Category** Simple Data Element **Data Type** R **Position** 01
189 Width	Shorter measurement of the two horizontal dimensions measured with the object in the upright position	**Cardinality** min: 1 max: 1 **Primitive Type** Decimal **Length** min: 1 max: 8 **Total Digits** 8 **External Category** Simple Data Element **Data Type** R **Position** 02
65 Height	Vertical dimension of an object measured when the object is in the upright position	**Cardinality** min: 1 max: 1 **Primitive Type** Decimal **Length** min: 1 max: 8 **Total Digits** 8 **External Category** Simple Data Element **Data Type** R **Position** 03
90 Measurement Unit Qualifier	Code specifying the linear dimensional unit **Selected Values** All Values in Codelist	**Cardinality** min: 1 max: 1 **Primitive Type** Token **Length** min: 1 max: 1 **External Category** Simple Data Element

		Data Type ID **Position** 04 **Codelist Id** 90 **Type System** ASC_X12 **Version Mode** Current **Version** 004010
380 Quantity	Numeric value of quantity	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** Decimal **Length** **min:** 1 **max:** 15 **Total Digits** 15 **External Category** Simple Data Element **Data Type** R **Position** 05
1271 Industry Code	Code indicating a code from a specific industry code list **Usage 1** this is the measurement unit of the field 380	**Cardinality** **min:** 0 **max:** 1 **Primitive Type** String **Length** **min:** 1 **max:** 30 **External Category** Simple Data Element **Data Type** AN **Position** 06

4.22 H1 — Loop H1

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
300 — Reservation (Booking Request) (Ocean)	1 .. 1				
├ **LX** — Loop LX	1 .. 999		010		
│ └ **H1** — Loop H1	0 .. 10		070		
│ └ **H1** — Hazardous Material	1 .. 1		070		

Properties

Identifier H1

Name Loop H1

Cardinality min: 0 max: 10

Syntax Type Related

External Category Loop

Position 070

Level 3

4.23 H1 — Hazardous Material

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
300 — Reservation (Booking Request) (Ocean)	1 .. 1				
├ **LX** — Loop LX	1 .. 999		010		
│ └ **H1** — Loop H1	0 .. 10		070		
│ └ **H1** — Hazardous Material	1 .. 1		070		
│ ├ **62** — Hazardous Material Code	1 .. 1	String	01	4 .. 10	
│ ├ **209** — Hazardous Material Class Code	0 .. 1	String	02	1 .. 4	
│ └ **64** — Hazardous Material Description	0 .. 1	String	04	2 .. 30	

Documentation

Definition To specify information relative to hazardous material

Properties

Identifier H1

Name Hazardous Material

Cardinality min: 1 max: 1

Syntax Type Related

External Category Segment

Position 070

Level 4

Notes

Constraint 1 P0708 Paired Multiple - If any are used, all must be used

Comment 1 This segment is required when the shipment contains hazardous material.

Comment 2 H107 is the lowest temperature for hazardous materials.

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
62 Hazardous Material Code	Code relating to hazardous material code qualifier for regulated hazardous materials	**Cardinality** min: 1 max: 1 **Primitive Type** String **Length** min: 4 max: 10 **External Category** Simple Data Element **Data Type** AN **Position** 01
209 Hazardous Material Class Code	Code specifying the kind of hazard for a material	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 1 max: 4 **External Category** Simple Data Element **Data Type** AN **Position** 02
64 Hazardous Material Description	Material name, special instructions, and phone number if any	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 2 max: 30 **External Category** Simple Data Element **Data Type** AN **Position** 04

4.24 V1 — Vessel Identification

Structure

Node	Card.	Prim.Type	Pos.	Length	Codelists
300 — Reservation (Booking Request) (Ocean)	1 .. 1				
├ **V1** — Vessel Identification	0 .. 2		090		
│ ├ **597** — Vessel Code	0 .. 1	Token	01	1 .. 8	
│ ├ **55** — Flight/Voyage Number	0 .. 1	String	04	2 .. 10	
│ └ **91** — Transportation Method/Type Code	0 .. 1	Token	09	1 .. 2	91

Documentation

Definition To provide vessel details and voyage number

Properties

Identifier V1

Name Vessel Identification

Cardinality min: 0 max: 2

Syntax Type Related

External Category Segment

Position 090

Level 2

Notes

Usage 1 V103 is the code identifying the country in which the ship (vessel) is registered.

Usage 2 V105 identifies the ocean carrier.

Constraint 1 R0102 Required - At least one of those noted must be used

Constraint 2 C0801 Conditional - If the first element is present, then the others must be present

Leaf Elements

Identifier/Name	Description/Notes/Code Values	Properties
597 Vessel Code	Code identifying vessel	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 1 max: 8 **External Category** Simple Data Element **Data Type** ID **Position** 01
55 Flight/Voyage Number	Identifying designator for the particular flight or voyage on which the cargo travels	**Cardinality** min: 0 max: 1 **Primitive Type** String **Length** min: 2 max: 10 **External Category** Simple Data Element **Data Type** AN **Position** 04
91 Transportation Method/Type Code	Code specifying the method or type of transportation for the shipment **Selected Values** **Code** S **Name** Ocean	**Cardinality** min: 0 max: 1 **Primitive Type** Token **Length** min: 1 max: 2 **External Category** Simple Data Element **Data Type** ID **Position** 09 **Codelist Id** 91 **Type System** ASC_X12 **Version Mode** Current **Version** 004010